

DAFTAR PUSTAKA

- Al-Amri, A. M., Abdelrahman, K., & Fnais, M. S. (2022). Evaluation of seismic vulnerability index in Makkah Al-Mukarramah urban area, Saudi Arabia, using microtremor measurements. *Arabian Journal of Geosciences*, 1305.
- Arai, H., & Tokimatsu, K. (2004). S-Wave Velocity Profiling by Inversion of Microtremor H/V Spectrum. *Bulletin of the Seismological Society of America*, Vol. 94, No. 1, 53–63.
- Arifin. (2014). Penentuan Zona Rawan Guncangan Bencana Gempa Bumi Berdasarkan Hasil Analisis Amplikasi HVSR Mikrotremor dan Analisis Periode Dominan Daerah Liwa dan Sekitarnya. *J. Geofis Eksplor.* vol.2. no. 1. pp. 30-40.
- Ayi, V. W., & Bahri, S. (2017). Analisis Mikrotremor untuk Evaluasi Kekuatan Bangunan Studi Kasus Gedung Perpustakaan ITS. *Jurnal Sains dan Seni*, Vol. 1, No. 1.
- Badan Pengawas Tenaga Nuklir (BAPETEN). (2008). Peraturan Kepala Badan Pengawas Tenaga Nuklir Nomor 4 Tahun 2008 Tentang Evaluasi Lokasi Reaktor Daya Untuk Aspek Geoteknik dan Fondasi Reaktor Daya. Jakarta: (BAPETEN).
- Badan Meteorologi, Klimatologi, dan Geofisika (BMKG). (1998). Sumberdaya Geologi. *Buletin Meteorologi dan Geofisika No.4. BMKG*. Jakarta.
- Basu, P. C. (2019). Site evaluation for nuclear power plants – The practices. *Nuclear Engineering and Design*, 352(110140), 1-12.
- Brigham, E.O. (1988). The Fast Fourier transform and its applications. *Prentice Hall*.
- Coburn, A., & Spence. R. J. S. (2002). Earthquake protection. *J. Wiley*.
- Daryono. (2009). Pengkajian Local site Effect di Graben, Bantul Menggunakan Indeks Kerentanan Seismik Berdasarkan Pengukuran Mikrotremor. *Jurnal Kebencanaan Indonesia*, vol. 2, no. 1, pp. 456-467.
- Desmita, S. C., Umar, M., & Idris, Y. (2022). Study of Earthquake Response and Public Building Vulnerability Based on Microtremor Data in North Aceh (Kajian Respon Gempa Dan Kerentanan Bangunan Publik Berdasarkan Data Mikrotremor Di Aceh Utara). *Journal of Civil Engineering and Planning Archives* 5 (3), 236-246.
- Dian-Ping LI. (2011). Nakamura spectral ratio characteristics of microseism signal induced by relieve-shot. *Procedia Engineering* 26 (2011). pp 1296 – 1304.
- Dunbar, P., McCullough, H., Mungov, G., & Vanner, J. (2011). Express Letter: 2011 Tohoku earthquake and tsumai data avaible from the National

- Oceanic and Atmospheric Administration/National Geophysical Data Center. *Geomatics, Natural Hazards and Risk*, 2(4), 305-323.
- Gallipoli, M. R., Mucciarelli, M., Gallicchio, S., & Tropeano, M. (2001). Horizontal to vertical spectral ratio (HVSr) measurements in the area damaged by the 2002 Molise, Italy, earthquake. *Earthq. Spectra*, 20 (S1), S81–S93.
- Gosar, A. (2010). Site effects and soil-structure resonance study in the Kobarid basin (NW Slovenia) using microtremors. *Natural Hazards Earth System. Sci*(10), 761–772.
- Gosar, A., Roser, J., Motnikar, B. S., & Zupancic, P. (2010). Microtremor study of site effects and soil-structure resonance in the city of Ljubljana (central Slovenia). *B. Earthq. Eng*, 8, 571–592.
- Hadianfard, M. A., Rabiee, R., & Sarshad, A. (2015). Case study on the effects of retrofitting on changing structural dynamic characteristics by microtremor measurements and finite element analysis. *Structural Engineering and Mechanics* Vol 55, No. 5, 965-977.
- Hadianfard, M. A., Jahangiri, M., & Shojaei, S. (2022). The effects of non-structural components on the dynamic characteristics and vulnerability of concrete structures using ambient vibration tests and Nakamura's criterion. *Soil Dynamics and Earthquake Engineering*, 162.
- Haghshenas, E., Bard, P. -Y., Theodulidis, N., and SESAME WP04 Team. (2008). Empirical evaluation of microtremor H/V spectral ratio. *Bull. Earthq. Eng*, 6(1), 75–108.
- Helmi. (2008). Pola Struktur Regional Jawa Barat. *Bulletin of Scientific Contribution*. Vol. 6. No. 1. pp. 57-66.
- Herak. (2008). Recent applications of ambient vibration measurements in Croatia, in book Increasing Seismic Safety by Combining Engineering Technologies and Seismological Data, *NATO Science for Peace and Security Series C: Environmental Security* (pp. 281–292). Dordrecht.
- Herak. (2011). Overview of Recent Ambient Noise Measurements in Croatia in Free-Field and in Buildings. *Geofizika*, 28, 21-40.
- Hesa. (2022). Strategi Perbaikan Performa Seismik. Diakses dari : <https://hesa.co.id/perbaikan-performa-seismik/>, pada 6 Desember 2022.
- International Atomic Energy Agency (IAEA). (2001). DS304: Seismic Design and Component Qualification for Nuclear Power Plants. *IAEA DS304 Draft 4, 14.06*. Vienna: IAEA.
- International Atomic Energy Agency (IAEA). (2007). DS383: Seismic Evaluation of Existing Nuclear Installations. *IAEA DS383 Draft 3, 08.11*. Vienna: IAEA.

- International Atomic Energy Agency (IAEA). (2008). DS367: Seismic Classification of Structures, Systems and Components in Nuclear Power Plants. *IAEA DS367 Draft 5.1, 11.04*. Vienna: IAEA.
- Internasional Atomic Energy Agency (IAEA). (2009). DS422: Seismic Hazards in Site Evaluation for Nuclear Installations. *IAEA DS422 Draft 63, 15.06*. Vienna: IAEA.
- International Atomic Energy Agency. (2010). IAEA Safety Standart, Specific Safety Guide No. SSG-10. *In Ageing Management for Research Reaktor* (p. 45). Vienna: International Atomic Energy Agency.
- International Energy Atomic Agency (IAEA). (2016). Site Evaluation For Nuclear Installation, *Safety Requirements No. NS-R-3 (Rev.1)*. Vienna: IAEA.
- Iswanto, E. R., Indrawati, Y., & Riyanto, T. A. (2019). Studi Mikrotremor dengan Metode Horizontal to Vertical Spectral Ratio (HVSr) di Tapak RDE. Serpong. *Eksplorium*, 40 (2), 105-114.
- Jahangiri, M., Hadianfard, M. A., & Shojaei, S. (2022). Microtremor measurements for assessing the influences of non-structural components on the modal properties and vulnerability of steel structures. *Measurement*, 201.
- Kanai, K., & Tanaka, T. (1961). On Microtremors. *In Bulletin of The Earthquake Research Institute*. 39, 97-114, Earthquake Research Institute.
- Kementerian Energi dan Sumber Daya Mineral (ESDM). (2003). Peta Geologi Daerah Serpong, Banten, Layanan Informasi Data Geologi Indonesia (esdm.go.id) (19 Februari 2023).
- Khanmohammadi, M., Eshraghi, M., Behboodi, S., Mobarake, A. A., & Nafisifard, M. (2021). Dynamic Characteristics and Target Displacement of Damaged and Retrofitted Residential Buildings Using Ambient Vibration Tests Following Sarpol-e Zahab (Iran) Earthquake (MW 7.3). *Journal of Earthquake Engineering*, 26(12), 6015-6041.
- Konno, K., & Ohmachi, T. (1998). Ground Motion Characteristics Estimated from Spectral Ratio between Horizontal and Vertical Components of Microtremor. *Bulletin of the Seismological Society of America*, 88(1), 228-241.
- Meiswinkel, R., Meyer, J., & Schnell, J. (2013). Design and Construction of Nuclear Power Plants. Berlin: *Ernst & Sohn A Wiley Brand*.

- Mucciarelli, M., & Galipolli, M. R. (2003). The stability of the horizontal-to-vertical spectral ratio of triggered noise and earthquake recordings. *Bull. Seismol. Soc. Am.*, 93(3), 1407–1412.
- Nakamura, Y. (1989). A Method for Dynamic Characteristics Estimation of Subsurface using Microtremor on the Ground Surface. *QR of RTRI*, 30(1), 25–33.
- Nakamura, Y. (1996). Real-Time Information Systems for Seismic Hazards mitigation UrEDAS, HERAS and PIC. *QR of RTRI*, 37(3), 112–127.
- Nakamura, Y., Guler, E. D., & Saita, J. (1999). Dynamic Characteristics of Leaning Tower of Pisa Using Microtremor-Preliminary Result. *25th Japan Conference of Earthquake Engineering*, (pp. 29-31).
- Nakamura, Y. (2019). What is the Nakamura method? *Seismological Research Letters*. 90 (4). 1437–1443. doi:10.1785/0220180376.
- Nakamura, Y., Guler, E. D., Saita, J., Rovelli, A., & Donati, S. (2000). Vulnerability Investigation of Roman Collisseum Using Microtremor. *Prepared for 12th WCEE 2000 in Auckland, NZ 2660/6/A*.
- Nakamura, Y. (2000). Clear Identification of Fundamental Idea if Nakamura's Technique and its Application. *In: 12th World Conference on Earthquake Engineering. 2000 Auckland*. p.
- Okada, H. (2003). The microtremor survey method. *Society of Exploration Geophysicists with the cooperation of Society of Exploration Geophysicists of Japan [and] Australian Society of Exploration Geophysicists*.
- Partono W. dkk. (2013). Aplikasi Metode HVSR Pada Perhitungan Faktor Amplikasi Tanah di Kota Semarang. *Jurnal MKTS*. Vol. 19. no. 2. pp. 125-134.
- Pilz, M. & Parolai, S. (2012). Tapering of windowed time series. doi:10.2312/GFZ.NMSOP-2_IS_14.1.
- Prakosa. P., Ibad. M., Kafi. M., Burhanudin. M. & Rahmania. A. (2015) Earthquake Microzonation and Strength Building Evaluation at Gelora Bung Tomo Stadium Surabaya Using Micro-Tremor Method. *7th International Conference on Physics and Its Applications 2014 (ICOPIA 2014)*.
- Prastowo, R., & Prabowo, U. N, (2017). Evaluasi Kerentanan Gedung Rektorat STTNAS Terhadap Gempa Bumi Berdasarkan Analisis Mikrotremor. *Jurnal Angkasa* Vol IX, No. 1.
- Pujiarta, S. (2019). Laporan Hasil Pemeriksaan Kekuatan Struktur Gedung Reaktor G.A. Siwabessy. Tangerang Selatan: Pusat Reaktor Serba Guna, BATAN.

- Pusat Vulkanologi dan Mitigasi Bencana Gunung Api (PVMBG). (2022). (20 September 2021). MAGMA Indonesia: Tipe Gunung Api di Indonesia (A. B. dan C). Diakses dari <https://magma.esdm.go.id/v1/edukasi/tipe-gunung-api-di-indonesia-a-b-dan-c>, pada 11 Desember 2022.
- Putri. F. E. (2018). Evaluasi Ketahanan Bangunan terhadap Gempabumi pada Gedung R. Soegondo Fakultas Ilmu Budaya. Universitas Gadjah Mada dengan Menggunakan Analisis Mikrotremor. *Skripsi. Universitas Gadjah Mada*.
- Qurrahman. A. H. (2016). Analisis Mikrotremor untuk Evaluasi Ketahanan Bangunan Terhadap Gempabumi pada Gedung C Fakultas Matematika dan Ilmu Pengetahuan Alam. *Skripsi. Yogyakarta. Universitas Gadjah Mada*.
- Sanjaya., (2022). Radar Cirebon. (Radar Cirebon) Retrieved Februari 19, 2023. Diakses dari : <https://radarcirebon.disway.id/read/145458/sesar-baribis-majalengka-bisa-gempa-darat-seperti-sesar-cimandiri-cianjur-begini-penjasannya>, pada 25 September 2022.
- Satria, S. A., Bagus, S. M., Marjiyono., & Roby, S. (2014). Penentuan Zona Rawan Guncangan Bencana Gempa Bumi Berdasarkan Analisis Nilai Amplifikasi HVSZ Mikrotremor dan Analisis Periode Dominan Daerah Liwa dan Sekitarnya, *Jurnal Geofisika. Eksplorasi*, vol. 2, no. 1, pp. 30-40.
- Setiawan J. R. (2009). Mikrozonasi Seismitas Daerah Yogyakarta Dan Sekitarnya. Tesis. Bandung: Institut Teknologi Bandung. Syaifuddin F. Bahri A S. Lestari W and Pandu J 2016 Microtremor study of Gunung Anyar mud volcano. Surabaya. *East Java AIP Conference Proceedings 1730 050004 2016*.
- Shofi R. K. (2022). Kajian Ketahanan Gedung Perkuliahan S1 FMIPA UGM Terhadap Gempa Bumi Melalui Analisis Mikrotremor. *Skripsi Yogyakarta: Fakultas MIPA Universitas Gadjah Mada*.
- Standar Nasional Indonesia. (2019). Tata Cara Perencanaan Ketahanan Gempa untuk Struktur Bangunan Gedung dan Non Gedung (SNI 1726:2019). Badan Standarisasi Nasional.
- Sucipta. (2014). Pemetaan Geologi Lingkungan Kawasan PUSPIPTK Serpong dan Sekitarnya Sebagai Penyangga Tapak Disposasi Demo. *Jurnal Teknologi Pengelolaan Limbah*. Vol.17. No. 2. pp. 31-42. Badan Tenaga Nuklir Nasional.
- Sutrisno. (2015). Penentuan Percepatan Tanah Maksimum di daerah Jawa Barat dan Sekitarnya Dengan Metode Atkinson-Boore. *Jurnal Fisika Al-Fiziya*. Vol. IX. No. 2. pp. 58-62. Universitas Islam Negeri Syarif Hidayatullah Jakarta.

- Sato, T., Nakamura, Y., & Saita, J. (2008). The change of dynamic characteristics using microtremor. *The 14th World Conference on Earthquake Engineering WCEE*.
- SESAME. (2014). Site Effects Assessment Using Ambient Excitations. Report of the WP04 H/V Technique: *Empirical Evaluation. Deliverable D16.04*.
- Tim LAK RSG-GAS. (2020). "Laporan Analisis Keselamatan RSG-GAS Rev 11." Pusat Reaktor Serba Guna. Tangerang Selatan. Badan Tenaga Nuklir Nasional
- Tim Pusat Kajian Gempa Bumi Nasional. (2017). Peta Sumber dan Bahaya Gempa Bumi Indonesia Tahun 2017. Jakarta: Kementerian Pekerjaan Umum dan Perumahan Rakyat Republik Indonesia.
- Trifunac, M. D., & Todorovska M. I. (2000). Long period microtremors, microseisms and earthquake damage: Northridge, CA, earthquake of 17 January 1994. *Soil Dyn. Earthq. Eng*, 19(4), 253–267.
- Tumbelaka, O. F. F., Rantung, J. & Rembet, M. (2015). Simulasi Pengaruh Penggunaan Filter Butterworth Pada Masukan Sinyal Getaran Acak Terhadap Nilai rata-rata Magnitudo. *Jurnal Online Poros Teknik Mesin*, Vol. 4, No. 2.
- United States Geological Survey (USGS). (2022). Earthquake Hazard Program. Retrieved 12 26, 2022. Diakses dari: <https://earthquake.usgs.gov/earthquakes/search/>, pada 26 Desember 2022.