Green Synthesis Nanokomposit Fe3O4/Ag/TiO2 Menggunakan Ekstrak Daun Moringa Oleifera untuk Aplikasi
Degradasi Fotokatalitik
Syarifah Nihlah Yahya, Photocatalytic, nanocomposite, methylene blue, chromium hexavalent, eschericia coli, green
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abbas, M., Rao, B. P., Reddy, V., & Kim, C. (2014). Fe_3O_4/TiO_2 core/shell nanocubes: Single-batch surfactantless synthesis, characterization and efficient catalysts for methylene blue degradation. *Ceramics International*, *40*(7, Part B), 11177–11186. https://doi.org/10.1016/j.ceramint.2014.03.148

Abd Elmohsen, S. A., Daigham, G. E., Mohmed, S. A., & Sidkey, N. M. (2024). Photocatalytic Degradation of Biological Contaminant (*E. Coli*) in Drinking Water Under Direct Natural Sunlight Irradiation using Incorporation of Green Synthesized TiO_2, Fe_2O_3 Nanoparticles. *Biomass Conversion and Biorefinery*, *0123456789*. https://doi.org/10.1007/s13399-024-05602-5

Abdel-Rahman, L. H., Al-Farhan, B. S., Abou El-ezz, D., Abd–El Sayed, M. A., Zikry, M. M., & Abu-Dief, A. M. (2022). Green Biogenic Synthesis of Silver Nanoparticles Using Aqueous Extract of Moringa Oleifera: Access to a Powerful Antimicrobial, Anticancer, Pesticidal and Catalytic Agents. *Journal of Inorganic and Organometallic Polymers and Materials*, *32*(4), 1422–1435. https://doi.org/10.1007/s10904-021-02186-9

Abo-Dief, H. M., Hussein, O. K., Ihsan, A., El-Bahy, S. M., Raslan, A. M., Shahid, M., & Warsi, M. F. (2022). Ternary metal oxide WO_3.NiO.ZnO nanoparticles and their composite with CNTs for organic dye photocatalytic degradation. *Ceramics International*, *48*(15), 22228–22236. https://doi.org/10.1016/j.ceramint.2022.04.225

Aboulella, A. M., Wadi, V. S., Naddeo, V., Yousef, A. F., Banat, F., & Hasan, S. W. (2022). TiO_2 ceramic membrane decorated with Fe_3O_4–Ag composite nanoparticles for produced water treatment. *Chemosphere*, *308*, 136470. https://doi.org/10.1016/j.chemosphere.2022.136470

Adrianto, N., Panre, A. M., Istiqomah, N. I., Riswan, M., Apriliani, F., & Suharyadi, E. (2022). Localized surface plasmon resonance properties of green synthesized silver nanoparticles. *Nano-Structures & Nano-Objects*, *31*, 100895. https://doi.org/https://doi.org/10.1016/j.nanoso.2022.100895

Akakuru, O. U., Iqbal, Z. M., & Wu, A. (2020). TiO_2 Nanoparticles: Properties And

UNIVERSITAS
GADJAH MADA
**Green Synthesis Nanokomposit Fe3O4/Ag/TiO2 Menggunakan Ekstrak Daun Moringa Oleifera untuk Aplikasi
Degradasi Fotokatalitik**
Syarifah Nihlah Yahya, Photocatalytic, nanocomposite, methylene blue, chromium hexavalent, eschericia coli, green
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Applications. In W. R. Aiguo Wu (Ed.), *Wiley-VCH Verlag GmbH & Co* (1st ed.). Wiley. https://doi.org/10.1002/9783527825431.ch1

Akhtar, K., Khan, S. A., Khan, S. B., & Asiri, A. M. (2018). *Scanning Electron Microscopy: Principle and Applications in Nanomaterials Characterization BT - Handbook of Materials Characterization* (S. K. Sharma (ed.); hal. 113–145). Springer International Publishing. https://doi.org/10.1007/978-3-319-92955-2_4

Albayati, T. M., Sabri, A. A., & Alazawi, R. A. (2016). Separation of Methylene Blue as Pollutant of Water by SBA-15 in a Fixed-Bed Column. *Arabian Journal for Science and Engineering*, *41*(7), 2409–2415. https://doi.org/10.1007/s13369-015-1867-7

Alexpandi, R., Abirami, G., Murugesan, B., Durgadevi, R., Swasthikka, R. P., Cai, Y., Ragupathi, T., & Ravi, A. V. (2023). Tocopherol-assisted magnetic Ag-Fe_3O_4-TiO_2 nanocomposite for photocatalytic bacterial-inactivation with elucidation of mechanism and its hazardous level assessment with zebrafish model. *Journal of Hazardous Materials*, *442*(June 2022), 130044. https://doi.org/10.1016/j.jhazmat.2022.130044

Aliah, H., Puspita Rini, N., Syafar Farouk, I., Zurnansyah, Jestha Mahardhika, L., Dwi Jayanti, P., Perdana Kusumah, H., Marsel Tumbelaka, R., Imani Istiqomah, N., Sumawati Asri, N., Nur Iman, R., & Suharyadi, E. (2024). Microstructures, Optical, magnetic Properties, and photocatalytic activity of magnetically separable and reusable ZnO-Doped Fe_3O_4/rGO nanocomposite synthesized via green route. *Carbon Resources Conversion*, *7*(4), 100235. https://doi.org/10.1016/j.crcon.2024.100235

Álvarez-Chimal, R., & Arenas-Alatorre, J. Á. (2023). *Green Synthesis of Nanoparticles: A Biological Approach* (K. J. Shah (ed.); hal. Ch. 5). IntechOpen. https://doi.org/10.5772/intechopen.1002203

Ameh, E. S. (2019). A review of basic crystallography and x-ray diffraction applications. *The International Journal of Advanced Manufacturing Technology*, *105*(7), 3289–3302. https://doi.org/10.1007/s00170-019-04508-1

Anwer, H., Mahmood, A., Lee, J., Kim, K. H., Park, J. W., & Yip, A. C. K. (2019). Photocatalysts for degradation of dyes in industrial effluents: Opportunities

UNIVERSITAS GADJAH MADA
Green Synthesis Nanokomposit Fe3O4/Ag/TiO2 Menggunakan Ekstrak Daun Moringa Oleifera untuk Aplikasi Degradasi Fotokatalitik
Syarifah Nihlah Yahya, Photocatalytic, nanocomposite, methylene blue, chromium hexavalent, eschericia coli, green
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

and challenges. *Nano Research*, *12*(5), 955–972. https://doi.org/10.1007/s12274-019-2287-0

Ayu Larasati, D., Lismawenning Puspitarum, D., Imani Istiqomah, N., Partini, J., Ali, H., Ali, D., & Suharyadi, E. (2024). Novel green synthesis approach of eco-friendly magnetic/semiconductor nanocomposites as magnetically separable and reusable photocatalyst for organic dye degradation. *Results in Chemistry*, *10*, 101693. https://doi.org/https://doi.org/10.1016/j.rechem.2024.101693

Bacsik, Z., Mink, J., & Keresztury, G. (2004). FTIR spectroscopy of the atmosphere. I. Principles and methods. *Applied Spectroscopy Reviews*, *39*(3), 295–363. https://doi.org/10.1081/ASR-200030192

Berthomieu, C., & Hienerwadel, R. (2009). Fourier transform infrared (FTIR) spectroscopy. *Photosynthesis Research*, *101*(2–3), 157–170. https://doi.org/10.1007/s11120-009-9439-x

Beyene, H. D., Werkneh, A. A., Bezabh, H. K., & Ambaye, T. G. (2017). Synthesis paradigm and applications of silver nanoparticles (AgNPs), a review. *Sustainable Materials and Technologies*, *13*, 18–23. https://doi.org/10.1016/j.susmat.2017.08.001

Brenner, D. J., Krieg, N. R., Staley, J. T., Garrity, G. M., Vos, P. De, Goodfellow, M., & Noel, R. (2005). *Bergey's Manual® of Systematic Bacteriology: Volume 1 Systematic Introductory Essays*. *2*, 1–312.

Bunaciu, A. A., Udriştioiu, E. gabriela, & Aboul-Enein, H. Y. (2015). X-Ray Diffraction: Instrumentation and Applications. *Critical Reviews in Analytical Chemistry*, *45*(4), 289–299. https://doi.org/10.1080/10408347.2014.949616

Callao, M. P., & Larrechi, M. S. (2015). Fundamentals and Analytical Applications of Multiway Calibration. In A. M. de la Peña, H. C. Goicoechea, G. M. Escandar, & A. C. B. T.-D. H. in S. and T. Olivieri (Ed.), *Fundamentals and Analytical Applications of Multiway Calibration* (Vol. 29, hal. 399–426). Elsevier. https://doi.org/10.1016/B978-0-444-63527-3.00009-6

CDC - U.S. Department of Health and Human Services and Centers for Disease Control and Prevention, & NIOSH - National Institute for Occupational Safety and Health. (2013). *Occupational Exposure to Hexavalent Chromium* -

Green Synthesis Nanokomposit Fe3O4/Ag/TiO2 Menggunakan Ekstrak Daun Moringa Oleifera untuk Aplikasi
Degradasi Fotokatalitik
Syarifah Nihlah Yahya, Photocatalytic, nanocomposite, methylene blue, chromium hexavalent, eschericia coli, green
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Criteria for a Recommended Standard. 168.

Chang, J., Zhang, Q., Liu, Y., Shi, Y., & Qin, Z. (2018). Preparation of Fe_3O_4/TiO_2 magnetic photocatalyst for photocatalytic degradation of phenol. *Journal of Materials Science: Materials in Electronics*, *29*(10), 8258–8266. https://doi.org/10.1007/s10854-018-8832-7

Cheng, J., Zhan, C., Wu, J., Cui, Z., Si, J., Wang, Q., Peng, X., & Turng, L.-S. (2020). Highly Efficient Removal of Methylene Blue Dye from an Aqueous Solution Using Cellulose Acetate Nanofibrous Membranes Modified by Polydopamine. *ACS Omega*, *5*(10), 5389–5400. https://doi.org/10.1021/acsomega.9b04425

Choudhary, S., Sangela, V., Saxena, P., Saharan, V., Pugazhendhi, A., & Harish. (2023). Recent progress in algae-mediated silver nanoparticle synthesis. *International Nano Letters*, *13*(3), 193–207. https://doi.org/10.1007/s40089-022-00390-0

Dambournet, D., Belharouak, I., & Amine, K. (2010). Tailored Preparation Methods of TiO_2 Anatase, Rutile, Brookite: Mechanism of Formation and Electrochemical Properties. *Chemistry of Materials*, *22*(3), 1173–1179. https://doi.org/10.1021/cm902613h

de Jesus, R. A., de Assis, G. C., Oliveira, R. J. de, Costa, J. A. S., da Silva, C. M. P., Iqbal, H. M. N., & Ferreira, L. F. R. (2024). Metal/metal oxide nanoparticles: A revolution in the biosynthesis and medical applications. *Nano-Structures & Nano-Objects*, *37*, 101071. https://doi.org/10.1016/j.nanoso.2023.101071

Dey, D., Halder, N., Misra, K. P., Chattopadhyay, S., Jain, S. K., Bera, P., Kumar, N., & Mukhopadhyay, A. K. (2020). Systematic study on the effect of Ag doping in shaping the magnetic properties of sol-gel derived TiO2 nanoparticles. *Ceramics International*, *46*(17), 27832–27848. https://doi.org/10.1016/j.ceramint.2020.07.282

Dutta, A. (2017). Micro and Nano Technologies. In S. Thomas, R. Thomas, A. K. Zachariah, & R. K. B. T.-S. M. for N. C. Mishra (Ed.), *Micro and Nano Technologies* (hal. 73–93). Elsevier. https://doi.org/10.1016/B978-0-323-46140-5.00004-2

Green Synthesis Nanokomposit Fe3O4/Ag/TiO2 Menggunakan Ekstrak Daun Moringa Oleifera untuk Aplikasi
Degradasi Fotokatalitik
Syarifah Nihlah Yahya, Photocatalytic, nanocomposite, methylene blue, chromium hexavalent, eschericia coli, green
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

El-Habacha, M., Dabagh, A., Lagdali, S., Miyah, Y., Mahmoudy, G., Sinan, F., Chiban, M., Iaich, S., & Zerbet, M. (2023). An efficient and adsorption of methylene blue dye on a natural clay surface: modeling and equilibrium studies. *Environmental Science and Pollution Research*. https://doi.org/10.1007/s11356-023-27413-3

El Ghandoor, H., Zidan, H. M., Khalil, M. M. H., & Ismail, M. I. M. (2012). Synthesis and Some Physical Properties of Magnetite (Fe3O4) Nanoparticles. *International Journal of Electrochemical Science*, *7*(6), 5734–5745. https://doi.org/10.1016/S1452-3981(23)19655-6

Elliott, R. J. (1957). Intensity of optical absorption by excitons. *Physical Review*, *108*(6), 1384–1389. https://doi.org/10.1103/PhysRev.108.1384

Epp, J. (2016). X-Ray Diffraction (XRD) Techniques for Materials Characterization. In *Materials Characterization Using Nondestructive Evaluation (NDE) Methods*. Elsevier Ltd. https://doi.org/10.1016/B978-0-08-100040-3.00004-3

Ezhilarasi, A. A., Vijaya, J. J., Kaviyarasu, K., Maaza, M., Ayeshamariam, A., & Kennedy, L. J. (2016). Green synthesis of NiO nanoparticles using Moringa oleifera extract and their biomedical applications: Cytotoxicity effect of nanoparticles against HT-29 cancer cells. *Journal of Photochemistry and Photobiology B: Biology*, *164*, 352–360. https://doi.org/10.1016/j.jphotobiol.2016.10.003

Fakhari, S., Jamzad, M., & Kabiri Fard, H. (2019). Green synthesis of zinc oxide nanoparticles: a comparison. *Green Chemistry Letters and Reviews*, *12*(1), 19–24. https://doi.org/10.1080/17518253.2018.1547925

Fatmawati, A., Sucianingsih, D., Kurniawati, R., & Abdurrahman, M. (2021). Microscopic Identification and Determination of Total Flavonoid Content of Moringa Leaves Extract and Ethyl Acetate Fraction (Moringa oleifera L.) Identifikasi Mikroskopis dan Penentuan Kandungan Flavonoid Total Ekstrak Daun Kelor dan Fraksi Etil Asetat. *Indonesian Journal of Pharmaceutical Science and Technology Journal Homepage*, *1*(1), 66–74. https://doi.org/10.24198/ijpst.v1i1.36337

Fito, J., Abrham, S., & Angassa, K. (2020). Adsorption of Methylene Blue from

UNIVERSITAS GADJAH MADA
Green Synthesis Nanokomposit Fe3O4/Ag/TiO2 Menggunakan Ekstrak Daun Moringa Oleifera untuk Aplikasi Degradasi Fotokatalitik
Syarifah Nihlah Yahya, Photocatalytic, nanocomposite, methylene blue, chromium hexavalent, eschericia coli, green
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Textile Industrial Wastewater onto Activated Carbon of Parthenium hysterophorus. *International Journal of Environmental Research*, *14*(5), 501–511. https://doi.org/10.1007/s41742-020-00273-2

Fitriana, F. U. (2020). *Pengolahan Air dengan Fotokatalisis Menggunakan Katalis Titanium Oksida (TiO_2) dan Parameter Operasi yang Mempengaruhinya*. 1–13. https://doi.org/10.5281/zenodo.1134282

Franco, M. K. K. D., Araújo, D. R. de, Paula, E. de, Cavalcanti, L., & Yokaichiya, F. (2017). X-Ray Scattering Techniques Applied in the Development of Drug Delivery Systems. *X-ray Scattering*, *January*. https://doi.org/10.5772/65326

Ganapathe, L. S., Mohamed, M. A., Mohamad Yunus, R., & Berhanuddin, D. D. (2020). Magnetite (Fe_3O_4) Nanoparticles in Biomedical Application: From Synthesis to Surface Functionalisation. In *Magnetochemistry* (Vol. 6, Nomor 4). https://doi.org/10.3390/magnetochemistry6040068

Gauri, B., Vidya, K., Sharada, D., & Shobha, W. (2016). Synthesis and characterization of Ag/AgO nanoparticles as alcohol sensor. *Research Journal of Chemistry and Environment*, *20*(10), 1–5.

Ghasemy-Piranloo, F., Bavarsiha, F., & Dadashian, S. (2022). Tribological properties of core/shell Fe_3O_4/TiO_2 composites as additives in base oil. *Journal of Sol-Gel Science and Technology*, *103*(3), 908–920. https://doi.org/10.1007/s10971-022-05864-3

Gopalakrishnan, L., Doriya, K., & Kumar, D. S. (2016). Moringa oleifera: A review on nutritive importance and its medicinal application. *Food Science and Human Wellness*, *5*(2), 49–56. https://doi.org/10.1016/j.fshw.2016.04.001

Gupta, S. M., & Tripathi, M. (2011). A review of TiO_2 nanoparticles. *Chinese Science Bulletin*, *56*(16), 1639–1657. https://doi.org/10.1007/s11434-011-4476-1

Güzel, R., & Erdal, G. (2018). *Synthesis of Silver Nanoparticles* (K. Maaz (ed.); hal. Ch. 1). IntechOpen. https://doi.org/10.5772/intechopen.75363

Hariharan, D., Thangamuniyandi, P., Jegatha Christy, A., Vasantharaja, R., Selvakumar, P., Sagadevan, S., Pugazhendhi, A., & Nehru, L. C. (2020). Enhanced photocatalysis and anticancer activity of green hydrothermal synthesized Ag@TiO_2 nanoparticles. *Journal of Photochemistry and*

UNIVERSITAS GADJAH MADA
Green Synthesis Nanokomposit Fe3O4/Ag/TiO2 Menggunakan Ekstrak Daun Moringa Oleifera untuk Aplikasi Degradasi Fotokatalitik
Syarifah Nihlah Yahya, Photocatalytic, nanocomposite, methylene blue, chromium hexavalent, eschericia coli, green
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Photobiology B: Biology, *202*, 111636. https://doi.org/10.1016/j.jphotobiol.2019.111636

Haris, Z., & Ahmad, I. (2024). Green synthesis of silver nanoparticles using Moringa oleifera and its efficacy against gram-negative bacteria targeting quorum sensing and biofilms. *Journal of Umm Al-Qura University for Applied Sciences*, *10*(1), 156–167. https://doi.org/10.1007/s43994-023-00089-8

Herschy, R. W. (2012). Water quality for drinking: WHO guidelines. *Encyclopedia of Earth Sciences Series*, 876–883. https://doi.org/10.1007/978-1-4020-4410-6_184

Hoang, V. V, Zung, H., & Trong, N. H. B. (2007). Structural properties of amorphous TiO_2 nanoparticles. *The European Physical Journal D*, *44*(3), 515–524. https://doi.org/10.1140/epjd/e2007-00186-5

Holder, C. F., & Schaak, R. E. (2019). Tutorial on Powder X-ray Diffraction for Characterizing Nanoscale Materials. *ACS Nano*, *13*(7), 7359–7365. https://doi.org/10.1021/acsnano.9b05157

Hussain, I., Singh, N. B., Singh, A., Singh, H., & Singh, S. C. (2016). Green synthesis of nanoparticles and its potential application. *Biotechnology Letters*, *38*(4), 545–560. https://doi.org/10.1007/s10529-015-2026-7

Ibhadon, A. O., & Fitzpatrick, P. (2013). Heterogeneous photocatalysis: Recent advances and applications. *Catalysts*, *3*(1), 189–218. https://doi.org/10.3390/catal3010189

Ijaz, M., & Zafar, M. (2021). Titanium dioxide nanostructures as efficient photocatalyst: Progress, challenges and perspective. *International Journal of Energy Research*, *45*(3), 3569–3589. https://doi.org/10.1002/er.6079

Ismael, M. (2020). Enhanced photocatalytic hydrogen production and degradation of organic pollutants from Fe (III) doped TiO_2 nanoparticles. *Journal of Environmental Chemical Engineering*, *8*(2), 103676. https://doi.org/10.1016/j.jece.2020.103676

Ismail, G. A., & Sakai, H. (2022). Review on effect of different type of dyes on advanced oxidation processes (AOPs) for textile color removal. *Chemosphere*, *291*, 132906. https://doi.org/10.1016/j.chemosphere.2021.132906

Jadhav, V., Bhagare, A., Ali, I. H., Dhayagude, A., Lokhande, D., Aher, J., Jameel,

UNIVERSITAS GADJAH MADA
Green Synthesis Nanokomposit Fe3O4/Ag/TiO2 Menggunakan Ekstrak Daun Moringa Oleifera untuk Aplikasi Degradasi Fotokatalitik
Syarifah Nihlah Yahya, Photocatalytic, nanocomposite, methylene blue, chromium hexavalent, eschericia coli, green
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

M., & Dutta, M. (2022). Role of Moringa oleifera on Green Synthesis of Metal/Metal Oxide Nanomaterials. *Journal of Nanomaterials*, *2022*, 2147393. https://doi.org/10.1155/2022/2147393

Jadoun, S., Arif, R., Jangid, N. K., & Meena, R. K. (2021). Green synthesis of nanoparticles using plant extracts: a review. *Environmental Chemistry Letters*, *19*(1), 355–374. https://doi.org/10.1007/s10311-020-01074-x

Jubu, P. R., Danladi, E., Ndeze, U. I., Adedokun, O., Landi, S., Haider, A. J., Adepoju, A. T., Yusof, Y., Obaseki, O. S., & Yam, F. K. (2024). Comment about the use of unconventional Tauc plots for bandgap energy determination of semiconductors using UV–Vis spectroscopy. *Results in Optics*, *14*(December 2023). https://doi.org/10.1016/j.rio.2024.100606

Karthik, K., Dhanuskodi, S., Gobinath, C., Prabukumar, S., & Sivaramakrishnan, S. (2018). Multifunctional properties of microwave assisted CdO–NiO–ZnO mixed metal oxide nanocomposite: enhanced photocatalytic and antibacterial activities. *Journal of Materials Science: Materials in Electronics*, *29*(7), 5459–5471. https://doi.org/10.1007/s10854-017-8513-y

Katata-Seru, L., Moremedi, T., Aremu, O. S., & Bahadur, I. (2018). Green synthesis of iron nanoparticles using Moringa oleifera extracts and their applications: Removal of nitrate from water and antibacterial activity against Escherichia coli. *Journal of Molecular Liquids*, *256*, 296–304. https://doi.org/10.1016/j.molliq.2017.11.093

Katsas, K., Diamantis, D. V, Linos, A., Psaltopoulou, T., & Triantafyllou, K. (2024). The Impact of Exposure to Hexavalent Chromium on the Incidence and Mortality of Oral and Gastrointestinal Cancers and Benign Diseases: A Systematic Review of Observational Studies, Reviews and Meta-Analyses. In *Environments* (Vol. 11, Nomor 1). https://doi.org/10.3390/environments11010011

Kaur, A., Kaur, M., Singh, V., & Vyas, P. (2023). Nanocomposites of Ferrites with TiO_2, SiO_2 and Carbon Quantum Dots as Photocatalysts for Degradation of Organic Pollutants and Microbes. In *Magnetochemistry* (Vol. 9, Nomor 5). https://doi.org/10.3390/magnetochemistry9050127

Khan, I., Saeed, K., Zekker, I., Zhang, B., Hendi, A. H., Ahmad, A., Ahmad, S.,

UNIVERSITAS
GADJAH MADA
**Green Synthesis Nanokomposit Fe3O4/Ag/TiO2 Menggunakan Ekstrak Daun Moringa Oleifera untuk Aplikasi
Degradasi Fotokatalitik**
Syarifah Nihlah Yahya, Photocatalytic, nanocomposite, methylene blue, chromium hexavalent, eschericia coli, green
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Zada, N., Ahmad, H., Shah, L. A., Shah, T., & Khan, I. (2022). Review on Methylene Blue: Its Properties, Uses, Toxicity and Photodegradation. In *Water* (Vol. 14, Nomor 2). https://doi.org/10.3390/w14020242

Khan, M., Xu, J., Chen, N., Cao, W., Asadullah, Usman, Z., & Khan, D. F. (2013). Effect of Ag doping concentration on the electronic and optical properties of anatase TiO_2: a DFT-based theoretical study. *Research on Chemical Intermediates*, *39*(4), 1633–1644. https://doi.org/10.1007/s11164-012-0897-y

Kumar, B., Vizuete, K. S., Sharma, V., Debut, A., & Cumbal, L. (2019). Ecofriendly synthesis of monodispersed silver nanoparticles using Andean Mortiño berry as reductant and its photocatalytic activity. *Vacuum*, *160*, 272–278. https://doi.org/10.1016/j.vacuum.2018.11.027

Kumar, S. (2006). Spectroscopy of Organic Compounds. In *Dept. of Chemistry* (Vol. 66, hal. 1–36).

Lendzion-Bieluń, Z., Wojciechowska, A., Grzechulska-Damszel, J., Narkiewicz, U., Śniadecki, Z., & Idzikowski, B. (2020). Effective processes of phenol degradation on Fe_3O_4–TiO_2 nanostructured magnetic photocatalyst. *Journal of Physics and Chemistry of Solids*, *136*, 109178. https://doi.org/10.1016/j.jpcs.2019.109178

Liu, R., Liu, J., Huang, Q., Liu, S., & Jiang, Y. (2022). Moringa oleifera: a systematic review of its botany, traditional uses, phytochemistry, pharmacology and toxicity. *Journal of Pharmacy and Pharmacology*, *74*(3), 296–320. https://doi.org/10.1093/jpp/rgab131

Liu, Y., Zhou, H., Wang, J., Yu, D., Li, Z., & Liu, R. (2022). Facile synthesis of silver nanocatalyst decorated Fe_3O_4@PDA core-shell nanoparticles with enhanced catalytic properties and selectivity. *RSC Advances*, *12*(7), 3847–3855. https://doi.org/10.1039/d1ra09187e

Madima, N., Kefeni, K. K., Mishra, S. B., Mishra, A. K., & Kuvarega, A. T. (2022). Fabrication of magnetic recoverable Fe_3O_4/TiO_2 heterostructure for photocatalytic degradation of rhodamine B dye. *Inorganic Chemistry Communications*, *145*, 109966. https://doi.org/10.1016/j.inoche.2022.109966

Mahardhika, L. J., Zurnansyah, Kusumah, H. P., Jayanti, P. D., Tumbelaka, R. M., Ardiyanti, H., Istiqomah, N. I., Sari, E. K., Asri, N. S., Angel, J., Aliah, H., &

Green Synthesis Nanokomposit Fe3O4/Ag/TiO2 Menggunakan Ekstrak Daun Moringa Oleifera untuk Aplikasi
Degradasi Fotokatalitik
Syarifah Nihlah Yahya, Photocatalytic, nanocomposite, methylene blue, chromium hexavalent, eschericia coli, green
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Suharyadi, E. (2024). Photodegradation enhancement of organic dyes using magnetically separable and reusable Fe3O4/rGO nanocomposites green-synthesized utilizing plant leaves extract. *Case Studies in Chemical and Environmental Engineering*, *10*(August), 100915. https://doi.org/10.1016/j.cscee.2024.100915

Mahmood, K. T., Mugal, T., & Haq, I. U. (2010). Moringa oleifera: A natural gift-a review. *Journal of Pharmaceutical Sciences and Research*, *2*(11), 775–781.

Makuła, P., Pacia, M., & Macyk, W. (2018). How To Correctly Determine the Band Gap Energy of Modified Semiconductor Photocatalysts Based on UV–Vis Spectra. *The Journal of Physical Chemistry Letters*, *9*(23), 6814–6817. https://doi.org/10.1021/acs.jpclett.8b02892

Marasinghe, D. (2019). *DRUDE-LORENTZ ANALYSIS OF THE OPTICAL PROPERTIES OF THE QUASI- TWO-DIMENSIONAL DICHALCOGENIDES 2H-NbSe2 and 2H-TaSe2* (Nomor July). The University of Akron.

Matinise, N., Fuku, X. G., Kaviyarasu, K., Mayedwa, N., & Maaza, M. (2017). ZnO nanoparticles via Moringa oleifera green synthesis: Physical properties & mechanism of formation. *Applied Surface Science*, *406*, 339–347. https://doi.org/10.1016/j.apsusc.2017.01.219

Maysarah, S., Putri, G. L., Pratama, M. A., Zulkarnain, F., Willetts, J., Foster, T., Genter, F., Harris, A., & Priadil, C. R. (2020). The Occurrence of *Escherichia Coli* in Groundwater of Bekasi City (Case Study: Jatiluhur, Sumur Batu, and Jatirangga Urban Villages). *IOP Conference Series: Earth and Environmental Science*, *566*(1). https://doi.org/10.1088/1755-1315/566/1/012008

Mehwish, H. M., Rajoka, M. S. R., Xiong, Y., Cai, H., Aadil, R. M., Mahmood, Q., He, Z., & Zhu, Q. (2021). Green synthesis of a silver nanoparticle using Moringa oleifera seed and its applications for antimicrobial and sun-light mediated photocatalytic water detoxification. *Journal of Environmental Chemical Engineering*, *9*(4), 105290. https://doi.org/10.1016/j.jece.2021.105290

Mikhaylova, Y., Adam, G., Häussler, L., Eichhorn, K. J., & Voit, B. (2006). Temperature-dependent FTIR spectroscopic and thermoanalytic studies of

UNIVERSITAS GADJAH MADA
Green Synthesis Nanokomposit Fe3O4/Ag/TiO2 Menggunakan Ekstrak Daun Moringa Oleifera untuk Aplikasi Degradasi Fotokatalitik
Syarifah Nihlah Yahya, Photocatalytic, nanocomposite, methylene blue, chromium hexavalent, eschericia coli, green
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

hydrogen bonding of hydroxyl (phenolic group) terminated hyperbranched aromatic polyesters. *Journal of Molecular Structure*, *788*(1–3), 80–88. https://doi.org/10.1016/j.molstruc.2005.11.020

Minchin, S., & Lodge, J. (2019). Understanding biochemistry: structure and function of nucleic acids. *Essays in Biochemistry*, *63*(4), 433–456. https://doi.org/10.1042/EBC20180038

Mourdikoudis, S., Pallares, R. M., & Thanh, N. T. K. (2018). Characterization techniques for nanoparticles: Comparison and complementarity upon studying nanoparticle properties. *Nanoscale*, *10*(27), 12871–12934. https://doi.org/10.1039/c8nr02278j

Mulampaka, S. N., & SaiNaidu, A. B. A. N. (2017). Studies on Photocatalytic Degradation of *E. Coli* Present in Drinking Water Using Commercial, Synthesized and Doped TiO_2 As Catalyst. *Open Access International Journal of Science & Engineering*, *2*(12), 32–38. https://www.oaijse.com/VolumeArticles/FullTextPDF/127_OAIJSE_STUDIES_ON_PHOTOCATALYTIC_DEGRADATION_OF_E._COLI_PRESENT_IN_DRINKING_WATER.pdf

Murphy, M., Ting, K., Zhang, X., Soo, C., & Zheng, Z. (2015). Current Development of Silver Nanoparticle Preparation, Investigation, and Application in the Field of Medicine. *Journal of Nanomaterials*, *2015*, 696918. https://doi.org/10.1155/2015/696918

Nair, G. M., Sajini, T., & Mathew, B. (2022). Advanced green approaches for metal and metal oxide nanoparticles synthesis and their environmental applications. *Talanta Open*, *5*, 100080. https://doi.org/10.1016/j.talo.2021.100080

Nandhini, S. N., Sisubalan, N., Vijayan, A., Karthikeyan, C., Gnanaraj, M., Gideon, D. A. M., Jebastin, T., Varaprasad, K., & Sadiku, R. (2023). Recent advances in green synthesized nanoparticles for bactericidal and wound healing applications. *Heliyon*, *9*(2), e13128. https://doi.org/10.1016/j.heliyon.2023.e13128

Nawaz, R., Kait, C. F., Chia, H. Y., Isa, M. H., Huei, L. W., & Sahrin, N. T. (2021). Synthesis of Black-TiO_2 and manganese-doped TiO_2 nanoparticles and their comparative performance evaluation for photocatalytic removal of phenolic

UNIVERSITAS GADJAH MADA
Green Synthesis Nanokomposit Fe3O4/Ag/TiO2 Menggunakan Ekstrak Daun Moringa Oleifera untuk Aplikasi Degradasi Fotokatalitik
Syarifah Nihlah Yahya, Photocatalytic, nanocomposite, methylene blue, chromium hexavalent, eschericia coli, green
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

compounds from agro-industrial effluent. *Journal of Nanoparticle Research*, *23*(12). https://doi.org/10.1007/s11051-021-05373-4

Ng, K. K. (1995). *Complete Guide to Semiconductor Devices*. McGraw-Hill. https://books.google.co.id/books?id=H0xkQgAACAAJ

Nguyen, M. D., Tran, H.-V., Xu, S., & Lee, T. R. (2021). Fe3O4 Nanoparticles: Structures, Synthesis, Magnetic Properties, Surface Functionalization, and Emerging Applications. In *Applied Sciences* (Vol. 11, Nomor 23). https://doi.org/10.3390/app112311301

Nur, A. S. M., Sultana, M., Mondal, A., Islam, S., Robel, F. N., Islam, A., & Sumi, M. S. A. (2022). A review on the development of elemental and codoped TiO_2 photocatalysts for enhanced dye degradation under UV–vis irradiation. *Journal of Water Process Engineering*, *47*, 102728. https://doi.org/10.1016/j.jwpe.2022.102728

Nurlaili, T., Kurniasari, L., & Ratnani, R. D. (2017). Pemanfaatan Limbah Cangkang Telur Ayam Sebagai Adsorben Zat Warna Methyl Orange Dalam Larutan. *Jurnal Inovasi Teknik Kimia*, *2*(2), 3060–3069. https://doi.org/10.31942/inteka.v2i2.1938

Oladoye, P. O., Ajiboye, T. O., Omotola, E. O., & Oyewola, O. J. (2022). Methylene blue dye: Toxicity and potential elimination technology from wastewater. *Results in Engineering*, *16*, 100678. https://doi.org/10.1016/j.rineng.2022.100678

P., N. J., & B., K. J. (1998). Diarrheagenic Escherichia coli. *Clinical Microbiology Reviews*, *11*(1), 142–201. https://doi.org/10.1128/cmr.11.1.142

Parvathiraja, C., & Shailajha, S. (2023). Plasmonic core–shell nanoparticles of Ag@TiO_2 for photocatalytic degradation of Rhodamine B. *Applied Nanoscience*, *13*(6), 3677–3692. https://doi.org/10.1007/s13204-022-02499-2

Pauling, L., & Corey, R. B. (1953). A Proposed Structure For The Nucleic Acids. *Proceedings of the National Academy of Sciences*, *39*(2), 84–97. https://doi.org/10.1073/pnas.39.2.84

Peng, Z., Wang, X., Huang, J., & Li, B. (2024). *Chapter 53 - Pathogenic* Escherichia coli (Y.-W. Tang, M. Y. Hindiyeh, D. Liu, A. Sails, P. Spearman, & J.-R. B. T.-M. M. M. (Third E. Zhang (ed.); hal. 1065–1096). Academic

Green Synthesis Nanokomposit Fe3O4/Ag/TiO2 Menggunakan Ekstrak Daun Moringa Oleifera untuk Aplikasi
Degradasi Fotokatalitik
Syarifah Nihlah Yahya, Photocatalytic, nanocomposite, methylene blue, chromium hexavalent, eschericia coli, green
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Press. https://doi.org/10.1016/B978-0-12-818619-0.00069-1

Perumalsamy, H., Balusamy, S. R., Sukweenadhi, J., Nag, S., MubarakAli, D., El-Agamy Farh, M., Vijay, H., & Rahimi, S. (2024). A comprehensive review on Moringa oleifera nanoparticles: importance of polyphenols in nanoparticle synthesis, nanoparticle efficacy and their applications. *Journal of Nanobiotechnology*, *22*(1), 1–27. https://doi.org/10.1186/s12951-024-02332-8

Phromma, S., Wutikhun, T., Kasamechonchung, P., Sattayaporn, S., Eksangsri, T., & Sapcharoenkun, C. (2022). Effects of Ag modified TiO_2 on local structure investigated by XAFS and photocatalytic activity under visible light. *Materials Research Bulletin*, *148*, 111668. https://doi.org/10.1016/j.materresbull.2021.111668

Prasad, T., & Elumalai, E. K. (2011). Biofabrication of Ag nanoparticles using Moringa oleifera leaf extract and their antimicrobial activity. *Asian Pacific Journal of Tropical Biomedicine*, *1*(6), 439–442. https://doi.org/10.1016/S2221-1691(11)60096-8

Price, R. G., & Wildeboer, D. (2017). E. coli *as an Indicator of Contamination and Health Risk in Environmental Waters* (A. Samie (ed.); hal. Ch. 7). IntechOpen. https://doi.org/10.5772/67330

Qi, L., Wang, S., Liu, Y., Zhao, P., Tian, J., Zhu, B., Zhang, S., Xie, W., & Yu, H. (2024). Facile Preparation of Magnetically Separable Fe_3O_4/ZnO Nanocomposite with Enhanced Photocatalytic Activity for Degradation of Rhodamine B. *Nanomaterials*, *14*(11). https://doi.org/10.3390/nano14110926

Rafiq, A., Ikram, M., Ali, S., Niaz, F., Khan, M., Khan, Q., & Maqbool, M. (2021). Photocatalytic degradation of dyes using semiconductor photocatalysts to clean industrial water pollution. *Journal of Industrial and Engineering Chemistry*, *97*, 111–128. https://doi.org/10.1016/j.jiec.2021.02.017

Rahmawati, T., Butburee, T., Sangkhun, W., Wutikhun, T., Padchasri, J., Kidkhunthod, P., Phromma, S., Eksangsri, T., Kangwansupamonkon, W., Leeladee, P., & Sapcharoenkun, C. (2023). Green synthesis of Ag-TiO_2. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, *665*, 131206. https://doi.org/10.1016/j.colsurfa.2023.131206

UNIVERSITAS GADJAH MADA
Green Synthesis Nanokomposit Fe3O4/Ag/TiO2 Menggunakan Ekstrak Daun Moringa Oleifera untuk Aplikasi Degradasi Fotokatalitik
Syarifah Nihlah Yahya, Photocatalytic, nanocomposite, methylene blue, chromium hexavalent, eschericia coli, green
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Rathi, V. H., Jeice, A. R., & Jayakumar, K. (2023). Green synthesis of Ag/CuO and Ag/ TiO_2. *Applied Surface Science Advances*, *18*, 100476. https://doi.org/10.1016/j.apsadv.2023.100476

Ravichandran, R., Annamalai, K., Annamalai, A., & Elumalai, S. (2023). Solid state – Green construction of starch- beaded Fe_3O_4@Ag nanocomposite as superior redox catalyst. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, *664*, 131117. https://doi.org/10.1016/j.colsurfa.2023.131117

Ren, Y., Xing, S., Wang, J., Liang, Y., Zhao, D., Wang, H., Wang, N., Jiang, W., Wu, S., Liu, S., Liu, C., Ding, W., Zhang, Z., Pang, J., & Dong, C. (2022). Weak-light-driven Ag–TiO_2 photocatalyst and bactericide prepared by coprecipitation with effective Ag doping and deposition. *Optical Materials*, *124*, 111993. https://doi.org/10.1016/j.optmat.2022.111993

Safarrida, A., . N., & Widada, J. (2015). Fitoremediasi Kandungan Kromium pada Limbah Cair Menggunakan Tanaman Air. *Jurnal Bioteknologi & Biosains Indonesia (JBBI)*, *2*(2 SE-Research Articles), 55–59. https://doi.org/10.29122/jbbi.v2i2.509

Saleh, T. A. (2016). Nanocomposite of carbon nanotubes/silica nanoparticles and their use for adsorption of Pb(II): from surface properties to sorption mechanism. *Desalination and Water Treatment*, *57*(23), 10730–10744. https://doi.org/10.1080/19443994.2015.1036784

Sanchez-Hachair, A., & Hofmann, A. (2018). Hexavalent chromium quantification in solution: Comparing direct UV–visible spectrometry with 1,5-diphenylcarbazide colorimetry. *Comptes Rendus Chimie*, *21*(9), 890–896. https://doi.org/10.1016/j.crci.2018.05.002

Sari, E. K., Tumbelaka, R. M., Ardiyanti, H., Istiqomah, N. I., Chotimah, & Suharyadi, E. (2023). Green synthesis of magnetically separable and reusable Fe_3O_4/Cdots nanocomposites photocatalyst utilizing Moringa oleifera extract and watermelon peel for rapid dye degradation. *Carbon Resources Conversion*, *6*(4), 274–286. https://doi.org/10.1016/j.crcon.2023.04.003

Sathish, S., Kumar.K, S., U, S., Prabu, D., Karthikeyan, M., D, V., S, S., P, A., Baigenzhenov, O., & Kumar, J. A. (2024). Metal organic framework anchored onto biowaste mediated carbon material (rGO) for remediation of chromium

UNIVERSITAS GADJAH MADA
Green Synthesis Nanokomposit Fe3O4/Ag/TiO2 Menggunakan Ekstrak Daun Moringa Oleifera untuk Aplikasi Degradasi Fotokatalitik
Syarifah Nihlah Yahya, Photocatalytic, nanocomposite, methylene blue, chromium hexavalent, eschericia coli, green
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

(VI) by the photocatalytic process. *Chemosphere*, *357*, 141963. https://doi.org/10.1016/j.chemosphere.2024.141963

Shabaani, M., Rahaiee, S., Zare, M., & Jafari, S. M. (2020). Green synthesis of ZnO nanoparticles using loquat seed extract; Biological functions and photocatalytic degradation properties. *LWT*, *134*, 110133. https://doi.org/10.1016/j.lwt.2020.110133

Shahid, M., Dumat, C., Khalid, S., Schreck, E., Xiong, T., & Niazi, N. K. (2017). Foliar heavy metal uptake, toxicity and detoxification in plants: A comparison of foliar and root metal uptake. *Journal of Hazardous Materials*, *325*, 36–58. https://doi.org/10.1016/j.jhazmat.2016.11.063

Shakoor, S., & Nasar, A. (2017). Adsorptive treatment of hazardous methylene blue dye from artificially contaminated water using cucumis sativus peel waste as a low-cost adsorbent. *Groundwater for Sustainable Development*, *5*, 152–159. https://doi.org/10.1016/j.gsd.2017.06.005

Skudra, A., Revalde, G., Zajakina, A., Mezule, L., Spunde, K., Juhna, T., & Rancane, K. (2022). UV Inactivation of Semliki Forest Virus and *E. coli* Bacteria by Alternative Light Sources. *Journal of Photochemistry and Photobiology*, *10*(April), 100120. https://doi.org/10.1016/j.jpap.2022.100120

Soleimani, E., & Adyani, S. H. (2023). Green synthesis of magnetic silver nanocomposite: the photocatalytic performance of nanocomposite to decolorize organic dyes. *Environmental Technology*, 1–15. https://doi.org/10.1080/09593330.2023.2286453

Sun, Z., Hübner, R., Li, J., & Wu, C. (2022). Artificially sporulated Escherichia coli cells as a robust cell factory for interfacial biocatalysis. *Nature Communications*, *13*(1), 3142. https://doi.org/10.1038/s41467-022-30915-2

Surendra, T. V, Roopan, S. M., Arasu, M. V., Al-Dhabi, N. A., & Rayalu, G. M. (2016). RSM Optimized *Moringa Oleifera* Peel Extract for Green Synthesis of *M. Oleifera* Capped Palladium Nanoparticles with Antibacterial and Hemolytic Property. *Journal of Photochemistry and Photobiology B: Biology*, *162*, 550–557. https://doi.org/10.1016/j.jphotobiol.2016.07.032

Tarafdar, A., Raliya, R., Wang, W., Biswas, P., & Tarafdar, J. C. (2017). Green Synthesis of TiO_2 Nanoparticle Using. *International Research Journal of*

UNIVERSITAS GADJAH MADA
Green Synthesis Nanokomposit Fe3O4/Ag/TiO2 Menggunakan Ekstrak Daun Moringa Oleifera untuk Aplikasi Degradasi Fotokatalitik
Syarifah Nihlah Yahya, Photocatalytic, nanocomposite, methylene blue, chromium hexavalent, eschericia coli, green
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Engineering and Technology(IRJET), *4*(3), 1–7. https://doi.org/10.1166/asem.2013.1376

Thangamani, N., & Bhuvaneshwari, N. (2022). Synthesis, characterization of Ag nanoparticles using the green approach towards degradation of environmental pollutant. *Journal of Materials Science: Materials in Electronics*, *33*(12), 9155–9162. https://doi.org/10.1007/s10854-021-07188-4

Tharaneedhar, V., Senthil Kumar, P., Saravanan, A., Ravikumar, C., & Jaikumar, V. (2017). Prediction and interpretation of adsorption parameters for the sequestration of methylene blue dye from aqueous solution using microwave assisted corncob activated carbon. *Sustainable Materials and Technologies*, *11*, 1–11. https://doi.org/10.1016/j.susmat.2016.11.001

Tiloke, C., Anand, K., Gengan, R. M., & Chuturgoon, A. A. (2018). Moringa oleifera and their phytonanoparticles: Potential antiproliferative agents against cancer. *Biomedicine and Pharmacotherapy*, *108*(April), 457–466. https://doi.org/10.1016/j.biopha.2018.09.060

Tseng, W. J., Chuang, Y.-C., & Chen, Y.-A. (2018). Mesoporous Fe_3O_4@Ag@TiO_2 nanocomposite particles for magnetically recyclable photocatalysis and bactericide. *Advanced Powder Technology*, *29*(3), 664–671. https://doi.org/10.1016/j.apt.2017.12.008

Tseng, W. J., Kao, S. M., & Hsieh, J. H. (2015). Photocatalytic and bactericidal activity of mesoporous TiO_2–Ag nanocomposite particles. *Ceramics International*, *41*(9), 10494–10500. https://doi.org/10.1016/j.ceramint.2015.04.139

Tumbelaka, R. M., Istiqomah, N. I., Kato, T., Oshima, D., & Suharyadi, E. (2022). High reusability of green-synthesized Fe_3O_4/TiO_2 photocatalyst nanoparticles for efficient degradation of methylene blue dye. *Materials Today Communications*, *33*, 104450. https://doi.org/10.1016/j.mtcomm.2022.104450

Typical Specifications UV-1900i UV-Vis Spectrophotometer (2019). https://www.wolflabs.co.uk/document/Shimadzu_Spectrophotometer_UV-1900i.pdf

Uwatoko, R., Kani, N., Makino, S., Naka, T., Okamoto, K., Miyakawa, H.,

UNIVERSITAS GADJAH MADA
Green Synthesis Nanokomposit Fe3O4/Ag/TiO2 Menggunakan Ekstrak Daun Moringa Oleifera untuk Aplikasi Degradasi Fotokatalitik
Syarifah Nihlah Yahya, Photocatalytic, nanocomposite, methylene blue, chromium hexavalent, eschericia coli, green
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Hashimoto, N., Iio, R., Ueda, Y., & Hayashi, T. (2024). Shiga toxin-producing Escherichia coli-associated hemolytic uremic syndrome with recurrent acute cholecystitis: a case report. *CEN Case Reports*, *13*(3), 215–219. https://doi.org/10.1007/s13730-023-00831-5

Villagrán, Z., Anaya-Esparza, L. M., Velázquez-Carriles, C. A., Silva-Jara, J. M., Ruvalcaba-Gómez, J. M., Aurora-Vigo, E. F., Rodríguez-Lafitte, E., Rodríguez-Barajas, N., Balderas-León, I., & Martínez-Esquivias, F. (2024). Plant-Based Extracts as Reducing, Capping, and Stabilizing Agents for the Green Synthesis of Inorganic Nanoparticles. *Resources*, *13*(6). https://doi.org/10.3390/resources13060070

Vinosel, V. M., Anand, S., Janifer, M. A., Pauline, S., Dhanavel, S., Praveena, P., & Stephen, A. (2019). Preparation and performance of Fe_3O_4/TiO_2 nanocomposite with enhanced photo-Fenton activity for photocatalysis by facile hydrothermal method. *Applied Physics A*, *125*(5), 319. https://doi.org/10.1007/s00339-019-2622-9

Wahyuni, S., Riswan, M., Adrianto, N., Dharmawan, M. Y., Tumbelaka, R. M., Cuana, R., Istiqomah, N. I., Jiananda, A., Garcia, S., & Suharyadi, E. (2023). Localized surface plasmon resonance properties dependence of green-synthesized Fe_3O_4/Ag composite nanoparticles on Ag concentration and an electric field for biosensor application. *Photonics and Nanostructures - Fundamentals and Applications*, *57*, 101191. https://doi.org/10.1016/j.photonics.2023.101191

Wang, X., Zhang, P., Xu, F., Sun, B., Hong, G., & Bao, L. (2022). Adsorption of Methylene Blue on Azo Dye Wastewater by Molybdenum Disulfide Nanomaterials. In *Sustainability* (Vol. 14, Nomor 13). https://doi.org/10.3390/su14137585

Wang, Y., Wu, S., Li, D., Lei, W., Shen, Y., & Li, F. (2022). Reusable cubic porous light-storing assisted photodegradation composite Sr2MgSi2O7:Eu2+,Dy3+/Ag3PO4 device with adsorption-photocatalysis effects for dark degradation. *Journal of Materials Science*, *57*(31), 14877–14889. https://doi.org/10.1007/s10853-022-07566-1

Wenzel, T. (2021). *What factors influence the absorbance that you would measure*

UNIVERSITAS
GADJAH MADA
**Green Synthesis Nanokomposit Fe3O4/Ag/TiO2 Menggunakan Ekstrak Daun Moringa Oleifera untuk Aplikasi
Degradasi Fotokatalitik**
Syarifah Nihlah Yahya, Photocatalytic, nanocomposite, methylene blue, chromium hexavalent, eschericia coli, green
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

for a sample? Is each factor directly or inversely proportional to the absorbance? https://chem.libretexts.org/Bookshelves/Analytical_Chemistry/Molecular_and_Atomic_Spectroscopy_(Wenzel)/1%3A_General_Background_on_Molecular_Spectroscopy/1.2%3A_Beers_Law

Xin, T., Ma, M., Zhang, H., Gu, J., Wang, S., Liu, M., & Zhang, Q. (2014). A facile approach for the synthesis of magnetic separable Fe_3O_4@TiO_2, core–shell nanocomposites as highly recyclable photocatalysts. *Applied Surface Science*, *288*, 51–59. https://doi.org/10.1016/j.apsusc.2013.09.108

Xing, Y., Bai, X.-H., Gong, Y., Peng, M.-L., Zhang, Y.-Y., Ma, X.-R., & Zhang, Y. (2020). Enhanced catalytic properties of Fe_3O_4/Ag magnetic microspheres synthesized by a novel thermal co-reduction method. *Journal of Magnetism and Magnetic Materials*, *510*, 166951. https://doi.org/10.1016/j.jmmm.2020.166951

Yang, C., Wu, J., & Hou, Y. (2011). Fe_3O_4 nanostructures: synthesis, growth mechanism, properties and applications. *Chemical Communications*, *47*(18), 5130–5141. https://doi.org/10.1039/C0CC05862A

Yoga Darmawan, M., Imani Istiqomah, N., Adrianto, N., Marsel Tumbelaka, R., Dwi Nugraheni, A., & Suharyadi, E. (2023a). Green synthesis of Fe3O4/Ag composite nanoparticles using Moringa oleifera: Exploring microstructure, optical, and magnetic properties for magnetic hyperthermia applications. *Results in Chemistry*, *6*(March), 100999. https://doi.org/10.1016/j.rechem.2023.100999

Yoga Darmawan, M., Imani Istiqomah, N., Adrianto, N., Marsel Tumbelaka, R., Dwi Nugraheni, A., & Suharyadi, E. (2023b). Green synthesis of Fe_3O_4/Ag composite nanoparticles using Moringa oleifera: Exploring microstructure, optical, and magnetic properties for magnetic hyperthermia applications. *Results in Chemistry*, *6*, 100999. https://doi.org/10.1016/j.rechem.2023.100999

Yu, K. (2009). *Optical Spectroscopy of GaN / Al (Ga) N Quantum Dots Grown by Molecular Beam Epitaxy* [Linköping University]. https://www.diva-portal.org/smash/get/diva2:229047/FULLTEXT01.pdf

UNIVERSITAS
GADJAH MADA
**Green Synthesis Nanokomposit Fe3O4/Ag/TiO2 Menggunakan Ekstrak Daun Moringa Oleifera untuk Aplikasi
Degradasi Fotokatalitik**
Syarifah Nihlah Yahya, Photocatalytic, nanocomposite, methylene blue, chromium hexavalent, eschericia coli, green
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Yusri, A. Z. dan D. (2020). Pengaruh Proses Iradiasi Gamma Terhadap Penurunan Kadar Kromiun Dalam Limbah Cair Elektroplating. *Jurnal Ilmu Pendidikan*, *7*(2), 809–820. https://ejournal.warunayama.org/

Zhang, J., Cha, J. K., Fu, G., Cho, E. J., Kim, H. S., & Kim, S. H. (2022). Aerosol processing of Ag/TiO_2 composite nanoparticles for enhanced photocatalytic water treatment under UV and visible light irradiation. *Ceramics International*, *48*(7), 9434–9441. https://doi.org/10.1016/j.ceramint.2021.12.140

Zhang, J., Zhang, Y., Lei, Y., & Pan, C. (2011). Photocatalytic and degradation mechanisms of anatase TiO_2: a HRTEM study. *Catalysis Science & Technology*, *1*(2), 273–278. https://doi.org/10.1039/C0CY00051E

Zhao, Y., Tao, C., Xiao, G., Wei, G., Li, L., Liu, C., & Su, H. (2016). Controlled synthesis and photocatalysis of sea urchin-like Fe_3O_4@TiO_2@Ag nanocomposites. *Nanoscale*, *8*(9), 5313–5326. https://doi.org/10.1039/C5NR08624H

Zhu, F.-Y., Wang, Q.-Q., Zhang, X.-S., Hu, W., Zhao, X., & Zhang, H.-X. (2014). 3D nanostructure reconstruction based on the SEM imaging principle, and applications. *Nanotechnology*, *25*(18), 185705. https://doi.org/10.1088/0957-4484/25/18/185705