

DAFTAR PUSTAKA

- Ahamed, M.F., Verma, P., Lee, S., Vega, M., Wang, D., Kim, M., Fuloria, M. 2015. Predictors of successful closure of patent ductus arteriosus with indomethacin. *J Perinatol*, 35: 729–734.
- Akbulut, N.K., Harman, H., Kal, Y., Kirbas, M. 2021. Examination of blood cortisol and some parameters at parturition and on 30th day postpartum in single and twin-pregnant ewes. *Livestockstudies*, 61(2): 55-59.
- Arlettaz, R. 2017. Echocardiographic evaluation of patent ductus arteriosus in preterm infants. *Front Pediatr*, 5(June), 1–9. Available from: <https://doi.org/10.3389/fped.2017.00147>.
- Backes, C.H., Hill, K.D., Shelton, E.L., Slaughter, J.L., Lewis, T.R., Weisz, D.E., Mah, M.L., Bhombal, S., Smith, C.V., McNamara, P.J., Benitz, W.E., Garg, V. 2022. Patent ductus arteriosus: a contemporary perspective for the pediatric and adult cardiac care provider. *J Am Heart Assoc*, 11(17): e025784.
- Bah, M.N.M., Alias, E.Y., Winnie, C., Sopian, M.H., Abdullah, N. 2022. Closure of hemodynamically significant patent ductus arteriosus and factors associated with treatment failure with paracetamol. *Malaysian Journal of Paediatrics and Child Health*, 28(2): 105-111.
- Behbodi, E., Villamor-Martínez, E., Degraeuwe, P. L. J., & Villamor, E. 2016. chorioamnionitis appears not to be a risk factor for patent ductus arteriosus in preterm infants: A Systematic Review and Meta-Analysis. *Scientific Reports*, 6(June), 1–10. Available from: <https://doi.org/10.1038/srep37967>.
- Bernati, N., Nova, R., Tasli, J., Theodorus, T. 2014. Risk factors for patent ductus arteriosus in preterm neonates. *Paediatr Indones*, 54(3): 132-136.
- Boo, N.Y., Mohd-Amin, I., Bilkis, A.A., Yong-Junita, F. 2006. Predictors of failed closure of patent ductus arteriosus with indomethacin. *Singapore Med J*, 47(9): 763-768.
- Braulio, R., Gelape, C.L., Araùjo, F.D.D.R., Brandão, K.N., Abreu, L.D.G., Costa, P.H.N., Capanema, F.D. 2013. Indicators of surgical treatment of patent ductus arteriosus in preterm neonates in the first week of life. *Braz J Cardiovasc Surg*, 28(4): 504-508.
- Chakkarapani, A. A., Adappa, R., Mohammad Ali, S. K., Gupta, S., Soni, N. B., Chicoine, L., & Hummler, H. D. 2020. “Current concepts of mechanical ventilation in neonates” – Part 1: Basics. *Int Journal Pediatr Adolesc Med*, 7(1), 13–18. Available from: <https://doi.org/10.1016/j.ijpam.2020.03.003>.
- Chorne, N., Jegatheesan P., Lin, E., Shi, R., Clyman, R.I. 2007. Risk factors for persistent ductus arteriosus patency during indomethacin treatment. *J Pediatr*, 151(6): 629-634.
- Clyman, R., Chemtob, S. 2010. Vessel remodelling in the newborn: Platelets Fill the Gap. *Nat Med*, 16: 33-35.
- Clyman, R., Hills, N., Cambonie, G., Debillon, T., Ligi, I., Gascoin, G., Patkai, J., Beuchee, A., Favrais, G., Durrmeyer, X., Flamant, C., Roze, J. 2021. Patent ductus

- arteriosus, tracheal ventilation, and the risk of bronchopulmonary dysplasia. *Pediatr Res*, 91(3): 652-658.
- Cui, Q., Liu, X., Su, G., Zhou, C., Wang, J. 2021. Change and clinical significance of serum cortisol, BNP, and PDE-2 levels in premature infants with patent ductus arteriosus. *Transl Pediatr*, 10(10): 2573-2578.
- Cucurea, M., Moscalu, M., Ognean, M., Fagarasan, A., Toma, D., Marian, R., Crauciuc, M., Racean, A., Gall, Z., Simon, M. 2024. Impact of early surfactant administration on ductus arteriosus assessed at 24 h in preterm neonates less than 32 weeks of gestational age. *Biomedicines*, 12(6):1136.
- Dani, C., & Pratesi, S. 2020. Patent ductus arteriosus and oxidative stress in preterm Infants: A narrative review. *Transl Pediatr*, 9(6), 835–839. Available from: <https://doi.org/10.21037/tp-20-121>.
- Dani, C., Bertini, G., Corsini, I., Elia, S., Vangi, V., Pratesi, S. 2008. The fate of ductus arteriosus in infants at 23-27 weeks of gestation: from spontaneous closure to ibuprofen resistance. *Acta Paediatr*, 97: 1176e80.
- de Klerk, J.C.A., Engbers, A.G.J., van Beek, F., Flint, R.B., Reiss, I.K.M., Völler, S., Simons, S.H.P. 2020. Spontaneous closure of the ductus arteriosus in preterm infants: A Systematic Review. *Front Pediatr*, 8: 541.
- Deselina, B., Putra, S.T., Suradi, R. 2004. Prevalence of patent ductus arteriosus in premature infants at the neonatal ward, Cipto Mangunkusumo Hospital, Jakarta. *Paediatr Indones*, 44(6): 223-227.
- Driver, B., Marks, D. C., & van der Wal, D. E. 2020. Not all (N)SAID and done: effects of nonsteroidal anti-inflammatory drugs and paracetamol intake on platelets. *Res Pract Thromb Haemost*, 4(1), 36–45. Available from: <https://doi.org/10.1002/rth2.12283>.
- Dzukou, T., Rakza, T., Bouissou, A., Alexandre, C., Dalmas, S., Storme, L. 2011. Impaired lung function after intubation and mechanical ventilation for surgical ligation of the ductus arteriosus in preterm infants. *Journal of Cardiothoracic and Vascular Anesthesia*, 25(6):1000-1004.
- Echtler, K., Stark, K., Lorenz, M., Kerstan, S., Walch, A., Jennen, L. 2010. Platelets contribute to postnatal occlusion of the ductus arteriosus. *Nat Med*, 16:75-81
- El-Khuffash, A., James, A.T., Cleary, A., Semberova, J., Franklin, O., Miletin, J. 2015. Late medical therapy of patent ductus arteriosus using intravenous paracetamol. *Arch Dis Child Fetal Neonatal Ed*, 0: F1-F4.
- El-Mashad, A. E. R., El-Mahdy, H., El Amrousy, D., & Elgendy, M. 2017. Comparative study of the efficacy and safety of paracetamol, ibuprofen, and indomethacin in closure of patent ductus arteriosus in preterm neonates. *Eur J Pediatr*, 176(2), 233–240. Available from: <https://doi.org/10.1007/s00431-016-2830-7>.
- Elsayed, Y.N., Fraser, D. 2017. Patent ductus arteriosus in preterm infants, Part 1: understanding the pathophysiologic link between the patent ductus arteriosus and clinical complications. *Neonatal Netw*, 36(5): 265-272.

- Erdeve, Ö., Okulu, E., Singh, Y., Sindelar, R., Oncel, M.Y., Terrin, G., Boscarino, G., Bülbül, A., Sallmon, H., Atasay, B., Ovalı, F., Clyman, R.I. 2022. An update on patent ductus arteriosus and what is coming next. *Turk Arch Pediatr*, 57(2): 118–131.
- Flood, T., Guthrie, J.D. 2015. Echocardiographic markers for the prediction of nonclosure of the patent ductus arteriosus in premature neonates. *Journal of Diagnostic Medical Sonography*, 31(1): 22-27.
- Gillam-Krakauer, M., Mahajan, K. 2023. Patent ductus arteriosus. *StatPearls Publishing, Treasure Island. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK430758/>.*
- González-Luis, G., Ghiradello, S., Bas-Suárez, P., Cavallaro, G., Mosca, F., Clyman, R. I., & Villamor, E. 2021. Platelet counts and patent ductus arteriosus in preterm infants: An updated systematic review and meta-analysis. *Frontier Pediatr*, 8(January), 1–12. Available from: <https://doi.org/10.3389/fped.2020.613766>.
- Gournay, V. 2011. The ductus arteriosus: physiology, regulation, and functional and congenital anomalies. *Arch. Cardiovasc. Dis*, 104: 578-585.
- Halil, H., Buyuktiryaki, M., Atay, F.Y., Yekta, O.M., Uras, N. 2018. Reopening of the ductus arteriosus in preterm infants; clinical aspects and subsequent consequences. *J Neonat Perinat Med*, 11(3): 273-279.
- Härkin, P., Härmä, A., Aikio, O., Valkama, M., Leskinen, M., Saarela, T., Hallman, M. 2016. Paracetamol accelerates closure of the ductus arteriosus after premature birth: a randomized trial. *J Pediatr*, 177: 72-77.
- Harling, S., Hansen-Pupp, I., Baigi, A., Pesonen, E. 2010. Echocardiographic prediction of patent ductus arteriosus in need of therapeutic intervention. *Acta Paediatr*, 100: 231-235.
- Inomata, K., Taniguchi, S., Yonemoto, H., Inoue, T., Kawase, A., & Kondo, Y. 2016. Lower early postnatal oxygen saturation target and risk of ductus arteriosus closure failure. *Pediatr Int*, 58(11), 1153–1157. Available from: <https://doi.org/10.1111/ped.12987>.
- Ito, S., Yokoyama, U., Saito, J., Sato, S., Usuda, H., Watanabe, S., Kitanishi, R., Miura, Y., Saito, M., Hanita, T., Matsuda, T., Ishikawa, Y. 2017. Attenuation of ductus arteriosus intimal thickening in preterm sheep twins compared with singletons. *J Physiol Sci* 67: 723-729.
- Kachikis, A., Eckert, L.O., Walker, C., Bardají, A., Varricchio, F., Lipkind, H.S., Diouf, K., Huang, W., Mataya, R., Bittaye, M., Cutland, C., Boghossian, N.S., Moore, T.M., McCall, R., King, J., Mundle S., Munoz, F.M., Rouse, C., Gravett, M., Katikaneni, L., Ault, K., Klein, N.P., Roberts, D.J., Kochhar, S., Chescheir, N. 2019. Chorioamnionitis: case definition & guidelines for data collection, analysis, and presentation of immunization safety data. *J Vaccine*, 37(52): 7610-7622.
- Kahvecioglu, D., Erdeve, O., Akduman, H., Ucar, T., Alan, S., Çakır, U., Yıldız, D., Atasay, B., Arsan, S., Atalay, S. 2018. Influence of platelet count, platelet mass index, and platelet function on the spontaneous closure of ductus arteriosus in the prematurity. *Pediatr Neonatol*, 59(1): 53–57.

- Kai, M., Tomayahu, B., Syamsidar, & Anggraini, R. 2019. The relationship of low birth weight with acute respiratory infection (ARI) on toddlers in telaga health care clinic of gorontalo distric. *Surabaya International Health Conference, 1*(1), 268–276.
- Khosiseth, A., Muangyod, N., Nuntnarumit, P. 2013. Perfusion index as a diagnostic tool for patent ductus arteriosus in preterm infants. *Neonatology*, 104(4): 250-254.
- Khowaja, W., Akhtar, S., Jiwani, U., Mohsin, M., Shaheen, F., Ariff, S. 2022. Outcomes of preterm neonates with patent ductus arteriosus: a retrospective review from a tertiary care hospital. *J Pak Med Assoc*, 72(10): 2065-2068.
- Kindler, A., Seipolt, B., Heilmann, A., Range, U., Rüdiger, M., Hofmann, S.R. 2017. Development of a diagnostic clinical score for hemodynamically significant patent ductus arteriosus. *Front Pediatr*, 5:280.
- Kirkby, S., Genen, L., Turenne, W., Dysart, K. 2010. Outcomes and milestone achievement differences for very low birth weight multiples compared with singleton infants. *Am J Perinatol*, 27(6): 439-44.
- Koch, J., Hensley, G., Roy, L., Brown, S., Ramaciotti, C., Rosenfeld, C. R. 2006. Prevalence of spontaneous closure of the ductus arteriosus in neonates at a birth weight of 1000 g or less. *Pediatrics*, 117(4): 1113–1121.
- Le, J., Gales, M., Gales, B.J. 2015. Acetaminophen for patent ductus arteriosus. *Ann Pharmacother*, 49(2): 241-246.
- Lee, J.A., Sohn, J.A., Oh, S., Choi, B.M. 2020. Perinatal risk factors of symptomatic preterm patent ductus arteriosus and secondary ligation. *Pediatr Neonatol*, 61(4): 439-446.
- Lee, J.H., Lee, H.J., Park, H.K., Ahn, J.H., Kim, H.S., Jang, H.J., Ro, S.K., Kim, H. 2020. Surgical ligation of patent ductus arteriosus in preterm neonates weighing less than 1500g: a 9-year single center experience. *J Cardiothorac Surg*, 15: 144.
- Liu, C., Zhu, X., Li, D., Shi, Y. 2021. Related factors of patent ductus arteriosus in preterm infants: a systematic review and meta-analysis. *Front Pediatr*, 8: 605879.
- Liu, T. X., Chen, Z., Ma, X. L., & Shi, L. P. 2021. Predictive tool for closure of ductus arteriosus with pharmacologic or surgical treatment in preterm infants. *Pediatr Cardiol*, 43(2), 373–381. Available from: <https://doi.org/10.1007/s00246-021-02731-w>.
- Liu, T.X., Zheng, J.X., Chen, Z., Zhang, Z.C., Li, D., Shi, L.P. 2023. An interpretable machine-learning model for predicting the efficacy of nonsteroidal anti-inflammatory drugs for closing hemodynamically significant patent ductus arteriosus in preterm infants. *Front. Pediatr*, 11: 1097950.
- Meena, V., Meena, D., Rathore, P., Chaudhary, S., & Soni, J. 2020. Comparison of the efficacy and safety of indomethacin, ibuprofen, and paracetamol in the closure of patent ductus arteriosus in preterm neonates - a randomized controlled trial. *Ann Pediatr Cardiol*, 13(2), 130–135. Available from: https://doi.org/10.4103/apc.APC_115_19.

- Mochammad, M., Kaban, R.K., Yanuarso, P.B., Djer, M.M. 2016. Prostaglandin E₂ and patent ductus arteriosus in premature infants. *Paediatr Indones*, 56(1): 8-14.
- Mori, R., Kusuda, S., & Fujimura, M. 2011. Antenatal corticosteroids promote survival of extremely preterm infants born at 22 to 23 weeks of gestation. *J Pediatr*, 159(1), 110-114.e1. Available from: <https://doi.org/10.1016/j.jpeds.2010.12.039>.
- Myint, P.P., Tun, W.L., Thin, Z.M. 2021. 421 Diagnostic accuracy of echocardiographic parameters on the third day of life in predicting spontaneous closure of ductus arteriosus in preterm neonates. *BMJ Paediatrics Open*, 5(Suppl 1): A1.
- Noori, S., Patel, D., Friedlich, P., Siassi, B., Seri, I., & Ramanathan, R. 2009. Effects of low oxygen saturation limits on the ductus arteriosus in extremely low birth weight infants. *J Perinatol*, 29(8), 553–557. Available from: <https://doi.org/10.1038/jp.2009.60>.
- Ohlsson, A., Shah, P.S. 2018. Paracetamol (Acetaminophen) for patent ductus arteriosus in preterm or low birth weight infants. *Cochrane Database Syst Rev*, 1(1): CD010061.
- Okadharma, I.G.A.M.D., Yantie, N.P.V.K., Gunawijaya, E. 2022. Factors contributing to successful patent ductus arteriosus closure with first pharmacological course. *Paediatr Indones*, 62(2): 86-90.
- Ovali, F. 2020. Molecular and mechanical mechanisms regulating ductus arteriosus closure in preterm infants. *Front Pediatr*, 8: 516.
- Park, H.W., Choi, Y.S., Kim, K.S., Kim, S.N. 2015. Chorioamnionitis and patent ductus arteriosus: a systematic review and meta-analysis. *PLoS one*, 10(9): e0138114.
- Park, M.K. 2021. Park's pediatric cardiology for practitioner. *Elsevier*, 7:133.
- Pourarian, S., Farahbakhsh, N., Sharma, D., Cheriki, S., Bijanzadeh, F. 2017. Prevalence and risk factors associated with the patency of ductus arteriosus in premature neonates: a prospective observational study from Iran. *J Matern Fetal Neonatal Med*, 30(12): 1460–1464.
- Sallmon, H., Delaney, C.A. 2023. Platelets and ductus arteriosus closure in neonates. *Semin perinatol*, 47(2): 151719.
- Sehgal, A., Mak, W., Dunn, M., Kelly, E., Whyte, H., McCrindle, B., & McNamara, P. J. 2010. Haemodynamic changes after delivery room surfactant administration to very low birth weight infants. *Arc Dis Child Fetal Neonatal Ed*, 95(5). Available from: <https://doi.org/10.1136/adc.2009.173724>.
- Semberova, J., Sirc, J., Miletin, J., Kuceran, J., Berka, I., Sebkova, S., O'Sullivan, S., Franklin, O., Stranak, Z. 2017. Spontaneous closure of patent ductus arteriosus in infants ≤ 1500 g. *Pediatrics*, 140(2): e20164258.
- Shah, N.A., Hills, N.K., Waleh, N., McCurnin, D., Seidner, S., Chemtob, S., Clyman, R. 2011. Relationship between circulating platelet counts and ductus arteriosus patency after indomethacin treatment. *J Pediatr*, 158: 919-923.
- Shelton, E. L., Waleh, N., Plosa, E. J., Benjamin, J. T., Milne, G. L., Hooper, C. W., Ehinger, N. J., Poole, S., Brown, N., Seidner, S., McCurnin, D., Reese, J., &

- Clyman, R. I. 2018. Effects of antenatal betamethasone on preterm human and mouse ductus arteriosus: comparison with baboon data. *Pediatric Research*, 84(3), 458–465. Available from: <https://doi.org/10.1038/s41390-018-0006-z>.
- Shilpa, K., Praveen, B.K., Prem, A. 2021. “Clinical profile of neonates with patent ductus arteriosus and factors predicting prolonged paracetamol treatment and outcome” – a retrospective study. *Muller Journal of Medical Sciences and Research*, 12(2): 59-63.
- Simon, S.R., van Zogchel, L., Bas-Suárez, M.P., Cavallaro, G., Clyman, R.I., Villamor, E. 2015. Platelet counts and patent ductus arteriosus in preterm infants: a systematic review and meta-analysis. *Neonatology*, 108(2): 143–151.
- Singh, Y., Fraise, A., Erdevé, O., Atasay, B. 2020. Echocardiographic diagnosis and hemodynamic evaluation of patent ductus arteriosus in extremely low gestational age newborn (elgan) infants. *Front pediatr*, 8: 573627.
- Soliman, R.M., Mostafa, F.A., Abdelmassih, A., Sultan, E., Mosallam, D. 2020. Patent ductus arteriosus in preterm infants; experience of a tertiary referral neonatal intensive care unit: prevalence, complications, and management. *Egypt Pediatr. Assoc. Gaz*, 68:34.
- Utsumi, M., Motoki, N., Yokota, S., Kobayashi, H., Yamazaki, S., Miyosawa, Y. 2023. Predictors of a non-response to prophylactic indomethacin for patent ductus arteriosus in preterm infants. *Pediatr Neonatol*, 64(4): 398–404.
- Vaidya, R., Knee, A., Paris, Y., Singh, R. 2021. Predictors of successful patent ductus arteriosus closure with acetaminophen in preterm infants. *J Perinatol*, 41(5): 998–1006.
- Waleh, N., Barrette, A.M., Dagle, J.M., Momany, A., Jin, C., Hills, N.K., Shelton, E.L., Reese, J., Clyman, R.I. 2015. Effects of advancing gestation and non-caucasian race on ductus arteriosus gene expression. *J Pediatr*, 167(5): 1033-1041.
- Wei, Y., Hsu, R., Lin, Y., Wong, T., Kan, C., Wang, J. 2022. The association of patent ductus arteriosus with inflammation: a narrative review of the role of inflammatory biomarkers and treatment strategy in premature infants. *Int J Mol Sci*, 23(22): 13877.
- Wu, Y.H., Chang, S.W., Chen, C.C., Liu, H.Y., Lai, Y.J., Huang, E.Y., Tsai, C.C., Hsu, T.Y., Lin, I.C. 2020. Differential determinants of patent ductus arteriosus closure for prematurity of varying birth body weight: A Retrospective Cohort Study. *Pediatr Neonatol*. 61: 513-521.
- Yang, B., Gao, X., Ren, Y., Wang, Y., & Zhang, Q. 2016. Oral paracetamol vs. oral ibuprofen in the treatment of symptomatic patent ductus arteriosus in premature infants: a randomized controlled trial. *Exp Ther Med*, 12(4), 2531–2536. Available from: <https://doi.org/10.3892/etm.2016.3676>.
- Zhong, J., Lin, B., Fu, Y., Yu, Y., Zhao, J., Zhao, D., Yang, C., Chen, X. 2021. Platelet count might be associated with the closure of hemodynamically significant patent ductus arteriosus. *Front Pediatr*, 9: 729461.