

DAFTAR PUSTAKA

- Abbas, M. N. (2014). Pomegranate peels: Source of antioxidants extraction and natural dentifrices preparation. *European Academic Research*, 2:3078–3089.
- Abbas AK, Lichtman AH, Pillai S.(2017). Cellular and Molecular Immunology. 9th Edition. Elsevier.
- Agati, G., Azzarello, E., Pollastri, S. dan Tattini, M. (2012). Flavonoids as Antioxidants in Plants: Location and Functional Significance. *Plant Science*, 196: 67-76.
- Agrawal, A.D. (2011).Pharmacological activity of flavonoids: A Review. *Int. J. Pahraceut. Sci. Nano*, 4: 1394–1398.
- Akhlaghi, M. dan Brian, B. (2009). Mechanisms of flavonoid protection against myocardial ischemia–reperfusion injury. *Journal of Molecular and Cellular Cardiology*, 46 : 309–17.
- Akrom. (2013). Modul Immunologi : Pengantar Immunologi Untuk Farmasi. Pustaka Imany. Yogyakarta.
- Amic, D., Dusanka, D.A., Drago, B., Vesna, R., Bono, L. dan Nenad, T. (2007). SAR and QSAR of the Antioxidant Activity of Flavonoids.*Current Medicinal Chemistry*, 14: 827-845.
- Asih, I.A.R.A. (2009). Isolasi dan Identifikasi Senyawa Isoflavon Dari Kacang Kedelai (*Glycine max*). *Jurnal Kimia* , 3 : 33 - 40.
- Baratawidjaja, K.G., Djauzi, S., Aditama, T.Y., Heru, W., Cartellieri, S. (2003). Peranan Echinacea (EFLA 894) sebagai imunomodulator dalam infeksi virus dan bakteri. *Medika*, 6 : 390-393.
- Benzie, I.F. dan Train J.J. (1996). The Ferric Redusing Ability of Plasma (FRAP) as a Measure of Antioxidant Power: : The FRAP Assay. *Analytical biochemistry*, 239 : 70 – 76.
- Bharani, S.E.R., Asad, M., Dhamanigi, S.S. dan Chandrakala, G.K. (2010). Immunomodulatory activity of methanolic extract of *Morus alba* Linn. Leaves. *Pak. J. Pharm.Sci.*, 23 : 63-68.

Baratawidjaja K.G., dan Rengganis, I. 2012. *Imunologi Dasar*. Jakarta: Badan Penerbit FKUI.

Basli, A., Soulet, S., Chaher, N., Mérillon, J.M., Chibane, M., Monti, J.P., dan Richard, T.(2012). Wine polyphenols: Potential agents in neuroprotection. *Oxidative Med. Cell. Longev.*,805762.

Barbalat, Roman, Rosenfeld, dan Randall. (2013).Macrophage Phagocytosis: Immune Responses. *Annual Review of Immunology*, 31(5): 849-876.

Bingül, İ., Mulberry Canan B., Fatih, A., Merva, S., Vakur, O., Semra, D. dan Müjdat, U. (2016). Blueberry treatment attenuated cirrhotic and preneoplastic lesions and oxidative stress in the liver of diethylnitrosamine-treated rats. *International Journal of Immunopathology and Pharmacology*, 29 : 426–437.

Birt, D.F., Lalone, C.A., Wu, L., Bae, J., Solco, A.K., Kraus, G.A. (2008). Echinacea in infection. *Am J Clinical Nutrition*, 87:488- 492.

Block, K.I. dan M.N. Mead. (2003). Immune System Effects Of Echinacea, Ginseng And Astragalus: A Review. *Integrative Cancer Therapies*. 2(3): 247 – 267.

Bogdan, C. (2015). Nitric oxide synthase in innate and adaptive immunity: an update. *Trends in Immunology*, 36(3), 161-178.

Bogusz, Radosław, Gondek, Ewa, Rybak, Katarzyna. (2019). Changes of bioactive compounds content of kiwiberry during storage. *Journals on the Progress of Agricultural Sciences*: 3-13.

Chang, C., Yang, M., Wen, H. dan Chern, J. (2002). Estimation of total flavonoid content in propolis by two complementary colorimetric methods. *J. Food Drug Analysis*, 10: 178-182.

Chapdelaine, J.M. (2001). *MTT Reduction-A Tetrazolium-Based Colorimetric Assay for Survival and Proliferation*. Pharmakon Research International, Inc. Waverly, PA.

Chen C, Wu J, dan Zhang J. (2018).Liquiritin from Glycyrrhiza uralensis attenuating rheumatoid arthritis via reducing inflammation, suppressing angiogenesis, and inhibiting MAPK signaling pathway. *J Agric Food Chem*, 66(28):7313-7320.

Childs C, Calder P, Miles E. (2019). Diet and immune function. *Nutrisi*, 11 : 1933

Craig, W.J. (1999). Health-promoting properties of common herbs. *American Journal Clinical Nutrition*, 70 : 491-499.

Cui T, Zhang W, Li S, Chen X, Chang Y, Yi Q, dan Zhang D.(2019). Anti-H1N1 virus, cytotoxic and Nrf2 activating potential of a flavonoid glycoside with potent anti-inflammatory activity, undulatoside from *Undaria pinnatifida*. *Food Chem*, 280:99-107.

Dahlia D, Santosa PE, Siswanto S, Hartono M. (2019).Pengaruh pemberian imunomodulator *echinacea purpurea* (radix) terhadap titer antibodi avian influenza (ai) dan newcastle disease pada broiler betina. *Jurnal Riset dan Inovasi Peternakan*, 3(3):1-7.

Delves, P.J., Roitt, I.M. (2000). The immune system. *N Engl J Med*, 343(1):37–49.

De Luna, S.L., Ramírez-Garza, R.E., dan Saldívar. (2020). Environmentally friendly methods for flavonoid extraction from plant material: Impact of their operating conditions on yield and antioxidant properties. *Sci. World J*, 2020, 6792069

Derre, I. dan Isberg, R.R. (2004). Macrophages from Mice with the Restrictive *Lgn1* Allele Exhibit Multifactorial Resistance to *Legionella pneumophila*. *Infect. Immun.*, 72(11):6221- 6229

Dias,M.C., Pinto,D.C.G.A., dan Silva, A.M.S. (2021). Plant Flavonoids: Chemical Characteristics and Biological Activity. *Molecules*, 26 :5377.

Dias, M.C., Pinto, D.C.G.A., Freitas, H., Santos, C. dan Silva, A.M.S. (2020). The antioxidant system in *Olea europaea* to enhanced UV-B radiation also depends on flavonoids and secoiridoids. *Phytochemistry*, 170 : 112199

Diouf, H., Alain, C. dan Tatjana, S. (2009). Antioxidant properties and polyphenol contents of trembling aspen bark extracts. *Wood Science and Technology*, 43:457–470.

Djauzi, S., 2003, Simposium Peranan *Echinacea* sebagai Imunomodulator dalam Infeksi Virus dan Bakteri. *Jurnal Sains Teknologi Farmasi*, Vol. 8 (1), 14.

Dudonné, S., Vitrac, X., Coutiere, P., Woillez, M. dan Mérillon, J.M. (2009). Comparative study of antioxidant properties and total phenolic content of 30

plant extracts of industrial interest using DPPH, ABTS, FRAP, SOD, and ORAC assays. *Journal of Agricultural and Food Chemistry*. 57: 1768-1774.

Dunn, G. P., Koebel, C. M., & Schreiber, R. D. (2006). Interferons, immunity and cancer immunoediting. *Nature Reviews Immunology*, 6(11), 836-848.

Ebrahumzadeh, M. A., F. Pourmorad, dan A. R. Bekhradnia.(2008). Iron Chelating Activity, Phenol and Flavonoid Content of Some Medicinal Plants from Iran. *Afr J Biotechnol*, 7(18):3188-3192.

Endarini, L. H. (2016). *Farmakognisi dan Fitokimia*. Pusdik SDM Kesehatan, Badan Pengembangan dan Pemberdayaan Sumber Daya Manusia Kesehatan, Jakarta.

Fatchurrozak, Suranto dan Sugiyarto. (2013). Pengaruh ketinggian tempat terhadap kandungan vitamin C dan zat antioksidan pada buah *Carica pubescens* di dataran Tinggi Dieng. *Jurnal El-vivo*, 1 (1) : 24-31.

Fawole, O. A., N. P. Makunga dan U. L. Opara. (2012) . Antibacterial. Antioxidant and Tirosinase inhibition activities of pomegranate fruit peel methanolic extract. *BMC Complementary and Alternative Medicine*, 12: 1-11.

Febrianti, N. dan Fajar J., S. (2016). Kadar Flavonoid Total Berbagai jenis Buah Tropis di Indonesia. Prosiding Symbion (Symposium on Biology Education), Yogyakarta.

Ferdinando, M.D., Brunetti, C., Fini, A., dan Tattini, M.2012. Flavonoids as antioxidants in plants under abiotic stresses. Editor : Ahmad, P., Prasad, M.N.V. dalam buku *Abiotic Stress Responses in Plants: Metabolism, Productivity and Sustainability*. Springer: Berlin/Heidelberg, Germany.

Fernandes, F., Ramalhosa, E., & Saavedra, M. J. (2020). Extraction of Bioactive Compounds from Agri-Food Industrial By-Products by Green Techniques: Extraction Yield, Economic Perspective, and Utilization of Residues. *Foods*, 9(9), 1174.

França T, Ishikawa L, Zorzella-Pezavento S, Chiuso-Minicucci F, da Cunha M, Sartori A. 2009. Impact of malnutrition on immunity and infection. *J Venom Anim Toxins Trop Dis*, 15: 374–90.

Fraga, C.G., Croft, K.D., Kennedy, D.O., dan Tomás-Barberán, F.A.(2019). The effects of polyphenols and other bioactives on human health. *Food Funct*: 10, 514–528.

- Fransina, Eirene G. T., Matheis, L., Jolantje, M., Dominggus, T., dan Regy. (2019). Phytochemical screening of water extract of gayam (*Inocarpus edulis*) Bark and its amylase inhibitor activity assay. *IOP Conference Series: Materials Science and Engineering*, 509.
- Gan L. , Hua Zhang S. , Liang Yang X. , dan Bi Xu H. (2004). Imunomodulasi dan aktivitas antitumor oleh kompleks polisakarida-protein dari *Lycium barbarum* , *International Immunopharmacology*. no. 4, 563 – 569
- Geiger, D.,S. (1998). Flavonoids. *Dalam : Geiger, D.,S. Plant Secondary Metabolism*. Hal 151-191. Springer Science and Business Media. New York.
- Ghasemzadeh A, Jaafar HZ, Rahmat A.2010. Antioxidant activities, total phenolics and flavonoids content in two varieties of malaysia young ginger (zingiber officinale roscoe). *Molecules*,15(6):4324-33.
- Green, L.C., Wagner, D.A., Glogowski, J., Skipper, P.L., Wishnok, J.S., Tannenbaum, S.R. (1982). Analysis of nitrate, nitrite, and [15N] nitrate in biological fluids. *Anal Biochem*, 126(1):131-8.
- Giknis, M.L.A and Clifford, C.B. 2008. Clinical Laboratory Parameters for Crl:WI(Han). Charles river Laboratories. Wilmington.
- Gunawijaya, E. dan Arhana, B.P.N. (2000). Peran Nitrogen Oksida Pada Infeksi. *Sari Pediatri*, 2 : 113-119.
- Gunerhan Y, Koksall N, Sahin UY, Uzun MA, Ekşioğlu-Demiralp E.(2009). Effect of preoperative immunonutrition and other nutrition models on cellular immune parameters. *World J Gastroenterol*, 15(4):467-72.
- Gupta K, Kumar S, Gupta RK, Sharma A, Verma AK, Stalin K. (2016). Reversion of asthmatic complications and mast cell signalling pathways in BALB/c mice model using quercetin nanocrystals. *J Biomed Nanotechnol*, 12:717–31.
- Handayani, N., Subagus, W., Triana, H. dan Retno, M. (2018). Uji Aktivitas Fagositosis Makrofag Ekstrak Etanol Daun Suji (*Dracaena angustifolia* (Medik.)Roxb.) Secara In Vitro. *Pharmacy Medica Journal*, 1 : 26-32.
- Hanin, N. N. F. dan Rarastoeti, P. (2017). Kandungan Fenolik, Flavonoid dan Aktivitas Antioksidan Ekstrak Daun Paku Laut (*Acrostichum aureum* L.) Fertil dan Steril. *Journal of Tropical Biodiversity and Biotechnology*, 2 : 51-56.
- Harborne, J. B. (1980). *The Flavonoids : Advances in flavonoid research since*

1960.Champman and Hall. London.

Harborne, J.B. (1987). *Metode Fitokimia: Penuntun Cara Modern Menganalisa Tumbuhan* (Ed.2). Terjemahan Kosasih Padmawinata dan Iwang Soediro. ITB. Bandung.

Hartanti, A.W. (2010). Evaluasi Aktivitas Antidiare Isolat *Lactobacillus* dari Air Susu Ibu. Institut Pertanian Bogor. Bogor.

Hartuti, S., dan M.D. Supardan. (2013). Optimasi ekstraksi gelombang ultrasonik untuk produksi oleoresin jahe (*Zingiber officinale* Roscoe) menggunakan response surface methodology (RSM). *Agritech*. 33(4): 415 – 423.

Hernández C.E. (2021). Impact of protein deficiency on albumin levels in human serum. *Journal of Biochemical Research*,35(4): 567-579.

Hu, T., & Qi, Y. (2020). Effects of Dietary Protein Intake on Body Composition Changes After Weight Loss in Older Adults: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *Nutrients*, 12(3), 735.

Idris, A., A.C. Linatoc, dan M.F. Abu bakar. (2018). Effect of light quality and quantity on the accumulation of flavonoid in plant species. *J. of Sci. & Tech*, 10 : 32-45.

Ilyas Y, Muhammad J., Asriullah B., Mentarry M., Muhammad, Firdayanti, Sahidin. (2020). Aktivitas Imunomodulator Ekstrak Etanol Spons *Callyspongia* Sp. Terhadap Fagositosis Makrofag Pada Mencit Jantan Balb/C. *Jurnal Ilmiah Ibnu Sina (JIIS)*: Ilmu Farmasi dan Kesehatan, 5: 44-55.

Jenkins, S. J., Ruckerl, D., Thomas, G. D., Hewitson, J. P., Duncan, S., Brombacher, F., Maizels, R. M., Hume, D. A., dan Allen, J. E. (2013). IL-4 directly signals tissue-resident macrophages to proliferate beyond homeostatic levels controlled by CSF-1. *The Journal of experimental medicine*, 210(11), 2477–2491.

Jucá, M.M., Filho, F.M.S.C., de Almeida, J.C., Mesquita, D.S., Barriga, J.R.M., Dias, K.C.F., Barbosa, T.M., Vasconcelos, L.C., Leal, L.K.A.M., dan Ribeiro, J.R. (2020). Flavonoids: Biological activities and therapeutic potential. *Nat. Prod. Res.*: 5, 692–705.

- Kaleem, M., Ahmad, A. (2018). Flavonoids as nutraceuticals. In *Therapeutic, Probiotic, and Unconventional Foods*; Grumezescu, M.A., Holban, A.M., Eds.; Academic Press: Cambridge, MA, USA, pp. 137–155.
- Kanifah, U., M. Lutfi., dan B. Susilo. (2015). Karakterisasi ekstrak daun sirih merah (*Piper crocatum*) dengan metode ekstraksi non-thermal berbantuan ultrasonik (kajian perbandingan jenis pelarut dan lama ekstraksi). *Jurnal Bioproses Komoditas Tropis*. 3(1) : 73 – 79.
- Katzung, B.G. (2002). *Farmakologi Dasar dan Klinik* (Ed. VIII). Salemba Media. Jakarta.
- Khanam U.K.S., Oba S., Yanase E. (2014) The role of ethyl alcohol in the extraction of anti-oxidants from mulberry. *Food Chemistry*, 157, 37-45.
- Kim J., Park E.Y, Kim J., Jang M., Lee S.S, Baek S.J. (2020). Isoharmentin inhibits oxidative stress-induced DNA damage and apoptosis by regulating the Nrf2/HO-1 signaling pathway in human keratinocytes. *Journal of Functional Foods*, 68:103906.
- Kumar, S., dan Pandey, A. K. (2013). Chemistry and Biological Activities of flavonoids: An Overview. *The Scientific World Journal*, 29: 1-16.
- Kusnadi, K., dan Devi, E.T. (2017). Isolasi dan Identifikasi Senyawa Flavonoid ppada Ekstrak Daun Seledri (*Apium graveolens* L.) dengan Metode Refluks. *Pancasakti Science Educational Journal*, 2 : 56-67.
- Kusdalinah K, Johan A, Wijayahadi N. (2014). Pengaruh ekstrak buah naga daging merah (*Hylocereus polyrhizus*) terhadap berat badan, indeks fagositosis makrofag dan produksi nitrit oksida makrofag (Studi pada mencit BALB/c yang diinfeksi *Salmonella typhimurium*). *Jurnal Gizi Indonesia*, 2(2) :72-76.
- Kozłowska, A., dan Szostak-We gierek, D.(2017). Flavonoids—Food sources, health benefits, and mechanisms involved. Editor Mérillon, J.M., dan Ramawat, K Dalam buku : *Bioactive Molecules in Food*; Reference Series in Phytochemistry. Springer: Cham, Switzerland.
- Lekitoo, K., Ezrom, B., Permenas, A., Dimomonmau, Wilson, F.R., Charlie, D.H. dan Hanro, Y.L. (2012). RE-DIVERSIFIKASI PANGAN DI TANAH PAPUA Bagian-1 : Pemanfaatan Enam Jenis Tumbuhan Hutan Penghasil Buah sebagai Sumber Bahan Pangan di Tanah Papua. Badan Penelitian dan Pengembangan Kehutanan. Jakarta.

Lekitoo, K., Hans, F. Z. P., Novita, P. dan Reinardus, L. C. (2020). Distribution And Habitat-Specific Attributes Of Sararanga Sinuosa Hemsl., In A Low Land Tropical Forest In Indonesian New Guinea. *EurAsian Journal of BioSciences*, 14, 6255-6260.

Li P, Yin Y, Li D, Kim S, Wu G. (2007). Amino acids and immune function. *Br J Nutr*, 98:237–52.

Li J, Yin D, Wang Y, Magdalou J, Wang H, Chen L.(2019). Isoharmentin exerts protective effects against oxidative stress-induced neuronal cell damage through the Nrf2/ARE signaling pathway. *Journal of Neurochemistry*, 151(5):557-570.

Luhurningtyas FP, Dyahariesti N. 2020. Uji Efek Imunomodulator Ekstrak Biji Karika (*Carica pubescens* Lenne K. Koch) terhadap Peningkatan Aktivitas Fagositosis pada Mencit Putih Swiss Webster. *Pharmaceutical and Biomedical Sciences Journal (PBSJ)*. 2(1):27-34.

Macpherson A.J., McCoy K.D., Johansen F.E., dan Brandtzaeg P.(2008). The immune geography of IgA induction and function. *Mucosal Immunol*, 1(1):11-22.

Mahardika, A.W. (2003). Kultur Sel. Bagian Parasitologi, Fakultas Kedokteran, Universitas Gadjah Mada. Yogyakarta.

Mantis N.J, Rol N., dan Corthésy B.(2011). Secretory IgA's complex roles in immunity and mucosal homeostasis in the gut. *Mucosal Immunol.*, 4(6):603-11.

Markham, K. R. (1988). *Cara Mengidentifikasi Flavonoid*. ITB, Bandung.

Marco Prunello, Isabella, Jaiswal, Sharon, Moor, Dennis, Meyerowitz, dan Elliot. (2019). Immune Homeostasis and Phagocytosis in Macrophages. *Cell Immunology*, 822 (7) : 961-975.

Mathew D, Hsu WL. Antiviral Potential of Curcumin. *Journal of Functional Foods*. 2018;40: 692–699. doi:10.1016/j.jff.2017.12.017

Middleton, E. Jr., Kandaswami, C., dan Theoharides, T. C. (2000). The effects of plant flavonoids on mammalian cells: Implications for inflammation, heart disease, and cancer. *Pharmacological Reviews*, 52 : 673–751.

Muchtadi, Prof. Dr. Ir Tien R. dan Sugiyono, Prof. Dr. Ir. (2013). Prinsip Proses dan Teknologi Pangan. Bandung : Penerbit Alfabeta.

- Murray R, Granner D, Mayes P, Rodwell V. (2014). Biokimia Harper. 29th ed. Jakarta: EGC.
- Nabavi, S.M., Šamec, D., Tomczyk, M., Milella, L., Russo, D., Habtemariam, S., Suntar, I., Rastrelli, L., Daglia, M., dan Xiao, J.(2020). Flavonoid biosynthetic pathways in plants: Versatile targets for metabolic engineering. *Biotechnol. Adv.*: 38, 107316.
- National Research Council (US) Subcommittee on Laboratory Animal Nutrition. (1995). Nutrient Requirements of Laboratory Animals, Fourth Revised Edition. Washington (DC): National Academies Press.
- Neiman, D.C., Henson, U.A., Maxwell, K.R., Williams, S.R.M., Mcanulty, S.R., Jin, F.,Shanely, R.A. dan Lines, T.C. (2009). Effects of Quercetin and EGCG on Mitochondrial Biogenesis and Immunity. *Medicine & Science In Sports andExercise*, 9: 1467-1475.
- Nicholson, L.B. (2016). The immune system. *Essays Biochem* 60(3):275–301.
- Nile, S.H., dan Se, W.P.(2014). Edible berries: Bioactive component and their effect on human health. *Journal of Nutrition*, 30:134-144.
- Panche, A.N., Diwan, A.D., dan Chandra, S.R. (2016). Flavonoids: An overview. *J. Nutr. Sci*, 5: 47.
- Pandoyo, A. S. (2000). Pengaruh Aktivitas Ekstrak Tanaman Cincau Hijau (*Cyclea barbata* L. Miers) Terhadap Proliferasi Sel Limfosit Darah Tepi Manusia Secara in Vitro. Skripsi IPB, Bogor.
- Peranginangin, J. M., Opstaria, S., Erly,I., Riszal, A. W. dan Rizky, F. (2014). Effect of Steeped Black Tea (*Camellia sinensis* (L.) var. *assamica*) on Immunoglobulin Titer and Lymphocyte Proliferation in Responses to Hepatitis B Vaccine in Mice. *Procedia Chemistry*, 13: 128-133.
- Pinem, L. J. (2007). *Perbedaan lingkungan dan masa tanam (Apium graveolus L.)*. Institut Pertanian Bogor. Bogor.
- Purnamasari, V., Lisye, I. Z. dan Maria, M. S. (2017). Potensi Pemanfaatan Buah Pandan Anggur (*Sararanga Sinuosa* Hemsley) Berdasarkan Karakteristik Buah Beri. Prosiding Temu Nasional Inovasi Pengelolaan, Pemanfaatan & Festival Sumberdaya Genetik Lokal.Malang.

Purnamasari, V., Nelly, L. dan Simon, B. W. (2020). Morphometric Characteristic, Nutritional Value And Antioxidant Activity Of *Sararanga Sinuosa* Hemsley (Pandanaceae) During Ripening: A Native Berries Of Papua, Indonesia. *Pak.Journal Of Botanical*, 52.

Purnamasari, V., Teti, E., Hidayat, S., dan Simon, B. W. (2021). Identification of phenolic acids of Pandan anggur (*Sararanga sinuosa* Hemsley) fruits and their potential antiglycation through molecular docking study. *Journal of Applied Pharmaceutical Science*, 11 : 126-134.

Purwanto, Y. dan Esti, M. (2010). Etnobotani Jenis-Jenis Pandanaceae Sebagai Bahan Pangan Di Indonesia. *Penelitian Hayati Edisi Khusus*, 5A : 97-108.

Puspitaningrum, I., Lia, K. dan Yuvianti, D.F. (2015). Aktivitas Imunomodulator Fraksi Etil Asetat Daun Som Jawa (*Talinum Triangulare* (Jacq.) Willd) Terhadap Respon Imun Non Spesifik. Hibah Bersaing, Kementerian Riset Teknologi dan Pendidikan Tinggi. Jakarta.

Puspitaningrum, I., Arsa, W. N. dan Suwarmi. (2015). Uji Anti Diare Infusa Daun Mimba (*Azadirachta Indica* Juss) Terhadap Mencit Jantan Galur Swiss. *Media Farmasi Indonesia*, 8 : 596-607.

Putra B, Azizah RN, Nopriyanti EM. (2020). Efek imunomodulator ekstrak etanol herba krokot (*Portulaca oleracea* L.) terhadap tikus putih (*Rattus norvegicus*) jantan dengan parameter delayed type hypersensitivity (dth). *Jurnal Farmasi Galenika*, 6(1):20-5.

Rauf, A., Haeria dan Anas, D. (2016). Efek Imunostimulan Fraksi Daun Katuk (*Sauropus androgynus* L. MERR.) Terhadap Aktivitas dan Kapasitas Fagositosis Makrofag Pada Mencit Jantan (Mus Musculus). *JF_FIK UINAM*, 4(1): 9–15.

Reeves, P.G., Neilson F.H. and Fahey, G.C. (1993). AIN- 93. Purified Diets for laboratory Rodents: Final Report of the American Institute of Nutrition Ad Hoc Writing Committee on the Reformulation of the AIN-76 A Rodent Diet. *J.Nutr*, 123: 1939-1951.

Rice-Evans, C. A., Miller, N. J., dan Paganga, G. (1996). Structure antioxidant activity

relationships of flavonoids and phenolic acids. *Free Radical Biology and Medicine*, 20 : 933–956.

Rodríguez-García, C., Sánchez-Quesada, C., dan Gaforio, J.J.(2019). Dietary flavonoids as cancer chemopreventive agents: An updated review of human studies. *Antioxidants*: 8, 137.

Rohyami, Y. dan Shabur, T.J. (2008). Isolasi dan Identifikasi Flavonoid dari Ekstrak Metanol Daging Buah Mahkota Dewa (*Phaleria macrocarpa* Boerl) Menggunakan Spektrofotometer UV-Vis. Prosiding Seminar Nasional Farmasi UII Yogyakarta. Yogyakarta.

Rosida KJ. (2019). Potensi Ekstrak Kencur (*Kaemferia Galanga* L.) Sebagai Imunomodulator Pada Tikus Model Yang Terinfeksi *Mycobacterium tuberculosis*. *Jurnal Ilmiah Farmasi Akademi Farmasi Jember*. 3(1):8-13.

Safrina, D. dan Priyambodo, W.J. (2018). Pengaruh Ketinggian Tempat Tumbuh dan Pengerangan Terhadap Flavonoid Total Sambang Colok (*Iresine herbstii*). *Jurnal Penelitian Pascapanen Pertanian*, 15 : 147-154.

Saini, N., Gahlawat, S.K., dan Lather, V. (2017). Flavonoids: A nutraceutical and its role as anti-inflammatory and anticancer agent. Editor Gahlawat, S., Salar, R., Siwach, P., Duhan, J., Kumar, S., Kaur, P., dalam buku *Plant Biotechnology: Recent Advancements and Developments*. Springer: Singapore.

Saito, K., Sakakibara, K.Y., Nakabayashi, R., Yamazaki, M., Tohge, T., dan Fernie, A.R. (2013). The flavonoid biosynthetic pathway in *Arabidopsis*: Structural and genetic diversity. *Plant Physiol. Biochem* : 72, 21–34.

Samad N, Saleem A.(2018) Isorhamnetin, a bioactive flavonoid, attenuates n-nitrosodiethylamine-induced lung carcinogenesis in rats through inhibition of proinflammatory cytokines, DNA damage, cell proliferation and induction of apoptosis. *Mol Cells*,41(9):833.

Šamec, D., Karalija, E., Šola, I., Bok, V.V., dan Salopek-Sondi, B. (2021). The role of polyphenols in abiotic stress response: The influence of molecular structure. *Plants*, 10: 118.

Schoenborn, J. R., & Wilson, C. B. (2007). Regulation of interferon-gamma during innate and adaptive immune responses. *Advances in immunology*, 96, 41-101.

- Shi H, He J, Li X, (2018). Isorhamnetin, the active constituent of a Chinese herb *Hippophae rhamnoides* L, is a potent suppressor of dendritic-cell maturation and trafficking. *Int Immunopharmacol*.55:216-222.
- Sirami, E.V. (2009). Buah Nati (*Chrysophyllum* sp.) sumber gizi yang terlupakan. Warta Konservasi Lahan Basah. Edisi Juli 2009. Wetland International. Bogor.
- Skrovankova, S., Daniela, S., Jiri, M., Tunde, J. dan Jiri, S. (2015). Bioactive Compounds and Antioxidant Activity in Different Types of Berries. *International Journal of Molecular Science*, 16: 24673-24706.
- Srihari, E. dan Farid, S. L. (2015). Ekstrak Kulit Manggis Bubuk. *Jurnal Teknik Kimia*, 10 : 1-7.
- Sumaryati, B.T., Tyas, U. dan Suparmo. (2009). Pengaruh Infeksi *Escherichia Coli* Dan Pemberian *Lactobacillus Plantarum* Dad 13 Terhadap Mikrobiota Feses Tikus Wistar. *AGRITECH*, 29 : 165-170.
- Sun X, Yamasaki M, Katsube T, Shiwaku K. (2015). Effects of quercetin derivatives from mulberry leaves: improved gene expression related hepatic lipid and glucose metabolism in short-term high-fat fed mice. *Nut Res Practice*, 9:137–43.
- Tang L. , Zhang Y. , Jiang Y. , Willard L. , Ortiz E. , Wark L. , Medeiros D. , dan Lin D. (2011). The wolfberry diet corrected retinal structural abnormalities in db/db mice in the early stages of diabetes, *Experimental Biology and Medicine*, no. 9, 1051 – 1063
- Terahara, N. (2015). Flavonoids in foods: A Review. *Nat. Prod. Com*, 10: 521–528.
- Tjandrawinata, R.R., Maat, S., Noviarny, D. (2005). Effect of standardized *Phyllanthus niruri* extract on changes in immunologic parameters: correlation between preclinical and clinical studies. *Medika*, 31: 367-371.
- Tejasari. (2007). Evaluation of ginger (*Zingiber officinale Roscoe*) bioactive compounds in increasing the ratio of T-cell surface molecule of CD3+CD4+:CD3+CD8+ in vitro. *Malaysian Journal of Nutrition*, 13(2): 161-170.
- Ulfah, M., Vitri S. N. C., dan Indira K., (2017). Pengaruh Pemberian Seduhan Teh Daun

Sirsak (*Annona muricata* L.) Terhadap Aktivitas Fagositosis Sel Makrofag dan Proliferasi Sel Limfosit Mencit Galur Balb/C yang Diinduksi Vaksin Hepatitis B, *Momentum*, Vol. 13 (2).

Utomo, D. S., Elsizabeth, B. E. K. dan Anggara, M. (2020). Pengaruh Lokasi Tumbuh Terhadap Kadar Flavonoid, fenolik, Klorofil, Karatenoid dan Aktivitas Antioksidan Pada Tumbuhan Pecut Kuda (*Stachytarpheta jamaicensis*). *Jurnal Bioma*, 22 (2) : 143-149.

Vaghasiya, J., Datani, M., Nandkumar, K., Malaviya, S. dan Jivani, N. (2010). Comparative Evaluation of Alcoholic and Aqueous Extracts of Ocimum Sanctum for Immunomodulatory Activity. *Int Jon Pharm and Biol Res*, 1 : 5-9.

Wahyuni, Hajrul M.M., Adryan F., Ilyas M.Y., dan Sahidin, (2017). Potensi Imunomodulator Ekstrak Etanol Buah Kecombrang (*Etilingera elatior* (Jack) R.M.Smith) terhadap Aktivitas Fagositosis Makrofag Mencit Jantan Galur Balb/c, *Jurnal Ilmiah Farmasi*, Vol. 6 (3).

Wahyuniar, I., Marsetyawan, H.N.E., Soesatyo, Muhammad, G., Yustina, Andi, A. S. dan Sri, W. (2009). Minyak Buah Merah Meningkatkan Aktivitas Proliferasi Limfosit Limpa Mencit Setelah Infeksi *Listeria Monocytogenes*. *Jurnal Veteriner*, 10 (3) : 143-149.

Widyastuti, dan Edo, P. (2021). Ekstrak Etanol Buah Stroberi (*Fragaria X Ananassa Duchesne Ex Rozier*) Sebagai Tabir Surya Dan Inhibitor Tyrosinase. *FITOFARMAKA :Jurnal Ilmiah Farmasi*, 11(1) : 35-42.

Wijayanti, M.A. (1999). Kemampuan Fagositosis Makrofag Peritoneum Mencit yang diimunisasi Selama Infeksi *Plasmodium berghei*. *Berkala Ilmu Kedokteran*, 31 (4) : 213-218.

Wynn TA. (2015). Type 2 cytokines: mechanisms and therapeutic strategies. *Nature Reviews Immunology*, 15(5), 271-282.

Wu, C., Chun-Hung, L., Yueh-Ping, C. dan Shu-Ling, H. (2010). Effects of hot-water extract of *Toona sinensis* on immune response and resistance to *Aeromonas hydrophila* in *Oreochromis mossambicus*. *Fish & Shellfish Immunology*, 29 : 258-263.

Zebua, L. I. (2015). Pemanfaatan Pandan-Pandanan (Pandanaceae) Oleh Masyarakat Papua. Penelitian BOPTN. Lembaga Penelitian dan Pengabdian Masyarakat Universitas Cenderawasih. Jayapura.

Zhang Y, Li J, Wang Y, Wang H, Chen L.(2018). Protective effects of isoharmentin against hydrogen peroxide-induced oxidative stress in human endothelial cells. *Free Radical Biology and Medicine*,120:402-415.