

## REFERENCES

- Amezian, D., Nauen, R., & Le Goff, G. (2021). Transcriptional regulation of xenobiotic detoxification genes in insects - An overview. In *Pesticide Biochemistry and Physiology* (Vol. 174). Academic Press Inc. <https://doi.org/10.1016/j.pestbp.2021.104822>
- Belda, E., Pedrola, L., Peretó, J., Martínez-Blanch, J. F., Montagud, A., Navarro, E., Urchueguía, J., Ramón, D., Moya, A., & Porcar, M. (2011). Microbial diversity in the midguts of field and lab-reared populations of the European Corn Borer *Ostrinia nubilalis*. *PLoS ONE*, 6(6). <https://doi.org/10.1371/journal.pone.0021751>
- Broderick, N. A., Raffa, K. F., & Handelsman, J. (2006). *Midgut bacteria required for Bacillus thuringiensis insecticidal activity*. [www.pnas.org/cgi/doi/10.1073/pnas.0604865103](http://www.pnas.org/cgi/doi/10.1073/pnas.0604865103)
- Broehan, G., Kroeger, T., Lorenzen, M., & Merzendorfer, H. (2013). Functional analysis of the ATP-binding cassette (ABC) transporter gene family of *Tribolium castaneum*. *BMC Genomics*, 14(1). <https://doi.org/10.1186/1471-2164-14-6>
- Chen, B., Du, K., Sun, C., Vimalanathan, A., Liang, X., Li, Y., Wang, B., Lu, X., Li, L., & Shao, Y. (2018). Gut bacterial and fungal communities of the domesticated silkworm (*Bombyx mori*) and wild mulberry-feeding relatives. *ISME Journal*, 12(9), 2252–2262. <https://doi.org/10.1038/s41396-018-0174-1>
- Chen, Y., Zhou, H., Lai, Y., Chen, Q., Yu, X. Q., & Wang, X. (2021). Gut Microbiota Dysbiosis Influences Metabolic Homeostasis in *Spodoptera frugiperda*. *Frontiers in Microbiology*, 12. <https://doi.org/10.3389/fmicb.2021.727434>
- De Almeida, L. G., De Moraes, L. A. B., Trigo, J. R., Omoto, C., & Cônsoli, F. L. (2017). The gut microbiota of insecticide-resistant insects houses insecticide-degrading bacteria: A potential source for biotechnological exploitation. *PLoS ONE*, 12(3). <https://doi.org/10.1371/journal.pone.0174754>
- Dongbiao, L., Dong, Y., Yan, Z., Liu, X., Zhang, Y., Yang, D., He, K., Wang, Z., Wang, P., Yuan, X., & Li, Y. (2023). Dynamics of gut microflora across the life cycle of *Spodoptera frugiperda* and its effects on the feeding and growth of larvae. *Pest Management Science*, 79(1), 173–182. <https://doi.org/10.1002/ps.7186>
- Douglas, A. E. (2015). Multiorganismal insects: Diversity and function of resident microorganisms. In *Annual Review of Entomology* (Vol. 60, pp. 17–34). Annual Reviews Inc. <https://doi.org/10.1146/annurev-ento-010814-020822>
- Duploux, A., & Hornett, E. A. (2018). Uncovering the hidden players in Lepidoptera biology: The heritable microbial endosymbionts. *PeerJ*, 2018(5). <https://doi.org/10.7717/peerj.4629>
- Engel, P., & Moran, N. A. (2013). The gut microbiota of insects - diversity in structure and function. In *FEMS Microbiology Reviews* (Vol. 37, Issue 5, pp. 699–735). <https://doi.org/10.1111/1574-6976.12025>

- Frago, E., Dicke, M., & Godfray, H. C. J. (2012). Insect symbionts as hidden players in insect-plant interactions. In *Trends in Ecology and Evolution* (Vol. 27, Issue 12, pp. 705–711). <https://doi.org/10.1016/j.tree.2012.08.013>
- Fu, Y., Zhang, L. Y., Zhao, Q. Y., Fu, D. Y., Yu, H., Xu, J., & Yang, S. (2024). Antibiotics ingestion altered the composition of gut microbes and affected the development and reproduction of the fall armyworm. *Journal of Pest Science*. <https://doi.org/10.1007/s10340-024-01759-0>
- Gao, L., Qiao, H., Wei, P., Moussian, B., & Wang, Y. (2022). Xenobiotic responses in insects. In *Archives of Insect Biochemistry and Physiology* (Vol. 109, Issue 3). John Wiley and Sons Ltd. <https://doi.org/10.1002/arch.21869>
- Gichuhi, J., Sevgan, S., Khamis, F., Van Den Berg, J., Du Plessis, H., Ekesi, S., & Herren, J. K. (2020). Diversity of fall armyworm, *Spodoptera frugiperda* and their gut bacterial community in Kenya. *PeerJ*, 2020(3). <https://doi.org/10.7717/peerj.8701>
- Gomes, A. F. F., Omoto, C., & Cônsoli, F. L. (2020). Gut bacteria of field-collected larvae of *Spodoptera frugiperda* undergo selection and are more diverse and active in metabolizing multiple insecticides than laboratory-selected resistant strains. *Journal of Pest Science*, 93(2), 833–851. <https://doi.org/10.1007/s10340-020-01202-0>
- Gott, R. C., Kunkel, G. R., Zobel, E. S., Lovett, B. R., & Hawthorne, D. J. (2017). Implicating ABC transporters in insecticide resistance: Research strategies and a decision framework. *Journal of Economic Entomology*, 110(2), 667–677. <https://doi.org/10.1093/jee/tox041>
- Hammer, T. J., & Bowers, M. D. (2015). Gut microbes may facilitate insect herbivory of chemically defended plants. *Oecologia*, 179(1), 1–14. <https://doi.org/10.1007/s00442-015-3327-1>
- Hammer, T. J., Janzen, D. H., Hallwachs, W., Jaffe, S. P., & Fierer, N. (2017). Caterpillars lack a resident gut microbiome. *Proceedings of the National Academy of Sciences of the United States of America*, 114(36), 9641–9646. <https://doi.org/10.1073/pnas.1707186114>
- Hansen, A. K., & Moran, N. A. (2014). The impact of microbial symbionts on host plant utilization by herbivorous insects. *Molecular Ecology*, 23(6), 1473–1496. <https://doi.org/10.1111/mec.12421>
- He, K., Wang, Z., Zhou, D., Wen, L., Song, Y., & Yao, Z. (2003). Evaluation of Transgenic Bt Corn for Resistance to the Asian Corn Borer (Lepidoptera: Pyralidae). In *J. Econ. Entomol* (Vol. 96, Issue 3). <https://academic.oup.com/jee/article/96/3/935/2217792>
- Hu, X., Wang, Z., He, K., Xie, H., & Wang, Y. (2024). Age-stage, two-sex life table, and population projection of *Ostrinia furnacalis* (Lepidoptera: Crambidae) at different temperatures. *Journal of Economic Entomology*, 117(3), 800–808. <https://doi.org/10.1093/jee/toae052>
- Jing, T. Z., Qi, F. H., & Wang, Z. Y. (2020). Most dominant roles of insect gut bacteria: Digestion, detoxification, or essential nutrient provision? *Microbiome*, 8(1). <https://doi.org/10.1186/s40168-020-00823-y>

- Khan, S., Uddin, M. N., Rizwan, M., Khan, W., Farooq, M., Shah, A. S., Subhan, F., Aziz, F., Rahman, K. U., Khan, A., Ali, S., & Muhammad. (2020). Mechanism of insecticide resistance in insects/pests. In *Polish Journal of Environmental Studies* (Vol. 29, Issue 3, pp. 2023–2030). HARD Publishing Company. <https://doi.org/10.15244/pjoes/108513>
- Lee, C. R., Lee, J. H., Park, M., Park, K. S., Bae, I. K., Kim, Y. B., Cha, C. J., Jeong, B. C., & Lee, S. H. (2017). Biology of *Acinetobacter baumannii*: Pathogenesis, antibiotic resistance mechanisms, and prospective treatment options. *Frontiers in Cellular and Infection Microbiology*, 7(MAR). <https://doi.org/10.3389/fcimb.2017.00055>
- Li, G., Feng, H., Ji, T., Huang, J., & Tian, C. (2021). What type of Bt corn is suitable for a region with diverse lepidopteran pests: A laboratory evaluation. *GM Crops and Food*, 12(1), 115–124. <https://doi.org/10.1080/21645698.2020.1831728>
- Li, G., Xia, X., Zhao, S., Shi, M., Liu, F., & Zhu, Y. (2020). The physiological and toxicological effects of antibiotics on an interspecies insect model. *Chemosphere*, 248. <https://doi.org/10.1016/j.chemosphere.2020.126019>
- Li, J., Wang, S., Zhao, J., Dong, Z., & Shao, T. (2022). Gut Microbiota of *Ostrinia nubilalis* Larvae Degrade Maize Cellulose. *Frontiers in Microbiology*, 13. <https://doi.org/10.3389/fmicb.2022.816954>
- Li, L., Fang, C., Zhuang, N., Wang, T., & Zhang, Y. (2019). Structural basis for transcription initiation by bacterial ECF  $\sigma$  factors. *Nature Communications*, 10(1). <https://doi.org/10.1038/s41467-019-09096-y>
- Lv, N., Zhang, X., Li, R., Liu, X., & Liang, P. (2024). Mesoporous silica nanospheres-mediated insecticide and antibiotics co-delivery system for synergizing insecticidal toxicity and reducing environmental risk of insecticide. *Science of the Total Environment*, 926. <https://doi.org/10.1016/j.scitotenv.2024.171984>
- Martínez-Solís, M., Collado, M. C., & Herrero, S. (2020). Influence of Diet, Sex, and Viral Infections on the Gut Microbiota Composition of *Spodoptera exigua* Caterpillars. *Frontiers in Microbiology*, 11. <https://doi.org/10.3389/fmicb.2020.00753>
- Masson, F., & Lemaître, B. (2020). Growing Ungrowable Bacteria: Overview and Perspectives on Insect Symbiont Culturability. *Microbiology and Molecular Biology Reviews*, 84(4). <https://doi.org/10.1128/mmb.00089-20>
- Moll, R. M., Romoser, W. S., Modrzakowski, M. C., Moncayo, A. C., & Lerdthusnee, K. (2001). Meconial Peritrophic Membranes and the Fate of Midgut Bacteria During Mosquito (Diptera: Culicidae) Metamorphosis. In *J. Med. Entomol* (Vol. 38, Issue 1). <https://academic.oup.com/jme/article/38/1/29/1005225>
- Nafus, D. M., & Schreiner, I. H. (1991). Review of the biology and control of the Asian corn borer, *Ostrinia furnacalis* (Lep: Pyralidae). *Tropical Pest Management*, 37(1), 41–56. <https://doi.org/10.1080/09670879109371535>

- Oliver, K. M., Degnan, P. H., Burke, G. R., & Moran, N. A. (2010). Facultative symbionts in aphids and the horizontal transfer of ecologically important traits. In *Annual Review of Entomology* (Vol. 55, pp. 247–266). <https://doi.org/10.1146/annurev-ento-112408-085305>
- Perlmutter, J. I., & Bordenstein, S. R. (2020). Microorganisms in the reproductive tissues of arthropods. In *Nature Reviews Microbiology* (Vol. 18, Issue 2, pp. 97–111). Nature Research. <https://doi.org/10.1038/s41579-019-0309-z>
- Pietri, J. E., & Liang, D. (2018). The links between insect symbionts and insecticide resistance: Causal relationships and physiological tradeoffs. In *Annals of the Entomological Society of America* (Vol. 111, Issue 3, pp. 92–97). Entomological Society of America. <https://doi.org/10.1093/aesa/say009>
- Prem Anand, A. A., Vennison, S. J., Gowri Sankar, S., Immanual, D., Prabhu, G., Thirumalai Vasan, P., Raghuraman, T., Geoffrey, C. J., & Vendan, S. E. (2009). Isolation and characterization of bacteria from the gut of *Bombyx mori* that degrade cellulose, xylan, pectin and starch and their impact on digestion. In *Number 107 Journal of Insect Science* (Vol. 10). [www.insectscience.org](http://www.insectscience.org)
- Rahayu, T., Trisyono, Y. A., & Witjaksono. (2018). Fitness of Asian corn borer, *Ostrinia furnacalis* (Lepidoptera: Crambidae) reared in an artificial diet. *Journal of Asia-Pacific Entomology*, 21(3), 823–828. <https://doi.org/10.1016/j.aspen.2018.06.003>
- Rauf, A. (2011). *Karakteristik Populasi dan Serangan Penggerek Jagung Asia, Ostrinia furnacalis (Lepidoptera: Pyralidae), dan Hubungannya dengan Kehilangan Hasil*. <https://www.researchgate.net/publication/304060315>
- Soltani, A., Vatandoost, H., Oshaghi, M. A., Enayati, A. A., & Chavshin, A. R. (2017). The role of midgut symbiotic bacteria in resistance of *Anopheles stephensi* (Diptera: Culicidae) to organophosphate insecticides. *Pathogens and Global Health*, 111(6), 289–296. <https://doi.org/10.1080/20477724.2017.1356052>
- Staudacher, H., Kaltenpoth, M., Breeuwer, J. A. J., Menken, S. B. J., Heckel, D. G., & Groot, A. T. (2016). Variability of bacterial communities in the moth *Heliothis virescens* indicates transient association with the host. *PLoS ONE*, 11(5). <https://doi.org/10.1371/journal.pone.0154514>
- Subiadi, S., Trisyono, Y., & Martono, E. (2014). Aras kerusakan ekonomi (AKE) larva *Ostrinia furnacalis* (Lepidoptera: Crambidae) pada tiga fase pertumbuhan tanaman jagung. *Jurnal Entomologi Indonesia*, 11(1), 19–26. <https://doi.org/10.5994/jei.11.1.19>
- Tang, B., Xu, K., Liu, Y., Zhou, Z., Karthi, S., Yang, H., & Li, C. (2022). A review of physiological resistance to insecticide stress in *Nilaparvata lugens*. In 3 *Biotech* (Vol. 12, Issue 3). Springer Science and Business Media Deutschland GmbH. <https://doi.org/10.1007/s13205-022-03137-y>
- Thakur, A., Dhammi, P., Saini, H. S., & Kaur, S. (2016). Effect of antibiotic on survival and development of *Spodoptera litura* (Lepidoptera: Noctuidae) and its gut microbial diversity.

- Trauer-Kizilelma, U., & Hilker, M. (2015). Insect parents improve the anti-parasitic and anti-bacterial defence of their offspring by priming the expression of immune-relevant genes. *Insect Biochemistry and Molecular Biology*, 64, 91–99. <https://doi.org/10.1016/j.ibmb.2015.08.003>
- Upfold, J., Rejasse, A., Nielsen-Leroux, C., Jensen, A. B., & Sanchis-Borja, V. (2023). The immunostimulatory role of an Enterococcus-dominated gut microbiota in host protection against bacterial and fungal pathogens in *Galleria mellonella* larvae. *Frontiers in Insect Science*, 3. <https://doi.org/10.3389/finsc.2023.1260333>
- Voirol, L. R. P., Frago, E., Kaltenpoth, M., Hilker, M., & Fatouros, N. E. (2018). Bacterial symbionts in lepidoptera: Their diversity, transmission, and impact on the host. In *Frontiers in Microbiology* (Vol. 9, Issue MAR). Frontiers Media S.A. <https://doi.org/10.3389/fmicb.2018.00556>
- Wang, Z., Zhao, Y., Yong, H., Liu, Z., Wang, W., & Lu, Y. (2023). The contribution of gut bacteria to pesticide resistance of *Tribolium castaneum* (Herbst). *Journal of Stored Products Research*, 103. <https://doi.org/10.1016/j.jspr.2023.102160>
- Whitaker, M. R. L., Salzman, S., Sanders, J., Kaltenpoth, M., & Pierce, N. E. (2016). Microbial communities of lycaenid butterflies do not correlate with larval diet. *Frontiers in Microbiology*, 7(NOV). <https://doi.org/10.3389/fmicb.2016.01920>
- Xia, X., Gurr, G. M., Vasseur, L., Zheng, D., Zhong, H., Qin, B., Lin, J., Wang, Y., Song, F., Li, Y., Lin, H., & You, M. (2017). Metagenomic Sequencing of Diamondback Moth Gut Microbiome Unveils Key Holobiont Adaptations for Herbivory. *Frontiers in Microbiology*, 8. <https://doi.org/10.3389/fmicb.2017.00663>
- Xia, X., Liu, B. Q., Yu, P. H., Yu, Z. P., Zhang, R., Luo, G. H., & Fang, J. C. (2024). Antibiotic feeding changes the bacterial community of *Chilo suppressalis* and thereby affects its pesticide tolerance. *BMC Microbiology*, 24(1). <https://doi.org/10.1186/s12866-024-03421-2>
- Xu, T., Wang, Y., Wang, Y., Bi, S., Hu, B., Hu, F., & Xu, L. (2023). Comparison of Gut Microbial Community between Bt-Resistant and Susceptible Strains of *Ostrinia furnacalis*. *Agronomy*, 13(7). <https://doi.org/10.3390/agronomy13071923>
- Yadav, D. S., Ranade, Y., Sawant, I., Ghule, S., & Mhaske, S. (2022). Isolation, identification and functional characterisation of bacteria associated with gut of wood feeding *Stromatium barbatum* (Fabr.) (Coleoptera: Cerambycidae) larvae. *International Journal of Tropical Insect Science*, 42(3), 2603–2616. <https://doi.org/10.1007/s42690-022-00789-4>
- Yang, D. bin, Zhang, L. na, Yan, X. jing, Wang, Z. ying, & Yuan, H. zhu. (2014). Effects of Droplet Distribution on Insecticide Toxicity to Asian Corn Borers (*Ostrinia furnacalis*) and Spiders (*Xysticus ephippiatus*). *Journal of Integrative Agriculture*, 13(1), 124–133. [https://doi.org/10.1016/S2095-3119\(13\)60507-9](https://doi.org/10.1016/S2095-3119(13)60507-9)



UNIVERSITAS  
GADJAH MADA

**THE COMMUNITY STRUCTURE OF GUT BACTERIA OF *Ostrinia furnacalis* (Lepidoptera: Crambidae)  
ASSOCIATED  
WITH DETOXIFICATION ROLES**

Hadvina Nur Hendrayanti, Prof. Ir. Y. Andi Trisyono, M.Sc., Ph.D.

Universitas Gadjah Mada, 2024 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zhang, Y., Cai, T., Ren, Z., Liu, Y., Yuan, M., Cai, Y., Yu, C., Shu, R., He, S., Li, J., Wong, A. C. N., & Wan, H. (2021). Decline in symbiont-dependent host detoxification metabolism contributes to increased insecticide susceptibility of insects under high temperature. *ISME Journal*, 15(12), 3693–3703. <https://doi.org/10.1038/s41396-021-01046-1>