



DAFTAR PUSTAKA

- A. Apriantini, D. Afriadi, N. Febriyani, & I. I. Arief. (2021). Fisikokimia, Mikrobiologi dan Organoleptik Sosis Daging Sapi dengan Penambahan Tepung Biji Durian (*Durio zibethinus Murr.*). *Jurnal Ilmu Produksi Dan Teknologi Hasil Peternakan*, 9(2), 79–88. <https://doi.org/10.29244/jipthp.9.2.79-88>
- Aaslyng, M. D., Bejerholm, C., Ertbjerg, P., Bertram, H. C., & Andersen, H. J. (2003). Cooking loss and juiciness of pork in relation to raw meat quality and cooking procedure. *Food Quality and Preference*, 14(4), Article 4. [https://doi.org/10.1016/S0950-3293\(02\)00086-1](https://doi.org/10.1016/S0950-3293(02)00086-1)
- Abdullah, Liu, L., Javed, H. U., & Xiao, J. (2022). Engineering Emulsion Gels as Functional Colloids Emphasizing Food Applications: A Review. *Frontiers in Nutrition*, 9, 890188. <https://doi.org/10.3389/fnut.2022.890188>
- Aguirrezábal, M. M., Mateo, J., Domínguez, M. C., & Zumalacárregui, J. M. (2000). The effect of paprika, garlic and salt on rancidity in dry sausages. *Meat Science*, 54(1), 77–81. [https://doi.org/10.1016/S0309-1740\(99\)00074-1](https://doi.org/10.1016/S0309-1740(99)00074-1)
- Agustinelli, S. P., Ciannamea, E. M., Ruseckaite, R. A., & Martucci, J. F. (2021). Migration of red grape extract components and glycerol from soybean protein concentrate active films into food simulants. *Food Hydrocolloids*, 120, 106955. <https://doi.org/10.1016/j.foodhyd.2021.106955>
- Amalia, V. V. (2024). *KARAKTERISTIK FISIKOKIMIA DAN KINETIKA DEGRADASI BETA- KAROTEN PADA PRODUK SOSIS SAPI YANG DISUBSTITUSI EMULSI GEL MINYAK SAWIT MERAH*.
- Amaral, A. B., Silva, M. V. D., & Lannes, S. C. D. S. (2018a). Lipid oxidation in meat: Mechanisms and protective factors – a review. *Food Science and Technology*, 38(suppl 1), 1–15. <https://doi.org/10.1590/fst.32518>
- Amaral, A. B., Silva, M. V. D., & Lannes, S. C. D. S. (2018b). Lipid oxidation in meat: Mechanisms and protective factors – a review. *Food Science and Technology*, 38(suppl 1), 1–15. <https://doi.org/10.1590/fst.32518>
- An, J., Li, Y., Zhang, C., & Zhang, D. (2022). Rapid Nondestructive Prediction of Multiple Quality Attributes for Different Commercial Meat Cut Types Using Optical System. *Food Science of Animal Resources*, 42(4), 655–671. <https://doi.org/10.5851/kosfa.2022.e28>
- Anonim. (2005). Position of the American Dietetic Association: Fat Replacers. *Journal of the American Dietetic Association*, 105(2), 266–275. <https://doi.org/10.1016/j.jada.2004.12.011>
- AOAC. (2005).
- Arabsorkhi, B., Pourabdollah, E., & Mashadi, M. (2023). Investigating the effect of replacing the antioxidants Ascorbyl palmitate and tocopherol instead of TBHQ



- on the shelf life of sunflower oil using temperature accelerated method. *Food Chemistry Advances*, 2, 100246. <https://doi.org/10.1016/j.focha.2023.100246>
- Ashakayeva, R., Assenova, B., Tumenova, G., Nurgazezova, A., Zhumanova, G., Atambayeva, Z., Baikadamova, A., Il, D., & Dautova, A. (2022). A Pumpkin-Based Emulsion Gel as a Texture Improvement of Mixed Horsemeat Semi-Smoked Sausages. *Foods*, 11(23), 3886. <https://doi.org/10.3390/foods11233886>
- Baer, A. A., & Dilger, A. C. (2014). Effect of fat quality on sausage processing, texture, and sensory characteristics. *Meat Science*, 96(3), Article 3. <https://doi.org/10.1016/j.meatsci.2013.11.001>
- Bañón, S., Díaz, P., Nieto, G., Castillo, M., & Álvarez, D. (2008). Modelling the yield and texture of comminuted pork products using color and temperature. Effect of fat/lean ratio and starch. *Meat Science*, 80(3), Article 3. <https://doi.org/10.1016/j.meatsci.2008.03.001>
- Barbut, S., & Marangoni, A. (2019). Organogels use in meat processing – Effects of fat/oil type and heating rate. *Meat Science*, 149, 9–13. <https://doi.org/10.1016/j.meatsci.2018.11.003>
- Bascuas, S., Espert, M., Llorca, E., Quiles, A., Salvador, A., & Hernando, I. (2021a). Structural and sensory studies on chocolate spreads with hydrocolloid-based oleogels as a fat alternative. *LWT*, 135, 110228. <https://doi.org/10.1016/j.lwt.2020.110228>
- Bascuas, S., Espert, M., Llorca, E., Quiles, A., Salvador, A., & Hernando, I. (2021b). Structural and sensory studies on chocolate spreads with hydrocolloid-based oleogels as a fat alternative. *LWT*, 135, 110228. <https://doi.org/10.1016/j.lwt.2020.110228>
- Behera, B., Sagiri, S. S., Singh, V. K., Pal, K., & Anis, A. (2014). Mechanical properties and delivery of drug/probiotics from starch and non-starch based novel bigels: A comparative study. *Starch - Stärke*, 66(9–10), 865–879. <https://doi.org/10.1002/star.201400045>
- Berghout, J. A. M., Boom, R. M., & Van Der Goot, A. J. (2015). Understanding the differences in gelling properties between lupin protein isolate and soy protein isolate. *Food Hydrocolloids*, 43, 465–472. <https://doi.org/10.1016/j.foodhyd.2014.07.003>
- Bhangare, D., Rajput, N., Jadav, T., Sahu, A. K., Tekade, R. K., & Sengupta, P. (2022). Systematic strategies for degradation kinetic study of pharmaceuticals: An issue of utmost importance concerning current stability analysis practices. *Journal of Analytical Science and Technology*, 13(1), 7. <https://doi.org/10.1186/s40543-022-00317-6>
- Botella-Martínez, C., Pérez-Álvarez, J. Á., Sayas-Barberá, E., Fernández-López, J., & Viuda-Martos, M. (2021). Assessment of Chemical, Physicochemical, and



Lipid Stability Properties of Gelled Emulsions Elaborated with Different Oils Chia (*Salvia hispanica L.*) or Hemp (*Cannabis sativa L.*) and Pseudocereals. *Foods*, 10(7), 1463. <https://doi.org/10.3390/foods10071463>

Brilliantina, A., Wardani, D. K., Fadhila, P., Hariono, B., & Wijaya, R. (2022). Accelerated shelf life test method with arrhenius approach for shelf life estimation of tongkol ‘euthynnus affinis’ balado in cans. *IOP Conference Series: Earth and Environmental Science*, 980(1), 012038. <https://doi.org/10.1088/1755-1315/980/1/012038>

BSN. (2015). *SNI Sosis Daging 3820:2015 [online]*.

Calligaris, S., Manzocco, L., Anese, M., & Nicoli, M. C. (2016). Shelf-life Assessment of Food Undergoing Oxidation–A Review. *Critical Reviews in Food Science and Nutrition*, 56(11), Article 11. <https://doi.org/10.1080/10408398.2013.807222>

Chandra, M. V., & Shamasundar, B. A. (2015). Texture Profile Analysis and Functional Properties of Gelatin from the Skin of Three Species of Fresh Water Fish. *International Journal of Food Properties*, 18(3), Article 3. <https://doi.org/10.1080/10942912.2013.845787>

Chen, H., Mao, L., Hou, Z., Yuan, F., & Gao, Y. (2020a). Roles of additional emulsifiers in the structures of emulsion gels and stability of vitamin E. *Food Hydrocolloids*, 99, 105372. <https://doi.org/10.1016/j.foodhyd.2019.105372>

Chen, H., Mao, L., Hou, Z., Yuan, F., & Gao, Y. (2020b). Roles of additional emulsifiers in the structures of emulsion gels and stability of vitamin E. *Food Hydrocolloids*, 99, 105372. <https://doi.org/10.1016/j.foodhyd.2019.105372>

Chen, J., & Rosenthal, A. J. (2015). *Modifying food texture*. Woodhead Publishing.

Chen, Y., Chen, J., Chang, C., Chen, J., Cao, F., Zhao, J., Zheng, Y., & Zhu, J. (2019). Physicochemical and functional properties of proteins extracted from three microalgal species. *Food Hydrocolloids*, 96, 510–517. <https://doi.org/10.1016/j.foodhyd.2019.05.025>

Cheng, J., Sun, J., Yao, K., Xu, M., Tian, Y., & Dai, C. (2022). A decision fusion method based on hyperspectral imaging and electronic nose techniques for moisture content prediction in frozen-thawed pork. *LWT*, 165, 113778. <https://doi.org/10.1016/j.lwt.2022.113778>

Coscueta, E. R., Pellegrini Malpiedi, L., Pintado, M. M., & Nerli, B. B. (2023). Production of soy protein concentrate with the recovery of bioactive compounds: From destruction to valorization. *Food Hydrocolloids*, 137, 108314. <https://doi.org/10.1016/j.foodhyd.2022.108314>

Coutinho, N. D., Silva, V. H. C., De Oliveira, H. C. B., Camargo, A. J., Mundim, K. C., & Aquilanti, V. (2015). Stereodynamical Origin of Anti-Arrhenius Kinetics: Negative Activation Energy and Roaming for a Four-Atom Reaction.



The Journal of Physical Chemistry Letters, 6(9), Article 9.
<https://doi.org/10.1021/acs.jpcllett.5b00384>

Cruz-López, S. O., Álvarez-Cisneros, Y. M., Domínguez-Soberanes, J., Escalona-Buendía, H. B., & Sánchez, C. N. (2022). Physicochemical and Sensory Characteristics of Sausages Made with Grasshopper (*Sphenarium purpurascens*) Flour. *Foods*, 11(5), Article 5.
<https://doi.org/10.3390/foods11050704>

Cunningham, J., Nguyen, V., Adorno, P., & Droulez, V. (2015). Nutrient Composition of Retail Samples of Australian Beef Sausages. *Nutrients*, 7(11), Article 11.
<https://doi.org/10.3390/nu7115491>

Dagastine, R. R., Prieve, D. C., & White, L. R. (2004). Forces between a rigid probe particle and a liquid interface. *Journal of Colloid and Interface Science*, 269(1), 84–96. [https://doi.org/10.1016/S0021-9797\(03\)00673-8](https://doi.org/10.1016/S0021-9797(03)00673-8)

Davidovich-Pinhas, M., Barbut, S., & Marangoni, A. G. (2016). Development, Characterization, and Utilization of Food-Grade Polymer Oleogels. *Annual Review of Food Science and Technology*, 7(1), 65–91.
<https://doi.org/10.1146/annurev-food-041715-033225>

Delikanli, B., & Ozcan, T. (2017). Improving the Textural Properties of Yogurt Fortified with Milk Proteins: TEXTURAL PROPERTIES OF YOGURT. *Journal of Food Processing and Preservation*, 41(5), Article 5.
<https://doi.org/10.1111/jfpp.13101>

Deuschle, V. C. K. N., Deuschle, R. A. N., Bortoluzzi, M. R., & Athayde, M. L. (2015). Physical chemistry evaluation of stability, spreadability, in vitro antioxidant, and photo-protective capacities of topical formulations containing Calendula officinalis L. leaf extract. *Brazilian Journal of Pharmaceutical Sciences*, 51(1), 63–75. <https://doi.org/10.1590/S1984-82502015000100007>

Ding, D. (2021). Effects of Emulsifier on Emulsification, Physical and Chemical Properties of Soybean Protein. *IOP Conference Series: Earth and Environmental Science*, 792(1), 012017. <https://doi.org/10.1088/1755-1315/792/1/012017>

Domínguez, R., Lorenzo, J. M., Pateiro, M., Munekata, P. E. S., Alves Dos Santos, B., Basso Pinton, M., Cichoski, A. J., & Bastianello Campagnol, P. C. (2022). Main animal fat replacers for the manufacture of healthy processed meat products. *Critical Reviews in Food Science and Nutrition*, 1–20.
<https://doi.org/10.1080/10408398.2022.2124397>

Domínguez, R., Lorenzo, J. M., Pateiro, M., Munekata, P. E. S., Alves Dos Santos, B., Basso Pinton, M., Cichoski, A. J., & Bastianello Campagnol, P. C. (2024). Main animal fat replacers for the manufacture of healthy processed meat products. *Critical Reviews in Food Science and Nutrition*, 64(9), Article 9.
<https://doi.org/10.1080/10408398.2022.2124397>



- Domínguez, R., Pateiro, M., Gagaoua, M., Barba, F. J., Zhang, W., & Lorenzo, J. M. (2019a). A Comprehensive Review on Lipid Oxidation in Meat and Meat Products. *Antioxidants*, 8(10), 429. <https://doi.org/10.3390/antiox8100429>
- Domínguez, R., Pateiro, M., Gagaoua, M., Barba, F. J., Zhang, W., & Lorenzo, J. M. (2019b). A Comprehensive Review on Lipid Oxidation in Meat and Meat Products. *Antioxidants*, 8(10), Article 10. <https://doi.org/10.3390/antiox8100429>
- Dreher, J., König, M., Herrmann, K., Terjung, N., Gibis, M., & Weiss, J. (2021). Varying the amount of solid fat in animal fat mimetics for plant-based salami analogues influences texture, appearance and sensory characteristics. *LWT*, 143, 111140. <https://doi.org/10.1016/j.lwt.2021.111140>
- Drulyte, D., & Orlien, V. (2019). The Effect of Processing on Digestion of Legume Proteins. *Foods*, 8(6), Article 6. <https://doi.org/10.3390/foods8060224>
- Faridah, M. R., Yusoff, M. M., Rozzamri, A., Ibadullah, W. Z. W., Hairi, A. N. A., Daud, N. H. A., Huda, N., & Ismail-Fitry, M. R. (2023). Effect of Palm-Based Shortenings of Various Melting Ranges as Animal Fat Replacers on the Physicochemical Properties and Emulsion Stability of Chicken Meat Emulsion. *Foods*, 12(3), 597. <https://doi.org/10.3390/foods12030597>
- Feiner, G. (2016). Additives. In *Salami* (pp. 59–88). Elsevier. <https://doi.org/10.1016/B978-0-12-809598-0.00004-4>
- Feng, C.-H., & Arai, H. (2023). Estimating Moisture Content of Sausages with Different Types of Casings via Hyperspectral Imaging in Tandem with Multivariate. *Applied Sciences*, 13(9), Article 9. <https://doi.org/10.3390/app13095300>
- Fernández, C. L., Fogar, R. A., Rolhaiser, F. A., & Romero, M. C. (2023). Functional gels from bovine blood proteins as fat substitutes and potential carriers of heme iron. *Innovative Food Science & Emerging Technologies*, 87, 103389. <https://doi.org/10.1016/j.ifset.2023.103389>
- Firdaus, M., Nurdiani, R., Awaludin Prihanto, A., Puji Lestari, E., Suyono, & Amam, F. (2021). Carrageenan characteristics of *Kappaphycus alvarezii* from various harvest ages. *IOP Conference Series: Earth and Environmental Science*, 860(1), 012067. <https://doi.org/10.1088/1755-1315/860/1/012067>
- Fontes-Candia, C., Martínez-Sanz, M., Gómez-Cortés, P., Calvo, M. V., Verdú, S., Grau, R., & López-Rubio, A. (2023). Polysaccharide-based emulsion gels as fat replacers in Frankfurter sausages: Physicochemical, nutritional and sensorial evaluation. *LWT*, 180, 114705. <https://doi.org/10.1016/j.lwt.2023.114705>
- Franco, D., Martins, A., López-Pedrouso, M., Purriños, L., Cerqueira, M., Vicente, A., Pastrana, L., Zapata, C., & Lorenzo, J. (2019). Strategy towards Replacing Pork Backfat with a Linseed Oleogel in Frankfurter Sausages and Its



Evaluation on Physicochemical, Nutritional, and Sensory Characteristics. *Foods*, 8(9), 366. <https://doi.org/10.3390/foods8090366>

Gao, H., Ma, L., Sun, W., McClements, D. J., Cheng, C., Zeng, H., Zou, L., & Liu, W. (2022). Impact of encapsulation of probiotics in oil-in-water high internal phase emulsions on their thermostability and gastrointestinal survival. *Food Hydrocolloids*, 126, 107478. <https://doi.org/10.1016/j.foodhyd.2021.107478>

Gao, X., Kang, Z., Zhang, W., Li, Y., & Zhou, G. (2015). Combination of κ -Carrageenan and Soy Protein Isolate Effects on Functional Properties of Chopped Low-Fat Pork Batters During Heat-Induced Gelation. *Food and Bioprocess Technology*, 8(7), 1524–1531. <https://doi.org/10.1007/s11947-015-1516-x>

Gómez-Estaca, J., Herrero, A. M., Herranz, B., Álvarez, M. D., Jiménez-Colmenero, F., & Cofrades, S. (2019). Characterization of ethyl cellulose and beeswax oleogels and their suitability as fat replacers in healthier lipid pâtés development. *Food Hydrocolloids*, 87, 960–969. <https://doi.org/10.1016/j.foodhyd.2018.09.029>

Gordon, M. H. (2001). Measuring antioxidant activity. In *Antioxidants in Food* (pp. 71–84). Elsevier. <https://doi.org/10.1016/9781855736160.1.71>

Gordon, M. H. (2004). Factors affecting lipid oxidation. In *Understanding and Measuring the Shelf-Life of Food* (pp. 128–141). Elsevier. <https://doi.org/10.1533/9781855739024.1.128>

Guan, X., Zhong, X., Lu, Y., Du, X., Jia, R., Li, H., & Zhang, M. (2021). Changes of Soybean Protein during Tofu Processing. *Foods*, 10(7), 1594. <https://doi.org/10.3390/foods10071594>

Gumus, C. E., & Decker, E. A. (2021). Oxidation in Low Moisture Foods as a Function of Surface Lipids and Fat Content. *Foods*, 10(4), Article 4. <https://doi.org/10.3390/foods10040860>

Gunstone, F. D. (1996). *Fatty Acid and Lipid Chemistry*. Springer.

Habibi, A., Kasapis, S., & Truong, T. (2022). Effect of hydrogel particle size embedded into oleogels on the physico-functional properties of hydrogel-in-oleogel (bigels). *LWT*, 163, 113501. <https://doi.org/10.1016/j.lwt.2022.113501>

Hadjal, T., Dhuique-Mayer, C., Madani, K., Dornier, M., & Achir, N. (2013). Thermal degradation kinetics of xanthophylls from blood orange in model and real food systems. *Food Chemistry*, 138(4), Article 4. <https://doi.org/10.1016/j.foodchem.2012.12.022>

Han, Z., Liu, S., Cao, J., Yue, X., & Shao, J.-H. (2023). A review of oil and water retention in emulsified meat products: The mechanisms of gelation and emulsification, the application of multi-layer hydrogels. *Critical Reviews in Food Science and Nutrition*, 1–17. <https://doi.org/10.1080/10408398.2023.2199069>



- Heikal, Y. A. R., Hassan, A. A., Abou-Arab, A. A., Abu-Salem, F. M., & Azab, D. E.-S. H. (2023). Nano formulated soy proteins as a fat replacer in low fat mayonnaise formula. *Journal of the Saudi Society of Agricultural Sciences*, 22(7), 469–479. <https://doi.org/10.1016/j.jssas.2023.04.006>
- Hernani, N., Mulyono, E., & Ramadhan, K. (2017). PEMANFAATAN MONODIASILGLISEROL (MDAG) HASIL SINTESA DARI BUTTER BIJI PALA DAN GLISEROL SEBAGAI EMULSIFIER PADA KUALITAS PRODUK SOSIS AYAM. *Jurnal Penelitian Pascapanen Pertanian*, 13(2), 74. <https://doi.org/10.21082/jpasca.v13n2.2016.74-82>
- Huang, M., Mao, Y., Li, H., & Yang, H. (2021). Kappa-carrageenan enhances the gelation and structural changes of egg yolk via electrostatic interactions with yolk protein. *Food Chemistry*, 360, 129972. <https://doi.org/10.1016/j.foodchem.2021.129972>
- I., N., & M.Z., N. S. (2019). Comparative study on the physicochemical characteristics of chicken sausage incorporated with sutchi catfish (*Pangasius hypophthalmus*) gelatin, carrageenan and pectin. *Food Research*, 3(5), Article 5. [https://doi.org/10.26656/fr.2017.3\(5\).025](https://doi.org/10.26656/fr.2017.3(5).025)
- Iftari, W., Amalia, R., Politeknik Teknologi Kimia Industri, Savitri, A. N., Politeknik Teknologi Kimia Industri, Saragih, G., & Politeknik Teknologi Kimia Industri. (2022). STUDY OF THE ADDITION OF RED PALM OIL (RPO) TO THE SENSORY AND CHEMICAL CHARACTERISTICS OF BEEF SAUSAGE. *Jurnal Pangan Dan Agroindustri*, 10(4), 194–203. <https://doi.org/10.21776/ub.jpa.2022.010.04.2>
- Ikeura, H., Kobayashi, F., Kai, T., Tsuchiya, Y., & Tamaki, M. (2023). Effects of different storage conditions on the colour, antioxidant activity, and volatile components of edible roses. *Scientia Horticulturae*, 310, 111707. <https://doi.org/10.1016/j.scienta.2022.111707>
- Intarasirisawat, R., Benjakul, S., Visessanguan, W., & Wu, J. (2014). Effects of skipjack roe protein hydrolysate on properties and oxidative stability of fish emulsion sausage. *LWT - Food Science and Technology*, 58(1), Article 1. <https://doi.org/10.1016/j.lwt.2014.02.036>
- Iswoyo, Sumarmono, J., & Setyawardani, T. (2023). Physical Characteristics of Emulsion-Type Sausage from Lamb Meat with Varying Fat Levels. *IOP Conference Series: Earth and Environmental Science*, 1177(1), Article 1. <https://doi.org/10.1088/1755-1315/1177/1/012034>
- Jankowiak, H., Cebulska, A., & Bocian, M. (2021). The relationship between acidification (pH) and meat quality traits of polish white breed pigs. *European Food Research and Technology*, 247(11), Article 11. <https://doi.org/10.1007/s00217-021-03837-4>



- Jeyakodi, S., Krishnakumar, A., & Chellappan, D. K. (2018). *Beta Carotene - Therapeutic Potential and Strategies to Enhance Its Bioavailability*.
- Jouki, M., Rabbani, M., & Shakouri, M. J. (2020). Effects of pectin and tomato paste as a natural antioxidant on inhibition of lipid oxidation and production of functional chicken breast sausage. *Food Science and Technology*, 40(suppl 2), Article suppl 2. <https://doi.org/10.1590/fst.26419>
- Kim, A.-N., Kim, O. W., & Kim, H. (2022). Degradation kinetics of physicochemical and sensory properties of rice during storage at different temperatures. *LWT*, 164, 113688. <https://doi.org/10.1016/j.lwt.2022.113688>
- Kodra, M., Devolli, A., Feta, D., Stafasani, M., & Shahinasi, E. (2020). *EVALUATION OF TOTAL PROTEIN AND MOISTURE CONTENT IN PROCESSED MEAT (SAUSAGES) OF TIRANA MARKETS*.
- Kong, F., & Singh, R. P. (2011). Advances in instrumental methods to determine food quality deterioration. In *Food and Beverage Stability and Shelf Life* (pp. 381–404). Elsevier. <https://doi.org/10.1533/9780857092540.2.381>
- Kong, W., Wang, L., Xu, H., & Liu, D. (2023). Effects of Lecithin/Sorbitol Monostearate-Canola Oil Oleogel as Animal Fat Replacer on the Fatty Acid Composition and Physicochemical Properties of Lamb Sausage. *Journal of Food Processing and Preservation*, 2023, 1–10. <https://doi.org/10.1155/2023/2567854>
- Lawrie, R. A., & Ledward, D. A. (2006). *Lawrie's meat science* (7. ed). Woodhead Publ.
- Li, A., Gong, T., Li, X., Li, X., Yang, X., & Guo, Y. (2020). Preparation of thermally stable emulsion gels based on Glucono- δ -lactone induced gelation of gellan gum. *International Journal of Biological Macromolecules*, 156, 565–575. <https://doi.org/10.1016/j.ijbiomac.2020.04.099>
- Li, G., Wang, B., Lv, W., Mu, R., & Zhong, Y. (2024). Effect of induction mode on 3D printing characteristics of whey protein isolate emulsion gel. *Food Hydrocolloids*, 146, 109255. <https://doi.org/10.1016/j.foodhyd.2023.109255>
- Li, X.-L., Meng, R., Xu, B.-C., Zhang, B., Cui, B., & Wu, Z.-Z. (2022). Function emulsion gels prepared with carrageenan and zein/carboxymethyl dextrin stabilized emulsion as a new fat replacer in sausages. *Food Chemistry*, 389, 133005. <https://doi.org/10.1016/j.foodchem.2022.133005>
- Lin, D., Kelly, A. L., Maidannyk, V., & Miao, S. (2020). Effect of concentrations of alginate, soy protein isolate and sunflower oil on water loss, shrinkage, elastic and structural properties of alginate-based emulsion gel beads during gelation. *Food Hydrocolloids*, 108, 105998. <https://doi.org/10.1016/j.foodhyd.2020.105998>
- Lin, D., Kelly, A. L., & Miao, S. (2021). The role of mixing sequence in structuring O/W emulsions and emulsion gels produced by electrostatic protein-



polysaccharide interactions between soy protein isolate-coated droplets and alginate molecules. *Food Hydrocolloids*, 113, 106537.
<https://doi.org/10.1016/j.foodhyd.2020.106537>

Lingiardi, N., Galante, M., & Spelzini, D. (2024). Effect of quinoa protein concentration and oil volume fraction on the physicochemical and mechanical properties of alginate-based emulsion gels. *JSFA Reports*, 4(4), Article 4.
<https://doi.org/10.1002/jsf2.189>

Liu, H.-H. (2013). *Ultra high pressure homogenized soy flour for tofu making*.

Liu, Q., Chang, X., Shan, Y., Fu, F., & Ding, S. (2021). Fabrication and characterization of PICKERING emulsion gels stabilized by zein/pullulan complex colloidal particles. *Journal of the Science of Food and Agriculture*, 101(9), 3630–3643. <https://doi.org/10.1002/jsfa.10992>

López-Pedrouso, M., Lorenzo, J. M., Gullón, B., Campagnol, P. C. B., & Franco, D. (2021). Novel strategy for developing healthy meat products replacing saturated fat with oleogels. *Current Opinion in Food Science*, 40, 40–45.
<https://doi.org/10.1016/j.cofs.2020.06.003>

Loppies, J. E., Ristanti, E. Y., Ramlah, S., & Amalia, A. N. (2019). *KARAKTERISTIK OLEOGEL DARI MINYAK NABATI MENGGUNAKAN LILIN LEBAH DAN LEMAK KAKAO SEBAGAI OLEOGELATOR*.

Lu, S., Yang, D., Wang, M., Yan, M., Qian, Y., Zheng, D., & Qiu, X. (2020). Pickering emulsions synergistic-stabilized by amphoteric lignin and SiO₂ nanoparticles: Stability and pH-responsive mechanism. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 585, 124158.
<https://doi.org/10.1016/j.colsurfa.2019.124158>

Lu, Z., Lee, P.-R., & Yang, H. (2023a). Kappa-carrageenan improves the gelation and structures of soy protein isolate through the formation of hydrogen bonding and electrostatic interactions. *Food Hydrocolloids*, 140, 108585.
<https://doi.org/10.1016/j.foodhyd.2023.108585>

Lu, Z., Lee, P.-R., & Yang, H. (2023b). Kappa-carrageenan improves the gelation and structures of soy protein isolate through the formation of hydrogen bonding and electrostatic interactions. *Food Hydrocolloids*, 140, 108585.
<https://doi.org/10.1016/j.foodhyd.2023.108585>

Ma, L., Wan, Z., & Yang, X. (2017). Multiple Water-in-Oil-in-Water Emulsion Gels Based on Self-Assembled Saponin Fibrillar Network for Photosensitive Cargo Protection. *Journal of Agricultural and Food Chemistry*, 65(44), 9735–9743.
<https://doi.org/10.1021/acs.jafc.7b04042>

Magari, R. T., Munoz-Antoni, I., Baker, J., & Flagler, D. J. (2004). Determining shelf life by comparing degradations at elevated temperatures. *Journal of Clinical Laboratory Analysis*, 18(3), 159–164. <https://doi.org/10.1002/jcla.20016>



- Manuhara, G. J., Praseptiangga, D., & Riyanto, R. A. (2016). Extraction and Characterization of Refined K-carrageenan of Red Algae [Kappaphycus Alvarezii (Doty ex P.C. Silva, 1996)] Originated from Karimun Jawa Islands. *Aquatic Procedia*, 7, 106–111. <https://doi.org/10.1016/j.aqpro.2016.07.014>
- Mao, L., Wang, W., Tai, K., Yuan, F., & Gao, Y. (2017). Development of a soy protein isolate–carrageenan–quercetagetin non-covalent complex for the stabilization of β -carotene emulsions. *Food & Function*, 8(12), Article 12. <https://doi.org/10.1039/C7FO01238A>
- Maoka, T. (2020). Carotenoids as natural functional pigments. *Journal of Natural Medicines*, 74(1), Article 1. <https://doi.org/10.1007/s11418-019-01364-x>
- Marcus, J. B. (2013). Lipids Basics: Fats and Oils in Foods and Health. In *Culinary Nutrition* (pp. 231–277). Elsevier. <https://doi.org/10.1016/B978-0-12-391882-6.00006-6>
- Martins, A. J., Guimarães, A., Fuciños, P., Sousa, P., Venâncio, A., Pastrana, L. M., & Cerqueira, M. A. (2023). Food-grade bigels: Evaluation of hydrogel:oleogel ratio and gelator concentration on their physicochemical properties. *Food Hydrocolloids*, 143, 108893. <https://doi.org/10.1016/j.foodhyd.2023.108893>
- Matewos Orcho, A., Badessa, T. S., Mekonnen Tura, A., & Dingamo Dirko, T. (2023). Shelf-life improvement of raw milk using ethanolic extracts of selected medicinal plants (*Moringa stenopetale*, *Artemesia anua* and *Mentha Spicata*). *Helixon*, 9(7), Article 7. <https://doi.org/10.1016/j.heliyon.2023.e17659>
- McClements, D. J. (2007). Critical Review of Techniques and Methodologies for Characterization of Emulsion Stability. *Critical Reviews in Food Science and Nutrition*, 47(7), 611–649. <https://doi.org/10.1080/10408390701289292>
- McClements, D. J. (2015). *Food Emulsions: Principles, Practices, and Techniques*, Third Edition (0 ed.). CRC Press. <https://doi.org/10.1201/b18868>
- Meijaard, E., Abrams, J. F., Slavin, J. L., & Sheil, D. (2022). Dietary Fats, Human Nutrition and the Environment: Balance and Sustainability. *Frontiers in Nutrition*, 9, 878644. <https://doi.org/10.3389/fnut.2022.878644>
- Mensink, G. B. M., Fletcher, R., Gurinovic, M., Huybrechts, I., Lafay, L., Serra-Majem, L., Szponar, L., Tetens, I., Verkaik-Kloosterman, J., Baka, A., & Stephen, A. M. (2013). Mapping low intake of micronutrients across Europe. *British Journal of Nutrition*, 110(4), 755–773. <https://doi.org/10.1017/S000711451200565X>
- Minaker, S. A., Mason, R. H., & Chow, D. R. (2021). Optimizing Color Performance of the Ngenuity 3-Dimensional Visualization System. *Ophthalmology Science*, 1(3), 100054. <https://doi.org/10.1016/j.xops.2021.100054>
- Molina Ortiz, S. E., Puppo, M. C., & Wagner, J. R. (2004). Relationship between structural changes and functional properties of soy protein isolates–



- carageenan systems. *Food Hydrocolloids*, 18(6), 1045–1053. <https://doi.org/10.1016/j.foodhyd.2004.04.011>
- Momcilova, M. M., Gardinarska-Ivanova, D. N., Yordanov, D. G., & Zivanovits, G. I. (2023). Microstructure and technological properties of cooked meat sausages prepared with emulsions of vegetable oils as substitutes for animal fat. *Food Research*, 7(4), Article 4. [https://doi.org/10.26656/fr.2017.7\(4\).1030](https://doi.org/10.26656/fr.2017.7(4).1030)
- Mordi, R. C., Ademosun, O. T., Ajanaku, C. O., Olanrewaju, I. O., & Walton, J. C. (2020). Free Radical Mediated Oxidative Degradation of Carotenes and Xanthophylls. *Molecules*, 25(5), Article 5. <https://doi.org/10.3390/molecules25051038>
- Mousavi, M., Heshmati, A., Daraei Garmakhany, A., Vahidinia, A., & Taheri, M. (2019). Texture and sensory characterization of functional yogurt supplemented with flaxseed during cold storage. *Food Science & Nutrition*, 7(3), 907–917. <https://doi.org/10.1002/fsn3.805>
- Mu, T.-H., Zhang, M., Sun, H.-N., & Pérez, I. C. (2019). Sweet potato staple foods. In *Sweet Potato* (pp. 273–302). Elsevier. <https://doi.org/10.1016/B978-0-12-813637-9.00010-7>
- Murphy, R. Y., & Marks, B. P. (2000). Effect of meat temperature on proteins, texture, and cook loss for ground chicken breast patties. *Poultry Science*, 79(1), Article 1. <https://doi.org/10.1093/ps/79.1.99>
- Nikolaou, C. K., Hankey, C. R., & Lean, M. E. J. (2016). Effects of calorie labelling on macro- and micro-nutrients in main-meal choices made by young adults. *European Journal of Clinical Nutrition*, 70(3), Article 3. <https://doi.org/10.1038/ejcn.2015.175>
- Niu, Y., Fang, H., Huo, T., Sun, X., Gong, Q., & Yu, L. (2020). A novel fat replacer composed by gelatin and soluble dietary fibers from black bean coats with its application in meatballs. *LWT*, 122, 109000. <https://doi.org/10.1016/j.lwt.2019.109000>
- Onsmaard, E., Vittayanont, M., Srigam, S., & McClements, D. J. (2006). Comparison of properties of oil-in-water emulsions stabilized by coconut cream proteins with those stabilized by whey protein isolate. *Food Research International*, 39(1), 78–86. <https://doi.org/10.1016/j.foodres.2005.06.003>
- Oppong, D., Panpipat, W., Cheong, L.-Z., & Chaijan, M. (2022). Rice flour-emulgel as a bifunctional ingredient, stabiliser-cryoprotectant, for formulation of healthier frozen fish nugget. *LWT*, 159, 113241. <https://doi.org/10.1016/j.lwt.2022.113241>
- Organization, W. H. (2003). *Diet, Nutrition and the Prevention of Chronic Diseases: Report of a Joint WHO/FAO Expert Consultation*. World Health Organization.
- Paglarini, C. D. S., Furtado, G. D. F., Biachi, J. P., Vidal, V. A. S., Martini, S., Forte, M. B. S., Cunha, R. L., & Pollonio, M. A. R. (2018). Functional emulsion gels



with potential application in meat products. *Journal of Food Engineering*, 222, 29–37. <https://doi.org/10.1016/j.jfoodeng.2017.10.026>

Paglarini, C. D. S., Martini, S., & Pollonio, M. A. R. (2019a). Using emulsion gels made with sonicated soy protein isolate dispersions to replace fat in frankfurters. *LWT*, 99, 453–459. <https://doi.org/10.1016/j.lwt.2018.10.005>

Paglarini, C. D. S., Martini, S., & Pollonio, M. A. R. (2019b). Using emulsion gels made with sonicated soy protein isolate dispersions to replace fat in frankfurters. *LWT*, 99, 453–459. <https://doi.org/10.1016/j.lwt.2018.10.005>

Pang, B., Bowker, B., Zhuang, H., Yang, Y., & Zhang, J. (2020). Research Note: Comparison of 3 methods used for estimating cook loss in broiler breast meat. *Poultry Science*, 99(11), Article 11. <https://doi.org/10.1016/j.psj.2020.08.038>

Park, J.-W., Lee, S., Yoo, B., & Nam, K. (2020). Effects of texture properties of semi-solid food on the sensory test for pharyngeal swallowing effort in the older adults. *BMC Geriatrics*, 20(1), Article 1. <https://doi.org/10.1186/s12877-020-01890-4>

Patel, A. R., Cludts, N., Bin Sintang, M. D., Lewille, B., Lesaffer, A., & Dewettinck, K. (2014). Polysaccharide-Based Oleogels Prepared with an Emulsion-Templated Approach. *ChemPhysChem*, 15(16), 3435–3439. <https://doi.org/10.1002/cphc.201402473>

Patel, A. R., Mankoč, B., Bin Sintang, M. D., Lesaffer, A., & Dewettinck, K. (2015). Fumed silica-based organogels and ‘aqueous-organic’ bigels. *RSC Advances*, 5(13), 9703–9708. <https://doi.org/10.1039/C4RA15437A>

Patel, A. R., Rajarethinem, P. S., Grędowska, A., Turhan, O., Lesaffer, A., De Vos, W. H., Van De Walle, D., & Dewettinck, K. (2014). Edible applications of shellac oleogels: Spreads, chocolate paste and cakes. *Food Funct.*, 5(4), 645–652. <https://doi.org/10.1039/C4FO00034J>

Peng, Y., Kyriakopoulou, K., Ndiaye, M., Bianeis, M., Keppler, J. K., & Van Der Goot, A. J. (2021). Characteristics of Soy Protein Prepared Using an Aqueous Ethanol Washing Process. *Foods*, 10(9), 2222. <https://doi.org/10.3390/foods10092222>

Perrechil, F. A., & Cunha, R. L. (2013). Stabilization of multilayered emulsions by sodium caseinate and κ -carrageenan. *Food Hydrocolloids*, 30(2), 606–613. <https://doi.org/10.1016/j.foodhyd.2012.08.006>

Picone, C. S. F., Bueno, A. C., Michelon, M., & Cunha, R. L. (2017). Development of a probiotic delivery system based on gelation of water-in-oil emulsions. *LWT*, 86, 62–68. <https://doi.org/10.1016/j.lwt.2017.07.045>

Poyato, C., Astiasarán, I., Barriuso, B., & Ansorena, D. (2015). A new polyunsaturated gelled emulsion as replacer of pork back-fat in burger patties: Effect on lipid composition, oxidative stability and sensory acceptability. *LWT - Food Science and Technology*, 62(2), 1069–1075. <https://doi.org/10.1016/j.lwt.2015.02.004>



- Prijambodo, O. M., Trisnawati, C. Y., & Sutedja, A. M. (2014). (*Physicochemical and sensory characteristic of chicken sausage with steamed red bean and palm oil proportion*).
- Rehman, K., Mohd Amin, M. C. I., & Zulfakar, M. H. (2014). Development and Physical Characterization of Polymer-Fish Oil Bigel (Hydrogel/Oleogel) System as a Transdermal Drug Delivery Vehicle. *Journal of Oleo Science*, 63(10), 961–970. <https://doi.org/10.5650/jos.ess14101>
- Ren, Y., Huang, L., Zhang, Y., Li, H., Zhao, D., Cao, J., & Liu, X. (2022). Application of Emulsion Gels as Fat Substitutes in Meat Products. *Foods*, 11(13), Article 13. <https://doi.org/10.3390/foods11131950>
- Rosmawati, Tawali, A. B., Said, M. I., Sari, S. F., Anwar, L. O., Nurdin, I. N., Said, A., Tamtama, A., Auza, F. A., Zzaman, W., Jeenie, M. H., Rahman, M. N. A., & Huda, N. (2023). Characteristics of the Beef Cheek Meat-Based Sausage Added with Snakehead (Channa striata) Gelatin. *International Journal of Food Science*, 2023, 1–13. <https://doi.org/10.1155/2023/6877904>
- Rosyidi, D., Widati, A. S., & Prakoso, J. (2008). PENGARUH PENGGUNAAN RUMPUT LAUT TERHADAP KUALITAS FISIK DAN ORGANOLEPTIK CHICKEN NUGGETS. *Jurnal Ilmu dan Teknologi Hasil Ternak*, 3(1).
- Rusdiansyah, R., Dwiloka, B., & Pramono, Y. B. (2021). KARAKTERISTIK SUSUT MASAK DAN HEDONIK SOSIS DAGING DADA DAN PAHA KALKUN (Meleagris gallopavo). *Jurnal Ilmu Dan Teknologi Peternakan*, 9(1), 38–43. <https://doi.org/10.20956/jitp.v9i1.12347>
- Sagiri, S. S., Singh, V. K., Kulanthaivel, S., Banerjee, I., Basak, P., Battachrya, M. K., & Pal, K. (2015). Stearate organogel–gelatin hydrogel based bigels: Physicochemical, thermal, mechanical characterizations and in vitro drug delivery applications. *Journal of the Mechanical Behavior of Biomedical Materials*, 43, 1–17. <https://doi.org/10.1016/j.jmbbm.2014.11.026>
- Sánchez-Obando, J.-D., Cabrera-Trujillo, M. A., Olivares-Tenorio, M.-L., & Klotz, B. (2020). Use of optimized microparticulated whey protein in the process of reduced-fat spread and petit-suisse cheeses. *LWT*, 120, 108933. <https://doi.org/10.1016/j.lwt.2019.108933>
- Santhi, D., Kalaikannan, A., & Sureshkumar, S. (2017). Factors influencing meat emulsion properties and product texture: A review. *Critical Reviews in Food Science and Nutrition*, 57(10), 2021–2027. <https://doi.org/10.1080/10408398.2013.858027>
- Shakeel, A., Lupi, F. R., Gabriele, D., Baldino, N., & De Cindio, B. (2018). Bigels: A unique class of materials for drug delivery applications. *Soft Materials*, 16(2), 77–93. <https://doi.org/10.1080/1539445X.2018.1424638>
- Shurtleff, W., & Aoyagi, A. (2000). *Tofu & soymilk production: A craft and technical manual*. Soyfoods Center.



- Siachou, C., Zampouni, K., & Katsanidis, E. (2023). Bigels as Fat Replacers in Fermented Sausages: Physicochemical, Microbiological, Sensory, and Nutritional Characteristics. *Gels*, 9(4), 340. <https://doi.org/10.3390/gels9040340>
- Singh, D., Barrow, C. J., Mathur, A. S., Tuli, D. K., & Puri, M. (2015). Optimization of zeaxanthin and β -carotene extraction from Chlorella saccharophila isolated from New Zealand marine waters. *Biocatalysis and Agricultural Biotechnology*, 4(2), Article 2. <https://doi.org/10.1016/j.bcab.2015.02.001>
- Søltoft-Jensen, J., & Hansen, F. (2005). New Chemical and Biochemical Hurdles. In *Emerging Technologies for Food Processing* (pp. 387–416). Elsevier. <https://doi.org/10.1016/B978-012676757-5/50017-7>
- Song, J., Wei, Q., Wang, X., Li, D., Liu, C., Zhang, M., & Meng, L. (2018). Degradation of carotenoids in dehydrated pumpkins as affected by different storage conditions. *Food Research International*, 107, 130–136. <https://doi.org/10.1016/j.foodres.2018.02.024>
- Subramaniam, P. J. (2009). Shelf-life prediction and testing. In *Science and Technology of Enrobed and Filled Chocolate, Confectionery and Bakery Products* (pp. 233–254). Elsevier. <https://doi.org/10.1533/9781845696436.2.233>
- Surendra Babu, A., Parimalavalli, R., & Jagan Mohan, R. (2018). Effect of modified starch from sweet potato as a fat replacer on the quality of reduced fat ice creams. *Journal of Food Measurement and Characterization*, 12(4), 2426–2434. <https://doi.org/10.1007/s11694-018-9859-4>
- Suryanti, S., Marseno, D. W., Indrati, R., & Irianto, H. E. (2018). Pengaruh Jenis Asam dalam Isolasi Gelatin dari Kulit Ikan Nila (*Oreochromis niloticus*) terhadap Karakteristik Emulsi. *Agritech*, 37(4), 410. <https://doi.org/10.22146/agritech.13025>
- Syamila, M., Gedi, M. A., Briars, R., Ayed, C., & Gray, D. A. (2019). Effect of temperature, oxygen and light on the degradation of β -carotene, lutein and α -tocopherol in spray-dried spinach juice powder during storage. *Food Chemistry*, 284, 188–197. <https://doi.org/10.1016/j.foodchem.2019.01.055>
- Taktak, W., Hamdi, M., Chentir, I., Boughriba, S., Ben Azaza, Y., Li, S., Nasri, M., Karra-Chaâbouni, M., & Nasri, R. (2021). Development of emulsion gelatin gels for food application: Physicochemical, rheological, structural and thermal characterization. *International Journal of Biological Macromolecules*, 182, 1–10. <https://doi.org/10.1016/j.ijbiomac.2021.03.141>
- Tan, K., Guo, Z., Zhang, H., Ma, H., Li, S., & Zheng, H. (2021). Carotenoids regulation in polymorphic noble scallops *Chlamys nobilis* under different light cycle. *Aquaculture*, 531, 735937. <https://doi.org/10.1016/j.aquaculture.2020.735937>



- Tang, J., Zhou, J., Zhou, X., Li, D., Wu, Z., Tian, J., Xu, E., & Liu, D. (2022). Rearranged supramolecular structure of resistant starch with polymorphic microcrystals prepared in high-solid enzymatic system. *Food Hydrocolloids*, 124, 107215. <https://doi.org/10.1016/j.foodhyd.2021.107215>
- Teitelbaum, D. H., & Coran, A. G. (1998). Perioperative Nutritional Support in Pediatrics. *Nutrition*, 14(1), Article 1. [https://doi.org/10.1016/S0899-9007\(97\)00229-3](https://doi.org/10.1016/S0899-9007(97)00229-3)
- Ulu, H. (2006). Effects of carrageenam and guar gum on the cooking and textual properties of low fat meatballs. *Food Chemistry*, 95(4), Article 4. <https://doi.org/10.1016/j.foodchem.2005.01.039>
- Varelis, P., Melton, L., & Shahidi, F. (Eds.). (2019). *Encyclopedia of food chemistry*. Elsevier.
- Vasquez Mejia, S. M., De Francisco, A., & Bohrer, B. M. (2019). Replacing starch in beef emulsion models with β -glucan, microcrystalline cellulose, or a combination of β -glucan and microcrystalline cellulose. *Meat Science*, 153, 58–65. <https://doi.org/10.1016/j.meatsci.2019.03.012>
- Wei, L., Ren, Y., Huang, L., Ye, X., Li, H., Li, J., Cao, J., & Liu, X. (2024). Quality, Thermo-Rheology, and Microstructure Characteristics of Cubic Fat Substituted Pork Patties with Composite Emulsion Gel Composed of Konjac Glucomannan and Soy Protein Isolate. *Gels*, 10(2), Article 2. <https://doi.org/10.3390/gels10020111>
- Xiong, T., Sun, H., Niu, Z., Xu, W., Li, Z., He, Y., Luo, D., Xi, W., Wei, J., & Zhang, C. (2022). Carrageenan-Based Pickering Emulsion Gels Stabilized by Xanthan Gum/Lysozyme Nanoparticle: Microstructure, Rheological, and Texture Perspective. *Foods*, 11(23), 3757. <https://doi.org/10.3390/foods11233757>
- Yang, J., Zheng, H., Mo, Y., Gao, Y., & Mao, L. (2022). Structural characterization of hydrogel-oleogel biphasic systems as affected by oleogelators. *Food Research International*, 158, 111536. <https://doi.org/10.1016/j.foodres.2022.111536>
- Yim, D.-G., Jang, K.-H., & Chung, K.-Y. (2015). Effect of Fat Level and the Ripening Time on Quality Traits of Fermented Sausages. *Asian-Australasian Journal of Animal Sciences*, 29(1), Article 1. <https://doi.org/10.5713/ajas.15.0180>
- Yiu, C. C.-Y., Liang, S. W., Mukhtar, K., Kim, W., Wang, Y., & Selomulya, C. (2023). Food Emulsion Gels from Plant-Based Ingredients: Formulation, Processing, and Potential Applications. *Gels*, 9(5), 366. <https://doi.org/10.3390/gels9050366>
- Yuan, Y., Gao, Y., Zhao, J., & Mao, L. (2008). Characterization and stability evaluation of β -carotene nanoemulsions prepared by high pressure homogenization under various emulsifying conditions. *Food Research International*, 41(1), 61–68. <https://doi.org/10.1016/j.foodres.2007.09.006>



Yudhananda, M. B. P. (2023). *PENGARUH KONSENTRASI DAN RATIO PROTEIN KEDELAI- KARAGENAN TERHADAP SIFAT FISIKOKIMIA EMULSI GEL MINYAK SAWIT MERAH PADA SOSIS SAPI.*

Zeng, X., Lv, B., Zhu, Y., Li, Q., Zhang, K., Li, C., Zhao, D., & Li, C. (2023). Influence of hydrophilic polysaccharide fat replacers on the in vitro digestibility of protein in emulsion-type sausage. *Food Research International*, 170, 113008. <https://doi.org/10.1016/j.foodres.2023.113008>

Zhang, M., Yang, Y., & Acevedo, N. C. (2020). Effect of Oil Content and Composition on the Gelling Properties of Egg-SPI Proteins Stabilized Emulsion Gels. *Food Biophysics*, 15(4), Article 4. <https://doi.org/10.1007/s11483-020-09646-8>

Zhao, Y., Hou, Q., Zhuang, X., Wang, Y., Zhou, G., & Zhang, W. (2018). Effect of regenerated cellulose fiber on the physicochemical properties and sensory characteristics of fat-reduced emulsified sausage. *LWT*, 97, 157–163. <https://doi.org/10.1016/j.lwt.2018.06.053>

Zhi, L., Liu, Z., Wu, C., Ma, X., Hu, H., Liu, H., Adhikari, B., Wang, Q., & Shi, A. (2023a). Advances in preparation and application of food-grade emulsion gels. *Food Chemistry*, 424, 136399. <https://doi.org/10.1016/j.foodchem.2023.136399>

Zhi, L., Liu, Z., Wu, C., Ma, X., Hu, H., Liu, H., Adhikari, B., Wang, Q., & Shi, A. (2023b). Advances in preparation and application of food-grade emulsion gels. *Food Chemistry*, 424, 136399. <https://doi.org/10.1016/j.foodchem.2023.136399>