

DAFTAR PUSTAKA

- Andruszkiewicz, E. A., Sassoubre, L. M., Boehm, A. B. 2017. Persistence of marine fish environmental DNA and the influence of sunlight. *PLoS ONE*, 12(9).
- Badan Pusat Statistik Kalimantan Timur. Populasi Ternak Menurut Kabupaten/Kota dan Jenis Ternak di Provinsi Kalimantan Timur (ekor), 2022. Retrieved September 30, 2024, from <https://kaltim.bps.go.id/id/statistics-table/3/UzJWaVUxZHdWVGxwU1hSd1UxTXZlbnRITjA1Q2R6MDkjMw==/populasi-ternak-menurut-kabupaten-kota-dan-jenis-ternak-di-provinsi-kalimantan-timur-ekor-.html?year=2022>
- Barnes, M.A., Turner, C.R. 2016. The ecology of environmental DNA and implications for conservation genetics. *Conserv Genet* 17, 1–17.
- Brannock, P. M., Halanych, K. M. 2015. Meiofaunal community analysis by high-throughput sequencing: Comparison of extraction, quality filtering, and clustering methods. *Marine Genomics*, 23, 67–75.
- Chen, S., Zhou, Y., Chen, Y., Gu, J. 2018. fastp: an ultra-fast all-in-one FASTQ preprocessor, *Bioinformatics*, Volume 34, Issue 17, Pages i884–i890
- Corinaldesi, C., Tangherlini, M., Rastelli, E., Buschi, E., Lo Martire, M., Danovaro, R., Dell’Anno, A. 2019. High diversity of benthic bacterial and archaeal assemblages in deep-Mediterranean canyons and adjacent slopes. *Prog. Oceanogr.* 171, 154–161.
- Deiner, K., Bik, H. M., Mächler, E., Seymour, M., Lacoursière-Roussel, A., Altermatt, F., Creer, S., Bista, I., Lodge, D. M., Vere, N., Pfrender, M. E., Bernatchez, L. 2017. Environmental DNA metabarcoding: Transforming how we survey animal and plant communities. *Molecular Ecology*. 26 (21): 5872–5895.
- DeLong, D. 1996. Defining biodiversity. *Wildl. Soc. Bull.* (1973–2006) 24, 738–749.
- Dharmadi, D., Hartoto, D. I., Nasution, S. H., Oktaviani, D. 2017. Distribusi spasial, status pemanfaatan, dan upaya konservasi pesut Mahakam (*Orcaella brevirostris*) di Kalimantan Timur. *Jurnal Penelitian Perikanan Indonesia*, 15(1), 49-58.
- Dunne, J., and Williams, R. 2009. Cascading extinctions and community collapse in model food webs. *Philos. Trans. R. Soc. Lond. B Biol. Sci.* 364, 1711–1723.
- Dunker, K. J., Sepulveda, J. A., Massengill, L. R., Olsen, J. B., Russ, O. L., Wenburg, J. K., Antonovich, A. 2016. Potential of environmental DNA to evaluate Northern Pike (*Esox lucius*) eradication efforts: An experimental test and case study. *PLoS ONE*, 11(9).
- Edgar, R.C., Flyvbjerg, H., 2015. Error filtering, pair assembly and error correction for next-generation sequencing reads, *Bioinformatics*, Volume 31, Issue 21, Pages 3476–3482.
- Eichmiller, J. J., Best, S. E., Sorensen, P. W. 2016. Effects of temperature and trophic state on degradation of environmental DNA in lake water. *Environmental Science and Technology*, 50, 1859–1867.
- Ewing, B., and Green, P. 1998. Base-calling of automated sequencer traces using phred. II. Error probabilities, *Genome Res.* 8. 186-194.
- Forster, D., Dunthorn, M., Mahé, F., Dolan, J.R., Audic, S., Bass, D., Bittner, L., Boutte, C., Christen, R., Claverie, J.-M., Decelle, J., Edvardsen, B., Egge, E., Eikrem, W., Gobet, A., Kooistra, W.H.C.F., Logares, R., Massana, R., Montresor, M., Not, F., Ogata, H., Pawlowski, J., Pernice, M.C., Romac, S., Shalchian-Tabrizi,

- K., Simon, N., Richards, T.A., Santini, S., Sarno, D., Siano, R., Vaultot, D., Wincker, P., Zingone, A., de Vargas, C., Stoeck, T., 2016. Benthic protists: the under-charted majority. *FEMS Microbiol. Ecol.* 92.
- Google Maps. 2024. Lokasi Sampling. Retrieved June 1, 2024, from <https://www.google.com/maps/place/0%C2%B014'17.8%22S+116%C2%B026'58.6%22E/@-0.237819,116.3244716,12.06z/data=!4m4!3m3!8m2!3d-0.2382778!4d116.4496111?entry=ttu>
- Glasel, J.A. 1995. Validity of nucleic acid purities monitored by 260nm/280nm absorbance ratios. *BioTechniques* 18:62-63.
- Grossart, H.-P., Van den Wyngaert, S., Kagami, M., Wurzbacher, C., Cunliffe, M., Rojas-Jimenez, K., 2019. Fungi in aquatic ecosystems. *Nat. Rev. Microbiol.* 17, 339–354.
- Hallam, J., Clare, E. L., Jones, J. I., Day, J. J. 2021. Biodiversity assessment across a dynamic riverine system: A comparison of eDNA metabarcoding versus traditional fish surveying methods. *Environmental DNA*, 3, 1247–1266.
- Hakimzadeh, A., Abdala, A. A., Albanese, D., Bernard, M., Buchner, D., Callahan, B., Caporaso, J. G., Curd, E., Djemiel, C., Brandström, D. M., Elbrecht, V., Gold, Z., Gweon, H. S., Hajibabaei, M., Hildebrand, F., Mikryukov, V., Normandeau, E., Özkurt, E., Palmer, J. M., Pascal, G., Porter, T. M., Straub, D., Vasar, M., Větrovský, T., Zafeiropoulos, H., Anslan, S. 2023. A pile of pipelines: An overview of the bioinformatics software for metabarcoding data analyses. *Molecular Ecology Resources*, 24, e13847.
- Harrison, J. B., Sunday, J. M., Rogers SM. 2019 Predicting the fate of eDNA in the environment and implications for studying biodiversity. *Proc. R. Soc. B* 286: 20191409.
- Hendrayani, A. P., Mustakim, M., dan Taru, P. 2022. Struktur komunitas ikan di perairan Danau Melintang Kecamatan Muara Wis Kabupaten Kutai Kartanegara. *Tropical Aquatic Sciences*, Vol1(2):75-81.
- Hoshino, T., Doi, H., Uramoto, G.-I., Wörmer, L., Adhikari, R.R., Xiao, N., Morono, Y., D'Hondt, S., Hinrichs, K.-U., Inagaki, F., 2020. Global diversity of microbial communities in marine sediment. *Proc. Natl. Acad. Sci.* 117, 27587–27597.
- Kouduka, M., Tanabe, A. S., Yamamoto, S., Yanagawa, K., Nakamura, Y., Akiba, F., Tomaru, H., Toju, H., Suzuki, Y. 2017. Eukaryotic diversity in late Pleistocene marine sediments around a shallow methane hydrate deposit in the Japan Sea. *Geobiology*, 15(5), 715–727.
- Leray, M., Yang, J. Y., Meyer, C. P., Mills, S. C., Agudelo, N., Ranwez, V., Boehm, J. T., Machida, R. J. 2013. A new versatile primer set targeting a short fragment of the mitochondrial COI region for metabarcoding metazoan diversity: application for characterizing coral reef fish gut contents. *Frontiers in zoology*, 10, 34.
- Manohar, C.S., Raghukumar, C., 2013. Fungal diversity from various marine habitats deduced through culture-independent studies. *FEMS Microbiol. Lett.* 341, 69–78.
- Mauvisseau, Q., Harper, L.R., Sander, M., Hanner, R.H., Kleyer, H., Deiner, K. 2022. The multiple states of environmental DNA and what is known about their persistence in aquatic environments. *Environmental Science and Technology* 56 (9), 5322-5333.
- Mislan, H. M., Lariman, T. S., Anwar, Y., Rahman, N., Iskandar, A., Pratama, A., Aprianti, D. A., 2022. *Laporan Studi Keanekaragaman Hayati Di Danau Kaskade Mahakam Tahun 2022*. Dinas Lingkungan Hidup Provinsi Kalimantan Timur.

- Samarinda. pp. 57-59.
- Oktaviani, D., Nasution, S. H., Dharmadi, D. 2017. Keberadaan Pesut (*Orcaella brevirostris*) di Sungai Mahakam, Kalimantan Timur. *BAWAL Widya Riset Perikanan Tangkap*, 1(4), 127-132.
- Panzer, K., Yilmaz, P., Weiß, M., Reich, L., Richter, M., Wiese, J., Schmaljohann, R., Labes, A., Imhoff, J.F., Glöckner, F.O., Reich, M., 2015. Identification of habitat-specific biomes of aquatic fungal communities using a comprehensive nearly full-length 18S rRNA dataset enriched with contextual data. *PLoS ONE* 10, e0134377.
- Pawlowski J., Bruce K., Panksep K., Aguirre F.I., Amalfitano S., Apothéloz-Perret-Gentil L., Baussant T., Bouchez A., Carugati L., Cermakova K., Cordier T., Corinaldesi C., Costa F.O., Danovaro R., Dell'Anno A., Duarte S., Eisendle U., Ferrari B.J.D., Frontalini F., Frühe L., Haegerbaeumer A., Kisand V., Krolicka A., Lanzén A., Leese F., Lejzerowicz F., Lyautey E., Maček I., Sagova- Marečková M., Pearman J.K., Pochon X., Stoeck T., Vivien R., Weigand A., Fazi S., 2022. Environmental DNA metabarcoding for benthic monitoring: A review of sediment sampling and DNA extraction methods, *Science of The Total Environment*, Volume 818, 151783.
- Pawlowski, J., Christen, R., Lecroq, B., Bachar, D., Shahbazkia, H.R., Amaral-Zettler, L., Guillou, L., 2011. Eukaryotic richness in the abyss: insights from pyrotag sequencing. *PLoS One* 4 (6(4)), e18169.
- Peraturan Presiden (Perpres) Nomor 60 Tahun 2021 tentang *Penyelamatan Danau Prioritas Nasional* (Lembaran Negara Republik Indonesia Tahun 2021 Nomor 143) jdih.setkab.go.id : 14 hlm.
- Peraturan Daerah (PERDA) Provinsi Kalimantan Timur Nomor 1 Tahun 2016 tentang *Rencana Tata Ruang Wilayah Provinsi Kalimantan Timur Tahun 2016 – 2036* (Lembar Daerah Provinsi Kalimantan Tahun 2016 Nomor 1).
- Picard, K.T., 2017. Coastal Marine Habitats Harbor Novel Early-diverging Fungal Diversity.
- Roose-Amsaleg, C.L., Garnier-Sillam, E., Harry, M., 2001. Extraction and purification of microbial DNA from soil sediment samples. *Appl. Soil Ecol.* 18, 47–60.
- Rees, H.C., Maddison, B.C., Middleditch, D.J., Patmore, J.R.M. Gough, K.C. 2014. REVIEW: The detection of aquatic animal species using environmental DNA – a review of eDNA as a survey tool in ecology. *J Appl Ecol*, 51: 1450-1459.
- Ruppert, K. M., Kline, R. J., Rahman, Md. S., 2019. Past, present, and future perspectives of environmental DNA (eDNA) metabarcoding: A systematic review in methods, monitoring, and applications of global eDNA. *Global Ecology and Conservation*, Volume 17, 2019.
- Sakata, M. K., Yamamoto, S, Gotoh, R. O., Miya, M., Yamanaka, H., Minamoto, T. 2020. Sedimentary eDNA provides different information on timescale and fish species composition compared with aqueous eDNA. *Environmental DNA*.2: 505–518.
- Scheckenbach, F., Hausmann, K., Wylezich, C., Weitere, M., Arndt, H., 2010. Large-scale patterns in biodiversity of microbial eukaryotes from the abyssal seafloor. *Proc. Natl. Acad. Sci.* 107, 115–120.
- Stoeckle, B. C., Beggel, S., Cerwenka, A. F., Motivans, E., Kuehn, R., Geist, J. 2017. A systematic approach to evaluate the influence of environmental conditions on eDNA detection success in aquatic ecosystems. *PLoS ONE*, 12(12).

- Strickler, K. M., Fremier, A. K., Goldberg, C. S. 2015. Quantifying effects of UV-B, temperature, and pH on eDNA degradation in aquatic microcosms. *Biological Conservation*, 183, 85–92.
- Tangerlini, M., Corinaldesi, C., Rastelli, E., Musco, L., Armiento, G., Danovaro, R., Dell’Anno, A., 2020. Chemical contamination can promote turnover diversity of benthic prokaryotic assemblages: the case study of the bagnoli- coroglio bay (southern Tyrrhenian Sea). *Mar. Environ. Res.* 160, 105040.
- Tilman, D., Isbell, F., Cowles, J. 2014. Biodiversity and ecosystem functioning. *Annu. Rev. Ecol. Evol. Syst.* 45, 471–493.
- Tsuji, S., Yamanaka, H., Minamoto, T. 2017. Effects of water pH and proteinase K treatment on the yield of environmental DNA from water samples. *Limnology*, 18(1), 1–7.
- Valentini, A., Taberlet, P., Miaud, C., Civade, R., Herder, J., Thomsen, P. F., Boyer, F. 2016. Next-generation monitoring of aquatic biodiversity using environmental DNA metabarcoding. *Molecular Ecology*, 25, 929–942.
- Wahjono, H. D., 2015. Pemantauan Kualitas Air Danau Semayang dan Danau Melintang di Kabupaten Kutai Kartanegara Menggunakan Sistem Online Monitoring. *Jurnal Air Indonesia*, vol. 8, no. 1.
- Wallace, R. L., Snell, T. W. 2010. *Ecology and classification of North American freshwater invertebrates* (pp. 173-235). Academic Press.
- Wilfinger, W. W., Mackey, K., Piotr C. 1997. Effect of pH and Ionic Strength on the Spectrophotometric Assessment of Nucleic Acid Purity: *BioTechniques* 22:474-481
- Wurzbacher, C., Warthmann, N., Bourne, E., Attermeyer, K., Allgaier, M., Powell, J.R., Detering, H., Mbedi, S., Grossart, H.-P., Monaghan, M.T., 2016. High habitat-specificity in fungal communities in oligo-mesotrophic, temperate Lakestechlin (North-East Germany). *MycKeys* 16, 17–44.
- Xuan, J., Yu, Y., Qing, T., Guo, L., Shi, L. 2013. Next-generation sequencing in the clinic: Promises and challenges. *Cancer Letters*, 340(2), 284–295.
- Zheng, X., Liu, W., Dai, X., Zhu, Y., Wang, J., Zhu, Y., Zheng, H., Huang, Y., Dong, Z., Du, W., Zhao, F., Huang, L., 2020. Extraordinary diversity of viruses in deep-sea sediments as revealed by metagenomics without prior virion separation. *Env. Microbio.*
- Zinger, L., Gobet, A., Pommier, T., 2012. Two decades of describing the unseen majority of aquatic microbial diversity. *Mol Ecol* 21 (8), 1878.