

## DAFTAR PUSTAKA

- Abraham, K., Penczynski, K., Monien, B. H., Bergau, N., Knüppel, S., & Weikert, C., 2023, Risks of misinterpretation of biomarker measurements in spot urine adjusted for creatinine – A problem especially for studies comparing plant based with omnivorous diets, *Int. J. Hyg. Environ. Health*, 249(November 2022)
- Andrian, T., Pujals, S., & Albertazzi, L., 2021, Quantifying the effect of PEG architecture on nanoparticle ligand availability using DNA-PAINT, *Nanoscale Adv*, 3, 6876–6881
- Chen, H., Paholak, H., Ito, M., Sansanaphongpricha, K., Qian, W., Che, Y., & Sun, D., 2013, “Living” PEGylation on gold nanoparticles to optimize cancer cell uptake by controlling targeting ligand and charge densities, *Nanotechnology*, 24, 355101.
- Chhillar, M., Kukkar, D., Deep, A., Yadav, A. K., & Kim, K. H., 2023, Zn<sup>2+</sup>/GNPs nanocomposite for highly selective colorimetric detection of creatinine in urine samples of CKD patients, *Inorg. Chem. Commun.*, 158, 111618,
- Ciou, D. S., Wu, P. H., Huang, Y. C., Yang, M. C., Lee, S. Y., & Lin, C. Y., 2020, Colorimetric and amperometric detection of urine creatinine based on the ABTS radical cation modified electrode, *Sensors Actuators B Chem*, 314, 1280304.
- Contreras-Trigo, B., Díaz-García, V., Guzmán-Gutierrez, E., Sanhueza, I., Coelho, P., Godoy, S. E., Torres, S., & Oyarzún, P., 2018, Slight ph fluctuations in the gold nanoparticle synthesis process influence the performance of the citrate reduction method, *Sensors (Switzerland)*, 18, 18072246
- Daruich De Souza, C., Ribeiro Nogueira, B., & Rostelato, M. E. C. M., 2019, Review of the methodologies used in the synthesis gold nanoparticles by chemical reduction, *J. Alloys Compd.*, 798, 714–740
- de Oliveira Moreira, O. B., Queiroz de Souza, J. C., Beraldo Candido, J. M., do Nascimento, M. P., Chellini, P. R., de Lemos, L. M., & de Oliveira, M. A. L. 2023, Determination of creatinine in urine and blood serum human samples by CZE-UV using on-column internal standard injection, *Talanta*, 258, 124465
- Ferrari, E., 2023, Gold Nanoparticle-Based Plasmonic Biosensors, *Biosensors*, 13, 411
- Findari, H., 2021, Sintesis Nanopartikel Emas Tertudung Natrium Sitrat dan

Aplikasinya untuk Deteksi Kreatinin dalam Sampel Urin Secara Kolorimetri Berdasar pada Komponen Warna Red-Green-Blue (RGB) Gambar Digital, *Thesis*, Universitas Gadjah Mada: Yogyakarta

Ghobashy, M. M., Alkhursani, S. A., Alqahtani, H. A., El-damhougy, T. K., & Madani, M., 2024, Gold nanoparticles in microelectronics advancements and biomedical applications, *Mater. Sci. Eng: B*, 301, 117191

He, Y., Zhang, X., & Yu, H. (2015). Gold nanoparticles-based colorimetric and visual creatinine assay. *Microchim. Acta*, 182, 2037–2043

Hidayangsih, P. S., Tjandrarini, D. H., Widya Sukoco, N. E., Sitorus, N., Dharmayanti, I., & Ahmadi, F., 2023, Chronic kidney disease in Indonesia: evidence from a national health survey. *Osong Public Heal. Res. Perspect.*, 14, 23–30

Hlekelele, L., Setshedi, K., Mandiwana, V., Kalombo, L., Lemmer, Y., Chauke, V., & Maity, A., 2024, Carboxy-PEG-thiol functionalized gold nanoparticle conjugates for the detection of SARS-CoV-2: Detection tools and analytical method development, *J. Virol. Methods* 330, 15028

Hussain, N., & Puzari, P., 2024, Deciphering the complexation processes of creatinine-cobalt and creatinine-cobalt-2-nitrobenzaldehyde: Morphological, spectroscopic and electrochemical analysis., *J. Mol. Struct.*, 1316, 139042.

Indrayanto, G., 2022, Application of Accuracy and Precision Evaluations Based on the Current United States and Indonesian Pharmacopoeias: A Critical Review, *Makara J. Sci.* 26, 227–237

Jayasekhar Babu, P., Tirkey, A., Mohan Rao, T. J., Chanu, N. B., Lalchandama, K., & Singh, Y. D., 2022, Conventional and nanotechnology based sensors for creatinine (A kidney biomarker) detection: A consolidated review, *Anal. Biochem.*, 645, 114622

Jiao, F., Sang, J., Liu, Z., Liu, W., & Liang, W., 2020, Effect of concentration of PEG coated gold nanoparticle on lung surfactant studied with coarse-grained molecular dynamics simulations, *Biophys. Chem.*, 266, 106457.

Juliasih, N. L. G. R., Hidayat, D., Pirdaus, P., & Rinawati, R., 2021, Verification of the Determination Method of Dissolved Metal Content using ICP-OES and Its Application for River Water in Bandar Lampung City, *J. Kim. Sains dan Apl.*, 24, 29–36.

Kumalasari, M. R., Alfanaar, R., & Andreani, A. S., 2024, Gold nanoparticles (AuNPs): A versatile material for biosensor application, *Talanta Open*, 9

- Küme, T., Sağlam, B., Ergon, C., & Sisman, A. R., 2018, Evaluation and comparison of Abbott Jaffe and enzymatic creatinine methods: Could the old method meet the new requirements?, *J. Clin. Lab. Anal.*, 32, 1–8
- Lee, S. B., Kumar, D., Li, Y., Lee, I. K., Cho, S. J., Kim, S. K., Lee, S. W., Jeong, S. Y., Lee, J., & Jeon, Y. H., 2018, PEGylated crushed gold shell-radiolabeled core nanoballs for in vivo tumor imaging with dual positron emission tomography and Cerenkov luminescent imaging, *J. Nanobiotechnology*, 16, 1–12.
- Lertvachirapaiboon, C., Baba, A., Shinbo, K., & Kato, K., 2020, Colorimetric Determination of Urinary Creatinine in Proteinuria Patients by Chromaticity Analysis of Gold Nanoparticle Colloidal Solutions, *Anal. Sci.*, 36, 1495–1500.
- Lewińska, I., Speichert, M., Granica, M., & Tymecki, Ł., 2021, Colorimetric point-of-care paper-based sensors for urinary creatinine with smartphone readout, *Sensors Actuators, B Chem.*, 34, 129915
- Li, J., Zhao, H., Wang, Y., & Zhou, Y., 2024, Approaches for selectivity improvement of conductometric gas sensors: an overview, *Sensors and Diagnostics*, 3, 336–353.
- Lu, B., Lunn, J., Nightingale, A. M., & Niu, X., 2024, Highly sensitive absorbance measurement using droplet microfluidics integrated with an oil extraction and long pathlength detection flow cell, *Front. Chem.*, 12, 1–8.
- Njoki, P. N., Lim, I. I. S., Mott, D., Park, H. Y., Khan, B., Mishra, S., Sujakumar, R., Luo, J., & Zhong, C. J., 2007, Size correlation of optical and spectroscopic properties for gold nanoparticles, *J. Phys. Chem. C*, 111, 14664–14669.
- Omping, J., Unabia, R., Reazo, R. L., Lapening, M., Lumod, R., Ruda, A., Rivera, R. B., Sayson, N. L., Latayada, F., Capangpangan, R., Dumancas, G., Malaluan, R., Lubguban, A., Petalcorin, G., & Alguno, A., 2024, Facile Synthesis of PEGylated Gold Nanoparticles for Enhanced Colorimetric Detection of Histamine, *ACS Omega*, 9, 14269–14278.
- Ozcicek, I., Aysit, N., Cakici, C., & Aydeger, A., 2021, The effects of surface functionality and size of gold nanoparticles on neuronal toxicity, apoptosis, ROS production and cellular/suborgan biodistribution, *Mater. Sci. Eng. C* 128, 112308.
- Park, J., Kwon, N. H., Kim, S. Y., Ko, B. J., & Kim, J. Y., 2023, Urinary creatinine concentration and urine color as indicators of specimen validity test, *J. Anal. Sci. Technol.*, 14, 41.
- Polte, J., 2015, Fundamental growth principles of colloidal metal nanoparticles - a

- new perspective, *CrystEngComm*, 17, 6809–6830.
- Rastogi, S., Kumari, V., Sharma, V., & Ahmad, F. J., 2022, RGB colorimetric method based detection of oxytocin in food samples using cysteamine functionalized gold nanoparticles, *Anal. Biochem.*, 656, 114886.
- Remane, D., Grunwald, S., Hoeke, H., Mueller, A., Roeder, S., von Bergen, M., & Wissenbach, D. K., 2015, Validation of a multi-analyte HPLC-DAD method for determination of uric acid, creatinine, homovanillic acid, niacinamide, hippuric acid, indole-3-acetic acid and 2-methylhippuric acid in human urine, *J. Chromatogr. B Anal. Technol. Biomed. Life Sci.*, 998–999, 40–44.
- Sarigul, N., Korkmaz, F., & Kurultak, İ., 2019, A New Artificial Urine Protocol to Better Imitate Human Urine. *Sci. Rep.*, 9, 1–11.
- Sartho Immaculate Mercy, J., & Vasimalai, N., 2023, Point-of-care sensor kit for on-site monitoring of creatinine in clinical samples using polyol functionalized gold nanoparticles by UV–visible spectrophotometry, *Microchim. Acta*, 193, 109173.
- Schley, G., Köberle, C., Manuilova, E., Rutz, S., Forster, C., Weyand, M., Formentini, I., Kientsch-Engel, R., Eckardt, K. U., & Willam, C., 2015, Comparison of plasma and urine biomarker performance in acute kidney injury, *PLoS ONE*, 10, 1–23.
- Sekar, V., Santhanam, A., & Arunkumar, P., 2024, A low-cost paper and solution based colorimetric detection of bacteria using glucose-functionalized gold nanoparticles, *J. Water Process Eng.*, 59, 105102.
- Seol, S. K., Kim, D., Jung, S., & Hwu, Y., 2011, Microwave synthesis of gold nanoparticles: Effect of applied microwave power and solution pH, *Mater. Chem. Phys.*, 131, 331–335.
- Skiba, M., Zaporozhets, J., & Vorobyova, V., 2024, Gold nanoparticles with natural polymer synthesized by plasma–liquid interactions: Size-control, characterization and colorimetric detection of melamine based on the size effect of gold nanoparticles, *Nano-Structures and Nano-Objects*, 37, 101113.
- Teggert, A., Datta, H., Mcintosh, S., & Warden, B., 2021, Portable, low cost and sensitive cavity enhanced absorption (CEA) detection, *Analyst*, 146, 196–206.
- Thambiliyagodage, C., 2022, Ligand exchange reactions and PEG stabilization of gold nanoparticles, *Curr. Res. Green Sustain. Chem.*, 5, 0–8.
- Treacy, O., Brown, N. N., & Dimeski, G., 2019, Biochemical evaluation of kidney disease, *Transl. Androl. Urol.*, 8, S214–S223.

- Tyagi, H., Kushwaha, A., Kumar, A., & Aslam, M., 2016, A Facile pH Controlled Citrate-Based Reduction Method for Gold Nanoparticle Synthesis at Room Temperature, *Nanoscale Res. Lett.* 11.
- Verimli, N., Demiral, A., Yılmaz, H., Çulha, M., & Erdem, S. S., 2019, Design of Dense Brush Conformation Bearing Gold Nanoparticles as Theranostic Agent for Cancer, *Appl. Biochem. Biotechnol.*, 189, 709–728.
- Wang, Y., Quinsa, J. E. Q., Ono, T., Maeki, M., Tokeshi, M., Isono, T., Tajima, K., Satoh, T., Sato, S., Miura, Y., & Yamamoto, T., 2020, Enhanced dispersion stability of gold nanoparticles by the physisorption of cyclic poly(ethylene glycol), *Nat. Commun.* 11
- Wu, S., Khan, M. A., Huang, T., Liu, X., Kang, R., Zhao, H., Cao, H., & Ye, D., 2024, Smartphone-assisted colorimetric sensor arrays based on nanozymes for high throughput identification of heavy metal ions in salmon, *J. Hazard. Mater.*, 480, 1–12.
- Xia, Y., Zhu, C., Bian, J., Li, Y., Liu, X., & Liu, Y., 2019, Highly sensitive and selective colorimetric detection of creatinine based on synergistic effect of PEG/Hg<sup>2+</sup>-AuNPs, *Nanomaterials*, 9, 1424.