



## **DAFTAR PUSTAKA**

- Abadi, M., Agarwal, A., Barham, P., Brevdo, E., Chen, Z., Citro, C., Corrado, G. S., Davis, A., Dean, J., Devin, M., Ghemawat, S., Goodfellow, I., Harp, A., Irving, G., Isard, M., Jia, Y., Jozefowicz, R., Kaiser, L., Kudlur, M., ... Research, G. (2015). *TensorFlow: Large-Scale Machine Learning on Heterogeneous Distributed Systems*. <https://arxiv.org/abs/1603.04467v2>
- Akanni, C. O., Hassan, A. M., & Osuji, T. C. (2016). Empirical analysis of extreme weather conditions and aviation safety in Nigeria. *Ethiopian Journal of Environmental Studies and Management*, 9(6), 680–690.
- Aldrian, E., & Djamil, Y. S. (2008). Spatio-temporal climatic change of rainfall in East Java Indonesia. *International Journal of Climatology*, 28(4), 435–448. <https://doi.org/10.1002/joc.1543>
- Aldrian, E., & Susanto, R. D. (2003). Identification of three dominant rainfall regions within Indonesia and their relationship to sea surface temperature. *International Journal of Climatology*, 23(12), 1435–1452. <https://doi.org/10.1002/JOC.950>
- Ali, A., Hairuly Umam, I., Jatining Wahyu Argo, H., Permana, D., Deranadyan, G., Adiyasa, A., & Winata, N. (2023). SIDARMA: Sistem Integrasi Data Radar Cuaca Mandiri Berbasis Web-GIS dan Aplikasi Android. *Geomatika*, 29(1), 1–8. <https://jurnal.big.go.id/gm/article/view/150>
- AMS. (2023). *Extrapolation*. <https://glossary.ametsoc.org/wiki/Extrapolation>
- Araújo, J. R., Ramos, A. M., Soares, P. M. M., Melo, R., Oliveira, S. C., & Trigo, R. M. (2022). Impact of extreme rainfall events on landslide activity in Portugal under climate change scenarios. *Landslides*, 19(10), 2279–2293.
- Arida, V., Renggono, F., & Dupe, Z. L. (2012). Relasi Faktor Reflektivitas Radar dengan Intensitas Curah Hujan untuk Radar C-band di Soroako, Sulawesi Selatan. *Jurnal Sains & Teknologi Modifikasi Cuaca*, 13(2), 67–75. <https://doi.org/10.29122/JSTMC.V13I2.2574>



- Ayzel, G., Scheffer, T., & Heistermann, M. (2020). RainNet v1. 0: a convolutional neural network for radar-based precipitation nowcasting. *Geoscientific Model Development*, 13(6), 2631–2644.
- Ballas, N., Yao, L., Pal, C., & Courville, A. (2015). Delving Deeper into Convolutional Networks for Learning Video Representations. *4th International Conference on Learning Representations, ICLR 2016 - Conference Track Proceedings*. <https://arxiv.org/abs/1511.06432v4>
- Bangsawan, L., Jatmiko, R. H., & Nurjani, E. (2022). The Comparison of Z-R Relation Methods on Convective and Stratiform Rain of Quantitative Precipitation Estimation (QPE) in East Java Area. *Springer Proceedings in Physics*, 275, 273–285. [https://doi.org/10.1007/978-981-19-0308-3\\_22/COVER](https://doi.org/10.1007/978-981-19-0308-3_22)
- Baopu, F. (1995). The effects of orography on precipitation. *Boundary-Layer Meteorology*, 75(1–2), 189–205. <https://doi.org/10.1007/BF00721049>
- Bartels, D. L., & Maddox, R. A. (1991). Midlevel Cyclonic Vortices Generated by Mesoscale Convective Systems. *Monthly Weather Review*, 119(1), 104–118. [https://doi.org/10.1175/1520-0493\(1991\)119<0104:MCVGBM>2.0.CO;2](https://doi.org/10.1175/1520-0493(1991)119<0104:MCVGBM>2.0.CO;2)
- Battan, L. J. (1973). *Radar Observation of the Atmosphere*. The University of Chicago Press. <https://doi.org/10.1002/qj.49709942229>
- Binetti, M. S., Campanale, C., Massarelli, C., & Uricchio, V. F. (2022). The Use of Weather Radar Data: Possibilities, Challenges and Advanced Applications. *Earth* 2022, Vol. 3, Pages 157-171, 3(1), 157–171. <https://doi.org/10.3390/EARTH3010012>
- Bližňák, V., Sokol, Z., & Zacharov, P. (2017). Nowcasting of deep convective clouds and heavy precipitation: Comparison study between NWP model simulation and extrapolation. *Atmospheric Research*, 184, 24–34.
- Bluestein, H. B., & Jain, M. H. (1985). Formation of Mesoscale Lines of Precipitation: Severe Squall Lines in Oklahoma during the Spring. *Journal of the Atmospheric Sciences*, 42(16), 1711–1732. [https://doi.org/10.1175/1520-0469\(1985\)042<1711:FOMLOP>2.0.CO;2](https://doi.org/10.1175/1520-0469(1985)042<1711:FOMLOP>2.0.CO;2)



- BMKG. (2022). *Peraturan Badan Meteorologi Klimatologi dan Geofisika Republik Indonesia Nomor 9 Tahun 2022 Tentang Penyediaan dan Penyebarluasan Peringatan Dini Cuaca Ekstrem*. <https://jdih.bmkg.go.id/common/dokumen/perbanno.9tahun2022.pdf>
- Borji, A. (2018). Pros and Cons of GAN Evaluation Measures. *Computer Vision and Image Understanding*, 179, 41–65. <https://doi.org/10.1016/j.cviu.2018.10.009>
- Boureau, Y.-L., Ponce, J., Fr, J. P., & Lecun, Y. (2010). A Theoretical Analysis of Feature Pooling in Visual Recognition. In *Proceedings of the 27th International Conference on Machine Learning, Haifa, Israel*.
- Breugem, A. J., Wesseling, J. G., Oostindie, K., & Ritsema, C. J. (2020). Meteorological aspects of heavy precipitation in relation to floods—an overview. *Earth-Science Reviews*, 204, 103171.
- Breunig, M. M., Kriegel, H.-P., Ng, R. T., & Sander, J. (2000). LOF: Identifying Density-Based Local Outliers. *ACM SIGMOD Record*, 29(2), 93–104. <https://doi.org/10.1145/335191.335388>
- Browning, K. A., & Collier, C. (1989). Nowcasting of precipitation systems. *Reviews of Geophysics*, 27(3), 345–370.
- Burgemeister, F., Clemens, M., & Ament, F. (2023). Reanalysis of multi-year high-resolution X-band weather radar observations in Hamburg. *Earth System Science Data Discussions*, 2023, 1–26. <https://doi.org/10.5194/essd-2023-300>
- Changnon, S. D. (2003). Measures of economic impacts of weather extremes: Getting better but far from what is needed—A call for action. *Bulletin of the American Meteorological Society*, 84(9), 1231–1236.
- Cho, K., Van Merriënboer, B., Gulcehre, C., Bahdanau, D., Bougares, F., Schwenk, H., & Bengio, Y. (2014). Learning Phrase Representations using RNN Encoder-Decoder for Statistical Machine Translation. *EMNLP 2014 - 2014 Conference on Empirical Methods in Natural Language Processing, Proceedings of the Conference*, 1724–1734. <https://doi.org/10.3115/v1/d14-1179>



- Chollet, F. (2015). *Keras*. GitHub. Chollet, F. (2015) keras, GitHub. <https://github.com/fchollet/keras>
- Chung, J., Gulcehre, C., KyungHyunCho, & Yoshua, B. (2014). *Empirical Evaluation of Gated Recurrent Neural Networks on Sequence Modeling*. <https://arxiv.org/abs/1412.3555v1>
- Chung, K.-S., & Yao, I.-A. (2020). Improving radar echo Lagrangian extrapolation nowcasting by blending numerical model wind information: Statistical performance of 16 typhoon cases. *Monthly Weather Review*, 148(3), 1099–1120.
- Ciach, G. J., & Krajewski, W. F. (1999). Radar–Rain Gauge Comparisons under Observational Uncertainties. *Journal of Applied Meteorology and Climatology*, 38(10), 1519–1525. [https://doi.org/10.1175/1520-0450\(1999\)038<1519:RGRGCU>2.0.CO;2](https://doi.org/10.1175/1520-0450(1999)038<1519:RGRGCU>2.0.CO;2)
- Cuomo, J., & Chandrasekar, V. (2021). Use of Deep Learning for Weather Radar Nowcasting. *Journal of Atmospheric and Oceanic Technology*. <https://doi.org/10.1175/JTECH-D-21-0012.1>
- David, R., & Vladimir, T. (2011). Implementing hazard early warning systems. In *Implementing hazard early warning systems*. The Global Facility for Disaster Reduction and Recovery (GFDRR).
- De Luca, D. L., & Capparelli, G. (2022). Rainfall nowcasting model for early warning systems applied to a case over Central Italy. *Natural Hazards*, 112(1), 501–520.
- Dixon, M., & Wiener, G. (1993). TITAN: Thunderstorm identification, tracking, analysis, and nowcasting—A radar-based methodology. *Journal of Atmospheric and Oceanic Technology*, 10(6), 785–797.
- Doviak, R. J., & Zrnić, D. S. (1993). *Doppler Radar and Weather Observations* (Second Edition). Academic Press. <https://doi.org/10.1016/C2009-0-22358-0>
- Dowson, D. C., & Landau, B. V. (1982). The Fréchet distance between multivariate normal distributions. *Journal of Multivariate Analysis*, 12(3), 450–455. [https://doi.org/10.1016/0047-259X\(82\)90077-X](https://doi.org/10.1016/0047-259X(82)90077-X)



- Fang, W., Pang, L., Yi, W., & Sheng, V. S. (2021). AttEF: Convolutional LSTM Encoder-Forecaster with Attention Module for Precipitation Nowcasting. *Intelligent Automation & Soft Computing*, 30(2), 453–466. <https://doi.org/10.32604/IASC.2021.016589>
- Foote, G. B. (1985). Aspects of cumulonimbus classification relevant to the hail problem. *Journal de Recherches Atmosphériques*, 19(1), 61–74.
- Foresti, L., Sideris, I. V., Nerini, D., Beusch, L., & Germann, U. (2019). Using a 10-year radar archive for nowcasting precipitation growth and decay: A probabilistic machine learning approach. *Weather and Forecasting*, 34(5), 1547–1569.
- Fovell, R. G., & Tan, P.-H. (1998). The Temporal Behavior of Numerically Simulated Multicell-Type Storms. Part II: The Convective Cell Life Cycle and Cell Regeneration. *Monthly Weather Review*, 126(3), 551–577. [https://doi.org/10.1175/1520-0493\(1998\)126<0551:TTBONS>2.0.CO;2](https://doi.org/10.1175/1520-0493(1998)126<0551:TTBONS>2.0.CO;2)
- Franch, G., Jurman, G., Coviello, L., Pendesini, M., & Furlanello, C. (2019). MASS-UMAP: Fast and Accurate Analog Ensemble Search in Weather Radar Archives. *Remote Sensing 2019*, Vol. 11, Page 2922, 11(24), 2922. <https://doi.org/10.3390/RS11242922>
- Franch, G., Maggio, V., Coviello, L., Pendesini, M., Jurman, G., & Furlanello, C. (2020). TAASRAD19, a high-resolution weather radar reflectivity dataset for precipitation nowcasting. *Scientific Data* 2020 7:1, 7(1), 1–13. <https://doi.org/10.1038/s41597-020-0574-8>
- Friedrich, K., Germann, U., Gourley, J. J., & Tabary, P. (2007). Effects of Radar Beam Shielding on Rainfall Estimation for the Polarimetric C-Band Radar. *Journal of Atmospheric and Oceanic Technology*, 24(11), 1839–1859. <https://doi.org/10.1175/JTECH2085.1>
- Fujiwara, M. (1965). Raindrop-size distribution from individual storms. *Journal of the Atmospheric Sciences*, 22(5), 585–591.
- Gabella, M., & Notarpietro, R. (2002). Ground clutter characterization and elimination in mountainous terrain. In: *Proceedings of ERAD*, 305–311. <https://iris.polito.it/handle/11583/1411995>



- Gekat, F., Meischner, P., Friedrich, K., Hagen, M., Koistinen, J., Michelson, D. B., & Huuskonen, A. (2004). The State of Weather Radar Operations, Networks and Products. In P. Meischner (Ed.), *Weather Radar: Principles and Advanced Applications* (pp. 1–51). Springer Berlin Heidelberg. [https://doi.org/10.1007/978-3-662-05202-0\\_1](https://doi.org/10.1007/978-3-662-05202-0_1)
- Geng, H., Wang, T., Zhuang, X., Xi, D., Hu, Z., & Geng, L. (2022). GAN-rcLSTM: A Deep Learning Model for Radar Echo Extrapolation. *Atmosphere*, 13(5), 684. <https://doi.org/10.3390/atmos13050684>
- Germann, U., Galli, G., Boscacci, M., & Bolliger, M. (2006). Radar precipitation measurement in a mountainous region. *Quarterly Journal of the Royal Meteorological Society*, 132(618), 1669–1692. <https://doi.org/10.1256/qj.05.190>
- Glorot, X., & Bengio, Y. (2010). *Understanding the difficulty of training deep feedforward neural networks* (pp. 249–256). JMLR Workshop and Conference Proceedings. <https://proceedings.mlr.press/v9/glorot10a.html>
- Goklany, I. M. (2009). Deaths and death rates from extreme weather events: 1900–2008. *Global Trends*, 13, 14.
- Goodfellow, I., Bengio, Y., & Courville, A. (2016). *Deep Learning*. MIT Press.
- Goodfellow, I. J., Pouget-Abadie, J., Mirza, M., Xu, B., Warde-Farley, D., Ozair, S., Courville, A., & Bengio, Y. (2014). Generative Adversarial Nets. *Advances in Neural Information Processing Systems*, 27. <http://www.github.com/goodfeli/adversarial>
- Grigorescu, S., Trasnea, B., Cocias, T., & Macesanu, G. (2020). A survey of deep learning techniques for autonomous driving. *Journal of Field Robotics*, 37(3), 362–386.
- Habib, E., Krajewski, W. F., & Ciach, G. J. (2001). Estimation of Rainfall Interstation Correlation. *Journal of Hydrometeorology*, 2(6), 621–629. [https://doi.org/10.1175/1525-7541\(2001\)002<0621:EORIC>2.0.CO;2](https://doi.org/10.1175/1525-7541(2001)002<0621:EORIC>2.0.CO;2)
- Hambali, R., Legono, D., & Jayadi, R. (2019). Correcting Radar Rainfall Estimates Based on Ground Elevation Function. *Journal of the Civil Engineering Forum*, 5(3), 300–310. <https://doi.org/10.22146/JCEF.49395>



- Han, L., Sun, J., Zhang, W., Xiu, Y., Feng, H., & Lin, Y. (2017). A machine learning nowcasting method based on real-time reanalysis data. *Journal of Geophysical Research: Atmospheres*, 122(7), 4038–4051.
- Handwerker, J. (2002). Cell tracking with TRACE3D—A new algorithm. *Atmospheric Research*, 61(1), 15–34.
- He, W., Xiong, T., Wang, H., He, J., Ren, X., Yan, Y., & Tan, L. (2022). Radar Echo Spatiotemporal Sequence Prediction Using an Improved ConvGRU Deep Learning Model. *Atmosphere* 2022, Vol. 13, Page 88, 13(1), 88. <https://doi.org/10.3390/ATMOS13010088>
- Heistermann, M., Jacobi, S., & Pfaff, T. (2013). Technical Note: An open source library for processing weather radar data (wradlib). *Hydrology and Earth System Sciences*, 17(2), 863–871. <https://doi.org/10.5194/hess-17-863-2013>
- Heusel, M., Ramsauer, H., Unterthiner, T., Nessler, B., & Hochreiter, S. (2017). GANs Trained by a Two Time-Scale Update Rule Converge to a Local Nash Equilibrium. *Advances in Neural Information Processing Systems*, 30.
- Hinton, G., Deng, L., Yu, D., Dahl, G. E., Mohamed, A., Jaitly, N., Senior, A., Vanhoucke, V., Nguyen, P., & Sainath, T. N. (2012). Deep neural networks for acoustic modeling in speech recognition: The shared views of four research groups. *IEEE Signal Processing Magazine*, 29(6), 82–97.
- Hitschfeld, W., & Bordan, J. (1954). Errors Inherent in the Radar Measurement of Rainfall at Attenuating Wavelengths. *Journal of the Atmospheric Sciences*, 11(1), 58–67. [https://doi.org/10.1175/1520-0469\(1954\)011](https://doi.org/10.1175/1520-0469(1954)011)
- Hochreiter, S., & Schmidhuber, J. (1997). Long Short-Term Memory. *Neural Computation*, 9(8), 1735–1780. <https://doi.org/10.1162/neco.1997.9.8.1735>
- Houze, R. A. (2014). *Cloud dynamics*. Academic press.
- Huuskonen, A., Saltikoff, E., & Holleman, I. (2014). The Operational Weather Radar Network in Europe. *Bulletin of the American Meteorological Society*, 95(6), 897–907. <https://doi.org/10.1175/BAMS-D-12-00216.1>
- Ioffe, S., & Szegedy, C. (2015). Batch Normalization: Accelerating Deep Network Training by Reducing Internal Covariate Shift. *32nd International Conference on Machine Learning*.



*Conference on Machine Learning, ICML 2015, 1, 448–456.*  
<https://arxiv.org/abs/1502.03167v3>

Jacobi, S., & Heistermann, M. (2016). Benchmarking attenuation correction procedures for six years of single-polarized C-band weather radar observations in South-West Germany. *Geomatics, Natural Hazards and Risk*, 7(6), 1785–1799. <https://doi.org/10.1080/19475705.2016.1155080>

Jing, J., Li, Q., Ding, X., Sun, N., Tang, R., & Cai, Y. (2019). AENN: a Generative Adversarial Neural Network for Weather Radar Echo Extrapolation. *ISPAR*, 42W9(3/W9), 89–94. <https://doi.org/10.5194/ISPRS-ARCHIVES-XLII-3-W9-89-2019>

Jing, J., Li, Q., & Peng, X. (2019). MLC-LSTM: Exploiting the Spatiotemporal Correlation between Multi-Level Weather Radar Echoes for Echo Sequence Extrapolation. *Sensors 2019*, Vol. 19, Page 3988, 19(18), 3988. <https://doi.org/10.3390/S19183988>

Jirak, I. L., Cotton, W. R., & McAnelly, R. L. (2003). Satellite and Radar Survey of Mesoscale Convective System Development. *Monthly Weather Review*, 131(10), 2428–2449. [https://doi.org/10.1175/1520-0493\(2003\)131](https://doi.org/10.1175/1520-0493(2003)131)

Johnson, J. T., MacKeen, P. L., Witt, A., Mitchell, E. D. W., Stumpf, G. J., Eilts, M. D., & Thomas, K. W. (1998). The storm cell identification and tracking algorithm: An enhanced WSR-88D algorithm. *Weather and Forecasting*, 13(2), 263–276.

Joseph, V. R. (2022). Optimal Ratio for Data Splitting. *Statistical Analysis and Data Mining*, 15(4), 531–538. <https://doi.org/10.1002/sam.11583>

Kingma, D. P., & Ba, J. L. (2014). Adam: A Method for Stochastic Optimization. *3rd International Conference on Learning Representations, ICLR 2015 - Conference Track Proceedings*. <https://arxiv.org/abs/1412.6980v9>

Kirschbaum, D., Kapnick, S. B., Stanley, T., & Pascale, S. (2020). Changes in extreme precipitation and landslides over High Mountain Asia. *Geophysical Research Letters*, 47(4), e2019GL085347.



- Klimowski, B. A., Hjelmfelt, M. R., & Bunkers, M. J. (2004). Radar Observations of the Early Evolution of Bow Echoes. *Weather and Forecasting*, 19(4), 727–734. [https://doi.org/10.1175/1520-0434\(2004\)019<0727:ROOTEE>2.0.CO;2](https://doi.org/10.1175/1520-0434(2004)019<0727:ROOTEE>2.0.CO;2)
- Krämer, S., & Verworn, H. R. (2008). Improved C-band radar data processing for real time control of urban drainage systems. *Proceedings of the 11th International Conference on Urban Drainage*, 31, 1–10.
- LeCun, Y. (1989). Generalization and Network Design Strategies. *Technical Report CRG-TR-89-4, University of Toronto*.
- LeCun, Y., Bengio, Y., & Hinton, G. (2015). Deep learning. *Nature*, 521(7553), 436–444.
- Leinonen, J., Hamann, U., Germann, U., & Mecikalski, J. R. (2022). Nowcasting thunderstorm hazards using machine learning: The impact of data sources on performance. *Natural Hazards and Earth System Sciences*, 22(2), 577–597. <https://doi.org/10.5194/NHESS-22-577-2022>
- Li, L., Schmid, W., & Joss, J. (1995). Nowcasting of motion and growth of precipitation with radar over a complex orography. *Journal of Applied Meteorology and Climatology*, 34(6), 1286–1300.
- Lismalini, Marzuki, Ali Shafii, M., & Yusnaini, H. (2021). Relationship between cloud vertical structures inferred from radiosonde humidity profiles and precipitation over Indonesia. *Journal of Physics: Conference Series*, 1876(1), 012011. <https://doi.org/10.1088/1742-6596/1876/1/012011>
- Liu, J., Xu, L., & Chen, N. (2022). A spatiotemporal deep learning model ST-LSTM-SA for hourly rainfall forecasting using radar echo images. *Journal of Hydrology*, 609, 127748.
- Liu, L., Zheng, J., Ruan, Z., Cui, Z., Hu, Z., Wu, S., Dai, G., & Wu, Y. (2015). Comprehensive radar observations of clouds and precipitation over the tibetan plateau and preliminary analysis of cloud properties. *Journal of Meteorological Research*, 29(4), 546–561. <https://doi.org/10.1007/S13351-015-4208-6/METRICS>



- Lloyd, S. P. (1982). Least Squares Quantization in PCM. *IEEE Transactions on Information Theory*, 28(2), 129–137. <https://doi.org/10.1109/TIT.1982.1056489>
- Lorenc, A. C. (1986). Analysis methods for numerical weather prediction. *Quarterly Journal of the Royal Meteorological Society*, 112(474), 1177–1194.
- Lorenz, E. N. (1969). The predictability of a flow which possesses many scales of motion. *Tellus*, 21(3), 289. <https://doi.org/10.3402/TELLUSA.V21I3.10086>
- Lu, M., Li, Y., Yu, M., Zhang, Q., Zhang, Y., Liu, B., & Wang, M. (2023). Spatiotemporal Prediction of Radar Echoes Based on ConvLSTM and Multisource Data. *Remote Sensing 2023, Vol. 15, Page 1279*, 15(5), 1279. <https://doi.org/10.3390/RS15051279>
- Luo, C., Li, X., Wen, Y., Ye, Y., & Zhang, X. (2021). A Novel LSTM Model with Interaction Dual Attention for Radar Echo Extrapolation. *Remote Sensing 2021, Vol. 13, Page 164*, 13(2), 164. <https://doi.org/10.3390/RS13020164>
- Malby, A. R., Whyatt, J. D., Timmis, R. J., Wilby, R. L., & Orr, H. G. (2007). Long-term variations in orographic rainfall: analysis and implications for upland catchments. *Hydrological Sciences Journal*, 52(2), 276–291. <https://doi.org/10.1623/hysj.52.2.276>
- Marshall, J. S., Langille, R. C., & Palmer, W. M. K. (1947). Measurement of rainfall by radar. *Journal of the Atmospheric Sciences*, 4(6), 186–192.
- McBride, J. L., Haylock, M. R., & Nicholls, N. (2003). Relationships between the Maritime Continent Heat Source and the El Niño–Southern Oscillation Phenomenon. *Journal of Climate*, 16(17), 2905–2914. [https://doi.org/10.1175/1520-0442\(2003\)016<2905:RBTMCH>2.0.CO;2](https://doi.org/10.1175/1520-0442(2003)016<2905:RBTMCH>2.0.CO;2)
- McInnes, L., Healy, J., & Melville, J. (2018). UMAP: Uniform Manifold Approximation and Projection for Dimension Reduction. <https://arxiv.org/abs/1802.03426v3>
- McRoberts, D. B., & Nielsen-Gammon, J. W. (2017). Detecting Beam Blockage in Radar-Based Precipitation Estimates. *Journal of Atmospheric and Oceanic Technology*, 34(7), 1407–1422. <https://doi.org/10.1175/JTECH-D-16-0174.1>



- Meischner, P., Dotzek, N., Hagen, M., & Höller, H. (2004). Understanding Severe Weather Systems Using Doppler and Polarisation Radar. In P. Meischner (Ed.), *Weather Radar: Principles and Advanced Applications* (pp. 167–198). Springer Berlin Heidelberg. [https://doi.org/10.1007/978-3-662-05202-0\\_6](https://doi.org/10.1007/978-3-662-05202-0_6)
- Mirza, M., & Osindero, S. (2014). *Conditional Generative Adversarial Nets*. <https://arxiv.org/abs/1411.1784v1>
- Moreau, E., Testud, J., & Le Bouar, E. (2009). Rainfall spatial variability observed by X-band weather radar and its implication for the accuracy of rainfall estimates. *Advances in Water Resources*, 32(7), 1011–1019. <https://doi.org/10.1016/J.ADVWATRES.2008.11.007>
- Nolen, R. H. (1959). A Radar Pattern Associated with Tornadoes. *Bulletin of the American Meteorological Society*, 40(6), 277–279. <https://doi.org/10.1175/1520-0477-40.6.277>
- Overeem, A., DE VRIES, H., Sakka, H. Al, Uijlenhoet, R., & Leijnse, H. (2021). Rainfall-Induced Attenuation Correction for Two Operational Dual-Polarization C-Band Radars in the Netherlands. *Journal of Atmospheric and Oceanic Technology*, 38(6), 1125–1142. <https://doi.org/10.1175/JTECH-D-20-0113.1>
- Overeem, A., Uijlenhoet, R., & Leijnse, H. (2020). Full-Year Evaluation of Nonmeteorological Echo Removal with Dual-Polarization Fuzzy Logic for Two C-Band Radars in a Temperate Climate. *Journal of Atmospheric and Oceanic Technology*, 37(9), 1643–1660. <https://doi.org/10.1175/JTECH-D-19-0149.1>
- Palmer, T. N., Döring, A., & Seregin, G. (2014). The real butterfly effect. *Nonlinearity*, 27(9), R123. <https://doi.org/10.1088/0951-7715/27/9/R123>
- Palmer, T. N., Shutts, G. J., Hagedorn, R., Doblas-Reyes, F. J., Jung, T., & Leutbecher, M. (2005). Representing model uncertainty in weather and climate prediction. *Annual Review of Earth and Planetary Sciences*, 33(Volume 33, 2005), 163–193. <https://doi.org/10.1146/ANNUREV.EARTH.33.092203.122552/CITE/REFW ORKS>



- Parker, M. D., & Johnson, R. H. (2000). Organizational Modes of Midlatitude Mesoscale Convective Systems. *Monthly Weather Review*, 128(10), 3413–3436. [https://doi.org/10.1175/1520-0493\(2001\)129<3413:OMOMMC>2.0.CO;2](https://doi.org/10.1175/1520-0493(2001)129<3413:OMOMMC>2.0.CO;2)
- Pulkkinen, S., Chandrasekar, V., Von Lerber, A., & Harri, A. M. (2020). Nowcasting of Convective Rainfall Using Volumetric Radar Observations. *IEEE Transactions on Geoscience and Remote Sensing*, 58(11), 7845–7859. <https://doi.org/10.1109/TGRS.2020.2984594>
- Reed, B. C. (2019). *Keplerian Ellipses*. Morgan & Claypool Publishers. <https://doi.org/10.1088/2053-2571/ab0303>
- Rew, R., & Davis, G. (1990). NetCDF: an interface for scientific data access. *IEEE Computer Graphics and Applications*, 10(4), 76–82. <https://doi.org/10.1109/38.56302>
- Reyniers, M. (2008). *Quantitative precipitation forecasts based on radar observations: Principles, algorithms and operational systems*. Institut Royal Météorologique de Belgique Brussel, Belgium.
- Rigo, T., & Llasat, M. C. (2007). Analysis of mesoscale convective systems in Catalonia using meteorological radar for the period 1996–2000. *Atmospheric Research*, 83(2–4), 458–472. <https://doi.org/10.1016/J.ATMOSRES.2005.10.016>
- Roebber, P. J. (2009). Visualizing Multiple Measures of Forecast Quality. *Weather and Forecasting*, 24(2), 601–608. <https://doi.org/10.1175/2008WAF2222159.1>
- Rosenfeld, D., Wolff, D. B., & Atlas, D. (1993). General probability-matched relations between radar reflectivity and rain rate. *Journal of Applied Meteorology and Climatology*, 32(1), 50–72.
- Rousseeuw, P. J. (1987). Silhouettes: A graphical aid to the interpretation and validation of cluster analysis. *Journal of Computational and Applied Mathematics*, 20(C), 53–65. [https://doi.org/10.1016/0377-0427\(87\)90125-7](https://doi.org/10.1016/0377-0427(87)90125-7)
- Salimans, T., Goodfellow, I., Zaremba, W., Cheung, V., Radford, A., & Chen, X. (2016). Improved Techniques for Training GANs. *Advances in Neural*



*Information Processing Systems*, 2234–2242.  
<https://arxiv.org/abs/1606.03498v1>

Schmidhuber, J. (2015). Deep learning in neural networks: An overview. *Neural Networks*, 61, 85–117.

Schreurs, K., Shapovalova, Y., Schmeits, M., Whan, K., & Heskes, T. (2021). *Precipitation Nowcasting using Generative Adversarial Networks*.

Schumacher, R. S., & Johnson, R. H. (2005). Organization and Environmental Properties of Extreme-Rain-Producing Mesoscale Convective Systems. *Monthly Weather Review*, 133(4), 961–976.  
<https://doi.org/10.1175/MWR2899.1>

Schumacher, R. S., & Rasmussen, K. L. (2020). The formation, character and changing nature of mesoscale convective systems. *Nature Reviews Earth & Environment* 2020 1:6, 1(6), 300–314. <https://doi.org/10.1038/s43017-020-0057-7>

Sebastianelli, S., Russo, F., Napolitano, F., & Baldini, L. (2013). On precipitation measurements collected by a weather radar and a rain gauge network. *Natural Hazards and Earth System Sciences*, 13(3), 605–623.  
<https://doi.org/10.5194/NHESS-13-605-2013>

Seltmann, J. E. E. (2021). *Weather Radar* (pp. 841–900).  
[https://doi.org/10.1007/978-3-030-52171-4\\_30](https://doi.org/10.1007/978-3-030-52171-4_30)

Shi, X., Chen, Z., Wang, H., Yeung, D. Y., Wong, W. K., & Woo, W. C. (2015). Convolutional LSTM Network: A Machine Learning Approach for Precipitation Nowcasting. *Advances in Neural Information Processing Systems*, 2015-January, 802–810. <https://arxiv.org/abs/1506.04214v2>

Shi, X., Gao, Z., Lausen, L., Wang, H., Yeung, D. Y., Wong, W. K., & Woo, W. C. (2017). Deep Learning for Precipitation Nowcasting: A Benchmark and A New Model. *Advances in Neural Information Processing Systems*, 2017-December, 5618–5628. <https://arxiv.org/abs/1706.03458v2>

Simonyan, K., & Zisserman, A. (2014). Very deep convolutional networks for large-scale image recognition. *ArXiv Preprint ArXiv:1409.1556*.



- Sindhu, K. D., & Bhat, G. S. (2018). Characteristics of monsoonal precipitating cloud systems over the Indian subcontinent derived from weather radar data. *Quarterly Journal of the Royal Meteorological Society*, 144(715), 1742–1760. <https://doi.org/10.1002/QJ.3328>
- Singh, P., & Kumar, N. (1997). Effect of orography on precipitation in the western Himalayan region. *Journal of Hydrology*, 199(1–2), 183–206. [https://doi.org/10.1016/S0022-1694\(96\)03222-2](https://doi.org/10.1016/S0022-1694(96)03222-2)
- Slingo, J., & Palmer, T. (2011). Uncertainty in weather and climate prediction. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 369(1956), 4751–4767. <https://doi.org/10.1098/RSTA.2011.0161>
- Smith, P. L. (1998). On the Minimum Useful Elevation Angle for Weather Surveillance Radar Scans. *Journal of Atmospheric and Oceanic Technology*, 15(3), 841–843. [https://doi.org/10.1175/1520-0426\(1998\)015<0841:OTMUEA>2.0.CO;2](https://doi.org/10.1175/1520-0426(1998)015<0841:OTMUEA>2.0.CO;2)
- Sokol, Z., Bližňák, V., Zacharov, P., & Skripníková, K. (2016). Nowcasting of hailstorms simulated by the NWP model COSMO for the area of the Czech Republic. *Atmospheric Research*, 171, 66–76.
- Sokol, Z., Szturc, J., Orellana-Alvear, J., Popová, J., Jurczyk, A., & Céllerí, R. (2021). The Role of Weather Radar in Rainfall Estimation and Its Application in Meteorological and Hydrological Modelling—A Review. *Remote Sensing* 2021, Vol. 13, Page 351, 13(3), 351. <https://doi.org/10.3390/RS13030351>
- Su, A., Li, H., Cui, L., & Chen, Y. (2020). A convection nowcasting method based on machine learning. *Advances in Meteorology*, 2020, 1–13.
- Sun, N., Zhou, Z., Li, Q., & Jing, J. (2022). Three-Dimensional Gridded Radar Echo Extrapolation for Convective Storm Nowcasting Based on 3D-ConvLSTM Model. *Remote Sensing* 2022, Vol. 14, Page 4256, 14(17), 4256. <https://doi.org/10.3390/RS14174256>
- Supari, Tangang, F., Salimun, E., Aldrian, E., Sopaheluwakan, A., & Juneng, L. (2018). ENSO modulation of seasonal rainfall and extremes in Indonesia.



- Climate Dynamics*, 51(7–8), 2559–2580. <https://doi.org/10.1007/S00382-017-4028-8/FIGURES/15>
- Surowiecki, A., & Taszarek, M. (2020). A 10-Year Radar-Based Climatology of Mesoscale Convective System Archetypes and Derechos in Poland. *Monthly Weather Review*, 148(8), 3471–3488. <https://doi.org/10.1175/MWR-D-19-0412.1>
- Sutskever, I., Vinyals, O., & Le, Q. V. (2014). Sequence to Sequence Learning with Neural Networks. *Advances in Neural Information Processing Systems*, 4(January), 3104–3112. <https://arxiv.org/abs/1409.3215v3>
- Szegedy, C., Vanhoucke, V., Ioffe, S., Shlens, J., & Wojna, Z. (2015). Rethinking the Inception Architecture for Computer Vision. *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition, 2016-December*, 2818–2826. <https://doi.org/10.1109/CVPR.2016.308>
- Tabary, P. (2007). The New French Operational Radar Rainfall Product. Part I: Methodology. *Weather and Forecasting*, 22(3), 393–408. <https://doi.org/10.1175/WAF1004.1>
- Tabary, P., Desplats, J., Do Khac, K., Eideliman, F., Gueguen, C., & Heinrich, J.-C. (2007). The New French Operational Radar Rainfall Product. Part II: Validation. *Weather and Forecasting*, 22(3), 409–427. <https://doi.org/10.1175/WAF1005.1>
- Teisberg, T. J., & Weiher, R. F. (2009). Background paper on the benefits and costs of early warning systems for major natural hazards. *World Bank, Washington, DC*.
- Tian, L., Li, X., Ye, Y., Xie, P., & Li, Y. (2020). A Generative Adversarial Gated Recurrent Unit Model for Precipitation Nowcasting. *IEEE Geoscience and Remote Sensing Letters*, 17(4), 601–605. <https://doi.org/10.1109/LGRS.2019.2926776>
- Tran, Q.-K., & Song, S. (2019). Computer vision in precipitation nowcasting: Applying image quality assessment metrics for training deep neural networks. *Atmosphere*, 10(5), 244.



- Uijlenhoet, R., & Berne, A. (2008). Stochastic simulation experiment to assess radar rainfall retrieval uncertainties associated with attenuation and its correction. *Hydrology and Earth System Sciences*, 12(2), 587–601. <https://doi.org/10.5194/hess-12-587-2008>
- UNISDR, T. (2004). Basic terms of disaster risk reduction. *United Nations International Strategy for Disaster Reduction (UNISDR)*, Geneva.
- Utsav, B., Deshpande, S. M., Das, S. K., & Pandithurai, G. (2017). Statistical Characteristics of Convective Clouds over the Western Ghats Derived from Weather Radar Observations. *Journal of Geophysical Research: Atmospheres*, 122(18), 10,050-10,076. <https://doi.org/10.1002/2016JD026183>
- Villarini, G., & Krajewski, W. F. (2010). Review of the different sources of uncertainty in single polarization radar-based estimates of rainfall. *Surveys in Geophysics*, 31(1), 107–129. <https://doi.org/10.1007/S10712-009-9079-X/FIGURES/2>
- Wang, X., Kinsland, G., Poudel, D., & Fenech, A. (2019). Urban flood prediction under heavy precipitation. *Journal of Hydrology*, 577, 123984.
- Weisman, M. L., Davis, C., Wang, W., Manning, K. W., & Klemp, J. B. (2008). Experiences with 0–36-h explicit convective forecasts with the WRF-ARW model. *Weather and Forecasting*, 23(3), 407–437.
- Wilson, J., Megenhardt, D., & Pinto, J. (2020). NWP and radar extrapolation: Comparisons and explanation of errors. *Monthly Weather Review*, 148(12), 4783–4798.
- Wilson, J. W., Crook, N. A., Mueller, C. K., Sun, J., & Dixon, M. (1998). Nowcasting thunderstorms: A status report. *Bulletin of the American Meteorological Society*, 79(10), 2079–2100.
- WMO. (2008). *Recommendations for the verification and intercomparison of QPFs and PQPFs from operational NWP models*. World Meteorological Organization Geneva, Switzerland.
- Wu, Y., Schuster, M., Chen, Z., Le, Q. V., Norouzi, M., Macherey, W., Krikun, M., Cao, Y., Gao, Q., & Macherey, K. (2016). Google’s neural machine



translation system: Bridging the gap between human and machine translation. *ArXiv Preprint ArXiv:1609.08144*.

- Xu, L., Niu, D., Zhang, T., Chen, P., Chen, X., & Li, Y. (2022). Two-Stage UA-GAN for Precipitation Nowcasting. *Remote Sensing* 2022, Vol. 14, Page 5948, 14(23), 5948. <https://doi.org/10.3390/RS14235948>
- Yoon, S. S., Shin, H., Heo, J. Y., & Choi, K. B. (2023). Assessment of Deep Learning-Based Nowcasting Using Weather Radar in South Korea. *Remote Sensing* 2023, Vol. 15, Page 5197, 15(21), 5197. <https://doi.org/10.3390/RS15215197>
- Zafar, A., Aamir, M., Mohd Nawi, N., Arshad, A., Riaz, S., Alrubaan, A., Dutta, A. K., & Almotairi, S. (2022). A Comparison of Pooling Methods for Convolutional Neural Networks. *Applied Sciences* 2022, Vol. 12, Page 8643, 12(17), 8643. <https://doi.org/10.3390/APP12178643>
- Zhang, F., Lai, C., & Chen, W. (2022). Weather Radar Echo Extrapolation Method Based on Deep Learning. *Atmosphere*, 13(5), 815.
- Zhou, M., Wu, J., Chen, M., & Han, L. (2024). Comparative study on the performance of ConvLSTM and ConvGRU in classification problems—taking early warning of short-duration heavy rainfall as an example. *Atmospheric and Oceanic Science Letters*, 17(4), 100494. <https://doi.org/10.1016/j.aosl.2024.100494>
- Zhu, D., Song, K., Mu, J., Huang, H., Du, H., Xiaozhuang, F., & Sun, C. (2021). Effect of climate change induced extreme precipitation on landslide activity in the Three Gorges Reservoir, China. *Bulletin of Engineering Geology and the Environment*, 80, 781–794.
- Zou, Y., Zhang, Y., & Cheng, K. (2021). Exploring the impact of climate and extreme weather on fatal traffic accidents. *Sustainability*, 13(1), 390.