

- Akeiber, H., Nejat, P., Majid, M. Z. Abd., Wahid, M. A., Jomehzadeh, F., Zeynali Famileh, I., Calautit, J. K., Hughes, B. R., & Zaki, S. A. (2016). A review on phase change material (PCM) for sustainable passive cooling in building envelopes. *Renewable and Sustainable Energy Reviews*, 60, 1470–1497. <https://doi.org/10.1016/j.rser.2016.03.036>
- Al-Absi, Z. A., Hafizal, M. I. M., & Ismail, M. (2023). Innovative PCM-incorporated foamed concrete panels for walls' exterior cladding: An experimental assessment in real-weather conditions. *Energy and Buildings*, 288, 113003. <https://doi.org/10.1016/j.enbuild.2023.113003>
- Aydin, O. (2000). Determination of optimum air-layer thickness in double-pane windows. *Energy and Buildings*, 32(3), 303–308. [https://doi.org/10.1016/S0378-7788\(00\)00057-8](https://doi.org/10.1016/S0378-7788(00)00057-8)
- Aye, L., Charters, W. W. S., Fandiño, A. M., & Robinson, J. R. W. (2005). Thermal Performance of Sustainable Energy Features.
- Badan Pengembangan Pusat Bahasa. (2016). KBBI VI Daring. <https://kbbi.kemdikbud.go.id/>
- Badiee, A. (2015). The impact of roofing material on building energy performance [M.S.C.E., The University of Alabama at Birmingham]. In ProQuest Dissertations and Theses. <https://www.proquest.com/docview/1679468201/abstract/F30D2B6924FC4FEAPQ/1>
- Barrios, G., Huelsz, G., Rojas, J., Ochoa, J. M., & Marincic, I. (2012). Envelope wall/roof thermal performance parameters for non air-conditioned buildings. *Energy and Buildings*, 50, 120–127. <https://doi.org/10.1016/j.enbuild.2012.03.030>
- Besir, A. B., & Cuce, E. (2018). Green roofs and facades: A comprehensive review. *Renewable and Sustainable Energy Reviews*, 82, 915–939. <https://doi.org/10.1016/j.rser.2017.09.106>
- BPS, B. P. S. (2020). Persentase Penduduk Daerah Perkotaan menurut Provinsi, 2010-2035. <https://www.bps.go.id/statictable/2014/02/18/1276/persentase-penduduk-daerah-perkotaan-hasil-proyeksi-penduduk-menurut-provinsi-2015---2035.html>
- BSN. (2020). SNI 6389:2020 : Konservasi energi selubung bangunan pada bangunan gedung. Jakarta:BSN
- Cividino, S., Halbac-Cotoara-Zamfir, R., & Salvati, L. (2020). Revisiting the “City Life Cycle”: Global Urbanization and Implications for Regional Development. *Sustainability*, 12(3), 1151. <https://doi.org/10.3390/su12031151>
- Defiana, I., & Erwindi, C. (2015). Study of Thermal Performance of ITS Rectorate Building as Energy Efficiency Efforts towards Sustainable Living. *Procedia - Social and Behavioral Sciences*, 179, 258–265. <https://doi.org/10.1016/j.sbspro.2015.02.429>

- DPUPKP. (2022). DPUPKP - Tipe Rumah Berdasarkan Luas Bangunan. <https://dpu.kulonprogokab.go.id/detil/772/tipe-rumah-berdasarkan-luas-bangunan>
- Effendi, A., & Miftahul. (2016). EVALUASI INTENSITAS KONSUMSI ENERGI LISTRIK MELALUI AUDIT AWAL ENERGI LISTRIK DI RSJ.PROF.HB.SAANIN PADANG. *Jurnal Teknik Elektro*, 5(2), Article 2.
- Elaouzy, Y., & El Fadar, A. (2022). Energy, economic and environmental benefits of integrating passive design strategies into buildings: A review. *Renewable and Sustainable Energy Reviews*, 167, 112828. <https://doi.org/10.1016/j.rser.2022.112828>
- Fang, H., Zhao, D., Yuan, J., Aili, A., Yin, X., Yang, R., & Tan, G. (2019). Performance evaluation of a metamaterial-based new cool roof using improved Roof Thermal Transfer Value model. *Applied Energy*, 248, 589–599. <https://doi.org/10.1016/j.apenergy.2019.04.116>
- Gorshkov, A. S., Vatin, N. I., Rymkevich, P. P., & Kydrevich, O. O. (2018). Payback period of investments in energy saving *Период возврата инвестиций в энергосбережение. Magazine of Civil Engineering*, 2.
- Groat, L. N., & Wang, D. (2013). *Architectural Research Methods*.
- Haines, R. W. (2010). *HVAC Systems Design Handbook*. [http://books.google.ie/books?id=iqZjAQAACAAJ&dq=HVAC+Systems+Design+Handbook&hl=&cd=4&source=gbs\\_api](http://books.google.ie/books?id=iqZjAQAACAAJ&dq=HVAC+Systems+Design+Handbook&hl=&cd=4&source=gbs_api)
- Halawa, E., Ghaffarianhoseini, A., Ghaffarianhoseini, A., Trombley, J., Hassan, N., Baig, M., Yusoff, S. Y., & Azzam Ismail, M. (2018). A review on energy conscious designs of building façades in hot and humid climates: Lessons for (and from) Kuala Lumpur and Darwin. *Renewable and Sustainable Energy Reviews*, 82, 2147–2161. <https://doi.org/10.1016/j.rser.2017.08.061>
- Hariyadi, A., Fukuda, H., & Ma, Q. (2017). The effectiveness of the parametric design ‘Sudare’ blind as external shading for energy efficiency and visibility quality in Jakarta. *Architectural Engineering and Design Management*, 13(5), 384–403. <https://doi.org/10.1080/17452007.2017.1296811>
- Hariyadi, A., Jati, E. S., Afif, N., & Taufiqoh, A. F. (2021). The comparison of device materials of sliding sudare using a prototyping method. *ARTEKS Jurnal Teknik Arsitektur*, 6(1), 45–54. <https://doi.org/10.30822/arteks.v6i1.569>
- Hay, R., & Ostertag, C. P. (2018). Life cycle assessment (LCA) of double-skin façade (DSF) system with fiber-reinforced concrete for sustainable and energy-efficient buildings in the tropics. *Building and Environment*, 142, 327–341. <https://doi.org/10.1016/j.buildenv.2018.06.024>
- He, Y., Lin, E. S., Tan, C. L., Yu, Z., Tan, P. Y., & Wong, N. H. (2021). Model development of Roof Thermal Transfer Value (RTTV) for green roof in tropical area: A case study in

<https://doi.org/10.1016/j.buildenv.2021.108101>

Hendron, R., & Engebrecht, C. (2010). Building America House Simulation Protocols (Revised) (NREL/TP-550-49246, DOE/GO-102010-3141, 989422; p. NREL/TP-550-49246, DOE/GO-102010-3141, 989422). <https://doi.org/10.2172/989422>

International Organization for Standardization. (n.d.). Building components and building elements—Thermal resistance and thermal transmittance—Calculation methods (ISO 6946:2017). Retrieved December 16, 2024, from <https://www.iso.org/obp/ui/en/#iso:std:iso:6946:ed-3:v2:en>

Jayakody, G. D. C., Weerasinghe, K. G. N. H., Jayasinghe, G. Y., & Halwatura, R. U. (2023). Economical sustainability of vertical greeneries in tropical climate. *Energy and Buildings*, 299, 113580. <https://doi.org/10.1016/j.enbuild.2023.113580>

Juanicó, L. E. (2020). Thermal insulation of roofs by using multiple air gaps separated by insulating layers of low infrared emissivity. *Construction and Building Materials*, 230, 116931. <https://doi.org/10.1016/j.conbuildmat.2019.116931>

Juanicó, L. E. (2017). Thermal insulators with multiple air gaps: Performance, cost and embodied impacts—ScienceDirect. [https://www.sciencedirect-com.ezproxy.ugm.ac.id/science/article/pii/S235271021730058X?ref=pdf\\_download&fr=RR-2&rr=814fb0245827357f](https://www.sciencedirect-com.ezproxy.ugm.ac.id/science/article/pii/S235271021730058X?ref=pdf_download&fr=RR-2&rr=814fb0245827357f)

Jenkins, A. (2013). Self-oscillation. *Physics Reports*, 525(2), 167–222. <https://doi.org/10.1016/j.physrep.2012.10.007>

KEMENPUPR. (2023). PUBLIC HOUSING MANAGEMENT: REVIEW OF RUSUNAWA POLICY IN CIMAHI CITY, INDONESIA - ProQuest. <https://www.proquest.com/docview/2574463750?pq-origsite=gscholar&fromopenview=true>

KEMENPUPR & The World Bank. (2023). Penyediaan Rumah yang Aman, Layak & Terjangkau di Indonesia; Kerjasama anantara Pemerintah Indonesia dan Bank Dunia melalui National Affordable Housing Program (NAHP). KEMENPUPR.

Karda, S., Nagy-György, T., & Boros, I. (2023). Evolution of the Payback Period for Energy-Efficient Residential Buildings in Romania in the Last Decade. *Sustainability*, 15(11), 8986. <https://doi.org/10.3390/su15118986>

Ladybug Tools. (2022). Ladybug Tools | Home Page. <https://www.ladybug.tools/>

Mangunwijaya, Y. B. (1998). BUKU - Pengantar Fisika Bangunan | PDF. <https://www.scribd.com/document/397241698/BUKU-Pengantar-Fisika-Bangunan>

Mitorogo, D. S., Widigdo, W. K., & Juniwati, A. (2013). Efektivitas Styrofoam sebagai Isolator Panas pada Atap Miring di Surabaya.

Nijssen, H., & van der Wal, A. (2019). Hot Property: The Housing Market in Major Cities. Springer International Publishing. <https://doi.org/10.1007/978-3-030-11674-3>

Novitasari, L. N. (2023). EFEKTIVITAS MODEL PENUTUP ATAP DARI BAN BEKAS.

Pasztery, Z., Peralta, P. N., & Peszlen, I. (2011). Multi-layer heat insulation system for frame construction buildings. *Energy and Buildings*, 43(2–3), 713–717. <https://doi.org/10.1016/j.enbuild.2010.11.016>

Perini, K., & Rosasco, P. (2013). Cost–benefit analysis for green façades and living wall systems. *Building and Environment*, 70, 110–121. <https://doi.org/10.1016/j.buildenv.2013.08.012>

Prasetya, A., Ho, A. D., & Kubota, T. (2023). Analysis of Typical Layout of Apartment Buildings in Indonesia. *Buildings*, 13(6), 1387. <https://doi.org/10.3390/buildings13061387>

Rafika, A. (2016). Pengaruh Variasi Material Penutup Atap terhadap Distribusi Temperatur pada Bentuk Atap Tradisional Joglo [Universitas Gadjah Mada]. <https://etd.repository.ugm.ac.id/penelitian/detail/108105>

Ramenyi, D., D, M., & F, B. (2007). The effective measurement and management of ICT costs and benefits (3rd edition). Elsevier eBooks. <https://centaur.reading.ac.uk/23228/>

Rawat, M., & Singh, R. N. (2022). A study on the comparative review of cool roof thermal performance in various regions. *Energy and Built Environment*, 3(3), 327–347. <https://doi.org/10.1016/j.enbenv.2021.03.001>

Rochimah, E. (2014). KAJIAN SUDUT KEMIRINGAN DAN ORIENTASI ATAP BANGUNAN TERHADAP PEROLEHAN NILAI RTTV (ROOF THERMAL TRANSFER VALUE) Studi Simulasi Model Bangunan Rumah Tinggal di Jakarta.

Saafi, K., & Daouas, N. (2018). A life-cycle cost analysis for an optimum combination of cool coating and thermal insulation of residential building roofs in Tunisia. *Energy*, 152, 925–938. <https://doi.org/10.1016/j.energy.2018.04.010>

Sadineni, S. B., Madala, S., & Boehm, R. F. (2011). Passive building energy savings: A review of building envelope components. *Renewable and Sustainable Energy Reviews*, 15(8), 3617–3631. <https://doi.org/10.1016/j.rser.2011.07.014>

Sauer, H. J., Howell, R. H., & Engineers, A. S. O. H. R. a. a. C. (1990). Principles of Heating, Ventilating, and Air Conditioning. [http://books.google.ie/books?id=uTM5AQAAIAAJ&q=Principles+of+Heating,+Ventilation,+and+Air+Conditioning&dq=Principles+of+Heating,+Ventilation,+and+Air+Conditioning&hl=&cd=5&source=gbs\\_api](http://books.google.ie/books?id=uTM5AQAAIAAJ&q=Principles+of+Heating,+Ventilation,+and+Air+Conditioning&dq=Principles+of+Heating,+Ventilation,+and+Air+Conditioning&hl=&cd=5&source=gbs_api)

Shao, Y., Parks, A., & Ostertag, C. P. (2022). Lightweight concrete façade with multiple air gaps for sustainable and energy-efficient buildings in Singapore. *Building and Environment*, 223, 109463. <https://doi.org/10.1016/j.buildenv.2022.109463>

SolarSME, Inc. <https://solarsme.com/calculating-the-payback-period-of-solar-panels-in-the-us/>

Staszczuk, A., & Kuczyński, T. (2021). The impact of wall and roof material on the summer thermal performance of building in a temperate climate. *Energy*, 228, 120482. <https://doi.org/10.1016/j.energy.2021.120482>

Suehrcke, H., Peterson, E. L., & Selby, N. (2008). Effect of roof solar reflectance on the building heat gain in a hot climate. *Energy and Buildings*, 40(12), 2224–2235. <https://doi.org/10.1016/j.enbuild.2008.06.015>

Sumardji. (2014). ANALISA SISI POSITIF DAN NEGATIF PEMILIHAN BENTUK ATAP BERPENUTUP GENTENG UNTUK RUMAH TINGGAL. <https://jurnal.polsri.ac.id/index.php/pilar/article/view/424/340>

Surahman, U., Hartono, D., Setyowati, E., & Jurizat, A. (2022). Investigation on household energy consumption of urban residential buildings in major cities of Indonesia during COVID-19 pandemic. *Energy and Buildings*, 261, 111956. <https://doi.org/10.1016/j.enbuild.2022.111956>

Suryandono, A. R., Hariyadi, A., & Fukuda, H. (2020). Environmental and Economic Benefits of Japanese KoshiInspired Mini-Louvres in Residential Buildings in Jakarta, Indonesia. *DOAJ* (DOAJ: Directory of Open Access Journals). <https://doi.org/10.7480/jfde.2020.2.4100>

Tang, R., Meir, I. A., & Wu, T. (2006). Thermal performance of non air-conditioned buildings with vaulted roofs in comparison with flat roofs. *Building and Environment*, 41(3), 268–276. <https://doi.org/10.1016/j.buildenv.2005.01.008>

Tushar, Q., Zhang, G., Bhuiyan, M. A., Giustozzi, F., Navaratnam, S., & Hou, L. (2022). An optimized solution for retrofitting building façades: Energy efficiency and cost-benefit analysis from a life cycle perspective. *Journal of Cleaner Production*, 376, 134257. <https://doi.org/10.1016/j.jclepro.2022.134257>

United Nations Environment Programme, U. N. E. P. (2021). 2021 GLOBAL STATUS REPORT FOR BUILDINGS AND CONSTRUCTION Towards a zero-emissions, efficient and resilient buildings and construction sector. Global Alliance for Building Construction. <https://globalabc.org>

U.S. Department of Energy. (2021). EnergyPlus™ Version 9.6.0 Documentation; Input Output Reference.

Utilities One. (2023). Optimizing Thermal Performance in Construction through Energy Recovery. Utilities One. <https://utilitiesone.com/optimizing-thermal-performance-in-construction-through-energy-recovery>

Vargaftik, N. B. (2020). Handbook of Thermal Conductivity of Liquids and Gases. CRC Press.

[http://books.google.ie/books?id=KboRAQAAMAAJ&q=Energy+Efficiency+Manual&dq=Energy+Efficiency+Manual&hl=&cd=1&source=gbs\\_api](http://books.google.ie/books?id=KboRAQAAMAAJ&q=Energy+Efficiency+Manual&dq=Energy+Efficiency+Manual&hl=&cd=1&source=gbs_api)

- Zhang, C., Wang, J., Li, L., & Gang, W. (2019). Dynamic thermal performance and parametric analysis of a heat recovery building envelope based on air-permeable porous materials. *Energy*, 189, 116361. <https://doi.org/10.1016/j.energy.2019.116361>
- Zhang, Y., Ma, G., Wu, G., Liu, S., & Gao, L. (2022). Thermally adaptive walls for buildings applications: A state of the art review. *Energy and Buildings*, 271, 112314. <https://doi.org/10.1016/j.enbuild.2022.112314>
- Zussman, C. (2021). Selecting the right R-Value insulation for your building's roof. *Pepper Construction*. <https://www.pepperconstruction.com/blog/selecting-right-r-value-insulation-your-buildings-roof>