

## DAFTAR PUSTAKA

- [1] M. W. Akhtar, S. A. Hassan, R. Ghaffar, H. Jung, S. Garg, and M. S. Hossain, “The shift to 6G communications: vision and requirements,” *Human-centric Comput. Inf. Sci.*, vol. 10, no. 1, 2020, doi: 10.1186/s13673-020-00258-2.
- [2] I. F. Akyildiz, A. Kak, and S. Nie, “6G and Beyond: The Future of Wireless Communications Systems,” *IEEE Access*, vol. 8, pp. 133995–134030, 2020, doi: 10.1109/ACCESS.2020.3010896.
- [3] F. Qamar, M. U. A. Siddiqui, M. H. D. N. Hindia, R. Hassan, and Q. N. Nguyen, “Issues, challenges, and research trends in spectrum management: A comprehensive overview and new vision for designing 6g networks,” *Electron.*, vol. 9, no. 9, pp. 1–39, 2020, doi: 10.3390/electronics9091416.
- [4] A. Ali *et al.*, “RaptorQ-Based Efficient Multimedia Transmission over Cooperative Cellular Cognitive Radio Networks,” *IEEE Trans. Veh. Technol.*, vol. 67, no. 8, pp. 7275–7289, 2018, doi: 10.1109/TVT.2018.2832292.
- [5] A. Ali *et al.*, “Hybrid Fuzzy Logic Scheme for Efficient Channel Utilization in Cognitive Radio Networks,” *IEEE Access*, vol. 7, pp. 24463–24476, 2019, doi: 10.1109/ACCESS.2019.2900233.
- [6] A. Yazar, S. Dogan-Tusha, and H. Arslan, “6G vision: An ultra-flexible radio access technology perspective,” *ITU J. Futur. Evol. Technol.*, vol. 1, no. 1, 2020.
- [7] M. Aggarwal, T. Velmurugan, M. Karuppiyah, M. M. Hassan, A. Almogren, and W. N. Ismail, “Probability-Based Centralized Device for Spectrum Handoff in Cognitive Radio Networks,” *IEEE Access*, vol. 7, pp. 26731–26739, 2019, doi: 10.1109/ACCESS.2019.2901237.
- [8] J. Mitola and G. Q. Maguire, “Cognitive radio: making software radios more personal,” *IEEE Pers. Commun.*, vol. 6, no. 4, pp. 13–18, 1999, doi: 10.1109/98.788210.
- [9] S. Srinivasa, “With Cognitive Radios : An Information Theoretic Perspective,” *Proc. IEEE*, vol. 97, no. 5, 2009.

- [10] A. Ali and W. Hamouda, “Advances on Spectrum Sensing for Cognitive Radio Networks: Theory and Applications,” *IEEE Commun. Surv. Tutorials*, vol. 19, no. 2, pp. 1277–1304, 2017, doi: 10.1109/COMST.2016.2631080.
- [11] S. D. Riskiono, S. Sulisty, I. W. Mustika, and S. Alam, “Review of Spectrum Handoff Schemes in Cognitive Radio Networks,” *Proc. - 2021 Int. Semin. Appl. Technol. Inf. Commun. IT Oppor. Creat. Digit. Innov. Commun. within Glob. Pandemic, iSemantic 2021*, pp. 137–143, 2021, doi: 10.1109/iSemantic52711.2021.9573192.
- [12] S. Selvakanmani and M. Sumathi, “A novel channel selection algorithm in cognitive radio networks,” *Appl. Math. Inf. Sci.*, vol. 11, no. 5, pp. 1499–1508, 2017, doi: 10.18576/amis/110529.
- [13] I. F. Akyildiz, W. Y. Lee, M. C. Vuran, and S. Mohanty, “NeXt generation/dynamic spectrum access/cognitive radio wireless networks: A survey,” *Comput. Networks*, vol. 50, no. 13, pp. 2127–2159, 2006, doi: 10.1016/j.comnet.2006.05.001.
- [14] L. C. Wang and A. Chen, “On the performance of spectrum handoff for link maintenance in cognitive radio,” *3rd Int. Symp. Wirel. Pervasive Comput. ISWPC 2008, Proc.*, pp. 670–674, 2008, doi: 10.1109/ISWPC.2008.4556294.
- [15] C. Salgado, C. Hernandez, V. Molina, and F. A. Beltran-Molina, “Intelligent Algorithm for Spectrum Mobility in Cognitive Wireless Networks,” *Procedia Comput. Sci.*, vol. 83, no. Ant, pp. 278–283, 2016, doi: 10.1016/j.procs.2016.04.126.
- [16] J. L. Castro, “Fuzzy Logic Controllers Are Universal Approximators,” *IEEE Trans. Syst. Man. Cybern.*, vol. 25, no. 4, pp. 629–635, 1995, doi: 10.1109/21.370193.
- [17] L. A. Zadeh, “Fuzzy sets,” *Studies in Fuzziness and Soft Computing*, vol. 222. Information and Control, pp. 338–353, 1965, doi: 10.1007/978-3-540-76290-4\_2.
- [18] S. Javed and B. Naeem, “Reduction of ping-pong effect in cognitive radio spectrum handoffs using fuzzy logic based inference,” *Proc. - 2018 UKSim-AMSS 20th Int. Conf. Model. Simulation, UKSim 2018*, pp. 9–13, 2018, doi: 10.1109/UKSim.2018.00014.
- [19] S. Alam, S. Sulisty, I. W. Mustika, and R. Adrian, “Review of Potential Methods for Handover Decision in V2V VANET,” *Proc. - 2019 Int. Conf. Comput. Sci. Inf. Technol.*

*Electr. Eng. ICOMITEE 2019*, pp. 237–243, 2019, doi: 10.1109/ICOMITEE.2019.8921117.

- [20] B. Naeem, S. Javed, M. K. Kasi, and K. A. Sani, “Hybrid Fuzzy Logic Engine for Ping-Pong Effect Reduction in Cognitive Radio Network,” *Wirel. Pers. Commun.*, vol. 116, no. 1, pp. 177–205, 2021, doi: 10.1007/s11277-020-07710-7.
- [21] U. Mir and A. Munir, “An adaptive handoff strategy for cognitive radio networks,” *Wirel. Networks*, vol. 24, no. 6, pp. 2077–2092, 2018, doi: 10.1007/s11276-017-1455-8.
- [22] P. Maheshwari and A. K. Singh, “A fuzzy logic based approach to spectrum assignment in cognitive radio networks,” *Souvenir 2015 IEEE Int. Adv. Comput. Conf. IACC 2015*, pp. 278–281, 2015, doi: 10.1109/IADCC.2015.7154713.
- [23] G. P. Joshi, S. Acharya, and S. W. Kim, “Fuzzy-logic-based channel selection in IEEE 802.22 WRAN,” *Inf. Syst.*, vol. 48, pp. 327–332, 2015, doi: 10.1016/j.is.2014.05.009.
- [24] J. S. Banerjee, A. Chakraborty, and A. Chattopadhyay, “Fuzzy based relay selection for secondary transmission in cooperative cognitive radio networks,” *Springer Proc. Phys.*, vol. 194, pp. 279–287, 2017, doi: 10.1007/978-981-10-3908-9\_34.
- [25] J. Jacob, B. R. Jose, and J. Mathew, “A fuzzy approach to decision fusion in cognitive Radio,” *Procedia Comput. Sci.*, vol. 46, no. Icict 2014, pp. 425–431, 2015, doi: 10.1016/j.procs.2015.02.040.
- [26] K. Kumar, A. Prakash, and R. Tripathi, “Spectrum handoff scheme with multiple attributes decision making for optimal network selection in cognitive radio networks,” *Digit. Commun. Networks*, vol. 3, no. 3, pp. 164–175, 2017, doi: 10.1016/j.dcan.2017.01.003.
- [27] S. D. Riskiono, S. Sulistiyo, and I. W. Mustika, “Fuzzy Tree Schematic for Spectrum Handoff Reduction in Cognitive Radio Networks,” *J. Commun.*, vol. 18, no. 7, pp. 453–461, 2023, doi: 10.12720/jcm.18.7.453-461.
- [28] S. D. Riskiono, S. Sulistiyo, and I. W. Mustika, “Improving Performance of Fuzzy-Based Handoff for Spectrum Utilization in Cognitive Radio Network Using Particle Swarm Optimization,” *J. Adv. Inf. Technol.*, vol. 14, no. 4, pp. 803–810, 2023, doi: 10.12720/jait.14.4.803-810.

- [29] G. Charan, M. Alrabeiah, and A. Alkhateeb, “Vision-Aided 6G Wireless Communications: Blockage Prediction and Proactive Handoff,” *IEEE Trans. Veh. Technol.*, vol. 9545, no. c, pp. 1–16, 2021, doi: 10.1109/TVT.2021.3104219.
- [30] K. Chatzikokolakis, P. Spapis, A. Kaloxylos, and N. Alonistioti, “Toward spectrum sharing: Opportunities and technical enablers,” *IEEE Commun. Mag.*, vol. 53, no. 7, pp. 26–33, 2015, doi: 10.1109/MCOM.2015.7158262.
- [31] S. Bharatula and M. Murugappan, “An Intelligent Fuzzy Based Energy Detection Approach for Cooperative Spectrum Sensing,” *Circuits Syst.*, vol. 07, no. 06, pp. 1042–1050, 2016, doi: 10.4236/cs.2016.76088.
- [32] R. Elgadi, A. R. Hilal, and O. Basir, “A fuzzy logic approach for cooperative spectrum sensing in cognitive radio networks,” *Can. Conf. Electr. Comput. Eng.*, pp. 0–3, 2017, doi: 10.1109/CCECE.2017.7946841.
- [33] S. Chatterjee, S. P. Maity, and T. Acharya, “On Optimal Threshold Selection in Cooperative Spectrum Sensing for Cognitive Radio Networks: An Energy Detection Approach Using Fuzzy Entropy Maximization,” *Wirel. Pers. Commun.*, vol. 84, no. 3, pp. 1605–1625, 2015, doi: 10.1007/s11277-015-2550-8.
- [34] S. Bhushan, R. S. Bali, and A. Kaur, “Spectrum hand off in Cognitive Radio Network using Dynamic Threshold,” *Proc. 2015 Int. Conf. Green Comput. Internet Things, ICGCIoT 2015*, pp. 1292–1297, 2016, doi: 10.1109/ICGCIoT.2015.7380665.
- [35] B. Wang and K. J. R. Liu, “Advances in cognitive radio networks: A survey,” *IEEE J. Sel. Top. Signal Process.*, vol. 5, no. 1, pp. 5–23, 2011, doi: 10.1109/JSTSP.2010.2093210.
- [36] J. Thomas and P. P. Menon, “A survey on spectrum handoff in cognitive radio networks,” *Proc. 2017 Int. Conf. Innov. Information, Embed. Commun. Syst. ICIIECS 2017*, vol. 2018-Janua, pp. 1–4, 2018, doi: 10.1109/ICIIECS.2017.8275896.
- [37] S. Zahed, I. Awan, and A. Cullen, “Analytical modeling for spectrum handoff decision in cognitive radio networks,” *Simul. Model. Pract. Theory*, vol. 38, pp. 98–114, 2013, doi: 10.1016/j.simpat.2013.07.003.
- [38] A. O. Bicen *et al.*, “Dedicated Radio Utilization for Spectrum Handoff and Efficiency in

Cognitive Radio Networks,” pp. 1–9, 2013.

- [39] P. Yi and Z. Yong, “A Novel Spectrum Handoff Method Based On Spectrum Reservation,” *TELKOMNIKA Indones. J. Electr. Eng.*, vol. 12, no. 1, pp. 653–660, 2014, doi: 10.11591/telkomnika.v12i1.3573.
- [40] A. Lertsinsruttavee, N. Malouch, and S. Fdida, “Spectrum handoff strategy using cumulative probability in cognitive radio networks,” *Int. Congr. Ultra Mod. Telecommun. Control Syst. Work.*, vol. 6, 2011.
- [41] and C. S. H. Chuan Pham\*, Nguyen H. Tran†, Cuong T. Do‡, Seung Il Moon§, “Spectrum handoff model based on preemptive queuing theory in cognitive radio networks,” *Proc. IEEE Int. Conf. Inf. Netw.*, vol. 64, no. 10, pp. 406–411, 2015, doi: 10.7498/aps.64.108403.
- [42] S. T. Talat, C. W. Wang, and L. C. Wang, “Spectrum decision for cognitive radio networks with various-bandwidth channels,” *IEEE Wirel. Commun. Netw. Conf. WCNC*, vol. 2016-Septe, no. Wcnc, 2016, doi: 10.1109/WCNC.2016.7564794.
- [43] C.-W. W. and L.-C. Wang, “Analysis of Reactive Spectrum Handoff in Cognitive Radio Networks,” *IEEE J. Sel. AREAS Commun.*, vol. 30, no. 10, pp. 2016–2028, 2012, doi: 10.1109/JSAC.2012.121116.
- [44] C. Yin, X. Tan, and L. Ma, “A hybrid handoff strategy based on dynamic spectrum aggregation in cognitive radio system,” *IEEE 2013 Tencon - Spring, TENCONSpring 2013 - Conf. Proc.*, pp. 213–217, 2013, doi: 10.1109/TENCONSpring.2013.6584442.
- [45] S. Haykin, “Cognitive Radio: Brain-Empowered Wireless Communications,” *IEEE J. Sel. Areas Commun.*, vol. 23, no. 2, pp. 201–220, 2005, doi: 10.1049/ir:20050504.
- [46] I. Christian, S. Moh, I. Chung, and J. Lee, “Spectrum mobility in cognitive radio networks,” *IEEE Commun. Mag.*, vol. 50, no. 6, pp. 114–121, 2012, doi: 10.1109/MCOM.2012.6211495.
- [47] J. Thomas and P. P. Menon, “A survey on spectrum handoff in cognitive radio networks,” *Proc. 2017 Int. Conf. Innov. Information, Embed. Commun. Syst. ICIIECS 2017*, vol. 2018-Janua, pp. 1–4, 2018, doi: 10.1109/ICIIECS.2017.8275896.



- [48] K. Tiwari and A. Rastogi, "Spectrum Handoff in Cognitive Radio Network," *IJARCCCE ISSN 2278-1021 ISSN 2319 5940 Int. J. Adv. Res. Comput. Commun. Eng.*, vol. 5, no. 4, pp. 1025–1030, 2016, doi: 10.17148/IJARCCCE.2016.54251.
- [49] P. Maheshwari, "Survei tentang Teknik Handoff Spektrum di Jaringan Radio Kognitif," pp. 996–1001, 2014.
- [50] U. Mir and Z. A. Bhatti, "Time triggered handoff schemes in cognitive radio networks: A survey," *J. Netw. Comput. Appl.*, vol. 102, no. May, pp. 71–85, 2018, doi: 10.1016/j.jnca.2017.11.008.
- [51] M. J. Piran, N. H. Tran, D. Y. Suh, J. Bin Song, C. S. Hong, and Z. Han, "QoE-Driven Channel Allocation and Handoff Management for Seamless Multimedia in Cognitive 5G Cellular Networks," *IEEE Trans. Veh. Technol.*, vol. 66, no. 7, pp. 6569–6585, 2017, doi: 10.1109/TVT.2016.2629507.
- [52] Y. Wu, Q. Yang, X. Liu, and K. S. Kwak, "Delay-Constrained Optimal Transmission with Proactive Spectrum Handoff in Cognitive Radio Networks," *IEEE Trans. Commun.*, vol. 64, no. 7, pp. 2767–2779, 2016, doi: 10.1109/TCOMM.2016.2561936.
- [53] A. Lertsinsruttavee, N. Malouch, and S. Fdida, "Hybrid spectrum sharing through adaptive spectrum handoff for cognitive radio networks," *2014 IFIP Netw. Conf. IFIP Netw. 2014*, 2014, doi: 10.1109/IFIPNetworking.2014.6857132.
- [54] W. Y. Lee and I. F. Akyildiz, "A spectrum decision framework for cognitive radio networks," *IEEE Trans. Mob. Comput.*, vol. 10, no. 2, pp. 161–174, 2011, doi: 10.1109/TMC.2010.147.
- [55] M. P. Mishra and D. P. Vidyarthi, "Spectrum Handoff in Cognitive Radio Cellular Network: A Review," *Proc. 2019 8th Int. Conf. Syst. Model. Adv. Res. Trends, SMART 2019*, pp. 210–215, 2019, doi: 10.1109/SMART46866.2019.9117491.
- [56] C. W. Wang, L. C. Wang, and F. Adachi, "Modeling and analysis for reactive-decision spectrum handoff in cognitive radio networks," *GLOBECOM - IEEE Glob. Telecommun. Conf.*, 2010, doi: 10.1109/GLOCOM.2010.5683644.
- [57] I. Ahmad, I. Hermadi, and Y. Arkeman, "Financial Feasibility Study of Waste Cooking Oil

- Utilization for Biodiesel Production Using ANFIS,” *TELKOMNIKA Indones. J. Electr. Eng.*, vol. 13, no. 3, pp. 546–554, 2015, doi: 10.11591/telkomnika.v13i3.7122.
- [58] MathWorks, “FIS Trees,” 2022. [https://www.mathworks.com/help/fuzzy/fuzzy-trees.html?searchHighlight=fuzzy tree&s\\_tid=srchtitle\\_support\\_results\\_1\\_fuzzy tree](https://www.mathworks.com/help/fuzzy/fuzzy-trees.html?searchHighlight=fuzzy%20tree&s_tid=srchtitle_support_results_1_fuzzy%20tree).
- [59] I. Kustiawan, C. Y. Liu, and D. F. Hsu, “Vertical Handoff Decision Using Fuzzification and Combinatorial Fusion,” *IEEE Commun. Lett.*, vol. 21, no. 9, pp. 2089–2092, 2017, doi: 10.1109/LCOMM.2017.2709750.
- [60] V. Maniscalco and F. Lombardo, “A PSO-based approach to optimize the triangular membership functions in a fuzzy logic controller,” *AIP Conf. Proc.*, vol. 1906, 2017, doi: 10.1063/1.5012474.
- [61] L. Barolli, F. Xhafa, A. Durresi, and A. Kovama, “A fuzzy-based handover system for avoiding ping-pong effect in wireless cellular networks,” *Proc. Int. Conf. Parallel Process. Work.*, pp. 135–142, 2008, doi: 10.1109/ICPP-W.2008.11.
- [62] L. Giupponi and A. I. Pérez-Neira, “Fuzzy-based spectrum handoff in cognitive radio networks,” *Proc. 3rd Int. Conf. Cogn. Radio Oriented Wirel. Networks Commun. CrownCom 2008*, 2008, doi: 10.1109/CROWNCOM.2008.4562535.