

## LIST OF CONTENT

COVER.....	i
TITLE PAGE.....	ii
VALIDATION PAGE.....	iii
PLAGIARISM STATEMENT.....	iv
PREFACE.....	v
LIST OF CONTENT.....	vi
LIST OF TABLES.....	viii
LIST OF FIGURES.....	ix
LIST OF ATTACHMENT.....	x
INTISARI.....	xi
ABSTRACT.....	xii
<b>I. INTRODUCTION.....</b>	<b>13</b>
A. Scientific Background.....	13
B. Scientific Problem.....	14
C. Aims.....	15
D. Benefits.....	15
<b>II. LITERATURE REVIEW AND HYPOTHESIS.....</b>	<b>16</b>
A. Literature Review.....	16
1. Mung bean ( <i>Vigna radiata</i> (L.) R. Wilczek).....	16
2. Fungal Diseases on Mung bean ( <i>Vigna radiata</i> (L.) R. Wilczek).....	17
3. <i>Rhizoctonia solani</i> Kühn.....	18
4. Binucleate <i>Rhizoctonia</i> (BNR).....	21
B. Hypothesis.....	23
<b>III. RESEARCH METHODS.....</b>	<b>24</b>
A. Time and Place.....	24
B. Materials and Equipment.....	24
C. Methods.....	24
1. The Making of PDA (Potato Dextrose Agar) Media.....	24
2. Pathogenic Fungi Isolate Collection and Characterization ( <i>Rhizoctonia solani</i> ).....	25
3. Pathogenicity Test for Pathogenic Fungi.....	25
4. Isolation & Identification of Binucleate <i>Rhizoctonia</i> (BNR).....	26
5. <i>In vitro</i> Experiment of Binucleate <i>Rhizoctonia</i> (BNR) Isolates Against Pathogenic Fungi ( <i>Rhizoctonia solani</i> ).....	26
6. <i>In vivo</i> Experiment on Mung bean ( <i>Vigna radiata</i> (L.) R. Wilczek) with Inoculation of <i>Rhizoctonia solani</i> and <i>Ceratorhiza</i> sp.....	28
D. Data Analysis.....	30
<b>IV. RESULTS AND DISCUSSION.....</b>	<b>31</b>
A. Pathogenic Fungi Isolate Collection and Characterization ( <i>Rhizoctonia solani</i> ).....	31
B. Pathogenicity Test for Pathogenic Fungi.....	32
C. BNR Isolation and Identification.....	33



D. <i>In vitro</i> Experiment of Binucleate <i>Rhizoctonia</i> (BNR) Isolates Against Pathogenic Fungi ( <i>Rhizoctonia solani</i> ).....	36
E. <i>In vivo</i> Experiment on Mung bean ( <i>Vigna radiata</i> (L.) R. Wilczek) with Inoculation of <i>Rhizoctonia solani</i> and <i>Ceratorhiza</i> sp.....	39
V. CONCLUSION.....	48
REFERENCES.....	49
ATTACHMENT.....	57

## LIST OF TABLES

	Page
Table 1 The Virulence Values of <i>R. solani</i> Based on Disease Severity Index (DSI) based on Sneh <i>et al.</i> (2004).....	29
Table 2 Characteristics Comparison Between W6 Isolate and <i>Rhizoctonia solani</i> According to Budiarti <i>et al.</i> , (2019) and Hendel <i>et al.</i> , (2023).....	32
Table 3 Characteristics Comparison Between Isolate B1 and <i>Ceratorhiza</i> sp. According to Zelmer & Currah (1995) and Athipunyakom <i>et al.</i> , (2004).....	35
Table 4 Inhibition Percentage of Treatment Using BNR ( <i>Ceratorhiza</i> sp.).....	36
Table 5 Root infection disease intensity by <i>R. solani</i> in mung bean plants with BNR treatment.....	40
Table 6 Average of Healthy Leaves on Mung Bean Leaves with Inoculation of <i>R. solani</i> for 7 Weeks After Inoculation (WAI).....	42
Table 7 Fresh Weight and Dry Weight of Mung Bean Roots and Shoots After 7 Weeks.....	45

## LIST OF FIGURES

	Page	
Figure 1	Root rot diseases that caused by Fungi in Mung bean ( <i>Vigna radiata</i> (L.) R. Wilczek) (Pandey <i>et al.</i> , 2021).....	18
Figure 2	Brown colony colour in <i>Rhizoctonia solani</i> that cultured in PDA media (Gondal <i>et al.</i> , 2019).....	20
Figure 3	Microscopic characterization of <i>Rhizoctonia solani</i> . (A) Septate hyphae with right-angle branch; (B) multinucleate cells (Betancourth-García <i>et al.</i> , 2021).....	20
Figure 4	<i>Rhizoctonia</i> -like mycorrhizae right-angle branch from <i>Dendrobium</i> orchids (Soelistijono <i>et al.</i> , 2020).....	22
Figure 5	Binucleate cells in endomycorrhiza fungi (Suresh <i>et al.</i> , 2023).....	22
Figure 6	Monilioid cells in endomycorrhiza fungi (Suresh <i>et al.</i> , 2023).....	23
Figure 7	Dual culture method. R1, R2= <i>Rhizoctonia solani</i> ; BNR= Binucleate <i>Rhizoctonia</i> ( <i>Ceratorhiza</i> sp.) (Ahlem <i>et al.</i> , 2012).....	27
Figure 8	Colony of W6 isolate aged 7 days on PDA media, front view (A) and back view (B).....	31
Figure 9	Microscopic structure of W6 isolate. Septate hyphae with branch that produced right angle (A) and multinucleate in each cells (B).....	31
Figure 10	Red lesions (RL) on Mung bean ( <i>Vigna radiata</i> (L.) R. Wilczek) root.....	33
Figure 11	Figure 11. Colony of isolate B1 aged 7 days on CMA media, front view (A) and back view (B).....	33
Figure 12	Microscopic view of isolate B1, hyphae with right angle and binucleate (b) (A) and monilioid cell (M) with barrel shaped (B).....	34
Figure 13	<i>In Vitro</i> experiment of BNR isolates against pathogenic fungi ( <i>R. solani</i> ). Control ( <i>R. solani</i> ) (A) and <i>R. solani</i> + <i>Ceratorhiza</i> sp. (B). <i>R. solani</i> colony (R) and <i>Ceratorhiza</i> sp. colony (C).....	37
Figure 14	Entanglement hyphae between the pathogenic fungi, <i>R. solani</i> and the BNR isolate, <i>Ceratorhiza</i> sp.. Hyphae of <i>R. solani</i> (A) and hyphae of <i>Ceratorhiza</i> sp. (B).....	38
Figure 15	Results of roots colonization. Internal hyphae of <i>R. solani</i> (A); Internal hyphae of <i>R. solani</i> + <i>Ceratorhiza</i> sp. (B); External hyphae of <i>Ceratorhiza</i> sp. (C); Control (Without any inoculation) (D).....	42
Figure 16	Average of Healthy Leaves on Mung Bean Leaves with Inoculation of <i>R. solani</i> for 7 Weeks After Inoculation (WAI).....	44

## LIST OF ATTACHMENT

	Page
1. Data Analysis of Diseases Intensity on Mung Bean Plants that Inoculated with <i>R. solani</i> .....	57
2. Data Analysis of Average of Healthy Leaves on Mung Bean Plants with Inoculation of <i>R. solani</i> for 7 Weeks After Inoculation (WAI).....	57
3. Data Analysis of Average of Plant Height on Mung Bean Plants with Inoculation of <i>R. solani</i> for 7 Weeks After Inoculation (WAI).....	59
4. Data Analysis of Fresh Weight and Dry Weight of Mung Bean Roots and Shoots.....	62