

REFERENCES

- Ahlem, H., Mohammed, E., Badoc, A., & Ahmed, L. (2012). Effect of pH, temperature and water activity on the inhibition of *Botrytis cinerea* by *Bacillus amyloliquefaciens* isolates. *African Journal of Biotechnology*, 11(9), 2210–2217. <https://doi.org/10.5897/AJB11.645>
- Ajayi-Oyetunde, O. O., & Bradley, C. A. (2018). *Rhizoctonia solani*: taxonomy, population biology and management of *rhizoctonia* seedling disease of soybean. *Plant Pathology*, 67(1), 3–17. <https://doi.org/10.1111/ppa.12733>
- Al-Fadhal, F. A., AL-Abedy, A. N., & Alkhafije, D. A. (2019). Isolation and molecular identification of *Rhizoctonia solani* and *Fusarium solani* isolated from cucumber (*Cucumis sativus* L.) and their control feasibility by *Pseudomonas fluorescens* and *Bacillus subtilis*. *Egyptian Journal of Biological Pest Control*, 29(1). <https://doi.org/10.1186/s41938-019-0145-5>
- Ali, M., & Samosir, I. Y. (2022). Uji Antagonisme Jamur Endofit Tanaman Aren (*Arenga pinnata* Merr.) terhadap *Ganoderma boninense* Pat. Penyebab Penyakit Busuk Pangkal Batang Kelapa Sawit. *Agrikultura*, 32(3), 304. <https://doi.org/10.24198/agrikultura.v32i3.36611>
- Al-Jaradi, A., Al-Mahmooli, I., Janke, R., Maharachchikumbura, S., Al-Saady, N., & Al-Sadi, A. M. (2018). Isolation and identification of pathogenic fungi and oomycetes associated with beans and cowpea root diseases in Oman. *PeerJ*, 6(e6064), e6064. <https://doi.org/10.7717/peerj.6064>
- Ardho, A. A., & Mardhiansyah, M. (2024). Pengaruh pemberian kompos batang pisang terhadap pertumbuhan semai pulai (*Alstonia scholaris*). *ULIN: Jurnal Hutan Tropis*, 8(2), 1. <https://doi.org/10.32522/ujht.v8i2.11903>
- Athipunyakom, P., Manoch, L., & Piluek, C. (2004). Isolation and Identification of Mycorrhizal Fungi from Eleven Terrestrial Orchids. *Journal Genetic Plant Breeding*, 38(2), 216–228.
- Baza, M., Shanka, D., & Bibiso, M. (2022). Agronomic and economic performance of mung bean (*Vigna radiata* L.) varieties in response to rates of blended NPS fertilizer in Kindo Koysha district, Southern Ethiopia. *Open Life Sciences*, 17(1), 1053–1063. <https://doi.org/10.1515/biol-2022-0461>
- Betancourth-García, C. A., Castro-Caicedo, B. L., Quiroz-Ojeda, C., Sañudo-Sotelo, B., Florez-Casanova, C., & Salazar-González, C. (2021). Morphology and pathogenicity of *Rhizoctonia solani* Kühn associated with potato black scurf in Nariño (Colombia). *Revista Colombiana de Ciencias Hortícolas*, 15(1). <https://doi.org/10.17584/rcch.2021v15i1.11821>
- Budiarti, S. W., Lukman, R., Sumardiyono, C., Wibowo, A., & Priyatmojo, A. (2019). Effect of photoperiod on the cultural morphology of *Rhizoctonia*

solani isolates of maize from Yogyakarta and Central Java, Indonesia. *Biodiversitas: Journal of Biological Diversity*, 20(7).
<https://doi.org/10.13057/biodiv/d200732>

- Chandwani, S., Maiti, S., & Amaresan, N. (2023). Fungal mycorrhizae from plants roots. In *Microbial Symbionts* (pp. 133–160). Elsevier.
- Chaudhary, S., Laughlin, D. A., Setamou, M., da Graça, J. V., Kunta, M., Alabi, O. J., Crosby, K. M., Ong, K. L., & Ancona, V. (2020). Incidence, severity, and characterization of *Phytophthora* foot rot of citrus in Texas and implications for disease management. *Plant Disease*, 104(9), 2455–2461.
<https://doi.org/10.1094/pdis-07-19-1493-re>
- Daryanti, D., & Haryuni, H. (2017). Pengaruh Inokulasi *Rhizoctonia* Binukleat (Bnr) Dan Variasi Penyiraman Terhadap Kadar Nitrogen, Posfor Tanah Dan Pertumbuhan Vanili (*Vanilla Planifolia* Andrews.). *Jurnal Ilmiah Agrineca*, 17(1), 38–45.
- Degefa, I. (2016). General Characteristics and Genetic Improvement Status of Mung bean (*Vigna radiata* L.) in Ethiopia : Review Article. *International Journal of Agriculture Innovations and Research*, 5(2), 232–235.
- Ding, R., Chen, X.-H., Zhang, L.-J., Yu, X.-D., Qu, B., Duan, R., & Xu, Y.-F. (2014). Identity and specificity of *Rhizoctonia*-like fungi from different populations of *Liparis japonica* (Orchidaceae) in northeast China. *PLoS One*, 9(8), e105573. <https://doi.org/10.1371/journal.pone.0105573>
- Doehlemann, G., Ökmen, B., Zhu, W., & Sharon, A. (2017). Plant pathogenic fungi. *Microbiology Spectrum*, 5(1).
<https://doi.org/10.1128/microbiolspec.funk-0023-2016>
- Erper, I., Karaca, G. H., Ozkoc, I., & Turkkan, M. (2012). Binucleate *Rhizoctonia repens* Bernard as a Biocontrol Agent against Damping-off Disease of Cucumber Plants. *The European Journal of Plant Science and Biotechnology*, 7, 58–61.
- Faisal, M., Ahmad, U., & Wulandani, D. (2019). Determination of mung bean seed viability change in vacuum packaging during storage in different temperatures. *IOP Conference Series. Materials Science and Engineering*, 557(1). <https://doi.org/10.1088/1757-899x/557/1/012074>
- Farida, N., Harmi, J., & Kusmarwiyah, R. (2024). Pertumbuhan dan Hasil Tanaman Kangkung Darat (*Ipomea reptans* Poir.) pada Beberapa Jarak Tanam dan Pemberian Pupuk Bokashi Kotoran Kambing Dosis yang Berbeda. *Jurnal Silva Samalas*, 7(1), 17. <https://doi.org/10.33394/jss.v7i1.12106>
- Fashola, M. O., Ajilogba, C. F., Aremu, B. R., & Babalola, O. O. (2023). Airborne fungi and mycotoxins. In *Aeromicrobiology* (pp. 147–175). Elsevier.

- Fendiyanto, M. H., & Satrio, R. D. (2020). Identification, aflatoxin content, and antagonistic test of spoilage fungi in bread to *Aspergillus niger*. *Bioteknologi*, 17(2), 60–66.
- Gavito, M. E., Jakobsen, I., Mikkelsen, T. N., & Mora, F. (2019). Direct evidence for modulation of photosynthesis by an arbuscular mycorrhiza-induced carbon sink strength. *The New Phytologist*, 223(2), 896–907. <https://doi.org/10.1111/nph.15806>
- Gondal, A. S., Rauf, A., & Naz, F. (2019). Anastomosis Groups of *Rhizoctonia solani* associated with tomato foot rot in Pothohar Region of Pakistan. *Scientific Reports*, 9(1). <https://doi.org/10.1038/s41598-019-40043-5>
- Hapsari, R. T., Trustinah, & Iswanto, R. (2018). Diversity of local Indonesian Mungbean germplasm based on morphological quantitative and qualitative traits. *IOP Conference Series. Earth and Environmental Science*, 197, 012036. <https://doi.org/10.1088/1755-1315/197/1/012036>
- Haryuni, H., & Dewi, T. S. K. (2016). The effects of Dose *Rhizoctonia* Binucleate (BNR) and phosphorus to Nitrate Reductase Activity (NRA) and chlorophyll of Vanilla Seedling (*Vanilla planifolia* Andrews). *Biosaintifika*, 8(2), 141. <https://doi.org/10.15294/biosaintifika.v8i2.6328>
- Haryuni, H., Harahap, A. F. P., Supartini, Priyatmojo, A., & Gozan, M. (2020). The Effects of Biopesticide and *Fusarium oxysporum* f.sp. *vanillae* on the Nutrient Content of Binucleate *Rhizoctonia*-Induced Vanilla Plant. *International Journal of Agronomy*, 2020, 1–6. <https://doi.org/10.1155/2020/5092893>
- Hendel, P., Moliszewska, E., Nabrdalik, M., Kudrys, P., & Knap, N. (2023). *Rhizoctonia solani* AG5 and its offspring – Morphology and sensitivity to fungicides. *Acta Mycologica*, 57. <https://doi.org/10.5586/am.578>
- Hou, D., Yousaf, L., Xue, Y., Hu, J., Wu, J., Hu, X., Feng, N., & Shen, Q. (2019). Mung bean (*Vigna radiata* L.): Bioactive polyphenols, polysaccharides, peptides, and health benefits. *Nutrients*, 11(6), 1238. <https://doi.org/10.3390/nu11061238>
- Hwang, J., & Benson, D. M. (2003). Expression of induced systemic resistance in poinsettia cuttings against *Rhizoctonia* stem rot by treatment of stock plants with binucleate *Rhizoctonia*. *Biological Control: Theory and Applications in Pest Management*, 27(1), 73–80. [https://doi.org/10.1016/s1049-9644\(02\)00185-8](https://doi.org/10.1016/s1049-9644(02)00185-8)

- Izzatinnisa', I., Utami, U., & Mujahidin, A. (2020). Uji Antagonisme Beberapa Fungi Endofit pada Tanaman Kentang terhadap *Fusarium oxysporum* secara *In Vitro*. *Jurnal Riset Biologi Dan Aplikasinya*, 2(1), 18. <https://doi.org/10.26740/jrba.v2n1.p18-25>
- Jain, A., Sarsaiya, S., Wu, Q., Lu, Y., & Shi, J. (2019). A review of plant leaf fungal diseases and its environment speciation. *Bioengineered*, 10(1), 409–424. <https://doi.org/10.1080/21655979.2019.1649520>
- Kang, Y. J., Kim, S. K., Kim, M. Y., Lestari, P., Kim, K. H., Ha, B.-K., Jun, T. H., Hwang, W. J., Lee, T., Lee, J., Shim, S., Yoon, M. Y., Jang, Y. E., Han, K. S., Taeprayoon, P., Yoon, N., Somta, P., Tanya, P., Kim, K. S., ... Lee, S.-H. (2014). Genome sequence of mungbean and insights into evolution within *Vigna* species. *Nature Communications*, 5(1), 5433. <https://doi.org/10.1038/ncomms6443>
- Kasiamdari, R. S., Smith, S. E., Smith, F. A., & Scott, E. S. (2002). Influence of the mycorrhizal fungus, *Glomus coronatum*, and soil phosphorus on infection and disease caused by binucleate *Rhizoctonia* and *Rhizoctonia solani* on mung bean (*Vigna radiata*). *Plant and Soil*, 238(2), 235–244. <https://doi.org/10.1023/a:1014400701819>
- Khan, M. R., Haque, Z., Rasool, F., Salati, K., Khan, U., Mohiddin, F. A., & Zuhair, M. (2019). Management of root-rot disease complex of mungbean caused by *Macrophomina phaseolina* and *Rhizoctonia solani* through soil application of *Trichoderma* spp. *Crop Protection (Guildford, Surrey)*, 119, 24–29. <https://doi.org/10.1016/j.cropro.2019.01.014>
- Khaterine, & Kasiamdari, R. S. (2016). Uji Antagonisme Tiga Isolat Fungi Endofit Anggrek Bulan Terhadap *Fusarium Oxysporum* Secara *in vitro*. *Biogenesis*, 4(1), 47–52. <https://doi.org/10.24252/bio.v4i1.1120>
- Kurnia, A. T., Pinem, M. I., & Oemry, S. (2014). Penggunaan Jamur Endofit Untuk Mengendalikan *Fusarium Oxysporum* f.sp. *Capsici* Dan *Alternaria Solani* Secara *in Vitro*. *Jurnal Agroekoteknologi Universitas Sumatera Utara*, 2(4), 1596–1606.
- Lemańczyk, G., Lisiecki, K., & Piesik, D. (2023). Binucleate *Rhizoctonia* strain: A potential biocontrol agent in wheat production. *Agronomy (Basel, Switzerland)*, 13(2), 523. <https://doi.org/10.3390/agronomy13020523>
- Manasikana, A., Sulandari, S., & Priyatmojo, A. (2021). Diversity of *Rhizoctonia solani* Isolates of Rice Varieties of Ciherang, IR 64, Mekongga, and Situ Bagendit. *Jurnal Fitopatologi [Indonesian Journal of Phytopathology]*, 17(4), 141–150. <https://doi.org/10.14692/jfi.17.4.141-150>

- Mayo, S., Gutiérrez, S., Malmierca, M. G., Lorenzana, A., Campelo, M. P., Hermosa, R., & Casquero, P. A. (2015). Influence of *Rhizoctonia solani* and *Trichoderma* spp. in growth of bean (*Phaseolus vulgaris* L.) and in the induction of plant defense-related genes. *Frontiers in Plant Science*, 6. <https://doi.org/10.3389/fpls.2015.00685>
- Moliszewska, E., Hendel, P., & Nabrdalik, M. (2023). *Rhizoctonia* spp. as beneficial and mycorrhizal fungi. In *The Chemical Dialogue Between Plants and Beneficial Microorganisms* (pp. 213–220). Elsevier.
- Moliszewska, E., Maculewicz, D., & Stępniewska, H. (2023). Characterization of three-nucleate *Rhizoctonia* AG-E based on their morphology and phylogeny. *Scientific Reports*, 13(1), 17328. <https://doi.org/10.1038/s41598-023-44448-1>
- Muhibuddin, A., Setiyowati, E. M., & Sektiono, A. W. (2022). Mechanism Antagonism of *Trichoderma viride* Against Several Types of Pathogens and Production of Secondary Metabolites. *Agrosaintifika*, 4(1), 243–253. <https://doi.org/10.32764/agrosaintifika.v4i1.2375>
- Muryati, S., Mansur, I., & Budi, S. W. (2017). Diversity Arbuscular Mycorrhizal Fungi from *Desmodium* spp. PT. Cibaliung Sumberdaya, Banten. *Journal of Tropical Silviculture*, 7(3), 188–197. <https://doi.org/10.29244/j-siltrop.7.3.188-197>
- Nair, R. M., Pandey, A. K., War, A. R., Hanumantharao, B., Shwe, T., Alam, A., Pratap, A., Malik, S. R., Karimi, R., Mbeyagala, E. K., Douglas, C. A., Rane, J., & Schafleitner, R. (2019). Biotic and abiotic constraints in Mungbean production—progress in genetic improvement. *Frontiers in Plant Science*, 10, 1340. <https://doi.org/10.3389/fpls.2019.01340>
- Nasution, L. Z., Hanum, C., & Delvian. (2020). The roles of FMA in increasing growth and effectiveness of soybean roots on dry land supporting sustainable agriculture in Deli Serdang District. *IOP Conference Series. Earth and Environmental Science*, 454(1), 012151. <https://doi.org/10.1088/1755-1315/454/1/012151>
- Pandey, A. K., Burlakoti, R. R., Kenyon, L., & Nair, R. M. (2018). Perspectives and Challenges for Sustainable Management of Fungal Diseases of Mungbean [*Vigna radiata* (L.) R. Wilczek var. *radiata*]: A Review. *Frontiers in Environmental Science*, 6, 1-11. <https://doi.org/10.3389/fenvs.2018.00053>
- Pandey, A. K., Yee, M., Win, M. M., Moh Lwin, H. M., Adapala, G., Rathore, A., Sheu, Z.-M., & Nair, R. M. (2021). Identification of new sources of resistance to dry root rot caused by *Macrophomina phaseolina* isolates from India and Myanmar in a mungbean mini-core collection. *Crop Protection*

(Guildford, Surrey), 143(105569), 105569.
<https://doi.org/10.1016/j.cropro.2021.105569>

- Parke, J. L. (1991). Root colonization by indigenous and introduced microorganisms. In *The Rhizosphere and Plant Growth* (pp. 33–42). Springer Netherlands.
- Phillips, J. M., & Hayman, D. S. (1970). Improved procedures for clearing roots and staining parasitic and vesicular-arbuscular mycorrhizal fungi for rapid assessment of infection. *Transactions of the British Mycological Society*, 55(1), 158-161. [https://doi.org/10.1016/s0007-1536\(70\)80110-3](https://doi.org/10.1016/s0007-1536(70)80110-3)
- Putra, F. P., & Ismoyojati, R. (2021). Monitoring of maize root growth on N, P, and K fertilization using rhizotron. *Jurnal Ilmiah Pertanian*, 17(2), 74–79. <https://doi.org/10.31849/jip.v17i2.5748>
- Putra, S. S., Putra, E. T. S., & Widada, J. (2020). The effects of types of manure and mycorrhizal applications on sandy soils on the growth and yield of curly red chili (*Capsicum annum* L.). *Caraka Tani Journal of Sustainable Agriculture*, 35(2), 258-267. <https://doi.org/10.20961/carakatani.v35i2.34971>
- Rahmianna, A. A., Basuki, T., Kote, M., Seran, Y. L., & Rachaputi, R. C. N. (2021). Increasing productivity of mungbean (*Vigna radiata* (L.) Wilczek) under subsistence farming in Eastern Indonesia. *IOP Conference Series. Earth and Environmental Science*, 911(1), 012029. <https://doi.org/10.1088/1755-1315/911/1/012029>
- Senapati, M., Tiwari, A., Sharma, N., Chandra, P., Bashyal, B. M., Ellur, R. K., Bhowmick, P. K., Bollinedi, H., Vinod, K. K., Singh, A. K., & Krishnan, S. G. (2022). *Rhizoctonia solani* Kühn pathophysiology: Status and prospects of sheath blight disease management in rice. *Frontiers in Plant Science*, 13, 881116. <https://doi.org/10.3389/fpls.2022.881116>
- Shan, X. C., Liew, E. C. Y., Weatherhead, M. A., & Hodgkiss, I. J. (2002). Characterization and taxonomic placement of *Rhizoctonia*-like endophytes from orchid roots. *Mycologia*, 94(2), 230–239. <https://doi.org/10.1080/15572536.2003.11833228>
- Sneh, B., Yamoah, E., & Stewart, A. (2004). Hypovirulent *Rhizoctonia* spp. isolates from New Zealand soils protect radish seedlings against damping off caused by *R. solani*. *New Zealand Plant Protection*, 57, 54–58. <https://doi.org/10.30843/nzpp.2004.57.6889>
- Soelistijono, R., D.s. Utami, Daryanti, M. Faizin, & R. Dian. (2020). Short Communication: Characterization of *Rhizoctonia*-like mycorrhizae associated with five *Dendrobium* species in Java, Indonesia. *Biodiversitas*:

Journal of Biological Diversity, 21(3), 1007-1011.
<https://doi.org/10.13057/biodiv/d210321>

- Suresh, L., Raveendran, R., & Decruse, W. (2023). In vitro symbiotic seed germination in *Vanda wightii*, an endemic orchid species of Western Ghats, India supported by Ceratobasidiaceae isolates. *Plant Science Today*. 375-384. <https://doi.org/10.14719/pst.2367>
- Suryantini, R., & Soelistijono, R. (2021). *RHIZOCTONIA* LaWAn atau KawAN Pemahaman tentang *Rhizoctonia* dalam bidang kehutanan berikut cara isolasi dan identifikasinya. Penerbit CV. SARNU UNTUNG.
- Thaines Bodah, E. (2017). Root rot diseases in plants: A review of common causal agents and management strategies. *Agricultural Research & Technology : Open Access Journal*, 5(3), 555661. <https://doi.org/10.19080/artoaj.2017.05.555661>
- Torey, P. C., Nio, S. A., Siahaan, P., & Mambu, S. M. (2014). Karakter morfologi akar sebagai indikator kekurangan air pada padi lokal Superwin (Root-morphological characters as water-deficit indicators in local rice Superwin). *JURNAL BIOS LOGOS*, 3(2), 57-62. <https://doi.org/10.35799/jbl.3.2.2013.4431>
- Wahono, E., Izzati, M., & Parman, S. (2018). Interaksi antara Tingkat Ketersediaan Air dan Varietas terhadap Kandungan Prolin serta Pertumbuhan Tanaman Kedelai (*Glycine max* L. Merr). *Buletin Anatomi Dan Fisiologi*, 3(1), 11-19. <https://doi.org/10.14710/baf.3.1.2018.11-19>
- Waqar, S., Bhat, A. A., & Khan, A. A. (2024). Endophytic fungi: Unravelling plant-endophyte interaction and the multifaceted role of fungal endophytes in stress amelioration. *Plant Physiology and Biochemistry*, 206(108174), 108174. <https://doi.org/10.1016/j.plaphy.2023.108174>
- Widowati, R., Winarno, W., Sulaksono, C., & Guntur, N. D. (2022). Sebaran Serangan Penyakit Busuk Akar Pangkal Batang *Xylaria* spp. (Xylariaceae; Ascomycota) di wilayah PG Cintamanis. *Indonesian Sugar Research Journal*, 2(1), 1–11. <https://doi.org/10.54256/isrj.v2i1.59>
- Wijiyanti, P., Hastuti, E. D., & Haryanti, S. (2019). Pengaruh Masa Inkubasi Pupuk dari Air Cucian Beras Terhadap Pertumbuhan Tanaman Sawi Hijau (*Brassica juncea* L.). *Buletin Anatomi Dan Fisiologi*, 4(1), 21–28. <https://doi.org/10.14710/baf.4.1.2019.21-28>
- Xue, L., Charest, P. M., & Jabaji-Hare, S. H. (1998). Systemic induction of peroxidases, 1,3-beta-glucanases, chitinases, and resistance in bean plants by binucleate *Rhizoctonia* species. *Phytopathology*, 88(4), 359–365. <https://doi.org/10.1094/PHYTO.1998.88.4.359>

Zelmer, C. D., & Currah, R. S. (1995). *Ceratorhiza pernacatena* and *Epulorhiza calendulina* spp.nov.: mycorrhizal fungi of terrestrial orchids. *Canadian Journal of Botany. Journal Canadien de Botanique*, 73(12), 1981–1985. <https://doi.org/10.1139/b95-212>

Zhao, X., Hou, D., Xu, J., Wang, K., & Hu, Z. (2022). Antagonistic activity of fungal strains against *Fusarium* crown rot. *Plants*, 11(3), 255. <https://doi.org/10.3390/plants11030255>