

DAFTAR PUSTAKA

- Abreu, A. P., Rui C. M., Jos´e A. T. & Joao N., 2022. A Comparison Between Microalgal Autotrophic Growth and Metabolite Accumulation with Heterotrophic, Mixotrophic and Photoheterotrophic Cultivation Modes. *Renewable and Sustainable Energy Reviews*, 159(1), pp.1-22.
- Al-Ashra, M. S., Mohamed A., Ahmad A., 2014. Morphological and Molecular Taxonomical Study of *Euglena viridis* Ehren and *Euglena gracilis* Klebs Growing in Aleppo, Syria. *JKAU: Sci.*, 26(2), pp: 3-18.
- Antonio Lutz Advisors, G., Giacomo Cao, I., & Alessandro Concas, I. (2022). Analysis of the growth of microalgae in batch and semi-batch photobioreactors. *Uniwersytet Ślaski*, 343–354. <https://iris.unica.it/handle/11584/266200>
- Aoe, S., Yamanaka, C., Nishioka, M., Onaka, N., Nishida, N., & Takahashi, M. (2019). Effects of paramylon extracted from euglena gracilis EOD-1 on parameters related to metabolic syndrome in diet-induced obese mice. *Nutrients*, 11(7), 1–13. <https://doi.org/10.3390/nu11071674>
- Bligh, & Dyer. (1959). a rapid method of total lipid extraction and purification. 37.
- Brányiková, I., Maršálková, B., Doucha, J., Brányik, T., Bišová, K., Zachleder, V., & Vítová, M. (2011). Microalgae-novel highly efficient starch producers. *Biotechnology and Bioengineering*, 108(4), 766–776. <https://doi.org/10.1002/bit.23016>
- Breil, C., Abert Vian, M., Zemb, T., Kunz, W., & Chemat, F. (2017). “Bligh and Dyer” and Folch methods for solid–liquid–liquid extraction of lipids from microorganisms. *Comprehension of solvation mechanisms and towards substitution with alternative solvents. International Journal of Molecular Sciences*, 18(4), 1–21. <https://doi.org/10.3390/ijms18040708>
- Breuer, G., Lamers, P. P., Martens, D. E., Draaisma, R. B., & Wijffels, R. H. (2012). The impact of nitrogen starvation on the dynamics of triacylglycerol accumulation in nine microalgae strains. *Bioresource Technology*, 124, 217–226. <https://doi.org/10.1016/j.biortech.2012.08.003>
- Brown, M. R., Dunstan, G. A., Torred, S. J., & Mzller, K. A. (1996). effects of harvest stage and light o n t h e biochemical composition o f t h e diatom thalassiosira pseudonana ’ Marine microalgae are the primary food source for at least some stages in the life cycle of most in their nutritional value , frequently beca. *Journal of Phycology*, 73, 64–73

- Cramer, M. & Myers, J., 1952. Growth and Photosynthetic Characteristics of *Euglena graeilis*. *Archiv für Mikrobiologie*, 17(1), pp. 384-402.
- Dolganyuk, V., Daria B., Olga B., Alexander P., Svetlana I., Dmitry K., Nikolai P. & Stanislav S., 2020. Microalgae: A Promising Source of Valuable Bioproducts. *Biomolecules*, 10(1153), pp.1-24.
- Erfianti, T., K. Q. Maghfiroh, R Amelia, D Kurnianto, B. R. Sadewo, S. Marno, I. Devi, N. Dewayanto, A. Budiman, & E. A. Suyono., 2023. Nitrogen Sources Affect the Growth of Local Strain *Euglena* sp. Isolated from Dieng Peatland, Central Java, Indonesia, and their potential as Bio-Avtur. *IOP Conf. Series: Earth and Environmental Science*, 1151, pp.1-10.
- Fan, P., Li, Y., Deng, R., Zhu, F., Cheng, F., Song, G., Mi, W., & Bi, Y. (2022). Mixotrophic Cultivation Optimization of Microalga *Euglena pisciformis* AEW501 for Paramylon Production. *Marine Drugs*, 20(8). <https://doi.org/10.3390/md20080518>
- Ferdous, U. T., & Balia Yusof, Z. N. (2021). Insight into potential anticancer activity of algal flavonoids: Current status and challenges. *Molecules*, 26(22), 1–12. <https://doi.org/10.3390/molecules26226844>
- Fitri, K., Sri P. A., Ahmad J. & Faturrahman, 2022. In Vitro Evaluation of Seagrass Extracts as a Prevention of Microfouling Formation. *Jurnal Biologi Tropis*, 22(4), pp.1098 –1107.
- Gattuso, J. P., Magnan, A. K., Bopp, L., Cheung, W. W. L., Duarte, C. M., Hinkel, J., Mcleod, E., Micheli, F., Oschlies, A., Williamson, P., Billé, R., Chalastani, V. I., Gates, R. D., Irisson, J. O., Middelburg, J. J., Pörtner, H. O., & Rau, G. H. (2018). Ocean solutions to address climate change and its effects on marine ecosystems. *Frontiers in Marine Science*, 5(OCT). <https://doi.org/10.3389/fmars.2018.00337>
- Gissibl, A., Sun, A., Care, A., Nevalainen, H., & Sunna, A. (2019). Bioproducts From *Euglena gracilis*: Synthesis and Applications. *Frontiers in Bioengineering and Biotechnology*, 7(May), 1–16. <https://doi.org/10.3389/fbioe.2019.00108>
- Grimm, P., Risse, J. M., Cholewa, D., Müller, J. M., Beshay, U., Friehs, K., & Flaschel, E. (2015). Applicability of *Euglena gracilis* for biorefineries demonstrated by the production of α -tocopherol and paramylon followed by anaerobic digestion. *Journal of Biotechnology*, 215, 72–79. <https://doi.org/10.1016/j.jbiotec.2015.04.004>
- Grubišić, M., Ivančić Šantek, M., & Šantek, B. (2019). Potential of microalgae for the production of different biotechnological products.

Chemical and Biochemical Engineering Quarterly, 33(2), 161–181. <https://doi.org/10.15255/CABEQ.2019.1657>

Gunawan-Puteri, M. D. P. T., Fortunata, S. A., Mursito, E., & Wijaya, C. H. (2019). Application of quick tempe technology for production of overripe tempe. *IOP Conference Series: Earth and Environmental Science*, 292(1). <https://doi.org/10.1088/1755-1315/292/1/012060>

Guillard, R.R.L. and Ryther, J.H. (1962) Studies on Marine Planktonic Diatoms I. *Cyclotella nana* Hustedt and *Detonula confervacea* (Cleve) Gran. *Canadian Journal of Microbiology*, 8, 229-239. <https://doi.org/10.1139/m62-029>

Häder, D. P., & Hemmersbach, R. (2022). *Euglena*, a Gravitactic Flagellate of Multiple Usages. *Life*, 12(10), 1–21. <https://doi.org/10.3390/life12101522>

Harun, R., Jason, W. S. Y., Cherrington, T., & Danquah, M. K. (2010). WITHDRAWN: Microalgal biomass as a cellulosic fermentation feedstock for, bioethanol production. *Renewable and Sustainable Energy Reviews*, 9905. <https://doi.org/10.1016/j.rser.2010.07.071>

Humphrey, I., Chendo, M. A. C., Njah, A. N., & Nwankwo, D. I. (2021). Optimization of microalgae growth for biofuel production using a new empirical dynamic model. *Biofuels*, 12(10), 1209–1224. <https://doi.org/10.1080/17597269.2019.1608012>

Husna, F., Rachmawati, B., Samudra, T. T., Pradana, Y. S., Budiman, A., & Suyono, E. A. (2020). Effectivity of various media for biomass and lipid production of mixed culture of glagah in open pond. *AIP Conference Proceedings*, 2260(September). <https://doi.org/10.1063/5.0016181>

Hussain, F., Shah, S. Z., Ahmad, H., Abubshait, S. A., Abubshait, H. A., Laref, A., Manikandan, A., Kusuma, H. S., & Iqbal, M. (2021). Microalgae an ecofriendly and sustainable wastewater treatment option: Biomass application in biofuel and bio-fertilizer production. A review. *Renewable and Sustainable Energy Reviews*, 137 (Nov 2020), 110603. <https://doi.org/10.1016/j.rser.2020.110603>

Huzir, N. M., Aziz, M. M. A., Ismail, S. B., Abdullah, B., Mahmood, N. A. N., Umor, N. A., & Syed Muhammad, S. A. F. ad. (2018). Agro-industrial waste to biobutanol production: Eco-friendly biofuels for next generation. *Renewable and Sustainable Energy Reviews*, 94(November 2017), 476–485. <https://doi.org/10.1016/j.rser.2018.06.036>

- Indahsari, H. S., Tassakka, A. C. M. A. R., Dewi, E. N., Yuwono, M., & Suyono, E. A. (2022). Effects of Salinity and Bioflocculation during *Euglena* sp. Harvest on the Production of lipid, Chlorophyll, and Carotenoid with *Skeletonema* sp. as a Bioflocculant. *Journal of Pure and Applied Microbiology*, *16*(4), 2901–2911. <https://doi.org/10.22207/JPAM.16.4.65>
- Ivušić, F., & Šantek, B. (2015). Optimization of complex medium composition for heterotrophic cultivation of *Euglena gracilis* and paramylon production. *Bioprocess and Biosystems Engineering*, *38*(6), 1103–1112. <https://doi.org/10.1007/s00449-015-1353-3>
- Izadpanah, M., Gheshlaghi, R., Mahdavi, M. A., & Elkamel, A. (2018). Effect of light spectrum on isolation of microalgae from urban wastewater and growth characteristics of subsequent cultivation of the isolated species. *Algal Research*, *29* (November 2017), 154–158. <https://doi.org/10.1016/j.algal.2017.11.029>
- Jerez-Martel, I., García-Poza, S., Rodríguez-Martel, G., Rico, M., Afonso-Olivares, C., & Gómez-Pinchetti, J. L. (2017). Phenolic profile and antioxidant activity of crude extracts from microalgae and cyanobacteria strains. *Journal of Food Quality*, *2017*. <https://doi.org/10.1155/2017/2924508>
- Kadar, A. D., Astawan, M., Putri, S. P., & Fukusaki, E. (2020). Metabolomics based study of the effect of raw materials to the end product of tempe—an indonesian fermented soybean. *Metabolites*, *10*(9), 1–11. <https://doi.org/10.3390/metabo10090367>
- Kalumbang, Y. P., Saputra, H. Y., Yulfa, R. I., Azzahra, K., & Saputra, A. Y. (2023). Recycle Strategy for Processing Waste of the Sanan Tempeh Industrial Centre: Prevention of Air Pollution. *IOP Conference Series: Earth and Environmental Science*, *1165*(1). <https://doi.org/10.1088/1755-1315/1165/1/012002>
- Khan, M. I., Lee, M. G., Seo, H. J., Shin, J. H., Shin, T. S., Yoon, Y. H., Kim, M.Y., Choi, J. Il, & Kim, J. D. (2016). Enhancing the feasibility of *Microcystis aeruginosa* as a Feedstock for Bioethanol production under the influence of various factors. *BioMed Research International*, *2016*. <https://doi.org/10.1155/2016/4540826>
- Schwartzbach, Steven D, S. S. (2017). *Euglena: Biochemistry, Cell and Molecular Biology*.
- Park WK, Moon M, Kwak MS, Jeon S, Choi GG, Yang JW, Lee B. Use of orange peel extract for mixotrophic cultivation of *Chlorella vulgaris*: increased production of biomass and FAMES. *Bioresour Technol*. 2014 Nov; *171*:343-9. doi: 10.1016/j.biortech.2014.08.109. Epub 2014 Aug 30. PMID: 25218207.

- Praharyawan, S., 2021. Peningkatan Produksi Biomassa Sebagai Strategi Jitu dalam Mempercepat Produksi Biodiesel Berbasis Mikroalga di Indonesia. *Jurnal Bioteknologi & Biosains Indonesia*, 8(2), pp. 294-320.
- Rivas B, Torrado A, Torre P, Converti A, Domínguez JM. Submerged citric acid fermentation on orange peel autohydrolysate. *J Agric Food Chem*. 2008 Apr 9;56(7):2380-7. doi: 10.1021/jf073388r. Epub 2008 Mar 6. PMID: 18321055.
- Rubiyatno, Matsui, T., Mori, K., & Toyama, T. (2021). Paramylon production by *Euglena gracilis* via mixotrophic cultivation using sewage effluent and waste organic compounds. *Bioresource Technology Reports*, 15(May). <https://doi.org/10.1016/j.biteb.2021.100735>
- Schagerl, M., Siedler, R., Konopáčová, E., & Ali, S. S. (2022). Estimating Biomass and Vitality of Microalgae for Monitoring Cultures: A Roadmap for Reliable Measurements. *Cells*, 11(15). <https://doi.org/10.3390/cells11152455>
- Schuermans, R. M., Van Alphen, P., Schuurmans, J. M., Matthijs, H. C. P., & Hellingwerf, K. J. (2015). Comparison of the photosynthetic yield of cyanobacteria and green algae: Different methods give different answers. *PLoS ONE*, 10(9), 1–17. <https://doi.org/10.1371/journal.pone.0139061>
- Schwartzbach, Steven D, S. S. (2017). *Euglena: Biochemistry, Cell and Molecular Biology*.
- Schwarzahans, JP., Cholewa, D., Grimm, P. *et al*. Dependency of the fatty acid composition of *Euglena gracilis* on growth phase and culture conditions. *J Appl Phycol* 27, 1389–1399 (2015). <https://doi.org/10.1007/s10811-014-0458-4>
- Serri, N. A., Anbalagan, L., Norafand, N. Z., Kassim, M. A., & Abu Mansor, M.S. (2020). Preliminary study on the growth of *Tetraselmis suecica* in centred- light photobioreactor (CLPBR). *IOP Conference Series: Materials Science and Engineering*, 716(1), 0–8. <https://doi.org/10.1088/1757-899X/716/1/012008>
- Shen, Y., Chen, H., Wang, J., Zhang, S., Jiang, C., Ye, J., Wang, L., & Chen, J. (2020). Two-stage interaction performance of CO₂ absorption into biphasic solvents: Mechanism analysis, quantum calculation and energy consumption. *Applied Energy*, 260 (July 2019), 114343. <https://doi.org/10.1016/j.apenergy.2019.114343>

- Stephen Morton, David Pencheon, Neil Squires, Sustainable Development Goals (SDGs), and their implementation: A national global framework for health, development and equity needs a systems approach at every level, *British Medical Bulletin*, Volume 124, Issue 1, December 2017, Pages 81–90, <https://doi.org/10.1093/bmb/ldx031>
- Yoo, C., Jun, S., Lee, J., Ahn, C., & Oh, H. (2010). Bioresource Technology Selection of microalgae for lipid production under high levels karbon dioxide. *Bioresource Technology*, 101(1), S71–S74. <https://doi.org/10.1016/j.biortech.2009.03.030>
- Zarrinmehr, M. J., Farhadian, O., Heyrati, F. P., Keramat, J., Koutra, E., Kornaros, M., & Daneshvar, E. (2020). Effect of nitrogen concentration on the growth rate and biochemical composition of the microalga, *Isochrysis galbana*. *Egyptian Journal of Aquatic Research*, 46(2), 153–158. <https://doi.org/10.1016/j.ejar.2019.11.003>
- Zhao, B., & Su, Y. (2020). Macro assessment of microalgae-based CO2 sequestration: Environmental and energy effects. *Algal Research*, 51(June), 102066. <https://doi.org/10.1016/j.algal.2020.102066>
- Zhu, S., Huang, W., Xu, J., Wang, Z., Xu, J., & Yuan, Z. (2014). Bioresource Technology Metabolic changes of starch and lipid triggered by nitrogen starvation in the microalga *Chlorella zofingiensis*. *BIORESOURCE TECHNOLOGY*, 152, 292–298. <https://doi.org/10.1016/j.biortech.2013.10.092>