

## DAFTAR PUSTAKA

- Abdillah, A. A., & Charles, A. L. 2021. Characterization of a natural biodegradable edible film obtained from arrowroot starch and iota-carrageenan and application in food packaging. *International Journal of Biological Macromolecules*, 191(August), 618–626. <https://doi.org/10.1016/j.ijbiomac.2021.09.141>
- Abedi, S., F. E. Far, & M. K. Hussain. 2012. Effect of haruan (*Channa striata*) based cream on acute inflammation in croton oil induced mice ear edema model. *Researches Journal of Biology Science*. 7(4), 181-187.
- Afroz, S., Manzur, T., & Anwar Hossain, K. M. 2020. Arrowroot as bio-admixture for performance enhancement of concrete. *Journal of Building Engineering*, 30(November 2019), 101313. <https://doi.org/10.1016/j.jobbe.2020.101313>
- Ai, C., C. Zhao, C. Xiang, Y. Zheng, S. Zhong, H. Teng & L. Chen. 2023. Gum arabic as a sole wall material for constructing nanoparticle to enhance the stability and bioavailability of curcumin. *Food Chemistry: X*. X 18 (100724): 1-7.
- Alves, N. N., Messaoud, G. Ben, Desobry, S., Costa, J. M. C., & Rodrigues, S. 2016. Effect of drying technique and feed flow rate on bacterial survival and physicochemical properties of a non-dairy fermented probiotic juice powder. *Journal of Food Engineering*, 189, 45–54. <https://doi.org/10.1016/j.jfoodeng.2016.05.023>.
- Arpagaus, C., Collenberg, A., Rütli, D., Assadpour, E., & Jafari, S. M. 2018. Nano spray drying for encapsulation of pharmaceuticals. *International Journal of Pharmaceutics*, 546(1–2): 194–214. <https://doi.org/10.1016/j.ijpharm.2018.05.037>.
- Arte, K. S., C. W. Tower, T. T. Mutukuri, Y. Chen, S. M. Patel, E. J. Munson and Q. T. Zhou. 2024. Understanding the impact of mannitol on physical stability and aerosolization of Spray-dried Protein Powders for inhalation. *International Journal of Pharmaceutics*. 650: 1-10.
- Asfar, M., & Tawali, A. B. 2019. Ekstraksi Albumin Titik Isoelektriknya Gabus (*Channa striata*). 1(1), 6–12.
- Astuti, R. M., Widaningrum, Asiah, N., Setyowati, A., & Fitriawati, R. 2018. Effect of physical modification on granule morphology, pasting behavior, and functional properties of arrowroot (*Marantha arundinacea* L) starch. *Food Hydrocolloids*, 81, 23–30. <https://doi.org/10.1016/j.foodhyd.2018.02.029>.

- Atgie, M., J. C. Garrigues, A. Chenneviere, O. Masbernat & K. Roger. 2019. Gum Arabic in solution: Composition and multi-scale structures. *Food Hydrocolloid*. 91: 319-330.
- Banozic, M., M. Krzywonos, K. Aladic, H. Pinkowska, I. Mucha, A. Zlocinska, S. Jokic. 2023. Physicochemical, structural characterization and evaluation of encapsulated hesperidin from natural sources: Comparison of two encapsulation techniques; spray drying and freeze drying. *Journal of Drug Delivery Science and Technology*. 90(105098): 1-11.
- Barroso, A. G., & del Mastro, N. L. 2019. Physicochemical characterization of irradiated arrowroot starch. *Radiation Physics and Chemistry*, 158(January), 194–198. <https://doi.org/10.1016/j.radphyschem.2019.02.020>.
- Barthold, S., M. Hittinger, D. Primavessy, A. Zapp, H. Grob, M. Schneider. 2019. Preparation of maltodextrin particles and encapsulation of bovin serum albumin – influence of formulation parameters. *European Journal of Pharmaceutics and Biopharmaceutics*. 142: 405-410.
- Belingheri, C., B. Giussani, M. T. R. Estrada, A. Ferrillo, E. Vittadini. 2015. Oxidative stability of high-oleic sunflower oil in a porous starch carrier. *Food Chemistry*. 166: 346-351.
- [BPOM] Badan Pengawasan Obat dan Makanan. 2014. Persyaratan Mutu Produk Jadi. Jakarta: BPOM RI.
- Capiña, M. V, & Capiña, V. L. L. 2017. *Arrowroot (Maranta Arundinacea): Starch Extraction, Processing, and By-Products Utilization*. 240–244. <https://doi.org/10.17758/uruae.ae0117711>
- Castro, H. P., Teixeira, P. M., & Kirby, R. 1997. Evidence of membrane damage in *Lactobacillus bulgaricus* following freeze drying. *Journal of Applied Microbiology*, 82(1), 87–94. <https://doi.org/10.1111/j.1365-2672.1997.tb03301>.
- Charles, A. L., Cato, K., Huang, T. C., Chang, Y. H., Ciou, J. Y., Chang, J. S., & Lin, H. H. 2016. Functional properties of arrowroot starch in cassava and sweet potato composite starches. *Food Hydrocolloids*, 53, 187–191. <https://doi.org/10.1016/j.foodhyd.2015.01.024>.
- Chasanah, E., M. Nurilmala, A. R. Purnamasari & D. Fithriani. 2015. Komposisi Kimia, Kadar Albumin dan Bioaktivitas Ekstrak Protein Ikan Gabus (*Channa Striata*) Alam dan Hasil Budidaya. *JPB Kelautan dan Perikanan*. 10(2): 123-132.
- Chen, W., Ma, X., Wang, W., Lv, R., Guo, M., Ding, T., Ye, X., Miao, S. and Liu, D. 2019. Preparation of modified whey protein isolate with gum acacia by ultrasound Maillard reaction. *Food Hydrocolloids*. 95: 298-307.

Chen, J., Wang, Y., Liu, J., & Xu, X. 2020. Preparation, characterization, physicochemical property and potential application of porous starch: A review. *International Journal of Biological Macromolecules*, 148, 1169–1181. <https://doi.org/10.1016/j.ijbiomac.2020.02.055>.

Chuyen, H. V., P. D. Roach, J. B. Golding, S. E. Parks & M. H. Nguyen. 2019. Encapsulation of carotenoid-rich oil from Gac peel: Optimisation of the encapsulating process using a spray drier and the storage stability of encapsulated powder. *Powder Technology*. 344: 373-379.

Dome, K., E. Podgorbunskikh, A. Bychkov & O. Lomovsky. 2020. Changes in the Crystallinity Degree of Starch Having Different Types of Crystal Structure after Mechanical Pretreatment. *Polymers*. 12(641): 1-12.

Dura, A., Błaszczak, W., & Rosell, C. M. 2014. Functionality of porous starch obtained by amylase or amyloglucosidase treatments. *Carbohydrate Polymers*, 101(1), 837–845. <https://doi.org/10.1016/j.carbpol.2013.10.013>.

Enriquez, E. J., G. I. Olivas, E. O. Rivas, P. B. Z. Flores, S. P. Vega & D. R. Sepulveda. 2019. Water activity, not moisture content, explains the influence of water on powder flowability. *LWT - Food Science and Technology*. 100: 35-39.

Feihmann, A. C., N. M. D. Silva, A. R. D. Marins, M. A. Matiucci, K. C. Nunes, C. V. Nakamura, M. L. R. D. Souza, O. D. Oliviera, R. G. Gomes. 2024. Ultrasound-assisted extraction and encapsulation by spray drying of bioactive compounds from *Tradescantia zebrina* leaves. *Food Chemistry Advances*. 4 (100621): 1-9.

Gagneten, M., R. Corfield, M. G. Mattson, A. Sozzi, G. Leiva, D. Salvatory, C. Schebor. 2019. Spray-dried powders from berries extracts obtained upon several processing steps to improve the bioactive components content. *Powder Technology*. 342: 1008-1015.

Gil, Y. B., D. Rodrigo, C. M. Rosell. 2018. Thermal stabilization of probiotics by adsorption onto porous starches. *Carbohydrate Polymer*. 197:558-564.

Gao, F., Li, D., Bi, C. hao, Mao, Z. huai, & Adhikari, B. 2013. The Adsorption and Release Characteristics of CPF<sub>X</sub> in Porous Starch Produced Through Different Drying Methods. *Drying Technology*, 31(13–14), 1592–1599. <https://doi.org/10.1080/07373937.2013.815627>.

Grace, M. H., Hoskin, R. T., Hayes, M., Iorizzo, M., Kay, C., Ferruzzi, M. G., & Lila, M. A. 2022. Spray-dried and freeze-dried protein-spinach particles; effect of drying technique and protein type on the bioaccessibility of carotenoids, chlorophylls, and phenolics. *Food Chemistry*, 388(April), 133017. <https://doi.org/10.1016/j.foodchem.2022.133017>.

- Guo, L., Li, J., Gui, Y., Zhu, Y., Yu, B., Tan, C., Fang, Y., & Cui, B. 2020. Porous starches modified with double enzymes: Structure and adsorption properties. *International Journal of Biological Macromolecules*, 164, 1758–1765. <https://doi.org/10.1016/j.ijbiomac.2020.07.32.3>.
- Guo, L., Yuan, Y., Li, J., Tan, C., Janaswamy, S., Lu, L., Fang, Y., & Cui, B. 2021. Comparison of functional properties of porous starches produced with different enzyme combinations. *International Journal of Biological Macromolecules*, 174, 110–119. <https://doi.org/10.1016/j.ijbiomac.2021.01.165>.
- Han, X., Wen, H., Luo, Y., Yang, J., Xiao, W., Ji, X., & Xie, J. 2021. Effects of  $\alpha$ - amylase and glucoamylase on the characterization and function of maize porous starches. *Food Hydrocolloids*, 116 (December 2020), 106661. <https://doi.org/10.1016/j.foodhyd.2021.106661>.
- Haniffa, M. A. K., Jeya Sheela, P. A., Kavitha, K., & Jais, A. M. M. 2014. Salutary value of haruan, the striped snakehead *Channa striatus* - A review. *Asian Pacific Journal of Tropical Biomedicine*, 4(Suppl 1), S8–S15. <https://doi.org/10.12980/APJTB.4.2014C1015>.
- Hay, T. O., V. Kontogiorgos, S. Thompson, J. R. Nastasi & M. Fitzgerald. 2024. A new hydrocolloid to rival gum Arabic: Characterisation of a traditional food gum from Australian *Acacia cambagei*. 153 (110003): 1-13.
- He, H., Hong, Y., Gu, Z., Liu, G., Cheng, L., & Li, Z. 2016. Improved stability and controlled release of CLA with spray-dried microcapsules of OSA-modified starch and xanthan gum. *Carbohydrate Polymers*, 147, 243–250. <https://doi.org/10.1016/j.carbpol.2016.03.078>.
- Henriques, P., Fortuna, A., & Doktorovová, S. 2022. Spray dried powders for nasal delivery: Process and formulation considerations. *European Journal of Pharmaceutics and Biopharmaceutics*, 176(May), 1–20. <https://doi.org/10.1016/j.ejpb.2022.05.002>.
- Herawati, Mistakhussolikah, M., A R, P., & Murdiati. 2019. Sensorial and chemical characterization of snack bar with variation of gembolo. *Food Research*, 3(October), 564–569.
- Homann, C., E. M. Rodrigues, P. Orsini, K. Savard, C. B. Togola, M. M. D. Baillargeon, M. Massabki & E. Hemmer. 2024. Gum Arabic-stabilized upconverting nanoparticles for printing applications. *Optical Material: X*. X 21 (100290): 1-10.
- Ibekwe, C. A., G. M. Oyatogun, T. A. Esan & K. M. Oluwasegun. 2017. Synthesis and Characterization of Chitosan/Gum Arabic Nanoparticles for Bone Regeneration. *American Journal of Materials Science and Engineering*. 5(1): 28-36.

Jovanović, M., Čujić-Nikolić, N., Drnić, Z., Janković, T., Marković, S., Petrović, P., & Šavikin, K. 2021. Spray drying of *Gentiana asclepiadea* L. root extract: Successful encapsulation into powders with preserved stability of bioactive compounds. *Industrial Crops and Products*, 172(July), <https://doi.org/10.1016/j.indcrop.2021.114044>.

Khodadadi, F., M. Nikzad & S. Hamed. 2024. Lignin nanoparticles as a promising nanomaterial for encapsulation of Rose damascene essential oil: Physicochemical, structural, antimicrobial and in-vitro release properties. *Colloids and Surface A: Physicochemical and Engineering Aspects*. 687: 1-14.

Kumar, R., Gokulakrishnan, M., Debbarma, J., & Damle, D. K. 2022. Advances in captive breeding and seed rearing of striped murrel *Channa striata*, a high value food fish of Asia. *Animal Reproduction Science*, 238 (February), 106957. <https://doi.org/10.1016/j.anireprosci.2022.106957>.

Lacerda, L. D., Leite, D. C., & da Silveira, N. P. 2019. Relationships between enzymatic hydrolysis conditions and properties of rice porous starches. *Journal of Cereal Science*, 89(July), 102819. <https://doi.org/10.1016/j.jcs.2019.102819>.

Lane, M. E., Brennan, F. S., & Corrigan, O. I. 2006. Influence of post-emulsification drying processes on the microencapsulation of Human Serum Albumin. *International Journal of Pharmaceutics*, 307(1), 16–22. <https://doi.org/10.1016/j.ijpharm.2005.09.026>.

Laureanti, E. J. G., T. S. Paiva, L. M. D. M., Jorge, R. M. M. Jorge. 2023. Microencapsulation of bioactive compound extracts using maltodextrin and gum arabic by spray and freeze-drying techniques. *International Journal of Biological Macromolecules*. 253 (126969): 1-14.

Ledri, S. A., J. M. Milani, S. A. Shahidi & A. Golkar. 2024. Comparative analysis of freeze drying and spray drying methods for encapsulation of chlorophyll with maltodextrin and whey protein isolate. *Food Chemistry: X*. X 21 (101156): 1-9.

Lei, M., Jiang, F. C., Cai, J., Hu, S., Zhou, R., Liu, G., Wang, Y. H., Wang, H. B., He, J. R., & Xiong, X. G. 2018. Facile microencapsulation of olive oil in porous starch granules: Fabrication, characterization, and oxidative stability. *International Journal of Biological Macromolecules*, 111, 755–761. <https://doi.org/10.1016/j.ijbiomac.2018.01.051>.

Leonel, M., Del Bem, M. S., dos Santos, T. P. R., & Franco, C. M. L. 2021. Preparation and properties of phosphate starches from tuberous roots. *International Journal of Biological Macromolecules*, 183, 898–907. <https://doi.org/10.1016/j.ijbiomac.2021.05.045>.

- Lestari, L. A., Huriyati, E., & Marsono, Y. 2017. The development of low glycemic index cookie bars from foxtail millet (*Setaria italica*), arrowroot (*Maranta arundinacea*) flour, and kidney beans (*Phaseolus vulgaris*). *Journal of Food Science and Technology*, 54(6), 1406–1413. <https://doi.org/10.1007/s13197-017-2552-5>.
- Lestari, E. N. E., Sunardi & A. Windarsih. 2021. Teknik Enkapsulasi Albumin. 1-7.
- Li, H., Thuy Ho, V. T., Turner, M. S., & Dhital, S. 2016. Encapsulation of *Lactobacillus plantarum* in porous maize starch. *Lwt.* 74:542–549. <https://doi.org/10.1016/j.lwt.2016.08.019>.
- Lisuzzo, L., Cavallaro, G., Pasbakhsh, P., Milioto, S., & Lazzara, G. 2019. Why does vacuum drive to the loading of halloysite nanotubes? The key role of water confinement. *Journal of Colloid and Interface Science*, 547, 361–369. <https://doi.org/10.1016/j.jcis.2019.04.012>.
- Liu, N., Song, Z., Jin, W., Yang, Y., Sun, S., Zhang, Y., Zhang, S., Liu, S., Ren, F., & Wang, P. 2022. Pea albumin extracted from pea (*Pisum sativum* L.) seed protects mice from high fat diet-induced obesity by modulating lipid metabolism and gut microbiota. *Journal of Functional Foods*, 97(May), 105234. <https://doi.org/10.1016/j.jff.2022.105234>.
- Madineni, M. N., Faiza, S., Surekha, R. S., Ravi, R., & Guha, M. 2012. Morphological, structural, and functional properties of maranta (*Maranta arundinacea* L) starch. *Food Science and Biotechnology*, 21(3), 747–752. <https://doi.org/10.1007/s10068-012-0097-y>.
- Majzoobi, M., Hedayati, S., & Farahnaky, A. 2015. Functional properties of microporous wheat starch produced by  $\alpha$ -amylase and sonication. *Food Bioscience*, 11, 79–84. <https://doi.org/10.1016/j.fbio.2015.05.001>.
- Malik, N. A., Nighat, N., M. Manzoor, F. Gull. 2024. Fungicide-albumin interactions: unraveling the complex relationship—a comprehensive review. *Biophysical Reviews*. 1-23.
- Malki, M. K. S., J. A. A. C. Wijesinghe, R. H. M. K. Ratnayake & G. C. Thilakarathna. 2023. Characterization of arrowroot (*Maranta arundinacea*) starch as a potential starch source for the food industry. *Heliyon*. 9(e20033): 1-13.
- Mariod, A. A. 2018. Gum Arabic: Structure, properties, application and economics. United Kingdom: Academic Press. 1-38.

- Marques, P. A. A. P., S. C. P. Cachinho, M. C. F. Magalhaes, R. N. Correia & M. H. V. Fernandes. 2004. Mineralisation of bioceramics in simulated plasma with physiological CO<sub>2</sub>/HCO<sub>3</sub><sup>-</sup> buffer and albumin. *Journal of Material Chemistry*. 14: 1861-1866.
- Mustafa, A., Widodo, M. A., & Kristianto, Y. 2012. Albumin And Zinc Content Of Snakehead Fish (*Channa striata*) Extract And Its Role In Health. *IEESE International Journal of Science and Technology*, 1(2), 1–8.
- Nambiar, R. B., P. S. Sellamuthu & A. B. Perumal. 2017. Microencapsulation of Tender Coconut Water by Spray Drying: Effect of Moringa oleifera Gum, Maltodextrin Concentrations, and Inlet Temperature on Powder Qualities. *Food Bioprocess Technology*. 10: 1668-1684.
- Napiorkowska, A., H. Aktas, A. Szpicer, E. G. Horcyszczak & M. A. Kurek. 2024. Optimization of oat protein and gum Arabic microcapsules containing juniper essential oil using Response Surface Methodology. *Food and Bioprocess Processing*. 145: 203-216.
- Nasab, Z. M. & A. Habibi. 2024. Microencapsulation of ginger oleoresin through the complex coacervates of gum Arabic and soy protein isolate as the wall materials. *Biocatalysis and Agricultural Biotechnology*. 58 (103179): 1-12.
- Nguyen, X. C., Herberger, J. D., & Burke, P. A. 2004. Protein powders for encapsulation: A comparison of spray-freeze drying and spray drying of darbepoetin alfa. *Pharmaceutical Research*, 21(3), 507–514. <https://doi.org/10.1023/B:PHAM.0000019306.89420.f0>.
- Nishaa, S., Vishnupriya, M., Sasikumar, J. M., Hephzibah, P. C., & Gopalakrishnan, V. K. 2012. Antioxidant Activity of Ethanolic Extract of *Maranta arundinacea* L Tuberos Rhizomes. *Asian Journal of Pharmaceutical and Clinical Research*, 5(4), 85–88.
- Nogueira, G. F., Fakhouri, F. M., & de Oliveira, R. A. 2018. Extraction and characterization of arrowroot (*Maranta arundinaceae* L.) starch and its application in edible films. *Carbohydrate Polymers*, 186(December 2017), 64– 72. <https://doi.org/10.1016/j.carbpol.2018.01.024>
- Nugroho, R. W. N., M. Outinen, O. Toikkanen, A. Heino, D. Sawada dan O. J Rojas. 2012. Effect of water activity on the functional, colloidal, physical and microstructural properties of infant formula powder. *Journal of Colloid and Interface Science*. 586: 56-66.
- Nurilmala, M., D, Sriwahyuni, R. Nugraha, V. R. Kartika, N. Darmawan, E. A. W. Putri, A. W. Pranata, Y. Ochiai. 2023. Response surface methodology (RSM) for optimization of gelatin extraction from pangasius fish skin and its utilization for hard capsules. *Arabian Journal of Chemistry*. 16(104938): 1-10.

- Nwachukwu, I. D., & Aluko, R. E. 2018. Physicochemical and emulsification properties of flaxseed (*Linum usitatissimum*) albumin and globulin fractions. *Food Chemistry*, 255(February), 216–225. <https://doi.org/10.1016/j.foodchem.2018.02.068>
- Nyaguthii, K. C., M. Omwamba & J. M. Nduko. 2023. Gum arabic and soy protein concentrate as binding agents on quality and nutritional properties of mushroom-based sausage analogues. *Food and Humanity*. 1: 1627-1636.
- Oikonomopoulou, V., Stramarkou, M., Plakida, A., & Krokida, M. 2022. Optimization of encapsulation of stevia glycosides through electrospraying and spray drying. *Food Hydrocolloids*, 131(May), 107854. <https://doi.org/10.1016/j.foodhyd.2022.107854>
- Oliyai, N., M. M. Nasab, A. M. Tamaddon dan M. Fazaeli. 2020. Encapsulation of fucoxanthin in binary matrices of porous starch and halloysite. *Food Hydrocolloid*. 100:1-9.
- Ortiz, S. E. M., A. Mauri, E. S. M Quinterro, M. A. Trindade, A. S. Santana, C. S. F. Trindade. 2009. Production and properties of casein hydrolysate microencapsulated by spray drying with soybean protein isolat. *Food Science and Technology*. 42: 919-923.
- Pella, O. K., I. Hornyak, D. Horvathy, E. Fodor, S. Nehrer & Z. Lacza. 2022. Albumin as a Biomaterial and Therapeutic Agent in Regenerative Medicine. *International Journal of Molecular Sciences*. 23: 1-21.
- Phan, L. T. T., Masagounder, K., Mas-Muñoz, J., & Schrama, J. W. 2021. Differences in energy utilization efficiency of digested protein, fat and carbohydrates in snakehead (*Channa striata*). *Aquaculture*, 532(July 2020), 736066. <https://doi.org/10.1016/j.aquaculture.2020.736066>.
- Purwitasari, L., M. P. Wulanjati, Y. Pranoto and L. D. Witasari. 2023. Characterization of porous starch from edible canna (*Canna edulis* Kerr.) produced by enzymatic hydrolysis using thermostable  $\alpha$ -amylase. *Food Chemistry Advances*. 2: 1-7
- Rahayu, P., Marcelline, F., Sulistyningrum, E., Suhartono, M. T., & Tjandrawinata, R. R. 2016. Potential effect of striatin (DLBS0333), a bioactive protein fraction isolated from *Channa striata* for wound treatment. *Asian Pacific Journal of Tropical Biomedicine*, 6(12), 1001–1007. <https://doi.org/10.1016/j.apjtb.2016.10.008>.
- Rivero, R. C., D. A. Archaina, C. M. Busquet, B. M. B. Coronel, V. M. Busch. 2021. Development of a honey-based powder ingredient using a mixture design: Botanical origin effect and hydration properties. *LWT Food Science and Technology*. 147(111446): 1-9.

- Romadhoni, A. R., Afrianto, E., Pratama, R. I., & Grandiosa, R. 2016. Extraction of Snakehead Fish [*Ophiocephalus Striatus* (Bloch, 1793)] into Fish Protein Concentrate as Albumin Source Using Various Solvent. *Aquatic Procedia*, 7, 4–11. <https://doi.org/10.1016/j.aqpro.2016.07.001>.
- Sabaa, M., Arpanguye W., D. H. Hanna, M. H. A. Elella, R. R. Mohamed. 2019. Encapsulation of Bovine Serum Albumin within Novel Xanthan Gum based hydrogel for protein delivery. *Journal Material Science & Engineering*. 94: 104401055.
- Salasia, S. I.O dan H. Bambang. 2010. Patologi Klinik Veteriner Kasus Patologi Klinis. Yogyakarta: Samudra Biru. 6-7
- Shi, L., Li, Y., Lin, L., Bian, X., & Wei, C. 2021. Effects of variety and growing location on physicochemical properties of starch from sweet potato root tuber. *Molecules*, 26(23), 7–9. <https://doi.org/10.3390/molecules26237137>
- Singh, P., Bilyeu, L., & Krishnaswamy, K. 2022. Spray drying process optimization: Drought resistant variety (W82) soymilk powder using response surface methodology (RSM). *Lwt*, 166(August 2021), 113760. <https://doi.org/10.1016/j.lwt.2022.113760>.
- Song, L. M., Munian, K., Abd Rashid, Z., & Bhassu, S. 2013. Characterisation of Asian snakehead Murrel *Channa striata* (*Channidae*) in Malaysia: An insight into molecular data and morphological approach. *The Scientific World Journal*, 2013. <https://doi.org/10.1155/2013/917506>.
- Song, J., P. Chen, L. Zhang, J. Hu, R. Yang, P. Sun, Y. Huang, X. Liu, X. Lu & Q. Fan. 2024. A novel near-infrared-II fluorescence probe for serum albumin biosensing and site-binding mechanism study. *Sensors and Actuators: B. Chemical*. 418: 1-9.
- Stepien, A. & K. Grzyb. 2023. Comparison of critical storage parameters of the powders containing soy protein isolate and inulin, based on the concepts: Water activity and Temperature of glass transition. *International Journal of Biological Macromolecules*. 230(123174): 1-7.
- Subando, T. R., Y. Pranoto, L. D. Witasari. 2023. Optimization and Characterization of Arrowroot Porous Starch Using Thermostable  $\alpha$  Response Surface Methodology. *Research Square*. 1-25. <https://doi.org/10.21203/rs.3.rs-2440776/v1>.
- Suhartono, E., Yunanto, A., & Taufan, R. 2013. Chronic Cadmium Hepatooxidative in Rats: Treatment with Haruan Fish (*Channa striata*) Extract. *APCBEE Procedia*, 5, 441–445. <https://doi.org/10.1016/j.apcbee.2013.05.076>

- Sumardiono, S., Jos, B., Antoni, M. F. Z., Nadila, Y., & Handayani, N. A. 2022. Physicochemical properties of novel artificial rice produced from sago, arrowroot, and mung bean flour using hot extrusion technology. *Heliyon*, 8(2), e08969. <https://doi.org/10.1016/j.heliyon.2022.e08969>.
- Tang, Y., C. Gao, Y. Zhang & X. Tang. 2024. Structure and functionality of cinnamaldehyde/chitosan/gum Arabic complex particles. *Food Hydrocolloid*. 146(109220): 1-10.
- Tarique, J., Sapuan, S. M., Khalina, A., Sherwani, S. F. K., Yusuf, J., & Ilyas, R. A. 2021. Recent developments in sustainable arrowroot (*Maranta arundinacea* Linn) starch biopolymers, fibres, biopolymer composites and their potential industrial applications: A review. *Journal of Materials Research and Technology*, 13, 1191–1219. <https://doi.org/10.1016/j.jmrt.2021.05.047>.
- Tian, Q., Zhou, W., Cai, Q., Ma, G., & Lian, G. 2021. Concepts, processing, and recent developments in encapsulating essential oils. *Chinese Journal of Chemical Engineering*, 30, 255–271. <https://doi.org/10.1016/j.cjche.2020.12.010>.
- Tosya, F. & S. Bolek. 2022. Encapsulation of bioactive compound in shalgam and investigation of the possibilities of their use in probiotic food production. *Food Bioscience*, 50, 1-10.
- Vázquez-León, L. A., Aparicio-Saguilán, A., Martínez-Medinilla, R. M., Utrilla-Coello, R. G., Torruco-Uco, J. G., Carpintero-Tepole, V., & Páramo-Calderón, D. E. 2022. Physicochemical and morphological characterization of black bean (*Phaseolus vulgaris* L.) starch and potential application in nano-encapsulation by spray drying. *Journal of Food Measurement and Characterization*, 16(1), 547– 560. <https://doi.org/10.1007/s11694-021-01181-5>.
- Valencia, G. A., Freitas Moraes, I. C., Vinicius Lourenço, R., Barbosa Bittante, A. M. Q., & Do Amaral Sobral, P. J. 2015. Physicochemical Properties of Maranta (*Maranta arundinacea* L.) Starch. *International Journal of Food Properties*, 18(9), 1990–2001. <https://doi.org/10.1080/10942912.2014.958162>
- Wang, Y., Ye, H., Zhou, C., Lv, F., Bie, X., & Lu, Z. 2012. Study on the spray-drying encapsulation of lutein in the porous starch and gelatin mixture. *European Food Research and Technology*, 234(1), 157–163. <https://doi.org/10.1007/s00217-011-1630-6>
- Wang, B., Akanbi, T.O., Agyei, D., Holland, B.J., Barrow, C.J. 2018. Coacervation technique as an encapsulation and delivery tool for hydrophobic biofunctional compounds. in: Role of materials science in food bioengineering. *Elsevier*. 235–261

- Wang, X., Reddy, C. K., & Xu, B. 2018. A systematic comparative study on morphological, crystallinity, pasting, thermal and functional characteristics of starches resources utilized in China. *Food Chemistry*, 259(March), 81–88. <https://doi.org/10.1016/j.foodchem.2018.03.121>
- Windarsih, A., Irnawati and A. Rohman. 2020. Application of FTIR-ATR spectroscopy and chemometrics for the detection and quantification of lard oil in bovine milk fat. *Journal Food Research*. 4(5): 1732-1738.
- Witasari, L. D., S. Nisrina, A. I. T. Yani, A. A. Heryadi & Y. Pranoto. 2024. Characterization of porous starch produced from arrowroot (*Maranta arundinacea* L.) by enzymatic hydrolysis with  $\alpha$ -amylase and glucoamylase. *Carbohydrate Polymer Technologies and Applications*. 7(100445): 1-9.
- Witasari, L. D., A. A. Heryadi, A. I. T. Yani, S. Nisrina dan Y. Pranoto. 2024. Characterization of porous starch produced from edible canna (*Canna edulis* Kerr.) via enzymatic hydrolysis using thermostable  $\alpha$ -amylase and glucoamylase. *Biocatalysis and Agricultural Biotechnology*. 55: 1-11.
- Xie, Y., Li, M. N., Chen, H. Q., & Zhang, B. 2019. Effects of the combination of repeated heat-moisture treatment and compound enzymes hydrolysis on the structural and physicochemical properties of porous wheat starch. *Food Chemistry*, 274(May2018), 351–359. <https://doi.org/10.1016/j.foodchem.2018.09.034>
- Yang, J., Mocking-Bode, H. C. M., van den Hoek, I. A. F., Theunissen, M., Voudouris, P., Meinders, M. B. J., & Sagis, L. M. C. 2022. The impact of heating and freeze or spray drying on the interface and foam stabilising properties of pea protein extracts: Explained by aggregation and protein composition. *Food Hydrocolloids*, 133(May), 107913. <https://doi.org/10.1016/j.foodhyd.2022.107913>
- Yang, T., S. Han, H. Xu, M. Ye, T. C. Liu, J. Liu, S. Lu, C. Liu, Y. Liu & P. Zhou. 2024. Improving technofunctional performance and emulsion stability of ginsenoside microcapsules by using maltodextrin-inulin/lactose composite wall materials. *Powder Technology*. 438: 1-13.
- Yousefi, S., Z. E. Djomeh, M. Mousavi, F. Kobarfard & I. Zbicinski. 2015. Developing spray-dried powders containing anthocyanins of black raspberry juice encapsulated based on fenugreek gum. *Advanced Powder Technology*. 26: 462-469.
- Zhang, B., Cui, D., Liu, M., Gong, H., Huang, Y., & Han, F. 2012. Corn porous starch: Preparation, characterization and adsorption property. *International Journal of Biological Macromolecules*, 50(1), 250–256. <https://doi.org/10.1016/j.ijbiomac.2011.11.002>

Zhao, B., Du, J., Zhang, Y., Gu, Z., Li, Z., Cheng, L., Li, C., & Hong, Y. 2022. Polysaccharide-coated porous starch-based oral carrier for paclitaxel: Adsorption and sustained release in colon. *Carbohydrate Polymers*, 291(May), 119571. <https://doi.org/10.1016/j.carbpol.2022.119571>

Zuidam, J., N. & Nedovic, A. N. 2009. Encapsulation Technologies for Active Food Ingredients and Food Processing. London: Springer Science+Business Media, LLC.

Zorzenon, M. R. T., M. Formigoni, S. B. da Silva, F. Hodas, S. Piovan, S. R. Ciotta, C. A. Jensen, A. S. Dacome, E. J. Pilau, C. E. M. Costa, P. G. Milani & S. C. Costa. 2020. Spray drying encapsulation of stevia extract with maltodextrin and evaluation of the physicochemical and functional properties of produced powders. *Journal of Food Science*. 85(10): 3590-3600