

Daftar Pustaka

- Agemi, Y., Shimokawa, T., Sasaki, J., Miyazaki, K., Misumi, Y., Sato, A., ... & Okamoto, H., 2019. Prospective evaluation of the G8 screening tool for prognostication of survival in elderly patients with lung cancer: a single-institution study. *PLoS One*, 14(1), e0210499.
- Ahmad, O. B., Boschi-Pinto, C., Lopez, A. D., Murray, C. J., Lozano, R., & Inoue, M. , 2001. Age standardization of rates: a new WHO standard. *Geneva: World Health Organization*, 9(10), 1-14.
- Ahn, S., Lee, Y. S., Lee, J. L., Lim, K. S., & Yoon, S. C., 2016. A new prognostic model for chemotherapy-induced febrile neutropenia. *International journal of clinical oncology*, 21, 46-52.
- Akhtar, O. S., Huang, L. W., Tsang, M., Torka, P., Loh, K. P., Morrison, V. A., & Cordoba, R., 2022. Geriatric assessment in older adults with non-Hodgkin lymphoma: a young International Society of Geriatric Oncology (YSIOG) review paper. *Journal of Geriatric Oncology*
- Allen, P., 2020. Diffuse large B-cell lymphoma in the elderly: current approaches. *Current Oncology Reports*, 22, 1-10.
- Al-Naeeb, Anna Bowzyk, et al, 2018. Non-Hodgkin lymphoma. *BMJ*, 362.
- Armitage, J. O., Gascoyne, R. D., Lunning, M. A., & Cavalli, F., 2017. Non-hodgkin lymphoma. *The lancet*, 390(10091), 298-310.
- Ba, Yi., Shi, Y., Jiang, W., Feng, J., Cheng, Y., Xiao, L., ... & Zhou, C., 2020. Current management of chemotherapy-induced neutropenia in adults: key points and new challenges: Committee of neoplastic supportive-care (CONS), China anti-cancer association committee of clinical chemotherapy, China anti-cancer association. *Cancer Biology & Medicine*, 17(4), 896.
- Babu, G., Lakshmaiah, K. C., Dasappa, L., Babu, S., Abraham, L. J., Premalatha, C. S., ... & Agarwal, A., 2017. Ki-67 and subtype as prognostic and predictive markers of diffuse large B-Cell lymphoma. *Clinical Cancer Investigation Journal*, 6(1).
- Bailey, R. E., Bliven, S. P., & Narkhede, M., 2022. Thrombocytopenia As a Risk Factor for Developing Febrile Neutropenia in Patients with DLBCL Receiving R-CHOP Chemotherapy. *Blood*, 140(Supplement 1), 12122-12124.
- Baitar, A., Van Fraeyenhove, F., Vandebroek, A., De Droogh, E., Galdermans, D., & Mebis, J., 2014. Geriatric screening results and the association with severe treatment toxicity after the first cycle of (radio) chemotherapy. *J Geriatr Oncol*; 5: 179–84.
- Bataillard, E. J., Cheah, C. Y., Maurer, M. J., Khurana, A., Eyre, T. A., & El-Galaly, T. C., 2021. Impact of R-CHOP dose intensity on survival outcomes in diffuse large B-cell lymphoma: a systematic review. *Blood advances*, 5(9), 2426-2437.
- Bellera, C. A., Rainfray, M., Mathoulin-Pélissier, S., Mertens, C., Delva, F., Fonck, M., & Soubeyran, P. L., 2012. Screening older cancer patients: first evaluation of the G-8 geriatric screening tool. *Annals of Oncology*, 23(8), 2166-2172.

- Borson, S., Scanlan, J., Brush, M., Vitaliano, P., & Dokmak, 2000. A. The mini- cog: a cognitive 'vital signs' measure for dementia screening in multi- lingual elderly. *International journal of geriatric psychiatry*, 15(11), 1021-1027.
- Braithwaite, D., Moore, D. H., Satariano, W. A., Kwan, M. L., Hiatt, R. A., Kroenke, C., & Caan, B. J., 2012. Prognostic Impact of Comorbidity among Long-Term Breast Cancer Survivors: Results from the LACE StudyPrognostic Impact of Comorbidity among Long-Term Breast Cancer Survivors. *Cancer epidemiology, biomarkers & prevention*, 21(7), 1115-1125.
- Blayney, D. W., & Schwartzberg, L., 2022. Chemotherapy-induced neutropenia and emerging agents for prevention and treatment: a review. *Cancer treatment reviews*, 109, 102427.
- Clegg, A., Young, J., Iliffe, S., Rikkert, M. O., & Rockwood, K., 2013. Frailty in elderly people. *The lancet*, 381(9868), 752-762.
- Chen, S. Y., Chou, W. C., Lin, Y. C., Tsang, N. M., Liao, K. C., Lin, C. H., ... & Tang, W. R., 2022. Performance of two frailty screening tools among patients with cancer in Taiwan. *biomedical journal*, 45(2), 361-369.
- Choi, Y. W., Jeong, S. H., Ahn, M. S., Lee, H. W., Kang, S. Y., Choi, J. H., ... & Park, J. S., 2014. Patterns of neutropenia and risk factors for febrile neutropenia of diffuse large B-cell lymphoma patients treated with *rituximab*-CHOP. *Journal of Korean Medical Science*, 29(11), 1493-1500.
- Cook, Chad, 2009. Is clinical *gestalt* good enough? *Journal of Manual & Manipulative Therapy*, 17.1: 6-7.
- Cunningham, D., Hawkes, E. A., Jack, A., Qian, W., Smith, P., Mouncey, P., ... & Linch, D., 2013. *Rituximab* plus *Cyclophosphamide*, *doxorubicin*, *vincristine*, and prednisolone in patients with newly diagnosed diffuse large B-cell non-Hodgkin lymphoma: a phase 3 comparison of dose intensification with 14-day versus 21-day cycles. *The Lancet*, 381(9880), 1817-1826.
- Dahlan, S., 2018. Langkah-Langkah Membuat Proposal Penelitian Bidang Kedokteran dan Kesehatan. Sagung seto, edisi 2
- Dahlan, S., 2022. Statistika Untuk Kedokteran dan Kesehatan, Deskriptif, Bivariat, dan Multivariat dilengkapi Aplikasi Menggunakan SPSS. Epidemiologi Indonesia, edisi 6
- Dziechciaz, M., & Filip, R., 2014. Biological psychological and social determinants of old age: Bio-psycho-social aspects of human aging. *Annals of Agricultural and Environmental Medicine*, 21(4).
- Ethun, C. G., Bilen, M. A., Jani, A. B., Maithel, S. K., Ogan, K., & Master, V. A., 2017. Frailty and cancer: implications for oncology surgery, medical oncology, and radiation oncology. *CA: a cancer journal for clinicians*, 67(5), 362-377.
- Feliu, J., Jiménez- Munárriz, B., Basterretxea, L., Paredero, I., Llabrés, E., Antonio-Rebollo, M., ... & Molina- Garrido, M. J., 2020. Predicting chemotherapy toxicity in older patients with cancer: a multicenter prospective study. *The Oncologist*, 25(10), e1516-e1524.

- Extermann M, Boler I, Reich RR et al., 2012. Predicting the risk of chemotherapy toxicity in older patients: The Chemotherapy Risk Assessment Scale for High-Age Patients (CRASH) score. *Cancer*, 118:3377–3386.
- Gangopadhyay, A., 2018. Predictors of chemoradiation related febrile neutropenia prophylaxis in older adults—Experience from a limited resource setting. *Reports of Practical Oncology and Radiotherapy*, 23(3), 228-231.
- Goede, V., 2023. Frailty and Cancer: Current Perspectives on Assessment and Monitoring. *Clinical Interventions in Aging*, 505-521.
- Gupta, A., Abbasi, B., & Gupta, S., 2019. Management of chemotherapy induced neutropenia—an unmet clinical need. *Am J Biomed Sci Res*, 4(5), 313-8.
- Hardianti, M. S., Setiawan, S. A., Bagaskoro, M. R., Anggorowati, N., Purwanto, I., Taroeno-Hariadi, K. W., ... & Hutajulu, S. H., 2021. Risk Factors for Neutropenia after the First Cycle of Chemotherapy for Non-Hodgkin Lymphoma. *European Journal of Medical and Health Sciences*, 3(6), 73-77.
- https://ctep.cancer.gov/protocoldevelopment/electronic_applications/docs/CTCAE_v5_Quick_Reference_8.5x11.pdf (Accessed March 27, 2018).
- Hurria A, Togawa K, Mohile SG et al., 2011. Predicting chemotherapy toxicity in older adults with cancer: A prospective multicenter study. *J Clin Oncol*, 29:3457–3465
- Kenis, C., Decoster, L., Van Puyvelde, K., De Grève, J., Conings, G., Milisen, K., ... & Wildiers, H., 2014. Performance of two geriatric screening tools in older patients with cancer. *Journal of Clinical Oncology*, 32(1), 19-26.
- Kienle, G. S., & Kiene, H., 2011. Clinical judgement and the medical profession. *Journal of evaluation in clinical practice*, 17(4), 621-627.
- Kikuchi, M., Nakasone, H., Akahoshi, Y., Nakano, H., Ugai, T., Wada, H., ... & Kanda, Y., 2015. Reduced-dose (two-thirds) R-CHOP chemotherapy for elderly patients with non-Hodgkin lymphoma. *Journal of Chemotherapy*, 27(2), 99-105.
- Kirkhus, L., Šaltytė Benth, J., Rostoft, S., Grønberg, B. H., Hjermland, M. J., Selbæk, G., ... & Jordhøy, M. S., 2017. Geriatric assessment is superior to oncologists' clinical judgement in identifying frailty. *British journal of cancer*, 117(4), 470-477.
- Lee, H., Lee, E., & Jang, I. Y., 2020. Frailty and comprehensive geriatric assessment. *Journal of Korean medical science*, 35(3).
- Lee, S., Fujita, K., Morishita, T., Oiwa, K., Tsukasaki, H., Negoro, E., ... & Yamauchi, T., 2021. Association of the Geriatric 8 with treatment intensity and prognosis in older patients with diffuse large B-cell lymphoma. *British Journal of Haematology*, 194(2), 325-335.
- Lyman, G. H., Lyman, C. H., Agboola, O., & ANC Study Group, 2005. Risk models for predicting chemotherapy-induced neutropenia. *The oncologist*, 10(6), 427-437.
- Mareschal, S., Lanic, H., Ruminy, P., Bastard, C., Tilly, H., & Jardin, F., 2011. The proportion of activated B-cell like subtype among de novo diffuse large B-cell lymphoma increases with age. *Haematologica*, 96(12), 1888.

- Mohile, S. G., Dale, W., Somerfield, M. R., & Hurria, A., 2018. Practical Assessment and Management of Vulnerabilities in Older Patients Receiving Chemotherapy: ASCO Guideline for Geriatric Oncology Summary. *Journal of oncology practice*, 14(7), 442-446.
- Mohile, S. G., Mohamed, M. R., Xu, H., Culakova, E., Loh, K. P., Magnuson, A., ... & Dale, W., 2021. Evaluation of geriatric assessment and management on the toxic effects of cancer treatment (GAP70+): a cluster-randomised study. *The Lancet*, 398(10314), 1894-1904.
- Morimoto, M., Yokoya, Y., Yoshida, K., Kosako, H., Hori, Y., Mushino, T., ... & Ohde, S., 2024. Predictive Model for Occurrence of Febrile Neutropenia after Chemotherapy in Patients with Diffuse Large B-Cell Lymphoma: A Multicenter, Retrospective, Observational Study. *Hematology Reports*, 16(1), 76-88.
- Moro, L., 2019. Mitochondrial dysfunction in aging and cancer. *Journal of clinical medicine*, 8(11), 1983.
- Morrison, V. A., Hamlin, P., Soubeyran, P., Stauder, R., Wadhwa, P., Aapro, M., & Lichtman, S., 2015. Diffuse large B-cell lymphoma in the elderly: impact of prognosis, comorbidities, geriatric assessment, and supportive care on clinical practice. An International Society of Geriatric Oncology (SIOG) expert position paper. *Journal of geriatric oncology*, 6(2), 141-152.
- Moth, E. B., Kiely, B. E., Naganathan, V., Martin, A., & Blinman, P., 2018. How do oncologists make decisions about chemotherapy for their older patients with cancer? A survey of Australian oncologists. *Supportive Care in Cancer*, 26, 451-460.
- Moth, E. B., Kiely, B. E., Stefanic, N., Naganathan, V., Martin, A., Grimison, P., ... & Blinman, P., 2019. Predicting chemotherapy toxicity in older adults: Comparing the predictive value of the CARG Toxicity Score with oncologists' estimates of toxicity based on clinical judgement. *Journal of geriatric oncology*, 10(2), 202-209.
- NCCN Guidelines Version 2.2024. Diffuse Large B-Cell Lymphoma
- NCCN Guidelines Version 1.2024 Older Adult Oncology
- Oiwa, K., Fujita, K., Lee, S., Morishita, T., Tsukasaki, H., Negoro, E., ... & Yamauchi, T., 2021. Utility of the *geriatric 8* for the prediction of therapy- related toxicity in older adults with diffuse large B- cell lymphoma. *The Oncologist*, 26(3), 215-223.
- Pang, A., Ho, S., & Lee, S. C., 2013. Cancer physicians' attitude towards treatment of the elderly cancer patient in a developed Asian country. *BMC geriatrics*, 13, 1-8.
- Peraturan Menteri Kesehatan Republik Indonesia Nomor 79 Tahun 2014 tentang Penyelenggaraan Pelayanan Geriatri di Rumah Sakit
- Peyrade, F., Jardin, F., Thieblemont, C., Thyss, A., Emile, J. F., Castaigne, S., ... & Tilly, H., 2011. Attenuated immunochemotherapy regimen (R-miniCHOP) in elderly patients older than 80 years with diffuse large B-cell lymphoma: a multicentre, single-arm, phase 2 trial. *The lancet oncology*, 12(5), 460-468.
- Qiu, J., Zhang, B., Bu, B., Fang, S., & Song, L., 2021. Timing of chemotherapy-induced neutropenia is a prognostic factor in patients with diffuse large B-cell lymphoma: a retrospective study. *Research Square*

- Sakurai, M., Karigane, D., Kasahara, H., Tanigawa, T., Ishida, A., Murakami, H., ... & Kohashi, S., 2019. Geriatric screening tools predict survival outcomes in older patients with diffuse large B cell lymphoma. *Annals of Hematology*, 98, 669-678.
- Salar, A., Haioun, C., Rossi, F. G., Duehrsen, U., Pettengell, R., Johnsen, H. E., ... & Lugtenburg, P. J., 2012. The need for improved neutropenia risk assessment in DLBCL patients receiving R-CHOP-21: findings from clinical practice. *Leukemia research*, 36(5), 548-553.
- Sarkozy, C., & Coiffier, 2013. B. Diffuse Large B-cell Lymphoma in the Elderly: A Review of Potential Difficulties DLBCL in Elderly Patients. *Clinical Cancer Research*, 19(7), 1660-1669.
- Sehn, L. H., Berry, B., Chhanabhai, M., Fitzgerald, C., Gill, K., Hoskins, P., ... & Connors, J. M., 2007. The revised International Prognostic Index (R-IPI) is a better predictor of outcome than the standard IPI for patients with diffuse large B-cell lymphoma treated with R-CHOP. *Blood*, 109(5), 1857-1861.
- Singh, R., Shaik, S., Negi, B. S., Rajguru, J. P., Patil, P. B., Parihar, A. S., & Sharma, U., 2020. Non-Hodgkin's lymphoma: a review. *Journal of family medicine and primary care*, 9(4), 1834.
- Soubeyran, P., Bellera, C., Goyard, J., Heitz, D., Curé, H., Rousselot, H., ... & Rainfray, M., 2014. Screening for vulnerability in older cancer patients: the ONCODAGE Prospective Multicenter Cohort Study. *PloS one*, 9(12), e115060.
- Soverini, G., & Tucci, A., 2022. Clinical geriatric assessment in older patients with lymphoma: a narrative review. *Annals of Lymphoma*, 6.
- Stokoe, J. M., Pearce, J., Sinha, R., & Ring, A., 2012. G8 and VES-13 scores predict chemotherapy toxicity in older patients with cancer. *Journal of Geriatric Oncology*, 3, S81.Abstract
- Sung, H., Ferlay, J., Siegel, R. L., Laversanne, M., Soerjomataram, I., Jemal, A., & Bray, F., 2021. Global cancer statistics 2020: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *CA: a cancer journal for clinicians*, 71(3), 209-249.
- Susanibar- Adaniya, S., & Barta, S. K., 2021. Update on Diffuse large B cell lymphoma: A review of current data and potential applications on risk stratification and management. *American journal of hematology*, 96(5), 617-629.
- Tanaka, T., Sakai, R., Choi, I., Tsukada, J., Sasaki, H., Naito, Y., ... & Tamura, K., 2022. Comprehensive geriatric assessment as a useful tool in predicting adverse events in elderly patients with diffuse large B-cell lymphoma. *Scientific Reports*, 12(1), 3124.
- Takahashi, M., Takahashi, M., Komine, K., Yamada, H., Kasahara, Y., Chikamatsu, S., ... & Ishioka, C., 2017. The G8 screening tool enhances prognostic value to ECOG performance status in elderly cancer patients: a retrospective, single institutional study. *PLoS One*, 12(6), e0179694.
- Martinez-Tapia, C., Canoui-Poittrine, F., Bastuji-Garin, S., Soubeyran, P., Mathoulin-Pelissier, S., Tournigand, C., ... & ELCAPA Study Group, 2016. Optimizing the G8 screening tool for older patients with cancer: diagnostic performance and validation of a six-item version. *The Oncologist*, 21(2), 188-195.

- Tanimura, A., Hirai, R., Nakamura, M., Takeshita, M., Hagiwara, S., & Miwa, A., 2018. The prognostic impact of dose-attenuated R-CHOP therapy for elderly patients with diffuse large B-cell Lymphoma. *Internal Medicine*, 57(24), 3521-3528.
- Thandra, K. C., Barsouk, A., Saginala, K., Padala, S. A., Barsouk, A., & Rawla, P., 2021. Epidemiology of non-Hodgkin's lymphoma. *Medical Sciences*, 9(1), 5
- Thieblemont, C., Bernard, S., & Molina, T., 2017. Management of aggressive lymphoma in very elderly patients. *Hematological oncology*, 35(Suppl Suppl 1), 49.
- Tilly, H., Da Silva, M. G., Vitolo, U., Jack, A., Meignan, M., Lopez-Guillermo, A., ... & Ladetto, M., 2015. Diffuse large B-cell lymphoma (DLBCL): ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. *Annals of oncology*, 26, v116-v125.
- Tucci, A., Ferrari, S., Bottelli, C., Borlenghi, E., Drera, M., & Rossi, G., 2009. A comprehensive geriatric assessment is more effective than clinical judgment to identify elderly diffuse large cell lymphoma patients who benefit from aggressive therapy. *Cancer: Interdisciplinary International Journal of the American Cancer Society*, 115(19), 4547-4553.
- Van Walree, I. C., Scheepers, E. R., van den Bos, F., van Huis-Tanja, L. H., Emmelot-Vonk, M. H., & Hamaker, M. E., 2020. Clinical judgment versus geriatric assessment for frailty in older patients with cancer. *Journal of Geriatric Oncology*, 11(7), 1138-1144.
- Van Walree, I. C., Scheepers, E., van Huis-Tanja, L., Emmelot-Vonk, M. H., Bellera, C., Soubeyran, P., & Hamaker, M. E., 2019. A systematic review on the association of the G8 with geriatric assessment, prognosis and course of treatment in older patients with cancer. *Journal of geriatric oncology*, 10(6), 847-858.
- Velghe, A., Petrovic, M., De Buyser, S., Demuynck, R., & Noens, L., 2014. Validation of the G8 screening tool in older patients with aggressive haematological malignancies. *European Journal of Oncology Nursing*, 18(6), 645-648.
- Versteeg, K. S., Looijaard, S. M., Slee-Valentijn, M. S., Verheul, H. M., Maier, A. B., & Konings, I. R., 2021. Predicting outcome in older patients with cancer: Comprehensive geriatric assessment and clinical judgment. *Journal of Geriatric Oncology*, 12(1), 49-56.
- World Health Organization, 2000. International association for the study of obesity, International Obesity Taskforce. *The Asia-Pacific perspective: redefining obesity and its treatment*, 15-21.
- Wildiers, Hans, et al, 2014. International Society of Geriatric Oncology consensus on geriatric assessment in older patients with cancer. *Journal of clinical oncology*, 32.24: 2595.
- Wieringa, A., Boslooper, K., Hoogendoorn, M., Joosten, P., Beerden, T., Storm, H., ... & van Roon, E. N., 2014. Comorbidity is an independent prognostic factor in patients with advanced- stage diffuse large B- cell lymphoma treated with R- CHOP: a population- based cohort study. *British journal of haematology*, 165(4), 489-496.
- Yamasaki, S., 2024. Appropriate Treatment Intensity for Diffuse Large B-Cell Lymphoma in the Older Population: A Review of the Literature. *Hematology Reports*, 16(2), 317-330.

- Zheng, W., Chen, Z., Zhu, S., Cheng, L., Hu, Y., Yang, Y., ... & Guan, L, 2024. Incidence and risk factors for febrile neutropenia of patients with diffuse large B-cell lymphoma receiving R-CHOP-21 in China. *Supportive Care in Cancer*, 32(1), 43.
- Zinger, A., Cho, W. C., & Ben-Yehuda, A., 2017. Cancer and aging-the inflammatory connection. *Aging and disease*, 8(5), 611.
- Ziepert, M., Schmits, R., Trümper, L., Pfreundschuh, M., Loeffler, M., & German, 2008. High-Grade Non-Hodgkin's Lymphoma Study Group (DSHNHL). Prognostic factors for hematotoxicity of chemotherapy in aggressive non-Hodgkin's lymphoma. *Annals of oncology*, 19(4), 752-762.