

DAFTAR PUSTAKA

- Abitbol, C.L., & Rodriguez, M.M. (2012). The long-term renal and cardiovascular consequences of prematurity. *Nat. Rev. Nephrol.* 8 : 265–274.
- Adembri, C., Sgambati, E., Vitali, L. *et al.* (2011). Sepsis induces albuminuria and alterations in the glomerular filtration barrier: a morphofunctional study in the rat. *Crit Care* 15, R277.
- Agrawal, G., Wazir, S., Sethi, S.K., Tibrewal, A., Dhir, R., Bajaj, N., *et al.* (2021). Incidence, Risk Factors, and Outcomes of Neonatal Acute Kidney Injury: Protocol of a Multicentric Prospective Cohort Study [The Indian Iconic Neonatal Kidney Educational Registry]. *Front. Pediatr.* 9 : 690559.
- Andreoli, S.P. (2009). Clinical Evaluation of Acute Kidney Injury in Children. *Pediatr. Nephrol.*
- Askenazi, D., Patil, N.R., Ambalavanan, N., Balena-Borneman, J., Lozano, D.J., Ramani, M., *et al.* (2015). Acute kidney injury is associated with bronchopulmonary dysplasia/mortality in premature infants. *Pediatr. Nephrol.* 30 : 1511–1518.
- Avery, G.B. (2005). Avery's Neonatology Pathophysiology & Management of the Newborn. Lippincott Williams & Wilkins.
- Barr, D.B., Wilder, L.C., Caudill, S.P., Gonzalez, A.J., Needham, L.L., & Pirkle, J.L. (2005). Urinary creatinine concentrations in the U.S. population: implications for urinary biologic monitoring measurements. *Environ. Health Perspect.* 113 : 192–200.
- Bevis, R. (1992). Langman's Medical Embryology, 6th edition T W Sadler Langman's Medical Embryology, 6th edition Williams & Wilkins 412pp £20.50 0-683-07473-8. *Paediatr. Nurs.* 4 : 14.
- Blinder, J.J., Goldstein, S.L., Lee, V.-V., Baycroft, A., Fraser, C.D., Nelson, D., *et al.* (2012). Congenital heart surgery in infants: Effects of acute kidney injury on outcomes. *J. Thorac. Cardiovasc. Surg.* 143 : 368–374.
- Cai, C., Qiu, G., Hong, W., Shen, Y., & Gong, X. (2020). Clinical effect and safety of continuous renal replacement therapy in the treatment of neonatal sepsis-related acute kidney injury. *BMC Nephrol.* 21 : 286.
- Carlson, B.M. (2014). Developmental Disorders. *Hum. Embryol. Dev. Biol.*
- Cataldi, L., Leone, R., Moretti, U., De Mitri, B., Fanos, V., Ruggeri, L., *et al.* (2005). Potential risk factors for the development of acute renal failure in preterm

- newborn infants: a case-control study. *Arch. Dis. Child. Fetal Neonatal Ed.* 90 : F514–F519.
- Cho, M.H. (2022). Measurement of urinary protein in children. *Child. Kidney Dis.* 26 : 69–73.
- Choi, I.A., Park, J.K., Lee, E.Y., Song, Y.W., & Lee, E.B. (2013). Random spot urine protein to creatinine ratio is a reliable measure of proteinuria in lupus nephritis in Koreans. *Clin. Exp. Rheumatol.* 31 : 584–8.
- Coleman, C., Tambay Perez, A., Selewski, D.T., & Steflik, H.J. (2022). Neonatal Acute Kidney Injury. *Front. Pediatr.* 10 : 842544.
- Currie, G., & Delles, C. (2013). Proteinuria and its relation to cardiovascular disease. *Int. J. Nephrol. Renovasc. Dis.* 7 : 13–24.
- Devarajan, P. (2007). Emerging Biomarkers of Acute Kidney Injury. *Contrib. Nephrol.*
- El-sadek, A.E., El-Gamasy, M.A., Behiry, E.G., Torkey, A.A., & Fathy, M.A. (2020). Plasma cystatin C versus renal resistive index as early predictors of acute kidney injury in critically ill neonates. *J. Pediatr. Urol.* 16 : 206.e1-206.e8.
- Garg, P.M., Britt, A.B., Ansari, M.A.Y., Sobisek, S., Block, D.K., Paschal, J.L., *et al.* (2021). Severe acute kidney injury in neonates with necrotizing enterocolitis: risk factors and outcomes. *Pediatr. Res.* 90 : 642–649.
- Gohiya, P., Nadkarni, J., & Mishra, M. (2022). Study of neonatal acute kidney injury based on KDIGO criteria. *Pediatr. & Neonatol.* 63 : 66–70.
- Gubhaju, L., Sutherland, M.R., & Black, M.J. (2011). Preterm Birth and the Kidney: Implications for Long-Term Renal Health. *Reprod. Sci.* 18 : 322–333.
- Guignard, J.-P. (2012). Use of Diuretics in the Newborn. *Nephrol. Fluid/Electrolyte Physiol. Neonatol. Quest. Controv.*
- Guignard, J.-P. (1981). The Neonatal Stressed Kidney. *Pediatr. Nephrol.*
- Jetton, J.G., Boohaker, L.J., Sethi, S.K., Wazir, S., Rohatgi, S., Soranno, D.E., *et al.* (2017). Incidence and outcomes of neonatal acute kidney injury (AWAKEN): a multicentre, multinational, observational cohort study. *Lancet. Child Adolesc. Heal.* 1 : 184–194.
- Kaur, S., Jain, S., Saha, A., Chawla, D., Parmar, V.R., Basu, S., *et al.* (2011). Evaluation of glomerular and tubular renal function in neonates with birth asphyxia. *Ann. Trop. Paediatr.* 31 : 129–134.
- Kher, K.K., Greenbaum, L.A., & Schnaper, H.W. (2016). Clinical pediatric nephrology: Third edition. *Clin. Pediatr. Nephrol. Third Ed.* 1–1093.

- Kim, C.-R., Katheria, A.C., Mercer, J.S., & Stonestreet, B.S. (2017). Fluid Distribution in the Fetus and Neonate. *Fetal Neonatal Physiol.*
- Kreisberg, J.I., Matthys, E.G.J., & Venkatachalam, M.A. (1982). Pathology of Acute Renal Failure. *Nephrotoxic Mech. Drugs Environ. Toxins.*
- McCoy, Ian E. *et al.* (2024). Urine Protein-to-Creatinine Ratio Remains Informative Despite Nonsteady State Serum Creatinine During Acute Kidney Injury. *Kidney International Reports*, Volume 9, Issue 12, 3455 – 3463.
- Moore, K.L., Persaud, T.V.N., & Torchia, M.G. (2015). The Developing Human E-Book: Clinically Oriented Embryology. Elsevier Health Sciences.
- Parikh, C.R., Mishra, J., Thiessen-Philbrook, H., Dursun, B., Ma, Q., Kelly, C., *et al.* (2006). Urinary IL-18 is an early predictive biomarker of acute kidney injury after cardiac surgery. *Kidney Int.* 70 : 199–203.
- Ponthier, L., Trigolet, M., Chianea, T., Mons, F., Yardin, C., Guigonis, V., *et al.* (2021). Distribution of proteinuria- and albuminuria-to-creatinine ratios in preterm newborns. *Pediatr. Nephrol.* 36 : 1515–1524.
- Rosenblum, N.D. (2008). Developmental biology of the human kidney. *Semin. Fetal Neonatal Med.* 13 : 125–132.
- Sadler, T.W. (2015). Langman’s Medical Embryology, Langman’s Medical Embryology. Wolters Kluwer.
- Saint-Faust, M., Boubred, F., & Simeoni, U. (2014). Renal Development and Neonatal Adaptation. *Am. J. Perinatol.* 31 : 773–780.
- Sarkar, S., Askenazi, D.J., Jordan, B.K., Bhagat, I., Bapuraj, J.R., Dechert, R.E., *et al.* (2013). Relationship between acute kidney injury and brain MRI findings in asphyxiated newborns after therapeutic hypothermia. *Pediatr. Res.* 75 : 431–435.
- Saxena, I., Shivankur, V., & Kumar, M. (2016). Urinary Protein Creatinine Ratio in Normal Zero to Three-Day-Old Indian Neonates. *J. Clin. Diagn. Res.* 10 : BC21–BC23.
- Selewski, D.T., Jordan, B.K., Askenazi, D.J., Dechert, R.E., & Sarkar, S. (2013). Acute Kidney Injury in Asphyxiated Newborns Treated with Therapeutic Hypothermia. *J. Pediatr.* 162 : 725-729.e1.
- Sethi, S.K., Raina, R., Rana, A., Agrawal, G., Tibrewal, A., Bajaj, N., *et al.* (2022a). Validation of the STARZ neonatal acute kidney injury risk stratification score. *Pediatr. Nephrol.* 37 : 1923–1932.
- Sethi, S.K., Raina, R., Wazir, S., Agrawal, G., Vadhera, A., Nair, N., *et al.* (2022b). STARZ Neonatal AKI Risk Stratification Cut-off Scores for Severe AKI and

- Need for Dialysis in Neonates. *Kidney Int. reports* 7 : 2108–2111.
- Sharma, N., Anders, H.J., Gaikwad, A.B. 2019. Fiend and friend in the renin angiotensin system: an insight on acute kidney injury. *Biomedicine & Pharmacotherapy*. 110: 764-774.
- Solhaug, M.J., & Jose, P.A. (2017). Development and Regulation of Renal Blood Flow in the Neonate. *Fetal Neonatal Physiol*.
- Starr, M.C., Boohaker, L., Eldredge, L.C., Menon, S., Griffin, R., Mayock, D.E., *et al.* (2020). Acute Kidney Injury and Bronchopulmonary Dysplasia in Premature Neonates Born Less than 32 Weeks' Gestation. *Am. J. Perinatol.* 37 : 341–348.
- Taal, M.W., Chertow, G.M., Marsden, P.A., Skorecki, K., Yu, A.S.L., & Brenner, B.M. (2011). Brenner and Rector's the kidney. (2 vols). Elsevier Saunders.
- Tejchman K., Kotfis K., Sieńko J. (2021). Biomarkers and Mechanisms of Oxidative Stress-Last 20 Years of Research with an Emphasis on Kidney Damage and Renal Transplantation. *Int J Mol Sci.* 2021 Jul 27;22(15):8010. doi: 10.3390/ijms22158010. PMID: 34360776; PMCID: PMC8347360.
- Wazir, S., Sethi, S.K., Agarwal, G., Tibrewal, A., Dhir, R., Bajaj, N., *et al.* (2021). Neonatal acute kidney injury risk stratification score: STARZ study. *Pediatr. Res.* 91 : 1141–1148.
- Zhang, A., & Huang, S. (2012). Progress in pathogenesis of proteinuria. *Int. J.Nephrol.* 2012 : 314251