

## DAFTAR PUSTAKA

- Alam, M., Biswas, M., Debnath, M. K., Hasan, M. M., Islam, Md. R., Jodder, A., Alam, A., Zahid, Md. A., Alim, Md. A., Chowdhury, Md. A., Molla, C., & Molla, M. M. (2023). Evaluation of green chili stored at the chilling condition: Effects of thermal and ultrasound pretreatments. *Food and Humanity, 1*(September), 1274–1281. <https://doi.org/10.1016/j.foohum.2023.09.023>
- Arendse, E., Fawole, O. A., Magwaza, L. S., & Opara, U. L. (2016). Non-destructive characterization and volume estimation of pomegranate fruit external and internal morphological fractions using X-ray computed tomography. *Journal of Food Engineering, 186*, 42–49. <https://doi.org/10.1016/j.jfoodeng.2016.04.011>
- Becker, B. R., & Fricke, B. A. (1996). Transpiration and respiration of fruits and vegetables. *Science et Technique Du Froid (France)*.
- Bergevin, M., L'heureux, G. P., & Willemot, C. (1993). *Tomato fruit chilling tolerance in relation to internal atmosphere after return to ambient temperature*.
- Blanke, M. M., & Holthe, P. A. (1997). Bioenergetics, maintenance respiration and transpiration of pepper fruits. *Journal of Plant Physiology, 150*(3), 247–250.
- Borovsky, Y., & Paran, I. (2008). Chlorophyll breakdown during pepper fruit ripening in the chlorophyll retainer mutation is impaired at the homolog of the senescence-inducible stay-green gene. *Theoretical and Applied Genetics, 117*, 235–240.
- Cantre, D., Mata, C. I., Verboven, P., Hertog, M. L., & Nicolai, B. M. (2020). 3-D microstructural changes in relation to the evolution of quality during ripening of mango (*Mangifera indica* L. cv. Carabao). *Journal of the Science of Food and Agriculture, 100*(14), 5207–5221.
- Carvalho, S. I. C., Ragassi, C. F., Bianchetti, L. de B., Reifschneider, F. J. B., Buso, G. S. C., & Faleiro, F. G. (2014). *Morphological and genetic relationships between wild and domesticated forms of peppers (Capsicum frutescens L. and C. chinense Jacquin)*.
- Chiarini, F. E., & Barboza, G. E. (2009). Fruit anatomy of species of *Solanum* sect. *Acanthophora* (Solanaceae). *Flora-Morphology, Distribution, Functional Ecology of Plants, 204*(2), 146–156.
- Comrie, J. D. (1927). Section of the History of Medicine. *BMJ, 2*(3474), 205–210. <https://doi.org/10.1136/bmj.2.3474.205>
- du Plessis, A., Broeckhoven, C., Guelpa, A., & le Roux, S. G. (2017). Laboratory x-ray micro-computed tomography: a user guideline for biological samples. *GigaScience, 6*(6). <https://doi.org/10.1093/gigascience/gix027>
- Duan, Y., Xu, X., Wang, R., & Ma, C. (2020a). X-ray  $\mu$ CT analysis to characterize cork spot disorder in Chinese pear ‘Chili’ (*Pyrus bretschneideri*). *Postharvest Biology and Technology, 170*(August), 111321. <https://doi.org/10.1016/j.postharvbio.2020.111321>

- Duan, Y., Xu, X., Wang, R., & Ma, C. (2020b). X-ray  $\mu$ CT analysis to characterize cork spot disorder in Chinese pear ‘Chili’ (*Pyrus bretschneideri*). *Postharvest Biology and Technology*, 170, 111321. <https://doi.org/10.1016/j.postharvbio.2020.111321>
- Dunn, P. M. (2001). Wilhelm Conrad Röntgen (1845-1923), the discovery of x rays and perinatal diagnosis. *Archives of Disease in Childhood: Fetal and Neonatal Edition*, 84(2), 138–140. <https://doi.org/10.1136/fn.84.2.f138>
- Ge, W., Zhao, Y., Kong, X., Sun, H., Luo, M., Yao, M., Wei, B., & Ji, S. (2020). Combining salicylic acid and trisodium phosphate alleviates chilling injury in bell pepper (*Capsicum annuum* L.) through enhancing fatty-acid desaturation efficiency and water retention. *Food Chemistry*, 327, 127057.
- Getahun, E., Gabbiye, N., Delele, M. A., Fanta, S. W., Gebrehiwot, M. G., & Vanierschot, M. (2020). Effect of maturity on the moisture sorption isotherm of chili pepper (Mareko Fana variety). *Heliyon*, 6(8).
- Gidado, M. J., Gunny, A. A. N., Gopinath, S. C. B., Ali, A., Wongs-Aree, C., & Salleh, N. H. M. (2024). Challenges of postharvest water loss in fruits: Mechanisms, influencing factors, and effective control strategies – A comprehensive review. *Journal of Agriculture and Food Research*, 17, 101249. <https://doi.org/10.1016/j.jafr.2024.101249>
- Grudzień, K., Niedostatkiewicz, M., Adrien, J., Tejchman, J., & Maire, E. (2011). Quantitative estimation of volume changes of granular materials during silo flow using X-ray tomography. *Chemical Engineering and Processing: Process Intensification*, 50(1), 59–67. <https://doi.org/10.1016/j.cep.2010.11.008>
- Gupta, A. K., Kumar, V., Naik, B., Rizwana, S., & Ranjan, R. (2023). Mapping of nutraceutical and sensorial properties of stuffed red chilli pickle: Effect of storage on quality. *Journal of Agriculture and Food Research*, 11, 100504.
- Herremans, E., Verboven, P., Defraeye, T., Rogge, S., Ho, Q. T., Hertog, M. L. A. T. M., Verlinden, B. E., Bongaers, E., Wevers, M., & Nicolai, B. M. (2014). X-ray CT for quantitative food microstructure engineering: The apple case. *Nuclear Instruments and Methods in Physics Research, Section B: Beam Interactions with Materials and Atoms*, 324, 88–94. <https://doi.org/10.1016/j.nimb.2013.07.035>
- Herremans, E., Verboven, P., Verlinden, B. E., Cantre, D., Abera, M., Wevers, M., & Nicolai, B. M. (2015). Automatic analysis of the 3-D microstructure of fruit parenchyma tissue using X-ray micro-CT explains differences in aeration. *BMC Plant Biology*, 15(1), 264. <https://doi.org/10.1186/s12870-015-0650-y>
- Ho, Q. T., Verboven, P., Verlinden, B. E., Herremans, E., Wevers, M., Carmeliet, J., & Nicolai, B. M. (2011). A three-dimensional multiscale model for gas exchange in fruit. *Plant Physiology*, 155(3), 1158–1168. <https://doi.org/10.1104/pp.110.169391>
- Ho, Q. T., Verboven, P., Verlinden, B. E., & Nicolai, B. M. (2010). A model for gas transport in pear fruit at multiple scales. *Journal of Experimental Botany*, 61(8), 2071–2081. <https://doi.org/10.1093/jxb/erq026>

- Hou, B. Z., Li, C. L., Han, Y. Y., & Shen, Y. Y. (2018). Characterization of the hot pepper (*Capsicum frutescens*) fruit ripening regulated by ethylene and ABA. *BMC Plant Biology*, *18*(1), 1–12. <https://doi.org/10.1186/s12870-018-1377-3>
- Hou, B.-Z., Li, C.-L., Han, Y.-Y., & Shen, Y.-Y. (2018). Characterization of the hot pepper (*Capsicum frutescens*) fruit ripening regulated by ethylene and ABA. *BMC Plant Biology*, *18*, 1–12.
- Hsiao, W. T., Kuo, W. C., Lin, H. H., & Lai, L. H. (2021). Assessment and feasibility study of lemon ripening using x-ray image of information visualization. *Applied Sciences (Switzerland)*, *11*(7). <https://doi.org/10.3390/app11073261>
- Huang, Y., Lu, R., & Chen, K. (2020). Detection of internal defect of apples by a multichannel Vis/NIR spectroscopic system. *Postharvest Biology and Technology*, *161*(October 2019), 111065. <https://doi.org/10.1016/j.postharvbio.2019.111065>
- Jenderal, S., & Pertanian, K. (n.d.). *Pusat Data dan Sistem Informasi Pertanian Sekretariat Jenderal Kementerian Pertanian*.
- Kalkan, H., Beriat, P., Yardimci, Y., & Pearson, T. C. (2011). Detection of contaminated hazelnuts and ground red chili pepper flakes by multispectral imaging. *Computers and Electronics in Agriculture*, *77*(1), 28–34. <https://doi.org/10.1016/j.compag.2011.03.005>
- Khuriyati, N., Nugroho, D. A., & Wicaksono, N. A. (2020). Quality assessment of chilies (*Capsicum annum* L.) by using a smartphone camera. *IOP Conference Series: Earth and Environmental Science*, *425*(1). <https://doi.org/10.1088/1755-1315/425/1/012040>
- Kim, O. R., Cho, M.-C., Kim, B.-D., & Huh, J. H. (2010). A splicing mutation in the gene encoding phytoene synthase causes orange coloration in Habanero pepper fruits. *Molecules and Cells*, *30*, 569–574.
- Krajayklang, M., Klieber, A., & Dry, P. R. (2000). Colour at harvest and post-harvest behaviour influence paprika and chilli spice quality. *Postharvest Biology and Technology*, *20*(3), 269–278.
- Kruth, J. P., Bartscher, M., Carmignato, S., Schmitt, R., De Chiffre, L., & Weckenmann, A. (2011). Computed tomography for dimensional metrology. *CIRP Annals - Manufacturing Technology*, *60*(2), 821–842. <https://doi.org/10.1016/j.cirp.2011.05.006>
- Lang, A., & Thorpe, M. R. (1989). Xylem, phloem and transpiration flows in a grape: Application of a technique for measuring the volume of attached fruits to high resolution using archimedes' principle. *Journal of Experimental Botany*, *40*(10), 1069–1078. <https://doi.org/10.1093/jxb/40.10.1069>
- Li, C., Liu, J., Jin, Y., Xu, H., & Ge, Y. (2024). Calcium lactate treatment modulated fatty acid metabolism to attenuate senescence in 'Jinfeng' pear fruit during storage. *Postharvest Biology and Technology*, *216*, 113053. <https://doi.org/10.1016/j.postharvbio.2024.113053>
- Liu, L. (2013). Ultrastructural study on dynamics of lipid bodies and plastids during ripening of chili pepper fruits. *Micron*, *46*, 43–50.

- Lohumi, S., Lee, S., Lee, H., & Cho, B. K. (2015). A review of vibrational spectroscopic techniques for the detection of food authenticity and adulteration. *Trends in Food Science and Technology*, 46(1), 85–98. <https://doi.org/10.1016/j.tifs.2015.08.003>
- Lufu, R., Ambaw, A., & Opara, U. L. (2019). The contribution of transpiration and respiration processes in the mass loss of pomegranate fruit (cv. Wonderful). *Postharvest Biology and Technology*, 157, 110982.
- Mes, P. J., Boches, P., Myers, J. R., & Durst, R. (2008). Characterization of tomatoes expressing anthocyanin in the fruit. *Journal of the American Society for Horticultural Science*, 133(2), 262–269.
- Nandagopal, J. G. T., & Shanmugam, G. (2022). Screening and differential oxidative stress responses of hot pepper (*Capsicum annuum* L.) genotypes under cold stress. *South African Journal of Botany*, 151, 591–599.
- Nicolaï, B. M., Beullens, K., Bobelyn, E., Peirs, A., Saeys, W., Theron, K. I., & Lammertyn, J. (2007). Nondestructive measurement of fruit and vegetable quality by means of NIR spectroscopy: A review. *Postharvest Biology and Technology*, 46(2), 99–118. <https://doi.org/10.1016/j.postharvbio.2007.06.024>
- Nugroho, L. H. (2016). Red pepper (*Capsicum* spp.) fruit: A model for the study of secondary metabolite product distribution and its management. *AIP Conference Proceedings*, 1744. <https://doi.org/10.1063/1.4953508>
- Ong, P., Yeh, C., Tsai, I., Lee, W., Wang, Y., & Chuang, K. (2023). *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy Evaluation of convolutional neural network for non-destructive detection of imidacloprid and acetamiprid residues in chili pepper ( Capsicum frutescens L .) based on visible near-infrared*. 303(April).
- Orhan, K. (2020). *Micro-computed Tomography (micro-CT) in Medicine and Engineering*. Springer.
- Otsu, & N. (1996). A threshold selection method from gray-level histograms. *IEEE Transactions on Systems, Man and Cybernetics*, 9(1), 62–66.
- Pratt, H. K., & Goeschl, J. D. (1969). Physiological roles of ethylene in plants. *Annual Review of Plant Physiology*, 20(1), 541–584.
- R. R. Davies. (2018). *Computer Vision* (Elsevier, Ed.; fifth, Issue 0).
- Rizky, W. M., Pamungkas, A. P., & Falah, M. A. F. (2024). Prediction of respiration measurement based on temperature differences of fresh strawberry (*Fragaria x ananassa* var. Kelly Bright) in a tropical environment. *Planta Tropika*, 12(1), 58–72.
- Samukelo, L., & Linus, U. (2014). Postharvest Biology and Technology Investigating non-destructive quantification and characterization of pomegranate fruit internal structure using X-ray computed tomography. *Postharvest Biology and Technology*, 95, 1–6. <https://doi.org/10.1016/j.postharvbio.2014.03.014>
- Setyabudi, D. A., Ratnaningsih, Broto, W., & Jamal, I. B. (2019). Effect of control atmosphere storage model on the quality of chili. *IOP Conference Series: Earth*

- and Environmental Science*, 309(1). <https://doi.org/10.1088/1755-1315/309/1/012024>
- Si, Y., & Sankaran, S. (2016). Computed tomography imaging-based bitter pit evaluation in apples. *Biosystems Engineering*, 151, 9–16. <https://doi.org/10.1016/j.biosystemseng.2016.08.008>
- Sihombing, Y. F., Septiarini, A., Kridalaksana, A. H., & Puspitasari, N. (2022). Chili Classification Using Shape and Color Features Based on Image Processing. *Scientific Journal of Informatics*, 9(1), 42–50. <https://doi.org/10.15294/sji.v9i1.33658>
- Sulistiyanti, S. R., Setyawan, F. X., & Komarudin, M. (2016). *Pengolahan Citra, Dasar dan Contoh Penerapannya*. Teknosain.
- Sundberg, M. D., Motsenbocker, C. E., & Huang, Y. (2003). Anatomy of fruit detachment in tabasco pepper (*Capsicum frutescens*, Solanaceae). *Journal of the Torrey Botanical Society*, 231–237.
- Susanto, A. T., Prajitno, P., Kurnianto, K., & Handoyo, D. (2020). REKONSTRUKSI CITRA PADA KOMPUTASI TOMOGRAFI SINAR-X BERBASIS FLUOROSKOPI UNTUK APLIKASI INDUSTRI MANUFAKTUR. *Prosiding Seminar Nasional Inovasi Dan Pendayagunaan Teknologi Nuklir*, 291–299.
- Tanaka, F., Nashiro, K., Obatake, W., Tanaka, F., & Uchino, T. (2018). Observation and analysis of internal structure of cucumber fruit during storage using X-ray computed tomography. *Engineering in Agriculture, Environment and Food*, 11(2), 51–56. <https://doi.org/10.1016/j.eaef.2017.12.004>
- Van den Berg, L., & Lentz, C. P. (1971). Moisture loss of vegetables under refrigerated storage conditions. *Canadian Institute of Food Technology Journal*, 4(4), 143–145.
- van den Berg, L., & Lentz, C. P. (1971). Moisture Loss of Vegetables under Refrigerated Storage Conditions. *Canadian Institute of Food Technology Journal*, 4(4), 143–145. [https://doi.org/10.1016/s0008-3860\(71\)74219-6](https://doi.org/10.1016/s0008-3860(71)74219-6)
- Wang, J., Lu, Z., Xiao, X., Xu, M., Lin, Y., Dai, H., Liu, X., Pi, F., & Han, D. (2023). Non-destructive determination of internal defects in chestnut (*Castanea mollissima*) during postharvest storage using X-ray computed tomography. *Postharvest Biology and Technology*, 196, 112185. <https://doi.org/10.1016/j.postharvbio.2022.112185>
- Weryszko-Chmielewska, E., & Michałojć, Z. (2012). Anatomical traits of sweet pepper (*Capsicum annuum* L.) fruit. *Acta Agrobotanica*, 64(4), 181–188. <https://doi.org/10.5586/aa.2011.059>
- Wilde, A. S., Haughey, S. A., Galvin-King, P., & Elliott, C. T. (2019). The feasibility of applying NIR and FT-IR fingerprinting to detect adulteration in black pepper. *Food Control*, 100(January), 1–7. <https://doi.org/10.1016/j.foodcont.2018.12.039>
- Withers, P. J., Bouman, C., Carmignato, S., Cnudde, V., Grimaldi, D., Hagen, C. K., Maire, E., Manley, M., Du Plessis, A., & Stock, S. R. (2021). X-ray computed

- tomography. *Nature Reviews Methods Primers*, 1(1), 18.  
<https://doi.org/10.1038/s43586-021-00015-4>
- Wood, R. M., Schut, D. E., Trull, A. K., Marcelis, L. F. M., & Schouten, R. E. (2024). Detecting internal browning in apple tissue as determined by a single CT slice in intact fruit. *Postharvest Biology and Technology*, 211(August 2023), 112802.  
<https://doi.org/10.1016/j.postharvbio.2024.112802>
- Xavier, A. A. O., & Pérez-Gálvez, A. (2015). Peppers and Chilies. In *Encyclopedia of Food and Health* (pp. 301–306). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-384947-2.00533-X>
- Xavier, A. A. O., & Pérez-Gálvez, A. (2016). *Peppers and Chilies. Encyclopedia of Food and Health*, 301–306.
- Xiao, D., Zeng, R., Liu, Y., Huang, Y., Liu, J., Feng, J., & Zhang, X. (2022). Citrus greening disease recognition algorithm based on classification network using TRL-GAN. *Computers and Electronics in Agriculture*, 200, 107206.  
<https://doi.org/10.1016/j.compag.2022.107206>
- Xiao, H., Piovesan, A., Pols, S., Verboven, P., & Nicolaï, B. (2021). Microstructural changes enhance oxygen transport in tomato (*Solanum lycopersicum*) fruit during maturation and ripening. *New Phytologist*, 232(5), 2043–2056.  
<https://doi.org/10.1111/nph.17712>
- Xiao, Z., Rogiers, S. Y., Sadras, V. O., & Tyerman, S. D. (2018). Hypoxia in grape berries: the role of seed respiration and lenticels on the berry pedicel and the possible link to cell death. *Journal of Experimental Botany*, 69(8), 2071–2083.
- Xiao, Z., Stait-Gardner, T., Willis, S. A., Price, W. S., Moroni, F. J., Pagay, V., Tyerman, S. D., Schmidtke, L. M., & Rogiers, S. Y. (2021). 3D visualisation of voids in grapevine flowers and berries using X-ray micro computed tomography. *Australian Journal of Grape and Wine Research*, 27(2), 141–148.  
<https://doi.org/10.1111/ajgw.12480>
- Xiao, Z., Tyerman, S. D., Stait-Gardner, T., Price, W. S., Pagay, V., Schmidtke, L. M., & Rogiers, S. Y. (2022). Characterisation of internal oxygen concentration of strawberry (. *Functional Plant Biology*, 50(3), 256–265.  
<https://doi.org/10.1071/FP21259>
- Xing, Y., Li, X., Xu, Q., Yun, J., Lu, Y., & Tang, Y. (2011). Effects of chitosan coating enriched with cinnamon oil on qualitative properties of sweet pepper (*Capsicum annuum* L.). *Food Chemistry*, 124(4), 1443–1450.  
<https://doi.org/10.1016/j.foodchem.2010.07.105>
- Xu, Y., Yang, X., Zhang, J., Zhou, X., Luo, L., & Zhang, Q. (2024). Visual analysis of sea buckthorn fruit moisture content based on deep image processing technology. *Food Chemistry*, 453, 139558.
- Yamamoto, S., & Nawata, E. (2004). Morphological characters and numerical taxonomic study of *Capsicum frutescens* in Southeast and East Asia. *Tropics*, 14(1), 111–121.
- Yu, J., Lin, S., Lu, H., Wang, R., Liu, J., Gutjahr, R., & Gao, J. (2022). Optimize scan timing in abdominal multiphase CT: Bolus tracking with an individualized post-

trigger delay. *European Journal of Radiology*, 148(October 2021), 110139.  
<https://doi.org/10.1016/j.ejrad.2021.110139>

Yuan, Q., & Dai, S. (2024). Adaptive histogram equalization with visual perception consistency. *Information Sciences*, 668, 120525.