

## DAFTAR PUSTAKA

- Aarti, P. D., Tanaka, R., & Tanaka, A. (2006). Effects of oxidative stress on chlorophyll biosynthesis in cucumber (*Cucumis sativus*) cotyledons. *Physiologia Plantarum*, 128(1), 186–197. <https://doi.org/10.1111/j.1399-3054.2006.00720.x>
- Albro, P. W., Corbett, J. T., & Schroeder, J. L. (1986). Effects of 2,3,7,8-tetrachlorodibenzo-p-dioxin on lipid peroxidation in microsomal systems in vitro. *Chemico-Biological Interactions*, 57(3), 301–313. [https://doi.org/10.1016/0009-2797\(86\)90005-0](https://doi.org/10.1016/0009-2797(86)90005-0)
- Alexander, A. G. (1966). Oxidizing Enzymes of Sugarcane: Peroxidase. *The Journal of Agriculture of the University of Puerto Rico*, 50(1 SE-Articles), 36–52. <https://doi.org/10.46429/jaupr.v50i1.3440>
- Alfatemi, S. M. H., Sharifi-Rad, J. S., Rad, M. S., Mohsenzadeh, S., & da Silva, J. A. T. (2015). Chemical composition, antioxidant activity and in vitro antibacterial activity of *Achillea wilhelmsii* C. Koch essential oil on methicillin-susceptible and methicillin-resistant *Staphylococcus aureus* spp. 3 *Biotech*, 5(1), 39–44. <https://doi.org/10.1007/s13205-014-0197-x>
- Almarie, A. A. A. (2020). *Roles of Terpenoids in Essential Oils and Its Potential as Natural Weed Killers: Recent Developments*. IntechOpen. <https://doi.org/10.5772/intechopen.91322>
- Ameena, M., Geethakumari, V. L., & George, S. (2014). Allelopathic influence of purple nutsedge (*Cyperus rotundus* L.) root exudates on germination and growth of important field crops. *Ann. Agric. Res. New Series*, 35(4), 362–366. <https://epubs.icar.org.in/index.php/AAR/article/view/46894>
- Ameena, M., Geethakumaril, V. L., & George, S. (2015). Allelopathic effects of root exudates of purple nutsedge (*Cyperus rotundus* L.) on growth of field crops. *Journal Crop and Weed*, 11(Special Issue), 142–145.
- Anaya, A. L. (1999). Allelopathy as a tool in the management of biotic resources in agroecosystems. In *Critical Reviews in Plant Sciences* (Vol. 18, Issue 6). <https://doi.org/10.1080/07352689991309450>
- Anh, L. H., Van Quan, N., Tuan Nghia, L., & Dang Xuan, T. (2021). Phenolic allelochemicals: Achievements, limitations, and prospective approaches in weed management. *Weed Biology and Management*, 21(2), 37–67. <https://doi.org/10.1111/WBM.12230>
- Araújo, C. A., Morgado, C. S. A., Gomes, A. K. C., Gomes, A. C. C., & Simas, N. K. (2021). Asteraceae family: A review of its allelopathic potential and the case of *Acmella oleracea* and *Sphagneticola trilobata*. *Rodriguesia*, 72. <https://doi.org/10.1590/2175-7860202172137>
- Arnon, D. I. (1949). Copper Enzymes in Isolated Chloroplasts. Polyphenoloxidase in Beta Vulgaris. *Plant Physiology*, 24(1), 1–15. <https://doi.org/10.1104/PP.24.1.1>
- Arruda, D. C., D’Alexandri, F. L., Katzin, A. M., & Uliana, S. R. B. (2005). Antileishmanial activity of the terpene nerolidol. *Antimicrobial Agents*

- and *Chemotherapy*, 49(5), 1679–1687.  
<https://doi.org/10.1128/AAC.49.5.1679-1687.2005>
- Awouafack, M. D., Tane, P., Kuete, V., & Eloff, J. N. (2013). Sesquiterpenes from the Medicinal Plants of Africa. In *Medicinal Plant Research in Africa: Pharmacology and Chemistry* (pp. 33–103). Elsevier Inc.  
<https://doi.org/10.1016/B978-0-12-405927-6.00002-3>
- Azizan, K. A., Baharum, S. N., & Noor, N. M. (2012). Metabolic profiling of *Lactococcus lactis* under different culture conditions. *Molecules*, 17(7), 8022–8036. <https://doi.org/10.3390/molecules17078022>
- Azizan, K. A., Ghani, N. H. A., & Nawawi, M. F. (2015). GC-MS based metabolomics and multivariate statistical analysis of *Wedelia trilobata* extracts for the identification of potential phytochemical properties. *POJ*, 8(6), 537–543.
- Azizan, K. A., Ibrahim, S., Ghani, N. H. A., & Nawawi, M. F. (2016). LC-MS Based Metabolomics Analysis to Identify Potential Allelochemicals in *Wedelia trilobata*. *Nat. Prod*, 10, 788–793. [www.acgpubs.org/RNP](http://www.acgpubs.org/RNP)
- Bajwa, A. A. (2014). Sustainable weed management in conservation agriculture. *Crop Protection*, 65, 105–113.  
<https://doi.org/10.1016/J.CROPRO.2014.07.014>
- Balekar, N., Nakpheng, T., & Srichana, T. (2014). *Wedelia trilobata* L.: A Phytochemical and Pharmacological Review. In *Chiang Mai J. Sci* (Vol. 41, Issue 3). <http://epg.science.cmu.ac.th/ejournal/>
- Batish, D. R., Singh, H. P., Setia, N., Kaur, S., & Kohli, R. K. (2006). 2-Benzoxazolinone (BOA) induced oxidative stress, lipid peroxidation and changes in some antioxidant enzyme activities in mung bean (*Phaseolus aureus*). *Plant Physiology and Biochemistry*, 44(11–12), 819–827. <https://doi.org/10.1016/j.plaphy.2006.10.014>
- Bendixen, L. E., & Nandihalli, U. B. (1987). Worldwide Distribution of Purple and Yellow Nutsedge (*Cyperus rotundus* and *C. esculentus*). *Technology*, 1(1), 61–65. <https://www.jstor.org/stable/3986985>
- Benvenuti, S., Cioni, P. L., Flamini, G., & Pardossi, A. (2017). Weeds for weed control: Asteraceae essential oils as natural herbicides. *Weed Research*, 57(5), 342–353. <https://doi.org/10.1111/wre.12266>
- Bharati, A., Kar, M., & Sabat, S. C. (2012). Artemisinin inhibits chloroplast electron transport activity: mode of action. *PloS One*, 7(6). <https://doi.org/10.1371/journal.pone.0038942>
- Bhattacharya, B., & Gupta, K. (1981). Steroid Hormone Effects on Growth and Apical Dominance of Sunflower. *Phytochemistry*, 20(5), 989–991.
- Bianchi, F., Careri, M., Mangia, A., & Musci, M. (2007). Retention indices in the analysis of food aroma volatile compounds in temperature-programmed gas chromatography: Database creation and evaluation of precision and robustness. *Journal of Separation Science*, 30(4), 563–572. <https://doi.org/10.1002/jssc.200600393>
- Bohm, W. (1979). Root Parameters and Their Measurement. In *Methods of Studying Root Systems* (Vol. 33, pp. 126–138). [https://doi.org/https://doi.org/10.1007/978-3-642-67282-8\\_12](https://doi.org/https://doi.org/10.1007/978-3-642-67282-8_12)

- Candido, L. P., Varela, R. M., Torres, A., Molinillo, J. M. G., Gualtieri, S. C. J., & Macías, F. A. (2016). Evaluation of the Allelopathic Potential of Leaf, Stem, and Root Extracts of *Ocotea pulchella* Nees et Mart. *Chemistry and Biodiversity*, 1058–1067. <https://doi.org/10.1002/cbdv.201500501>
- Cantillo-Ciau, Z., Moo-Puc, R., Quijano, L., & Freile-Pelegrín, Y. (2010). The tropical brown alga *Lobophora variegata*: A source of antiprotozoal compounds. *Marine Drugs*, 8(4), 1292–1304. <https://doi.org/10.3390/md8041292>
- Carvalho, M. H. C. de. (2008). Drought stress and reactive oxygen species. *Plant Signaling & Behavior*, 3, 156–5. [www.landesbioscience.com/journals/psb/article/5537](http://www.landesbioscience.com/journals/psb/article/5537)
- Chaïb, S., Pistevos, J. C. A., Bertrand, C., & Bonnard, I. (2021a). Allelopathy and allelochemicals from microalgae: An innovative source for bioherbicidal compounds and biocontrol research. *Algal Research*, 54, 102213. <https://doi.org/10.1016/J.ALGAL.2021.102213>
- Chaïb, S., Pistevos, J. C. A., Bertrand, C., & Bonnard, I. (2021b). Allelopathy and allelochemicals from microalgae: An innovative source for bioherbicidal compounds and biocontrol research. In *Algal Research* (Vol. 54). Elsevier B.V. <https://doi.org/10.1016/j.algal.2021.102213>
- Chaimovitsh, D., Rogovoy Stelmakh, O., Altshuler, O., Belausov, E., Abu-Abied, M., Rubin, B., Sadot, E., & Dudai, N. (2012). The relative effect of citral on mitotic microtubules in wheat roots and BY2 cells. *Plant Biology*, 14(2), 354–364. <https://doi.org/10.1111/j.1438-8677.2011.00511.x>
- Chand, M., Lal, R., Khippal, A., & Singh, S. (2011). Integrated weed management in sugarcane ratoon. *Indian Journal of Sugarcane Technology*, 25(1 & 2), 17–19. <https://www.researchgate.net/publication/327532027>
- Cheema, Z. A., Farooq, M., & Wahid, A. (2013). Allelopathy: Current trends and future applications. In *Allelopathy: Current Trends and Future Applications*. Springer Berlin Heidelberg. <https://doi.org/10.1007/978-3-642-30595-5/COVER>
- Chen', P. K., Polatnick, M., & Leather, G. (1991). Comparative Study on Artemisinin, 2,4-D, and Glyphosate. *J. Agrlc. Food Chem*, 39, 991–994.
- Choudhuri, S., & Chanderbhan, R. F. (2016). The biology of nutrients: Genetic and molecular principles. In *Nutraceuticals: Efficacy, Safety and Toxicity* (pp. 209–225). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-802147-7.00017-6>
- Daley, S. L., & Hassell, R. L. (2014). Fatty Alcohol Application to Control Meristematic Regrowth in Bottle Gourd and Interspecific Hybrid Squash Rootstocks Used for Grafting Watermelon. *HORTSCIENCE*, 49(3), 260–264. <https://doi.org/10.21273/HORTSCI.49.3.260>
- DellaGreca, M., Zarrelli, A., Fergola, P., Cerasuolo, M., Pollio, A., & Pinto, G. (2010). Fatty acids released by *Chlorella vulgaris* and Their Role in Interference with *Pseudokirchneriella subcapitata*: Experiments and

- Modelling. *Journal of Chemical Ecology*, 36(3), 339–349. <https://doi.org/10.1007/s10886-010-9753-y>
- Dobrescu, A., Giuffrida, M. V., & Tsiftaris, S. A. (2017). Leveraging multiple datasets for deep leaf counting. *Proceedings - 2017 IEEE International Conference on Computer Vision Workshops, ICCVW 2017, 2018-January*, 2072–2079. <https://doi.org/10.1109/ICCVW.2017.243>
- Domonkos, I., Kis, M., Gombos, Z., & Ughy, B. (2013). Carotenoids, versatile components of oxygenic photosynthesis. In *Progress in Lipid Research* (Vol. 52, Issue 4, pp. 539–561). <https://doi.org/10.1016/j.plipres.2013.07.001>
- Doorandishan, M., Gholami, M., Ebrahimi, P., & Jassbi, A. R. (2021). Spathulenol as the most abundant component of essential oil of *moluccella aucheri* (Boiss.) scheen. *Natural Volatiles and Essential Oils*, 8(2), 37–41. <https://doi.org/10.37929/nveo.817562>
- Dorning, M., & Cipollini, D. (2006). Leaf and root extracts of the invasive shrub, *Lonicera maackii*, inhibit seed germination of three herbs with no autotoxic effects. *Plant Ecology*, 184(2), 287–296. <https://doi.org/10.1007/s11258-005-9073-4>
- El Sawi, S. A., Ibrahim, M. E., El-Rokiek, K. G., & El-Din, S. A. S. (2019). Allelopathic potential of essential oils isolated from peels of three citrus species. *Annals of Agricultural Sciences*, 64(1), 89–94. <https://doi.org/10.1016/j.aosas.2019.04.003>
- El-Amier, Y. A., & Abdullah, T. J. (2014). Allelopathic Effect of Four Wild Species on Germination and Seedling Growth of *Echinocloa crusgalli* (L.) P. Beauv. *Article in International Journal of Advanced Research*, 2(9), 287–294.
- El-Darier, S. M., Abdelaziz, H. A., & Zein El-Dien, M. H. (2014). Effect of soil type on the allelotoxic activity of *Medicago sativa* L. residues in *Vicia faba* L. agroecosystems. *Journal of Taibah University for Science*, 8(2), 84–89. <https://doi.org/10.1016/j.jtusci.2014.01.001>
- El-Rokiek, Kowthar, G., Rafat, R. E., Nadia K.M., & Salah A.A. (2010). The Allelopathic Effect of Mango Leaves on the Growth and Propagative Capacity of Purple Nutsedge (*Cyperus rotundus* L.). *Journal of American Science*, 6(9), 151–159. <http://www.americanscience.org/editor@americanscience.org>
- Entzeroth, M., Mead, D. J., Pa-Iterson, G. M. L., & Moore, R. E. (1985). A HERBICIDAL FATTY ACID PRODUCED BY *LYZVGBYA AESTUARZZ* (Vol. 24, Issue 12).
- Ferdous, J., Mamun, M., & Sarafat Ali, Md. (2017). Impact of Environmental and Stress Factors on the Photosynthetic Capabilities of Plants. *Universal Journal of Agricultural Research*, 5(2), 113–118. <https://doi.org/10.13189/ujar.2017.050205>
- Fischer, N. H., & Quijano, L. (1985). Allelopathic Agents from Common Weeds. In *The Chemistry of Allelopathy* (pp. 133–147). American Chemical Society. <https://doi.org/10.1021/bk-1985-0268.ch009>



- Fischer, N. H., Williamson, G. B., Tanrisever, N., Pena, A. D. L., Weidenhamer, J. D., Jordan, E. D., & Richardson, D. R. (1989). Allelopathic Actions in the Florida Scrub Community. In *BIOLOGIA PLANTARUM (PRAHA)* (Vol. 31, Issue 6).
- Foyer C.H., N. G. (2005). Redox Homeostasis and Antioxidant Signaling: A Metabolic Interface between Stress Perception and Physiological Responses. *Plant Cell*, 17(7), 1866–1875. [www.plantcell.org](http://www.plantcell.org)
- Fu, Y. H., Quan, W. X., Li, C. C., Qian, C. Y., Tang, F. H., & Chen, X. J. (2019). Allelopathic effects of phenolic acids on seedling growth and photosynthesis in rhododendron delavayi franch. *Photosynthetica*, 57(2), 377–387. <https://doi.org/10.32615/ps.2019.045>
- Gharde, Y., Singh, P. K., Dubey, R. P., & Gupta, P. K. (2018). Assessment of yield and economic losses in agriculture due to weeds in India. *Crop Protection*, 107, 12–18. <https://doi.org/10.1016/j.cropro.2018.01.007>
- Gill, S. S., Nafees, K. A., Naser, A. A., & Narendra Tuteja. (2011). Amelioration of Cadmium Stress in Crop Plants by Nutrient Management : Morphological, Physiological and Biochemical Aspects. *Plant Stress*, 5(1), 1–15. <https://api.semanticscholar.org/CorpusID:40009775>
- Gill, S. S., & Tuteja, N. (2010). Reactive oxygen species and antioxidant machinery in abiotic stress tolerance in crop plants. *Plant Physiology and Biochemistry*, 48(12), 909–930. <https://doi.org/10.1016/J.PLAPHY.2010.08.016>
- Gómez-Sagasti, M. T., López-Pozo, M., Artetxe, U., Becerril, J. M., Hernández, A., García-Plazaola, J. I., & Esteban, R. (2023). Carotenoids and their derivatives: A “Swiss Army knife-like” multifunctional tool for fine-tuning plant-environment interactions. In *Environmental and Experimental Botany* (Vol. 207). Elsevier B.V. <https://doi.org/10.1016/j.envexpbot.2023.105229>
- Grassmann, J., & Elstner, E. F. (2003). *ESSENTIAL OILS Contents Properties and Uses Isolation and Production Properties and Uses*.
- Hambalko, J., Gajdoš, P., Nicaud, J. M., Ledesma-Amaro, R., Tupec, M., Pichová, I., & Čertík, M. (2021). Production of Long Chain Fatty Alcohols Found in Bumblebee Pheromones by *Yarrowia lipolytica*. *Frontiers in Bioengineering and Biotechnology*, 8. <https://doi.org/10.3389/fbioe.2020.593419>
- Harborne, J. Barry., & Tomas-Barberan, F. A. . (1991). *Ecological chemistry and biochemistry of plant terpenoids: International symposium: Papers*. Clarendon.
- Harris, R. W. (1992). ROOT-SHOOT RATIOS. In *Journal of Arboriculture* (Vol. 18, Issue 1).
- Hasan, M., Ahmad-Hamdani, M. S., Rosli, A. M., & Hamdan, H. (2021). Bioherbicides: An eco-friendly tool for sustainable weed management. In *Plants* (Vol. 10, Issue 6). MDPI AG. <https://doi.org/10.3390/plants10061212>

- Hasanuzzaman, M., Bhuyan, M. H. M. B., Zulfiqar, F., Raza, A., Mohsin, S. M., Al Mahmud, J., Fujita, M., & Fotopoulos, V. (2020). Reactive oxygen species and antioxidant defense in plants under abiotic stress: Revisiting the crucial role of a universal defense regulator. In *Antioxidants* (Vol. 9, Issue 8, pp. 1–52). MDPI. <https://doi.org/10.3390/antiox9080681>
- Hazrati, H., Saharkhiz, M. J., Niakousari, M., & Moein, M. (2017). Natural herbicide activity of *Satureja hortensis* L. essential oil nanoemulsion on the seed germination and morphophysiological features of two important weed species. *Ecotoxicology and Environmental Safety*, 142, 423–430. <https://doi.org/10.1016/j.ecoenv.2017.04.041>
- He, J., Reddy, G. V. P., Liu, M., & Shi, P. (2020). A general formula for calculating surface area of the similarly shaped leaves: Evidence from six Magnoliaceae species. *Global Ecology and Conservation*, 23. <https://doi.org/10.1016/j.gecco.2020.e01129>
- Heftmann, E. (1975). Functions of Steroid in Plants. In *Phytochemistry* (Vol. 14). Pergamon Press. Printed in England.
- Hidayatullah, N., Hoesain, M., Hasjim, D. S., Agroteknologi, S., Pertanian, F., & Jember, U. (2019). Effect of Bamboo Leaves Extract Concentration (*Dendrocalamus sasper* L.) as Bioherbicide on Nutsedge (*Cyperus rotundus* L.). *International Journal Of Science, Engineering, And Information Technology*, 03(02).
- Hoagland, R. E., Boyette, C. D., Weaver, M. A., & Abbas, H. K. (2007). Bioherbicides: Research and risks. *Toxin Reviews*, 26(4), 313–342. <https://doi.org/10.1080/15569540701603991>
- Horowitz, M. (1992). Mechanisms of establishment and spreading of *Cyperus rotundus*-the worst weed of warm regions. *Proceedings of the First International Weed Control Congress*.
- Hosni, K., Hassen, I., Sebei, H., & Casabianca, H. (2013). Secondary metabolites from *Chrysanthemum coronarium* (Garland) flowerheads: Chemical composition and biological activities. *Industrial Crops and Products*, 44, 263–271. <https://doi.org/10.1016/J.INDCROP.2012.11.033>
- Housley, T. L., & Peterson, D. M. (1982). Oat Stem Vascular Size in Relation to Kernel Number and Weight. I. Controlled Environment 1. *Crop Science*, 22(2), 259–263. <https://doi.org/10.2135/cropsci1982.0011183x002200020014x>
- Hunt, R. (2016). Growth Analysis, Individual Plants. In *Encyclopedia of Applied Plant Sciences* (Vol. 1, pp. 421–429). Elsevier Inc. <https://doi.org/10.1016/B978-0-12-394807-6.00226-4>
- Hussain, I., Singh, N. B., Singh, A., & Singh, H. (2017). Allelopathic potential of sesame plant leachate against *Cyperus rotundus* L. *Annals of Agrarian Science*, 15(1), 141–147. <https://doi.org/10.1016/j.aasci.2016.10.003>
- Ikawa, M. (2004). Algal polyunsaturated fatty acids and effects on plankton ecology Algal polyunsaturated fatty acids and effects on plankton

- ecology and other organisms and other organisms Algal polyunsaturated fatty acids and effects on plankton ecology and other organisms. In *UNH Center Freshwat. Biol. Res* (Vol. 6, Issue 2). <https://scholars.unh.edu/cfb/10>
- Ikawa, M., Hartshorne, T., Caron, L.-A., Iannitelli, R. C., Barbero, L. J., & Wegener, K. (1984). Inhibition of Growth of the Green Alga *Chlorella pyrenoidosa* by Unsaturated Fatty Acids. *J Am Oil Chem Soc*, 61, 1877–1878. <https://doi.org/https://doi.org/10.1007/BF02540823>
- Jabran, K., Mahajan, G., Sardana, V., & Chauhan, B. S. (2015). Allelopathy for weed control in agricultural systems. *Crop Protection*, 72, 57–65. <https://doi.org/10.1016/J.CROPRO.2015.03.004>
- Jasim, I., Alwattar, M., & Yaqub, H. (2023). Terpenoids as Natural Allelopathic Compounds in Plants. *Rafidain Journal of Science*, 32(4), 106–116. <https://doi.org/10.33899/rjs.2023.181275>
- Kaur, I., & Sharma, R. (2016). Allelopathic Effect of *Ageratum Conyzoides* on Chlorophyll Content in The Leaves of Mungbean. *International Journal of Recent Scientific Research*, 7(9), 13296–13298. <http://www.recentscientific.com>
- Kaur, S., Singh, H. P., Mittal, S., Batish, D. R., & Kohli, R. K. (2010). *Phytotoxic effects of volatile oil from Artemisia scoparia against weeds and its possible use as a bioherbicide*. 32(1), 54–61. <https://doi.org/https://doi.org/10.1016/j.indcrop.2010.03.007>
- Khursheed, A., Rather, M. A., Jain, V., Wani, A. R., Rasool, S., Nazir, R., Malik, N. A., & Majid, S. A. (2022). Plant based natural products as potential ecofriendly and safer biopesticides: A comprehensive overview of their advantages over conventional pesticides, limitations and regulatory aspects. *Microbial Pathogenesis*, 173. <https://doi.org/10.1016/j.micpath.2022.105854>
- Kiri, I. Z. (2023). A Review on Plant Root Architecture and Methods for Measuring Root Growth Parameters. *Dutse Journal of Pure and Applied Sciences*, 9(1a), 57–66. <https://doi.org/10.4314/dujopas.v9i1a.6>
- Kokpol, U., Chavasiri, W., Chittawong, V., Bruce, M., Cunningham, G. N., & Miles, D. H. (1993). Long Chain Aliphatic Alcohols and Saturated Carboxylic Acids from Heartwood of *Rhizophora Apiculata*. *Phytochemistry*, 33(5), 1129–1131.
- Kostina-Bednarz, M., Płonka, J., & Barchanska, H. (2023). Allelopathy as a source of bioherbicides: challenges and prospects for sustainable agriculture. *Reviews in Environmental Science and Biotechnology*, 22(2), 471–504. <https://doi.org/10.1007/s11157-023-09656-1>
- Kpoviessi, D. S. S., Gdaguidi, F. A., Gbenou, J. D., Accrombessi, G. C., Haddad, M., Moudachirou, M., & Quetin-Leclercq, J. (2006). Allelopathic effects on cowpea (*Vigna unguiculata* (L.) Walp) plant and cytotoxic activities of sterols and triterpene isolated from *Justicia anselliana* (NEES) T. Anders. *Electronic Journal of Natural Substances*, 1, 12–19. <http://ejns.univ-lyon1.fr>

- Lawal, O. A., & Oyedele, A. O. (2009). molecules Chemical Composition of the Essential Oils of *Cyperus rotundus* L. from South Africa. *Molecules*, 14, 2909–2917. <https://doi.org/10.3390/molecules14082909>
- Li, D., Liang, Z., Guo, M., Zhou, J., Yang, X., & Xu, J. (2012). Study on the chemical composition and extraction technology optimization of essential oil from *Wedelia trilobata* (L.) Hitchc. *African Journal of Biotechnology*, 11(20). <https://doi.org/10.5897/ajb11.3198>
- Lichtenthaler, H. K. (1987). [34] Chlorophylls and carotenoids: Pigments of photosynthetic biomembranes. *Methods in Enzymology*, 148(C), 350–382. [https://doi.org/10.1016/0076-6879\(87\)48036-1](https://doi.org/10.1016/0076-6879(87)48036-1)
- Lobón, N. C., De La Cruz, I. F., & Gallego, J. C. A. (2019). Autotoxicity of diterpenes present in leaves of *cistus ladanifer* L. *Plants*, 8(2). <https://doi.org/10.3390/plants8020027>
- Long, A., Zhang, J., Yang, L. T., Ye, X., Lai, N. W., Tan, L. L., Lin, D., & Chen, L. S. (2017). Effects of low pH on photosynthesis, related physiological parameters, and nutrient profiles of citrus. *Frontiers in Plant Science*, 8. <https://doi.org/10.3389/fpls.2017.00185>
- Macias, F. A., Simonet, A. M., & Galindo, J. C. G. (1997). BIOACTIVE STEROIDS AND TRITERPENES FROM *Melilotus messanensis* AND THEIR ALLELOPATHIC POTENTIAL1. *Journal of Chemical Ecology*, 23(7).
- Mahan, J. R., Dotray, P. A., & Light, G. G. (2004). Thermal dependence of enzyme function and inhibition; implications for, herbicide efficacy and tolerance. *PHYSIOLOGIA PLANTARUM*, 120(2), 187–195. <https://doi.org/10.1111/j.0031-9317.2004.0255.x>
- Maoka, T. (2020). Carotenoids as natural functional pigments. In *Journal of Natural Medicines* (Vol. 74, Issue 1). Springer. <https://doi.org/10.1007/s11418-019-01364-x>
- Matloob, A., Shareef, M. N., Khaliq, A., & Farooq, M. (2010). Quantification of allelopathic potential of different crop residues for the purple nutsedge suppression Zahid Ata Cheema. *Pak J Weed Sci*, 16(1), 1–12. <https://www.researchgate.net/publication/303242850>
- Mérillon, J.-M., & Ramawat, K. G. (2020). *Co-Evolution of Secondary Metabolites* (J.-M. Mérillon & K. G. Ramawat, Eds.). Springer Nature Switzerland AG. <https://doi.org/10.1007/978-3-319-96397-6>
- Messiha, N. K., Ahmed, S. A., El-Rokiek, K. G., Dawood, M. G., & El-Masry, R. R. (2013). The physiological influence of allelochemicals in two Brassicaceae plant seeds on the growth and propagative capacity of *Cyperus rotundus* and *Zea mays* L. *World Applied Sciences Journal*, 26(9), 1142–1149. <https://doi.org/10.5829/idosi.wasj.2013.26.09.13548>
- Miao, C., Yang, S., Xu, J., Wang, H., Zhang, Y., Cui, J., Zhang, H., Jin, H., Lu, P., He, L., Yu, J., Zhou, Q., & Ding, X. (2023). Effects of Light Intensity on Growth and Quality of Lettuce and Spinach Cultivars in a Plant Factory. *Plants*, 12(18). <https://doi.org/10.3390/plants12183337>



- Miller, G., Suzuki, N., Ciftci-Yilmaz, S., & Mittler, R. (2010). Reactive oxygen species homeostasis and signalling during drought and salinity stresses. *Plant, Cell and Environment*, 33(4), 453–467. <https://doi.org/10.1111/j.1365-3040.2009.02041.x>
- Miller, G. W., Sasse, J. M., Lovelace, J., & Rowan, K. S. (1984a). Effects of Podolactone-Type Inhibitors and Absciscic Acid on Chlorophyll Biosynthesis in Barley Leaves. *Plant and Cell Physiology*, 25(4), 635–642. <https://doi.org/https://doi.org/10.1093/oxfordjournals.pcp.a076754>
- Miller, G. W., Sasse, J. M., Lovelace, J., & Rowan, K. S. (1984b). Effects of Podolactone-Type Inhibitors and Absciscic Acid on Chlorophyll Biosynthesis in Barley Leaves. In *Plant & Cell Physiol* (Vol. 25, Issue 4).
- Mittler, R. (2002). Oxidative stress, antioxidants and stress tolerance. *Trends Plant Sci*, 7, 405. [https://doi.org/doi:10.1016/s1360-1385\(02\)02312-9](https://doi.org/doi:10.1016/s1360-1385(02)02312-9)
- Molisch, H. (1938). Der Einfluss einer Pflanze auf die Andere, Allelopathie (Pengaruh suatu tumbuhan terhadap tumbuhan lain, alelopati). In *Nature* (Vol. 141). <https://doi.org/10.1038/141493a0>
- Molisch, H. (2001). *The influence of one plant on another: allelopathy*. (S. S. Narwal, Ed.). Scientific Publisheris (India). <https://www.researchgate.net/publication/322466455>
- Morales-Payan, J. P., Stall, W. M., Shilling, D. G., Charudattan, R., Dusky, J. A., & Bewick, T. A. (2003). Above- and Belowground Interference of Purple and Yellow Nutsedge (*Cyperus* spp.) with Tomato. *Weed Science*, 51(2), 181–185. [https://doi.org/doi:10.1614/0043-1745\(2003\)051\[0181:AABIOP\]2.0.CO;2](https://doi.org/doi:10.1614/0043-1745(2003)051[0181:AABIOP]2.0.CO;2)
- Muller-Rober, B., Sonnewald, U., & Willmitzer, L. (1992). Inhibition of the ADP-glucose pyrophosphorylase in transgenic potatoes leads to sugar-storing tubers and influences tuber formation and expression of tuber storage protein genes. In *The EMBO Journal* (Vol. 1, Issue 4).
- Nie, C., Luo, S., Zeng, R., Mo, M., Li, H., & Lin, C. (2005). Allelopathic potential of *Wedelia trilobata* L.: effects on germination, growth and physiological parameters of rice. *The Regional Institute*. [http://www.regional.org.au/au/allelopathy/2005/2/3/2293\\_chengrongn.htm?print=1](http://www.regional.org.au/au/allelopathy/2005/2/3/2293_chengrongn.htm?print=1)
- Nievol, C. C., Carvalho, C. P., Carvalho, V., & Rodrigues, E. (2017). Rapid responses of plants to temperature changes. *Temperature*, 4(4), 371–405. <https://doi.org/10.1080/23328940.2017.1377812>
- Ninkuu, V., Zhang, L., Yan, J., Fu, Z., Yang, T., & Zeng, H. (2021). Biochemistry of terpenes and recent advances in plant protection. In *International Journal of Molecular Sciences* (Vol. 22, Issue 11). MDPI. <https://doi.org/10.3390/ijms22115710>
- Noushahi, H. A., Khan, A. H., Noushahi, U. F., Hussain, M., Javed, T., Zafar, M., Batool, M., Ahmed, U., Liu, K., Harrison, M. T., Saud, S., Fahad, S., & Shu, S. (2022). Biosynthetic pathways of triterpenoids and strategies

- to improve their Biosynthetic Efficiency. In *Plant Growth Regulation* (Vol. 97, Issue 3, pp. 439–454). Springer Science and Business Media B.V. <https://doi.org/10.1007/s10725-022-00818-9>
- Nugroho, I. F., Sugito, Y., & Widaryanto, E. (2018). Pengaruh Kerapatan Gulma Teki (*Cyperus rotundus* L.) terhadap Tanaman Buncis Tegak (*Phaseolus vulgaris* L.). *Jurnal Produksi Tanaman*, 6(4), 649–654.
- Oerke, E. C. (2006). Crop losses to pests. *Journal of Agricultural Science*, 144(1), 31–43. <https://doi.org/10.1017/S0021859605005708>
- Ohkawa, M., & Nishikawa, Y. (1987). Plant Growth Inhibitory Activity of Fatty Acids and The Related Compounds by The Avena Coleoptile Test. *Plant Science*, 53(1), 35–38. [https://doi.org/10.1016/0168-9452\(87\)90175-0](https://doi.org/10.1016/0168-9452(87)90175-0)
- Pacanoski, Z., & Mehmeti, A. (2023). Herbicides weed management in changing environmental conditions. *Acta Agriculturae Slovenica*, 119(4). <https://doi.org/10.14720/aas.2023.119.4.12497>
- Parsons, W. T., Cuthbertson, E. G., & CSIRO. (2001). *Noxious weeds of Australia*. CSIRO Publishing. <https://nla.gov.au/nla.cat-vn2521594>
- Peerzada, A. M. (2017). Biology, agricultural impact, and management of *Cyperus rotundus* L.: the world's most tenacious weed. *Acta Physiologiae Plantarum*, 39(12). <https://doi.org/10.1007/s11738-017-2574-7>
- Penuelas, J., Ribas-Carbo, M., & Giles, L. (1996). Effects of Allelochemicals on Plant Respiration and Oxygen Isotope Fractionation by The Alternative Oxidase. *Journal of Chemical Ecology*, 22(4).
- Perveen, S. (2018). Introductory Chapter: Terpenes and Terpenoids. In *Terpenes and Terpenoids*. IntechOpen. <https://doi.org/10.5772/intechopen.79683>
- Qi, Y., Wei, W., Chen, C., & Chen, L. (2019). Plant root-shoot biomass allocation over diverse biomes: A global synthesis. *Global Ecology and Conservation*, 18. <https://doi.org/10.1016/j.gecco.2019.e00606>
- Qian, H., Xu, J., Lu, T., Zhang, Q., Qu, Q., Yang, Z., & Pan, X. (2018). Responses of unicellular alga *Chlorella pyrenoidosa* to allelochemical linoleic acid. *Science of the Total Environment*, 625, 1415–1422. <https://doi.org/10.1016/j.scitotenv.2018.01.053>
- Qian, H., Xu, X., Chen, W., Jiang, H., Jin, Y., Liu, W., & Fu, Z. (2009). Allelochemical stress causes oxidative damage and inhibition of photosynthesis in *Chlorella vulgaris*. *Chemosphere*, 75(3), 368–375. <https://doi.org/10.1016/J.CHEMOSPHERE.2008.12.040>
- Rabbani, N., Bajwa, R., & Javaid, A. (2011). Interference of five problematic weed species with rice growth and yield. *African Journal of Biotechnology*, 10(10), 1854–1862. <https://doi.org/10.5897/AJB10.1866>
- Radhakrishnan, R., Alqarawi, A. A., & Abd Allah, E. F. (2018). Bioherbicides: Current knowledge on weed control mechanism. *Ecotoxicology and Environmental Safety*, 158, 131–138. <https://doi.org/10.1016/j.ecoenv.2018.04.018>

- Respatie, D. W., Yudono, P., Purwantoro, A., & Andi Trisyono, Y. (2019). The potential of *Cosmos sulphureus* Cav. extracts as a natural herbicides. *AIP Conference Proceedings*, 2202. <https://doi.org/10.1063/1.5141690>
- Rice, E. L. (1983). *Allelopathy* (2nd ed.). Elsevier Science, Academic Press.
- Sánchez-Moreiras, A. M., & Reigosa, M. J. (2005). Whole plant response of lettuce after root exposure to BOA (2(3H)-benzoxazolinone). *Journal of Chemical Ecology*, 31(11), 2689–2703. <https://doi.org/10.1007/s10886-005-7620-z>
- Santos, B. M., Morales-Payan, J. P., Stall, W. M., Bewick, T. A., & Shilling, D. G. (1997). Effects of Shading on the Growth of Nutsedges (*Cyperus* spp.). *Weed Science*, 45(5), 670–673. <https://www.jstor.org/stable/4045892>
- Sasamoto, H., Suzuki, S., Mardani-Korrani, H., Sasamoto, Y., & Fujii, Y. (2021). Allelopathic activities of three carotenoids, neoxanthin, crocin and  $\beta$ -carotene, assayed using protoplast co-culture method with digital image analysis. *Plant Biotechnology*, 38(1), 101–107. <https://doi.org/10.5511/plantbiotechnology.20.1211a>
- Sasse, J. M., Cerana, R., & Colombo, R. (1984). The effects of podolactone-type inhibitors on fusicoccin-induced growth and proton efflux. *Physiol. Plant*, 303–308.
- Sasse, J. M., Wardrop, J. J., Rowan, J. S., Aspinall, D., Coombe, G., Paleg, L. G., George Buta Sasse, I., Sasse, J. M., Wardrop, J. J., & Rowan, K. S. (1982). Some physiological effects of podolactone-type inhibitors. *Physiologia Plantarum*, 55(1). <https://doi.org/https://doi.org/10.1111/j.1399-3054.1982.tb00284.x>
- Schroeder, J., Thomas, S. H., & Murray, L. (1993). *Yellow and Purple Nutsedge and Chile Peppers Host Southern Root-Knot Nematode*. 41(1), 150–156. <https://about.jstor.org/terms>
- Scognamiglio, M., D'Abrosca, B., Esposito, A., Pacifico, S., Monaco, P., & Fiorentino, A. (2013). Plant growth inhibitors: Allelopathic role or phytotoxic effects? Focus on Mediterranean biomes. In *Phytochemistry Reviews* (Vol. 12, Issue 4, pp. 803–830). Kluwer Academic Publishers. <https://doi.org/10.1007/s11101-013-9281-9>
- Senthilkumar, M., Amaesan, N., & Sankaranarayanan, A. (2021). *Estimation of Malondialdehyde (MDA) by Thiobarbituric Acid (TBA) Assay*. 103–105. [https://doi.org/10.1007/978-1-0716-1080-0\\_25](https://doi.org/10.1007/978-1-0716-1080-0_25)
- Shahena, S., Rajan, M., Chandran, V., & Mathew, L. (2021). Allelopathic effect of *Wedelia trilobata* L., on the germination and growth of *Cicer arietinum*, *Vigna unguiculata*, and *Vigna radiata* seedlings. *Journal of Applied Biology & Biotechnology*, 9(2), 93–114. <https://doi.org/10.7324/JABB.2021.9209>
- Sharifi-Rad, J., Hoseini-Alfatemi, S. M., Sharifi-Rad, M., & Teixeira da Silva, J. A. (2015). Antibacterial, antioxidant, antifungal and anti-inflammatory activities of crude extract from *Nitraria schoberi* fruits. *3 Biotech*, 5(5), 677–684. <https://doi.org/10.1007/s13205-014-0266-1>

- Singh, H., Chawla, G., Rowe, J. W., Toda, J. K., RowE, W., Bower, C. L., & WAaNER, E. R. (1970). Waxes and Sterols od *Erythrina suberosa* Bark. *Proc. Ind. Acad. Sci*, 9, 494.
- Singh, K. D., Mobolade, A. J., Bharali, R., Sahoo, D., & Rajashekar, Y. (2021). Main plant volatiles as stored grain pest management approach: A review. *Journal of Agriculture and Food Research*, 4, 1–12. <https://doi.org/10.1016/j.jafr.2021.100127>
- Singh, N. B., Pandey, B. N., & Singh, A. (2009). Allelopathic effects of cyperus rotundus extract in vitro and ex vitro on banana. *Acta Physiologiae Plantarum*, 31(3), 633–638. <https://doi.org/10.1007/s11738-009-0274-7>
- Singh, S., Apoorva, Saha, P., Rai, N., Kumari, S., & Pandey-Rai, S. (2023). Unravelling triterpenoid biosynthesis in plants for applications in bioengineering and large-scale sustainable production. In *Industrial Crops and Products* (Vol. 199). Elsevier B.V. <https://doi.org/10.1016/j.indcrop.2023.116789>
- Singh, S. K., Singh Chhokar, R., Singh, R. G., & Ladha, J. K. (2009). Integrated weed management: a key to success for direct-seeded rice in the Indo-Gangetic Plains. In *Agricultural and Food Sciences, Environmental Science* (pp. 261–277). <https://www.researchgate.net/publication/285280264>
- Soledade, M., Pedras, C., & Zheng, Q. (2010). The Chemistry of *Arabidopsis thaliana*. In Hung-Wen (Ben) Liu & Lew Mander (Eds.), *Comprehensive Natural Products II* (pp. 1297–1315). Elsevier. <https://doi.org/https://doi.org/10.1016/B978-008045382-8.00090-3>
- Sozer, O., Komenda, J., Ughy, B., Domonkos, I., Laczk-Dobos, H., Malec, P., Gombos, Z., & Kis, M. (2010). Involvement of carotenoids in the synthesis and assembly of protein subunits of photosynthetic reaction centers of *synechocystis* sp. PCC 6803. *Plant and Cell Physiology*, 51(5), 823–835. <https://doi.org/10.1093/pcp/pcq031>
- Srivastava, R. K., Singh, A., & Shukla, S. V. (2013). Chemical Investigation and Pharmaceutical Action of *Cyperus rotundus* - A Review. *Journal of Biologically Active Products from Nature*, 3(3), 166–172. <https://doi.org/10.1080/22311866.2013.833381>
- Stoller, E. W., Sweet, R. D., & Sweet2, R. D. (1987). Biology and Life Cycle of Purple and Yellow Nutsedges (*Cyperus rotundus* and *C. esculentus*) Biology and Life Cycle of Purple and Yellow Nutsedges (*Cyperus rotundus* and *C. esculentus*)'. *Technology*, 1(1), 66–73. <https://www.jstor.org/stable/3986986>
- Sudhakar, P., Latha, P., & Reddy, P. V. (2016). Photosynthetic rates. In *Phenotyping Crop Plants for Physiological and Biochemical Traits* (pp. 33–39). Elsevier. <https://doi.org/10.1016/b978-0-12-804073-7.00004-1>
- Suttle, J. C., Olson, L. L., & Lulai, E. C. (2016). The Involvement of Gibberellins in 1,8-Cineole-Mediated Inhibition of Sprout Growth in Russet Burbank Tubers. *American Journal of Potato Research*, 93(1), 72–79. <https://doi.org/10.1007/s12230-015-9490-4>



- Talukder, M. R., Asaduzzaman, M., Ueno, M., Tanaka, H., & Asao, T. (2020). Alleviation of allelochemical stress-induced growth inhibition and oxidative damage in lettuce under closed hydroponics through electro-degradation. *Horticultural Science*, 47(1), 53–68. <https://doi.org/10.17221/32/2019-HORTSCI>
- Telfer, A., Bollman, K. M., & Poethig, R. S. (1997). Phase change and the regulation of trichome distribution in *Arabidopsis thaliana*. *Development*, 124(3), 645–654. <https://doi.org/https://doi.org/10.1242/dev.124.3.645>
- Thullen, R. J., & Keeley, P. E. (1979). Seed Production and Germination in *Cyperus esculentus* and *C. rotundus*. *Source: Weed Science*, 27(5), 502–505. <https://www.jstor.org/stable/4043107>
- Tiwari, V. K. ., & Mishra, B. B. . (2011). *Opportunity, challenge and scope of natural products in medicinal chemistry*. Research Signpost.
- t'Kindt, R., Morreel, K., Deforce, D., Boerjan, W., & Van Bocxlaer, J. (2009). Joint GC-MS and LC-MS platforms for comprehensive plant metabolomics: Repeatability and sample pre-treatment. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, 877(29), 3572–3580. <https://doi.org/10.1016/j.jchromb.2009.08.041>
- Toyomasu, T., Usui, M., Sugawara, C., Otomo, K., Hirose, Y., Miyao, A., Hirochika, H., Okada, K., Shimizu, T., Koga, J., Hasegawa, M., Chuba, M., Kawana, Y., Kuroda, M., Minami, E., Mitsuhashi, W., & Yamane, H. (2014). Reverse-genetic approach to verify physiological roles of rice phytoalexins: Characterization of a knockdown mutant of OsCPS4 phytoalexin biosynthetic gene in rice. *Physiologia Plantarum*, 150(1), 55–62. <https://doi.org/10.1111/ppl.12066>
- Traxler, C., Gaines, T. A., Küpper, A., Luemmen, P., & Dayan, F. E. (2023). The nexus between reactive oxygen species and the mechanism of action of herbicides. *Journal of Biological Chemistry*, 299(11). <https://doi.org/10.1016/j.jbc.2023.105267>
- Tripathy, B. C., & Oelmüller, R. (2012). Reactive oxygen species generation and signaling in plants. *Plant Signaling and Behavior*, 7(12), 1621–1633. <https://doi.org/10.4161/psb.22455>
- Tuor, F. A., & Froud-Williams, R. J. (2002). Influence of nitrogen on competition between purple nutsedge, maize and soybean. *International Journal of Pest Management*, 48(1), 73–79. <https://doi.org/10.1080/09670870110094378>
- Upchurch, R. P., Keaton, J. A., & Coble, H. D. (1969). Woody Plant Shoot Management and Response to Herbicidal Treatment. *Weed Science*, 17(2), 175–180. <https://doi.org/10.1017/s0043174500031258>
- Venkateshwarlu, G., Ravindra, V., & Challa, P. (2001). Mangiferin: An allelopathin from mango (*Mangifera indica* L.) leaves. *Allelopathy Journal*, 8(2), 221–224. <https://www.researchgate.net/publication/289141126>

- Verdeguer, M., Blázquez, M. A., & Boira, H. (2009). Phytotoxic effects of *Lantana camara*, *Eucalyptus camaldulensis* and *Eriosephalus africanus* essential oils in weeds of Mediterranean summer crops. *Biochemical Systematics and Ecology*, 37(4), 362–369. <https://doi.org/10.1016/j.bse.2009.06.003>
- Verdeguer, M., Sánchez-Moreiras, A. M., & Araniti, F. (2020). Phytotoxic effects and mechanism of action of essential oils and terpenoids. *Plants*, 9(11), 1–48. <https://doi.org/10.3390/plants9111571>
- Walter, A., & Schurr, U. (1999). The modular character of growth in *Nicotiana tabacum* plants under steady-state nutrition. *Journal of Experimental Botany*, 50(336), 1169–1177. <https://doi.org/https://doi.org/10.1093/jxb/50.336.1169>
- Wang, X., Singh, D., Marla, S., Morris, G., & Poland, J. (2018). Field-based high-throughput phenotyping of plant height in sorghum using different sensing technologies. *Plant Methods*, 14(1). <https://doi.org/10.1186/s13007-018-0324-5>
- Wenxiang, G., Shunshan, D., & Shiming, L. (1998). Ecological Characteristic of Terpenoids and Their Allelopathic Effects to Plants. *Journal of South China Agricultural University*, 4, 108–112. [https://xuebao.scau.edu.cn/zr/hnny\\_zren/article/pdf/199804121](https://xuebao.scau.edu.cn/zr/hnny_zren/article/pdf/199804121)
- Wheeler, J. J., Seltmann, H., & Motten, A. G. (1991). The Mode of Action of Fatty Alcohols on Leaf Tissue. *J Plant Growth Regal*, 10, 129–137. <https://doi.org/https://doi.org/10.1007/BF02279324>
- Wichert, R. A., Bozsa, R., Talbert, R. E., & Oliver, L. R. (1992). Temperature and Relative Humidity Effects on Diphenylether Herbicides. *Weed Technology*, 6(1), 19–24. <https://doi.org/10.1017/s0890037x00034230>
- Willis, R. J. (2007). *The History of Allelopathy* (1st ed.). Springer Dordrecht. <https://doi.org/10.1007/978-1-4020-4093-1>
- Witlekens, H., Inz62, D., Van Montagu, M., & Van Camp, W. (1995). Catalases in plants. In *Molecular Breeding* (Vol. 1).
- Xu, M., Galhano, R., Wiemann, P., Bueno, E., Tiernan, M., Wu, W., Chung, I. M., Gershenzon, J., Tudzynski, B., Sesma, A., & Peters, R. J. (2012). Genetic evidence for natural product-mediated plant-plant allelopathy in rice (*Oryza sativa*). *New Phytologist*, 193(3), 570–575. <https://doi.org/10.1111/j.1469-8137.2011.04005.x>
- Xu, Y., Wu, Y. G., Chen, Y., Zhang, J. F., Song, X. Q., Zhu, G. P., & Hu, X. W. (2015). Autotoxicity in pogostemon cablin and their allelochemicals. *Revista Brasileira de Farmacognosia*, 25(2), 117–123. <https://doi.org/10.1016/j.bjp.2015.02.003>
- Yan, Z. Q., Wang, D. D., Ding, L., Cui, H. Y., Jin, H., Yang, X. Y., Yang, J. S., & Qin, B. (2015). Mechanism of artemisinin phytotoxicity action: Induction of reactive oxygen species and cell death in lettuce seedlings. *Plant Physiology and Biochemistry*, 88, 53–59. <https://doi.org/10.1016/j.plaphy.2015.01.010>
- You, C., Wang, H., Huang, Y., Xu, P., Wu, L., Yu, F., Zhong, X., Gao, J., Zhang, L., He, H., & Ke, J. (2021). Relationship Between the Vascular

- Bundle Structure of Panicle Branches and the Filling of Inferior Spikelets in Large-Panicle Japonica Rice. *Frontiers in Plant Science*, 12. <https://doi.org/10.3389/fpls.2021.774565>
- Zanuncio, A., Teodoro, P. E., Riberio, L. P., Correa, C. C. G., & Torres, M. O. e F. E. (2013). Allelopathy of green manures on *Cyperus rotundus*. *Revista de Ciências Agrárias*, 36(4), 441–446. <https://www.researchgate.net/publication/317475150>
- Zhang, S., Zhang, B., Dai, W., & Zhang, X. (2011). Oxidative damage and antioxidant responses in *Microcystis aeruginosa* exposed to the allelochemical berberine isolated from golden thread. *Journal of Plant Physiology*, 168(7), 639–643. <https://doi.org/10.1016/j.jplph.2010.10.005>
- Zhang, Z. H., Hu, B. Q., & Hu, G. (2013). Assessment of allelopathic potential of *Wedelia trilobata* on the germination, seedling growth and chlorophyll content of rape. *Advanced Materials Research*, 807–809, 719–722. <https://doi.org/10.4028/www.scientific.net/AMR.807-809.719>
- Zhou, B., Wang, J., Guo, Z., Tan, H., & Zhu, X. (2006). A simple colorimetric method for determination of hydrogen peroxide in plant tissues. *Plant Growth Regulation*, 49(2–3), 113–118. <https://doi.org/10.1007/S10725-006-9000-2/METRICS>
- Zhou, Z. L., Yin, W. Q., Yang, Y. M., He, C. H., Li, X. N., Zhou, C. P., & Guo, H. (2016). New Iridoid Glycosides with Antidepressant Activity Isolated from *Cyperus rotundus*. *Chemical & Pharmaceutical Bulletin*, 64(1), 73–77. <https://doi.org/10.1248/CPB.C15-00686>
- Zohaib, A., Anjum, S. A., Jabbar, A., Tabassum, T., Abbas, T., & Nazir, U. (2017). Allelopathic Effect of Leguminous Weeds on Rate, Synchronization and Time of Germination, and Biomass Partitioning in Rice. *Planta Daninha*, 35. <https://doi.org/10.1590/S0100-83582017350100032>