

DAFTAR PUSTAKA

- Abouhamda, A., Alturkstani, M., & Jan, Y. (2019). Lower sensitivity of ankle-brachial index measurements among people suffering with diabetes-associated vascular disorders : A systematic review. *SAGE Open Medicine*, 7, 1-5, <https://doi.org/10.1177/2050312119835038>
- Ackermann, P. W., & Hart, D. A. (2013). Influence of Comorbidities: Neuropati, Vasculopathy, and Diabetes on Healing Response Quality. *Advances in Wound Care*, 2(8), 410–421. <https://doi.org/10.1089/wound.2012.0437>
- Ahn, C., Mulligan, P., & Salcido, R. (2008). Smoking-the Bane of Wound Healing: Biomedical Interventions and Social Influences. *Advances in Skin & Wound Care*, 12(5), 227–236.
- AHRQ. (2009). Negative Pressure Wound Therapy Devices. Technology assesment report. *Wndt1108*, www.ahrq.g.
- Akbari, A., Moodi, H., Ghiasi, F., Sagheb, H. M., & Rashidi, H. (2007). Effects of vacuum-compression therapy on healing of diabetic foot ulcers: Randomized controlled trial. *Journal of Rehabilitation Research and Development*, 44(5), 631–636. <https://doi.org/10.1682/JRRD.2007.01.0002>
- Aksit, R. (1995). Warm and cold in treatment. *Medical Rehabilitation*. Nobel Tip Kitapevi.
- Al-Goblan, A. S., Al-Alfi, M. A., & Khan, M. Z. (2014). Mechanism linking diabetes mellitus and obesity. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 7, 587–591. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4259868/pdf/dmso-7-587.pdf>
- Albarado-ibañez, A., Arroyo-carmona, R. E., Sánchez-hernández, R., Ramos-ortiz, G., Frank, A., García-gudiño, D., & Torres-jácome, J. (2019). The Role of the Autonomic Nervous System on Cardiac Rhythm during the Evolution of Diabetes Mellitus Using Heart Rate Variability as a Biomarker. *Journal of Diabetes Research*, 2019, 1-10
- Alexiadou, K., & Doupis, J. (2012). *Alexiadou K, Doupis J. Management of Diabetic Foot Ulcers. Diabetes Ther* 2012; 3: 1-15. <https://doi.org/10.1007/s13300-012-0004-9>
- Ali, Z., Anjum, A., Khurshid, L., Ahad, H., Maajid, S., & Dhar, S. A. (2015). Evaluation of low-cost custom made VAC therapy compared with conventional wound dressings in the treatment of non-healing lower limb ulcers in lower socio-economic group patients of Kashmir valley. *J Orthop Surg Res*, 10(183), 1-10.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4674953/>

Anloague, A., Mahoney, A., Ogunbekun, O. *et al.* (2020). Mechanical stimulation of human dermal fibroblasts regulates pro-inflammatory cytokines: potential insight into soft tissue manual therapies. *BMC Res Notes* **13**, <https://doi.org/10.1186/s13104-020-05249-1>.

Anderson, K., & Hamm, R. L. (2014). Factors That Impair Wound Healing. *Journal of the American College of Clinical Wound Specialists*, 4(4), 84–91. <https://doi.org/10.1016/j.jccw.2014.03.001>

Arenbergerova, M., Engels, P., Gkalpakiotis, S., Dubská, Z., & Arenberger, P. (2013). opical hemoglobin promotes wound healing of patients with venous leg ulcers. *Der Hautarzt*, 64(3), 180–186.

Arisanty, I. P., & Dahlia, D. (2021). *Case Study Ozone Regional Non-Invasive (Orni) Therapy In Combination With Nursing Management Of Diabetic Foot Ulcer Care : A Case Study * Corresponding Author*. 16(2), 48–54. <https://doi.org/10.20884/1.jks.2021.16.2.1647>.

Armstrong, D. G., Cohen, K., Courric, S., Bharara, M., & Marston, W. (2011). Diabetic Foot Ulcers and Vascular Insufficiency: Our Population Has Changed, but Our Methods Have Not. *Journal of Diabetes Science and Technology*, 5(6), 1591–1595.

Armstrong, D. G., Hanft, J. R., Driver, V. R., Smith, A. P. S., Lazaro-Martinez, J. L., Reyzelman, A. M., Furst, G. J., Vayser, D. J., Cervantes, H. L., Snyder, R. J., Moore, M. F., May, P. E., Nelson, J. L., Baggs, G. E., Voss, A. C., Caporusso, J., Dove, C., Sigal, F. F., Brill, L., ... Serracino-Inglott, K. (2014). Effect of oral nutritional supplementation on wound healing in diabetic foot ulcers: A prospective randomized controlled trial. *Diabetic Medicine*, 31(9), 1069–1077. <https://doi.org/10.1111/dme.12509>.

Armstrong, D. G., & Nguyen, H. C. (2000). Improvement in healing with aggressive edema reduction after debridement of foot infection in persons with diabetes. *Archives of Surgery*, 135(12), 1405–1409. <https://doi.org/10.1001/archsurg.135.12.1405>

Armstrong, D., & Lavery, L. (2005). Negative pressure wound therapy after partial diabetic foot amputation: a multicentre, randomised controlled trial. *Lancet*, 366(9498), 1704–1710. <https://www.ncbi.nlm.nih.gov/pubmed/16291063>

Arverud, E., Azevedo, J., Labruto, F., & Ackermann, P. W. (2013). Adjuvant compression therapy in orthopaedic surgery-an evidence-based review. *European Orthopaedics and Traumatology*, 4(1), 49–57. <https://doi.org/10.1007/s12570-012-0151-5>

American Diabetes Association. (2018). *Diabetes statistics*. www.diabetes.org/diabetes-statistics.jsp.

- Aumiller, W. D., & Dollahite, H. A. (2015). Pathogenesis and management of diabetic foot ulcers. *Journal of the American Academy of Physician Assistants*, 28(5), 28–34. <https://doi.org/10.1097/01.JAA.0000464276.44117.b1>
- Baharestani, M. M. (2008). Negative pressure wound therapy in the adjunctive management of necrotizing fascitis: examining clinical outcomes. *Ostomy/Wound Management*, 54(4), 44–50. <https://www.ncbi.nlm.nih.gov/pubmed/18480505>
- Bajaj, S., Mahajan, A., Grover, S., Mahajan, V., Goyal, P., & Gupta, V. K. (2017). Peripheral Vascular Disease in Patients with Diabetic Foot Ulcers - An Emerging Trend: A Prospective Study from North India. *Journal Of The Association of Physicians of India*, 65(5), 14 - 17. <https://www.japi.org/q28464/peripheral-vascular-disease-in-patients-with-diabetic-foot-ulcers-an-emerging-trend-a-prospective-study-from-north-india>
- Balcioğlu, A. S., Akıncı, S., Çiçek, D., Çoner, A., Bal, U. A., & Müderrisoğlu, İ. H. (2016). Cardiac autonomic nervous dysfunction detected by both heart rate variability and heart rate turbulence in prediabetic patients with isolated impaired fasting glucose. *Anatolian Journal of Cardiology*, 16(10), 762–769. <https://doi.org/10.14744/AnatolJCardiol.2015.6654>
- Bandyk, D. F. (2018). The diabetic foot: Pathophysiology, evaluation, and treatment. *Seminars in Vascular Surgery*, 31(2–4), 43–48. <https://doi.org/https://doi.org/10.1053/j.semvascsurg.2019.02.001>
- Bashir, U., Maqsood, R., & Shabbir, H. (2018). *Comparing Negative Pressure Wound Treatment With Honey Dressing In Healing of Foot Ulcers In Diabetics*. 68(1), 34–38.
- Basiri, R., Spicer, M. T., Levenson, C. W., Ormsbee, M. J., Ledermann, T., & Arjmandi, B. H. (2020). Nutritional supplementation concurrent with nutrition education accelerates the wound healing process in patients with diabetic foot ulcers. *Biomedicines*, 8(8), 1–14. <https://doi.org/10.3390/Biomedicines8080263>
- Bates-Jensen, B., McCreath, H., Harputlu, D., & Patlan, A. (2019). Reliability of the Bates-Jensen wound assessment tool for pressure injury assessment: The pressure ulcer detection study. *Wound Repair and Regeneration*, 27(4), 386–395. <https://onlinelibrary.wiley.com/doi/epdf/10.1111/wrr.12714>
- Bayoumi, A., Al-Mallah, A., & Al-Sayed, A. (2018). Negative Pressure Wound Therapy Versus Conventional Dressing in Treatment of Diabetic Foot Wound. *The Egyptian Journal of Hospital Medicine*, 72(3), 4054–4059. <https://doi.org/10.21608/ejhm.2018.9115>
- Bechara, N., Gunton, J. E., Flood, V., Hng, T. M., & McGloin, C. (2021).

- Associations between nutrients and foot ulceration in diabetes: A systematic review. *Nutrients*, 13(8), 1 - 15. <https://doi.org/10.3390/nu13082576>
- Bell, D., & Hyam, D. (2007). Choosing an appropriate dressing for chronic wounds. *Prescriber*, 18(11), 65–70. <https://doi.org/10.1002/psb.89>
- Bishop, A. (2008). Role of oxygen in wound healing. *Journal of Wound Care*, 17(9), 399–402.
- Blume, PA., Walters, J., Payne, W., Ayala, J., & Lantis, J. (2008). Comparison of negative pressure wound therapy using vacuum-assisted closure with advanced moist wound therapy in the treatment of diabetic foot ulcers: a multicenter randomized controlled trial. *Diabetes Care*. 31(4):631-6.
- Boghossian, J. A., Miller, J. D., & Armstrong, D. G. (2017). Towards Extending Ulcer-Free Days in Remission in the Diabetic Foot Syndrome. *Frontiers in Diabetes*, 26, 210–218. <https://doi.org/10.1159/000480104>
- Borgquist, O., Ingemansson, R., & Malmsjö, M. (2010). The effect of intermittent and variable negative pressure wound therapy on wound edge microvascular blood flow. *Ostomy Wound Management*, 56(3), 60–67.
- Bortoletto, M. S. S., Andrade, S. M. de, Matsuo, T., Haddad, M. do C. L., González, A. D., & Silva, A. M. R. (2014). Risk factors for foot ulcers—A cross sectional survey from a primary care setting in Brazil. *Primary Care Diabetes*, 8(1). <https://doi.org/DOI:https://doi.org/10.1016/j.pcd.2013.04.003>
- Borys, S., Hohendorff, J., Frankfurter, C., Kiec-Wilk, B., & Maleck, M. T. (2019). Negative pressure wound therapy use in diabetic foot syndrome—from mechanisms of action to clinical practice. *European Journal of Clinical Investigation*, 49(4), e13067. <https://doi.org/https://doi.org/10.1111/eci.13067>
- Boulais, N., Pereira, U., Lebonvallet, N., & Misery, L. (2007). The whole epidermis as the forefront of the sensory system. *Experimental Dermatology*, 16(8), 634–635.
- Boulton. (2008). The diabetic foot--an update. *Foot and Ankle Surgery*, 14(3), 120–124.
- Boulton, A., Kirsner, R. S., & Vileikyte, L. (2004). Neuropathic diabetic foot ulcers - evidence-to-practice. *International Journal of General Medicine*, 5, 129–134. <https://doi.org/10.2147/IJGM.S10328>
- Bowering, C. K. (2001). Diabetic foot ulcers: Pathophysiology, assessment, and therapy. *Canadian Family Physician*, 47, 1007–1016.
- Braun, B. (2013). Best Practice Guidelines: Wound Management In Diabetic Foot Ulcers. *Wound International*.

Braun, L., Fisk, W., Lev-Tov, H., Kirsner, R., & Isseroff, R. (2014). Diabetic foot ulcer: an evidence-based treatment update. *American Journal of Clinical Dermatology*, 15(3), 267–281.

Brem, H., Sheehan, P., Andrew, J., & Boulton, M. (2004). Protocol for treatment of diabetic foot ulcers. *The American Journal of Surgery*, 187(5), S1–S10.

Brem, H., & Tomic-canic, M. (2007). *Cellular and molecular basis of wound healing in diabetes*. 117(5), 1219–1222.
<https://doi.org/10.1172/JCI32169>. Despite

Broussard, C. L. (2004). Hyperbaric oxygenation and wound healing. *Journal of Vascular Nursing*, 22(2), 42–48.

Bruck, K. (1989). Thermal Balance and the Regulation of Body Temperature. In: Schmidt, R.F., Thews, G. *Human Physiology* (624–644). Springer.
https://link.springer.com/chapter/10.1007/978-3-642-73831-9_25#citeas

Bryant, R. A., & Nix, D. P. (2016). *Acute and Chronic Wounds: Current Management Concepts* (5th ed.). Elsevier.

Burns, J., & Begg, L. (2011). *Optimizing the offloading properties of the total contact cast for plantar foot ulceration*. 28(2), 179–185.

Cabeceira, HDS., de Souza, DMST., Juliano, Y., & Veiga, DF. (2019). Work Ability And Productivity In Patients With Diabetic Foot. 74, 1 - 5,
doi: 10.6061/clinics/2019/e421

Campos, A., Groth, A., & Branco, A. (2008). Assessment and nutritional aspects of wound healing. *Current Opinion in Clinical Nutrition and Metabolic Care*, 11(3), 281–288.

Canadian Agency for Drugs and Technologies in Health. (2014). *Compression Therapy in Diabetic Foot Ulcer Management: A Review of Clinical Effectiveness, Cost-effectiveness and Guidelines*.
https://www.ncbi.nlm.nih.gov/books/NBK253654/pdf/Bookshelf_NBK253654.pdf

Cao, L., Peng, M. M., Sun, J. J., Yu, X. C., & Shi, B. (2015). Application of vacuum-assisted closure in seawater-immersed wound treatment under different negative pressures. *Genetics and Molecular Research*, 14(2), 6146–6155. <https://doi.org/10.4238/2015>.

Carnethon, M. R., Golden, S. H., Folsom, A. R., Haskell, W., & Liao, D. (2003). Prospective Investigation of Autonomic Nervous System Function and the Development of Type 2 Diabetes. *Circulation*, 2190–2195.
<https://doi.org/10.1161/01.CIR.0000066324.74807.95>

Chadwick, P., Haycocks, S., Bielby, A., & Milne, J. (2009). A dynamic care

pathway to coordinate the use of advanced therapy in diabetic foot ulceration. *Journal of Wound Care*, 18(10), 433–437.

Chatchawan, U., Narkto, P., Damri, T., & Yamauchi, J. (2020). An exploration of the relationship between foot skin temperature and blood flow in type 2 diabetes mellitus patients: a cross-sectional study, *J Phys Ther Sci*. 30(11): 1359–1363.

Chen, L., Zhang, S., Da, J., Wu, W., Ma, F., Tang, C., Li, G., Zhong, D., & Liao, B. (2021). *A systematic review and meta-analysis of efficacy and safety of negative pressure wound therapy in the treatment of diabetic foot ulcer*. 10(1), 10830–10839. <https://doi.org/10.21037/apm-21-2476>

Chéret, J., Lebonvallet, N., Carré, J., Misery, L., & Gall-Ianotto, C. Le. (2013). Role of neuropeptides, neurotrophins, and neurohormones in skin wound healing. *Wound Repair and Regeneration*, 21(6), 772–788.

Clark, R. A. F. (1996). *The molecular and cellular biology of wound repair* (2nd ed.). Plenum Press.

Clayton, W., & Elasy, T. A. (2009). A review of the pathophysiology, classification, and treatment of foot ulcers in diabetic patients. *Clinical Diabetes*, 27(2), 52–58. <https://doi.org/10.2337/diaclin.27.2.52>

Clemente, L., Pereira, D. S., Sá, J. R. De, Chacra, A. R., & Dib, S. A. (2007). *Clinical Update Diabetic Cardiovascular Autonomic Neuropati: Risk Factors, Clinical Impact and Early Diagnosis*. 23–31.

Cole, W. E. (2016). Use of Multiple Adjunctive Negative Pressure Wound Therapy Modalities to Manage Diabetic Lower-Extremity Wounds. *Eplasty*, 16, e34. <http://www.ncbi.nlm.nih.gov/pubmed/28077984> <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC5189612>.

Corbin DOC, Young RJ, Morrison DC *et al.* (1987). Blood flow in the foot, polyneuropati and foot ulceration in diabetes mellitus. *Diabetologia*, 30, 468–473.

Cristina Garbuio, D., Mara Zamarioli, C., Chantal Magalhães da Silva, N., Oliveira-Kumakura, A. R. D. S., & Carvalho, E. C. (2018). Instrumentos para avaliação da cicatrização de lesões de pele: revisão integrativa. *Revista Eletrônica de Enfermagem*, 20. <https://doi.org/10.5216/ree.v20.49425>

Cuoco, J. A., Fennie, C. N., & Cheriyan, G. K. (2016). *The Cholinergic Anti-Inflammatory Pathway: A Novel Paradigm for iMedPub Journals The Cholinergic Anti-Inflammatory Pathway: A Novel Paradigm for Translational Research in Neuroimmunology Neuroanatomy of the Vagus Nerve*. June. <https://doi.org/10.21767/2171-6625.100086>.

Derwin R. (2022). The role of pH and temperature as biomarkers of wound healing. Available from: https://repository.rcsi.com/articles/thesis/The_

Role_of_pH_and_Temperature_as_Biomarkers_of_Wound_Healing/13049
678.

Dasari, N., Jiang, A., Skochdopole, A., Chung, J., Reece, EM., Vorstenbosch, J., & Winocour, S. (2021). Updates in Diabetic Wound Healing, Inflammation, and Scarring, *Semin Plast Surg*, 35:153–158.

Desmet, C. M., Lafosse, A., Vériter, S., & Porporato, P. E. (2015). *Application of Electron Paramagnetic Resonance (EPR) Oximetry to Monitor Oxygen in Wounds in Diabetic Models*. 1–16.
<https://doi.org/10.1371/journal.pone.0144914>

Dhatariya, K. K., Sin, E. L. P. W.-P., Cheng, J. O. S., Li, F. Y. N., Yue, Anson Wei Yue Gooday, C., & Nunney, I. (2018). The impact of glycaemic variability on wound healing in the diabetic foot – A retrospective study of new ulcers presenting to a specialist multidisciplinary foot clinic. *Diabetes Research and Clinical Practice*, 135, 23–29.
<https://doi.org/https://doi.org/10.1016/j.diabres.2017.10.022>

Dias, A., Vilaça, M., & Pereira, MG. (2022). Quality of Life in Patients with Diabetic Foot Ulcers: A Cross-sectional Study. *Adv Skin Wound Care*, 35(12):661-668. doi: 10.1097/01.ASW.0000891864.37619.34.

Dong, J. Y., Song, F., Qing, C., & Lu, S. L. (2017). Histomorphological observation of surgical debridement combined with negative pressure therapy in treatment of diabetic foot. *Chinese Journal of Traumatology - English Edition*, 20(4), 202 - 206. <https://doi.org/10.1016/j.cjtee.2016.08.004>

Doupis, J., & Neves, A. (2008). Classification, diagnosis, and treatment of diabetic foot ulcers. *Wounds*, 20(5), 117–126.

Driver, V. R., Hanft, J., Fylling, C. P., & Beriou, J. M. (2006). A Prospective, Randomized, Controlled Trial of Autologous Platelet-Rich Plasma Gel for the Treatment of Diabetic Foot Ulcers. *Ostomy/Wound Management*, 52(6), 68–87.

Dumville, J. C., Hinchliffe, R. J., Cullum, N., Game, F., Stubbs, N., Sweeting, M., & Peinemann, F. (2013). La terapia de heridas con presión negativa para el tratamiento de las heridas del pie en personas con diabetes mellitus. *Cochrane Database of Systematic Reviews*, 10(10), 1 - 11.
<https://doi.org/10.1002/14651858.CD010318.pub2>

Dutta, A., Bhansali, A., & Rastogi, A. (2021). Early and Intensive Glycemic Control for Diabetic Foot Ulcer Healing: A Prospective Observational Nested Cohort Study. *The International Journal of Lower Extremity Wounds*. 22(3), 578 -587. <https://doi.org/https://doi.org/10.1177/15347346211033458>

Edwards, R., & Harding, K. (2004). Bacteria and wound healing. *Current Opinion*

in Infectious Diseases, 17(2), 91–96.

El-Barbary, AH., & Abdel-Aty, H. (2015). Negative-Pressure Wound Therapy Versus Advanced Moist Wound Therapy in the Treatment of Diabetic Foot Wounds. *Ain-Shams J Surg*, 8 (1): 115-124.

Eltayeb, H. I., & Kassem, R. (2017). Negative-pressure wound therapy in pediatric extremity trauma: a single institution experience. *The Egyptian Journal of Surgery*, 36(2), 313–318. <https://doi.org/10.4103/ejs.ejs>

Eltilib, A. A. E. (2021). The association between body mass index and foot ulcer among patients with diabetes mellitus . *South Sudan Medical Journal*, 14(4), 122–126. <https://www.ajol.info/index.php/ssmj/article/view/222099>

Eming, S.A.; Martin, P.; Tomic-Canic, M. (2014). Wound repair and regeneration: Mechanisms, signaling, and translation. *Sci. Transl. Med.* 6, 265sr6.

Ergebnisse, K., & García, F. J. (2011). *Clinical results of the application of a hemoglobin spray to promote healing of chronic wounds*. 6(1), 1–9.

Fernando, M. E., Seneviratne, R. M., Cunningham, M., Lazzarini, P. A., Sangla, K. S., Tan, Y. M., Buttner, P. G., & Golledge, J. (2016). Intensive versus conventional glycaemic control for treating diabetic foot ulcers. *Cochrane Database of Systematic Reviews*, (1), 1 - 41. <https://doi.org/10.1002/14651858.CD010764>

Ferrer-Sola, M., Sureda-Vidal, H., Altimiras-Roset, J., Fonsere-Candell, E., Gonzalez-Martinez, V., Espauella-Panicot, J., Falanga, V., & Otero-Viñas, M. (2017). Hydrosurgery as a safe and efficient debridement method in a clinical wound unit. *Journal of Wound Care*, 26(10). <https://doi.org/10.12968/jowc.2017.26.10.593>

Fife, C., & Weir, D. (2010). The Challenges of Negative Pressure Wound Therapy in Clinical Practice. *Today's Woundclinic*, 4(6). <https://www.todayswoundclinic.com/NPWT>

Flanagan, M. (2003). Wound measurement: can it help us to monitor progression to healing? *Journal of Wound Care*, 12(5), 189–194.

Fromy B., Abraham P., Bouvet C., Bouhanick B., Fressinaud P., & Saumet JL. (2002). Early Decrease of Skin Blood Flow in Response to Locally Applied Pressure in Diabetic Subjects. *Diabetes*, 51, 1214 – 1217.

Frykberg, R. G. (1998). Diabetic foot ulcers: current concepts. *The Journal of Foot and Ankle Surgery*, 37(5), 440–446.

Futrega, K., King, M., Lott, W., & Doran, M. (2014). Treating the whole not the hole: necessary coupling of technologies for diabetic foot ulcer treatment.

Trends In Molecular Medicine, 20(3), 137–142.

Gallagher, K. A., Liu, Z., Xiao, M., Chen, H., Goldstein, L. J., Buerk, D. G., Nedeau, A., Thom, S. R., & Velazquez, O. C. (2007). *Diabetic impairments in NO-mediated endothelial progenitor cell mobilization and homing are reversed by hyperoxia and SDF-1 α* . 117(5), 1249–1259. <https://doi.org/10.1172/JCI29710.blood>

Garbuio DC, Zamarioli CM, Silva NCM, Oliveira-Kumakura ARS, Carvalho EC. (2018) Assessment tools for the healing of wounds: an integrative review. *Rev. Eletr. Enf.* 20:v20a40. Available from: <https://doi.org/10.5216/ree.v20.49425>.

Gholami-Motlagh, F., Jouzi, M., & Soleymani, B. (2016). Comparing the effects of two Swedish massage techniques on the vital signs and anxiety of healthy women. *Iranian Journal of Nursing and Midwifery Research*, 21(4), 402–409. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4979265/>

Ghosh A, Ray S, Garg MK, Chowdhury S, Mukhopadhyay S. (2021). The role of infrared dermal thermometry in the management of neuropathic diabetic foot ulcers, *Diabet Med*, 38(4):e14368. doi:10.1111/dme.14368

Glaser, R., & Kiecolt-Glaser, J. K. (2005). Stress-induced immune dysfunction: implications for health. *Nature Reviews Immunology*, 5(3), 243–251.

Glass, G. E., Murphy, G. F., Esmaeili, A., Lai, L., & Nanchahal, J. (2014). *Systematic review of molecular mechanism of action of negative-pressure wound therapy*. 1627–1636. <https://doi.org/10.1002/bjs.9636>

Godbout, J. P., & Glaser, R. (2006). Stress-Induced Immune Dysregulation: Implications for Wound Healing, Infectious Disease and Cancer. *Journal of Neuroimmune Pharmacology*, 1(4), 421–427.

Gottrup, F. (1994). Physiology and measurement of tissue perfusion. *Annales Chirurgiae et Gynaecologiae*, 83(3), 183–189.

Green, B. (2012). Getting it right: wound assessment and management. *Professional Nursing Today*, 16(1), 12 – 17.

Greiffenstein, P., & Molina, P. (2008). Alcohol-Induced Alterations on Host Defense After Traumatic Injury. *The Journal of Trauma: Injury, Infection, and Critical Care*, 64(1), 230–240.

Guo, S., & Dipietro, L. A. (2010). *Factors Affecting Wound Healing*. *Journal of Dental Research*, 89(3), 219–229. <https://doi.org/10.1177/0022034509359125>

Gupta, A., Haq, M., & Singh, M. (2016). *Management option in Classification: diabetic foot according to Wagners*. 1(18), 35–38.

- Han, S. (2017). Increasing Tissue Oxygenation for Diabetic Wound Healing. *Journal of Wound Management and Research*, 13(1), 2–7.
- Harding, K. G., Jones, V., & Price, P. (2000). Topical treatment: which dressing to choose. *Diabetes/Metabolism Research and Reviews*, 16(S1), S47–S50.
- Hasan, R., Firwana, B., Elraiyah, T., Domecq, J. P., Prutsky, G., Nabhan, M., Prokop, L. J., Henke, P., Tsapas, A., Montori, V. M., & Murad, M. H. (2016). A systematic review and meta-analysis of glycemic control for the prevention of diabetic foot syndrome. *Journal of Vascular Surgery*, 63(2), 22S–28S.e2. <https://doi.org/10.1016/j.jvs.2015.10.005>
- Hayano, J., & Yuda, E. (2019). *Pitfalls of assessment of autonomic function by heart rate variability*. 2, 1–8.
- Hilton, J. R., Williams, D. T., Beuker, B., Miller, D. R., & Harding, K. G. (2004). *Wound Dressings in Diabetic Foot Disease*. 39(Suppl 2), 14–17.
- Hoffman, A. (1992). Evaluation of arterial blood flow in the lower extremity. *Clin Podiatr Med Surg*, 9(1), 19–56.
- Holt, P. (2013). Assessment and management of patients with diabetic foot ulcers. *Nurs Stand*, 27, 49–56. <https://doi.org/10.7748/ns2013.03.27.27.49.e7284>
- Holt, R., & Murphy, J. (2015). PICOTM incision closure in oncoplastic breast surgery: a case series. *British Journal of Hospital Medicine*, 76(4), 217 - 223.
- Hudson, D. A., Adams, K. G., Van Huyssteen, A., Martin, R., & Huddleston, E. M. (2015). Simplified negative pressure wound therapy: Clinical evaluation of an ultraportable, no-canister system. *International Wound Journal*, 12(2), 195–201. <https://doi.org/10.1111/iwj.12080>
- Huston, J. M., & Fritz, J. R. (2018). *The inflammatory reflex and neural tourniquet : harnessing the healing power of the vagus nerve*. 1, 29–38.
- Ince, P., Game, F. L., & Jeffcoate, W. J. (2007). Rate of Healing of Neuropathic Ulcers of the Foot in Diabetes and Its Relationship to. *Diabetes Care*, 30(3), 6–9. <https://doi.org/10.2337/dc06-2043>
- Inoue, H., & Hagiwara, H. (2014). 温度刺激とマッサージ刺激による同時刺激が皮膚温度・血流へ与える影響 井上 of *Thermal and Massage*. 16(1), 39–44. https://www.jstage.jst.go.jp/article/his/16/1/16_1/_pdf/-char/en
- Iqbal, M. N., Noor, M., Sajid, M. T., Ahmed, Z., Iqbal, M. H., & Ahmed, M. (2016). *Efficacy of Vacuum Assisted Closure In Management of Open Wounds As Compared To Moist Wound Dressing-Experience At CMH Rawalpindi*. 64(2), 2014–2017.
- Iversen, M. M., Tell, G. S., Espehaug, B., Midthjell, K., Graue, M., Rokne, B.,

- Berge, L. I., & Østbye, T. (2015). Is depression a risk factor for diabetic foot ulcers? 11-years follow-up of the Nord-Trøndelag Health Study (HUNT). *Journal of Diabetes and Its Complications*, 29(1), 20–25. <https://doi.org/https://doi.org/10.1016/j.jdiacomp.2014.09.006>
- James, S. M. D., Sureshkumar, S., Elamurugan, T. P., Debasis, N., Vijayakumar, C., & Palanivel, C. (2019). Comparison of Vacuum-Assisted Closure Therapy and Conventional Dressing on Wound Healing in Patients with Diabetic Foot Ulcer: A Randomized Controlled Trial. *Nigerian Journal of Surgery*, 25(1), 14–20. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6452767/>
- Jaspers, M., Carrière, M., Meij-de Vries, A., Klaessens, J., & van Zuijlen, P. (2017). The FLIR ONE thermal imager for the assessment of burn wounds: Reliability and validity study. *Burns*, 43(7), 1516–1523.
- Jebakumar, R. A., & Ezhil, P. (2017). A comprehensive study on effectiveness of wound healing in vacuum assisted wound dressing. *IAIM International Archives of Integrated Medicine*, 4(6), 102–104.
- Jindal, G., Sawant, M. S., Pande, J. A., Rohini, A., Jadhwar, P., Naik, B. B., & Deshpande, A. K. (2016). Heart Rate Variability : Objective Assessment of Autonomic Nervous System. *MGM Journal of Medical Sciences*, 3(4) 198–205.
- Julius, S., & Valentini, M. (1998). Consequences of the increased autonomic nervous drive in hypertension, heart failure and diabetes. *Blood Pressure: Supplement*, 3, 5–13.
- Kampusch, S., Kaniusas, E., & Széles, J. C. (2013). *Expected Effects of Auricular Vagus Nerve Stimulation in Dystonia*. 58, 9–10. <https://doi.org/10.1515/bmt-2013-40>
- Kementrian Kesehatan RI, (2014). *Pusat Data dan Informasi*.
- Kementrian Kesehatan RI. (2018). *Riskesdas 2018*. https://kesmas.kemkes.go.id/assets/upload/dir_519d41d8cd98f00/files/Hasil-riskesdas-2018_1274.pdf
- Kessler, L., Bilbault, P., Ortéga, F., Grasso, C., Passemard, R., Stephan, D., Pinget, M., & Schneider, F. (2003). Hyperbaric oxygenation accelerates the healing rate of nonischemic chronic diabetic foot ulcers a prospective randomized study. *Diabetes Care*, 26(8), 2378–2382. <https://doi.org/10.2337/diacare.26.8.2378>
- Kadhim, Fatima. (2021), Bacteriological and Immunological study of Diabetic Patients with and without Foot Ulcer in Kerbala Province, Unpublished Master Thesis, University of Kerbala, Iraq.
- Khan, R., Majeed, A., & Sardar, N. (2017). Thirty Days in-Patient Outcome of

Negative Pressure-therapy in Chronic Non-Healing Ulcers: (A Kaplan-Meier Analysis). *Ophthalmology Update*, 15(2), 146–151.

- Kim, KB., Lee, SH., Kim, SH., Kim, HS., & Lee, YK. (2024). Factors Influencing Wound Healing in Diabetic Foot Patients, *Medicina*, 60, 723, 1 - 12. <https://doi.org/10.3390/medicina60050723>
- Kim, D. W., Lee, D. W., Schreiber, J., Im, C. H., & Kim, H. (2016). Integrative Evaluation of Automated Massage Combined with Thermotherapy: Physical, Physiological, and Psychological Viewpoints. *BioMed Research International*, 1 - 8. <https://doi.org/10.1155/2016/2826905>
- Kimmel, H. M., Grant, A., & Ditata, J. (2016). REVIEW The Presence of Oxygen in Wound Healing. *Wounds*, 28(8), 264–270. <https://www.hmpglobelearningnetwork.com/site/wounds/article/presence-oxygen-wound-healing>
- Koike, Y., Yozaki, M., Utani, A., & Murota, H. (2020). Fibroblast growth factor 2 accelerates the epithelial – mesenchymal transition in keratinocytes during wound healing process. *Scientific Reports*, 10 (18545), 1–13. <https://doi.org/10.1038/s41598-020-75584-7>
- Kottner J, Black J, Call E, Gefen A, Santamaria N. (2018). Microclimate: a critical review in the context of pressure ulcer prevention. *Clin Biomech*. 59:62–70. doi:10.1016/j.clinbiomech.2018.09.010.
- Kranke, P., Bennett, M. H., Martyn-St James, M., Schnabel, A., Debus, S. E., & Weibel, S. (2015). Hyperbaric oxygen therapy for chronic wounds. *Cochrane Database of Systematic Reviews*, (6), 1 - 54. <https://doi.org/10.1002/14651858.CD004123.pub4>
- Kravitz, S. R., McGuire, J., & Shanahan, S. D. (2003). Physical Assessment of the Diabetic Foot. *Advances in Skin & Wound Care*, 16(2), 68–75.
- Lattimer, C., Kalodiki, E., Azzam, M., & Geroulakos, G. (2015). Pneumatic thigh compression reduces calf volume and augments the venous return. *Pneumatic Thigh Compression Reduces Calf Volume and Augments the Venous Return.*, 30(5), 316–322.
- Leach, M. (2006). Wound management: using Levine’s conservation model to guide practice. *Ostomy /Wound Management*, 52(8), 74–80.
- Lebrun, E. A., Gordon, K. A., Tomic-Canic, M., & Kirsner, R. S. (2010). The role of surgical debridement in healing of diabetic foot ulcers. *SKINmed*, 10(1), 24–26. <https://doi.org/10.1111/j.1524-475X.2010.00619.x>
- Li, N., Meng, X. E., Guo, D. Z., Fan, D. F., & Pan, S. Y. (2017). Wound healing process and related laboratory indexes in patients with type 2 diabetes mellitus after hyperbaric oxygen intervention. *Biomedical Research (India)*, 28(20),

8838–8843.

- Lin, P. H., Saines, M., & Angeles, L. (2017). Assessment of lower extremity ischemia using smartphone thermographic imaging. *Journal of Vascular Surgery Cases and Innovative Techniques*, 3(4), 205–208. <https://doi.org/10.1016/j.jvscit.2016.10.012>
- Liu, S., He, C., Cai, Y., Xing, Q., Guo, Y., Chen, Z., Su, J., & Yang, L. (2017). Evaluation of negative-pressure wound therapy for patients with diabetic foot ulcers: systematic review and meta-analysis. *Therapeutics and Clinical Risk Management, Volume 13*, 533–544. <https://doi.org/10.2147/TCRM.S131193>
- Lohman, E. B., Bains, G. S., Lohman, T., Deleon, M., & Petrofsky, J. S. (2011). A comparison of the effect of a variety of thermal and vibratory modalities on skin temperature and blood flow in healthy volunteers. *PLoS ONE*, 17(9), 72–81. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5428931/pdf/pone.0177176.pdf>
- Łokaj, M., Czapla, N., Falkowski, A., & Prowans, P. (2014). The use of thermography in early detection of tissue perfusion disorders in rats. *Videosurgery*, 9(3), 329–336. <https://doi.org/10.5114/wiitm.2014.43023>
- Ma, Z., Li, Z., Shou, K., Jian, C., Li, P., Niu, Y., Qi, B., & Yu, A. (2017). Negative pressure wound therapy: Regulating blood flow perfusion and microvessel maturation through microvascular pericytes. *International Journal of Molecular Medicine*, 40(5), 1415–1425. <https://doi.org/10.3892/ijmm.2017.3131>
- Mahindrakar, BP., Goswami, AG., Huda, F., Naithani, M., & Basu, S. (2023). Wound pH and Surface Temperature as a Predictive Biomarker of Healing in Diabetic Foot Ulcers. *The International Journal of Lower Extremity Wounds*. <https://doi.org/10.1177/15347346231156962>
- Malmsjö, M., Gustafsson, L., Lindstedt, S., Gesslein, B., & Ingemansson, R. (2012). The effects of variable, intermittent, and continuous negative pressure wound therapy, using foam or gauze, on wound contraction, granulation tissue formation, and ingrowth into the wound filler. *Eplasty*, 11, 42 - 54. <http://www.ncbi.nlm.nih.gov/pubmed/22292101> <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC3266212>
- Malmsjö, M., Ingemansson, R., Martin, R., & Elizabeth, H. (2009). Wound Edge Microvascular Blood Flow: Effects of Negative Pressure Wound Therapy Using Gauze or Polyurethane Foam. *Annals of Plastic Surgery*, 63(6), 676–681.
- Manikanta, K., & Monisha, G. (2019). iMedPub Journals Effect of Modifiable Risk Factors in Diabetic Foot Management Abstract. *Journal of Universal Surgery*,

7(25), 3–7. <https://doi.org/10.36648/2254-6758.7.1.110>

Margolin, L., & Gialanella, P. (2010). Assessment of the antimicrobial properties of maggots. *International Wound Journal*, 7(3), 202–204.

Margolis, D. J., Kantor, J., Santanna, J., Strom, B. L., & Berlin, J. A. (2000). Risk Factors for Delayed Healing of Neuropathic Diabetic Foot Ulcers. *Arch Dermatol*, 136, 1531–1535. <https://pubmed.ncbi.nlm.nih.gov/11115166/>

Mars, M., Desai, Y., & Gregory, M. A. (2008). Compressed Air Massage Hastens Healing of the Diabetic Foot. *Diabetes Technology & Therapeutics*, 10(1), 39 – 45. <https://doi.org/https://doi.org/10.1089/dia.2007.0240>

Mars, M., Maharaj, S. S., & Tufts, M. (2005). The effect of compressed air massage on skin blood flow and temperature : cardiovascular topic. *Cardiovascular Journal of South Africa*, 16(4). <https://journals.co.za/doi/epdf/10.10520/EJC24023>

Marta, S., Roux, S. Le, Boman, P., Byström, B., & Zhou, Q. (2015). Expression Profiles of Neuropeptides , Neurotransmitters , and Their Receptors in Human Keratocytes In Vitro and In Situ. *PLOS One*, 1–23. <https://doi.org/10.1371/journal.pone.0134157>

Martin, M. T., Perez, L. G., & Aguilar, P. S. (2011). Effectiveness, safety and cost-effectiveness of the negative pressure wound therapy on the treatment of chronic wounds: a systematic review. *Med Clin (Barc)*, 137(7), 321–328. <https://doi.org/10.1016/j.medcli.2010.06.010>

Mat Saad, A. Z., Khoo, T. L., & Halim, A. S. (2013). Wound Bed Preparation for Chronic Diabetic Foot Ulcers. *ISRN Endocrinology*, 1–9. <https://doi.org/10.1155/2013/608313>

Mattox, E. A. (2017). Reducing risks associated with negative-pressure wound therapy: Strategies for clinical practice. *Critical Care Nurse*, 37(5), 67–77. <https://doi.org/10.4037/ccn2017308>

Meijer, J., Smit, A., Sonderen, E., Groothoff, J., Eisma, W., & Links, T. (2002). Symptom scoring systems to diagnose distal polyneuropati in diabetes: the Diabetic Neuropati Symptom score. *Diabetic Medicine*, 19(11), 962–965.

Mendes, J. J., & Neves, J. (2012). Diabetic Foot Infections: Current Diagnosis and Treatment. *Journal of Diabetic Foot Complications*, 4(2), 26–45.

Menke, N., Ward, K., Witten, T., Bonchev, D., & Diegelmann, R. (2007). Impaired wound healing. *Clinics In Dermatology*, 25(1), 19–25.

Miller, D. B., & O’Callaghan, J. P. (2002). Neuroendocrine Aspects of the Response to Stress. *Metabolism*, 51(6), 5–10. <https://doi.org/10.1053/meta.2002.33184>

- Miller, S. ., Oriegon, M., McDaniel, C., & Serena, T. (2006). Negative pressure wound therapy: An option for hard-to-heal wounds. *Homes/Long Term Care Management*, 1, 56–61.
- Moghazy, A. M., Ellabban, M. A., Adly, O. A., & Ahmed, F. Y. (2015). Evaluation of the use of vacuum-assisted closure (VAC) and platelet-rich plasma gel (PRP) in management of complex wounds. *European Journal of Plastic Surgery*, 38(6), 463–470. <https://doi.org/10.1007/s00238-015-1140-z>
- Mohamed, F. A., & El-deen, H. A. B. (2015). Effect of Intermittent Pneumatic Compression Therapy on Healing of Diabetic Foot Ulcer. *International Journal of Diabetes Research*, 4(4), 67–72. <https://doi.org/10.5923/j.diabetes.20150404.01>
- Montori, V., Kavros, S., Walsh, E., & Rooke, W. (2002). Intermittent compression pump for nonhealing wounds in patients with limb ischemia. The Mayo Clinic experience (1998-2000). *International Angiology*, 21(4), 360–366.
- Moore, Z. E. H., Corcoran, M. A., & Patton, D. (2020). Nutritional interventions for treating foot ulcers in people with diabetes. *Cochrane Database of Systematic Reviews*, 2020(7). <https://doi.org/10.1002/14651858.CD011378.pub2>
- Moris, C. (2009). Wound management and dressings. *Advanced Textiles for Wound Care*, 1, 3–19. <https://doi.org/10.1533/9781845696306.1.3>
- Mosti, G., & Partsch, H. (2010). Inelastic bandages maintain their hemodynamic effectiveness over time despite significant pressure loss. *Journal of Vascular Surgery*, 52(4), 925–931. <https://doi.org/10.1016/j.jvs.2010.04.081>
- Mulder, G., Tenenhaus, M., & D’Souza, G. F. (2014). Reduction of diabetic foot ulcer healing times through use of advanced treatment modalities. *International Journal of Lower Extremity Wounds*, 13(4), 335–346. <https://doi.org/10.1177/1534734614557925>
- Murugan, R., Padma, S., & Senthilkumaran, M. (2018). Risk factors deciding the prevention and healing of diabetic foot ulcer: a prospective study in Chennai Medical College Hospital and Research Center Irungalur, Trichy, Tamil Nadu, India; a rural based tertiary medical care centre. *International Surgery Journal*, 5(5), 1770–1775. <https://doi.org/10.18203/2349-2902.isj20181459>
- Musa, H. G., & Ahmed, M. E. (2012). Associated risk factors and management of chronic diabetic foot ulcers exceeding 6 months’ duration. *Diabetic Foot & Ankle*, 1, 1–6. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3485402/pdf/DFA-3-18980.pdf>
- Nain, P. S., Uppal, S. K., Garg, R., Bajaj, K., & Garg, S. (2011). Role of Negative Pressure Wound Therapy in Healing of Diabetic Foot Ulcers. *Journal of*

Surgical Technique & Case Report, 3(117 - 22).

Nanda, R., Shah, S., Patel, S., & Mohapatra, E. (2021). Association of Indices of Glucose Metabolism with Diabetic Foot Ulcers Nothing Sweet about This : Observations from a Hospital-Based Cross- Sectional Study. *International Journal of Medical Research & Health Sciences*, 10(8), 44–49.

Nather, A. (2011). Role of negative pressure wound therapy in healing of diabetic foot ulcers. *Journal of Surgical Technique & Case Report*, 3(1), 10–11. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3192509/>

Netchanok, S., Wendy, M., Marie, C., & Siobhan, O. (2012). The effectiveness of Swedish massage and traditional Thai massage in treating chronic low back pain: A review of the literature. *Complementary Therapies in Clinical Practice*, 18(4), 227–234.

O'Reilly, D., Pasricha, A., Campbell, K., & Burke, N. (2013). Hyperbaric Oxygen Therapy For Diabetic Ulcers: Systematic Review And Meta-Analysis. *International Journal of Technology Assessment in Health Care*, 29(3), 269–281.

Oliver, T. I., & Mutluoglu, M. (2022). *Diabetic Foot Ulcer*. StatPearls Publishing LLC. <https://www.ncbi.nlm.nih.gov/books/NBK537328/>

Otero-Vinas, M., & Falanga, V. (2018). Preparation of the Wound Bed of the Diabetic Foot Ulcer: Medical and Surgical Management. In *The Diabetic Foot* (257–264). https://doi.org/DOI:10.1007/978-3-319-89869-8_16

Ousey, K., & Milne, J. (2014). Exploring portable negative pressure wound therapy devices in the community. *Exploring Portable Negative Pressure Wound Therapy Devices in the Community*, 19(1), 1462–4752.

Pan, X., Chen, G., Wu, P., Han, C., & Ho, J. K. (2018). Skin perfusion pressure as a predictor of ischemic wound healing potential (Review). *Biomedical Reports*, 8(4), 330–334. <https://doi.org/10.3892/br.2018.1064>

Papanas, N., & Maltezos, E. (2010). Benefit-risk assessment of becaplermin in the treatment of diabetic foot ulcers. *Drug Safety*, 33(6), 455–461.

Papanas, N., Papatheodorou, K., Papazoglou, D., Kotsiou, S., & Maltezos, E. (2010). Association between foot temperature and sudomotor dysfunction in type 2 diabetes. *Journal of Diabetes Science and Technology*, 4(4), 803–807. <https://doi.org/10.1177/193229681000400406>

Pastore, A. L., Palleschi, G., Ripoli, A., Silvestri, L., Leto, A., Autieri, D., Maggioni, C., Moschese, D., Petrozza, V., & Carbone, A. (2013). A multistep approach to manage Fournier's gangrene in a patient with unknown type II diabetes: Surgery, hyperbaric oxygen, and vacuum-assisted closure therapy: A case report. *Journal of Medical Case Reports*, 7(1), 1 - 5.

<https://doi.org/10.1186/1752-1947-7-1>

Patel, S., Srivastava, S., Singh, M. R., & Singh, D. (2019). Mechanistic insight into diabetic wounds: Pathogenesis, molecular targets and treatment strategies to pace wound healing. *Biomedicine and Pharmacotherapy*, 112, 1 - 15. <https://doi.org/10.1016/j.biopha.2019.108615>

Pendsey, S. P. (2010). Understanding diabetic foot. *Int J Diabetes Dev Ctries*, 30(2), 75–79.

Peters, A. M. (2018). *The precise physiological definition of tissue perfusion and clearance measured from imaging*. 1139–1141.

Petrofsky, JS., Lawson, D., Berk, L., & Suh, H. (2010). Enhanced healing of diabetic foot ulcers using local heat and electrical stimulation for 30 min three times per week. *Journal of Diabetes*, 2: 41–46.

Portillo-Soto, A., Eberman, L., Demchak, T., & Peebles, C. (2014). Comparison of blood flow changes with soft tissue mobilization and massage therapy. *Journal of Alternative and Complementary Medicine*, 20(12), 932–936.

Pradhan, S. & Kariyappa, M. (2016). Infrared Thermal Imaging for Interpreting Complications of Diabetic Foot Ulcers: A Case Control Study. *International Journal of Contemporary Medical Research*, 3 (9): 2757 – 2759.

Prompers, L., Huijberts, M., Apelqvist, J., Jude, E., Piaggese, A., Bakker, K., Edmonds, M., Holstein, P., Jirkovska, A., Mauricio, D., Tennvall, G., Reike, H., Spraul, M., Uccioli, L., Urbancic, V., Van Acker, K., Van Baal, J., Van Merode, F., & Schaper, N. (2007). Optimal organization of health care in diabetic foot disease: introduction to the Eurodiale study. *The International Journal of Lower Extremity Wounds*, 6(1), 11–17.

Purwanti, O. S., Yetti, K., & Herawati, T. (2016). Duration Of Diabetic Correlated Diseases With Diabetic Foot Ulcers At Dr Moewardi Hospital. *International Conference on Health and Well-Being (ICHWB)*, 359–363. <https://publikasiilmiah.ums.ac.id/bitstream/handle/11617/7424/44> - Okti Sri Purwanti.pdf?sequence=1&isAllowed=y

Puttemans, T., & Nemery, C. (1998). Diabetes: the use of color Doppler sonography for the assessment of vascular complications. *European Journal of Ultrasound*, 7(1), 15–22.

Raj, M., Gill, S. P. S., Sheopaltan, S. K., Singh, P., Dinesh, Sigh, J., Rastogi, P., & Mishra, L. N. (2016). Evaluation of vacuum assisted closure therapy for soft tissue injury in open musculoskeletal trauma. *Journal of Clinical and Diagnostic Research*, 10(4), RC05–RC08. <https://doi.org/10.7860/JCDR/2016/17449.7598>

- Razjouyan, J., Grewal, G. S., Talal, T. K., Armstrong, D. G., Mills, J. L., & Najafi, B. (2017). Does Physiological Stress Slow Down Wound Healing in Patients with Diabetes? *Journal of Diabetes Science and Technology*, 11(4), 685–692. <https://doi.org/10.1177/1932296817705397>
- Ricco, J.-B., Phong, L., Schneider, F., Illuminati, G., Belmonte, R., Valagier, A., & Mothe, G. (2013). The Diabetic Foot: A Review. *The Journal Of Cardiovascular Surgery*, 54(6), 755–762.
- Rock, R. (2014). *Guidelines for safe negative-pressure wound therapy*. Wound Care Advisor. <https://woundcareadvisor.com/guidelines-for-safe-negative-pressure-wound-therapy/>
- Rodriguez, P., Felix, F., Woodley, D., & Shim, E. (2008). The Role of Oxygen in Wound Healing: A Review of the Literature. *Dermatologic Surgery*, 34(9), 1159–1169.
- Romero, L. (2004). Physiological stress in ecology: lessons from biomedical research. *Trends in Ecology and Evolution*, 19(5), 249–255.
- Rossaneis, M. A., Haddad, Maria do Carmo Fernandez Lourenço Mantovani, M. de F., Marcon, S. S., & Pissinati, P. de S. C. (2017). Foot ulceration in patients with diabetes: a risk analysis. *British Journal Of Nursing*, 26(6), S6 - S14. <https://doi.org/https://doi.org/10.12968/bjon.2017.26.6.S6>
- Rowe, V. (2018). *Diabetic ulcer*. <https://emedicine.medscape.com/article/460282-overview>
- Sajed, M. T., Mustafa, Q. ul A., Shaheen, N., Hussain, S. M., Shukr, I., & Ahmed, M. (2015). Comparison of Negative Pressure Wound Therapy Using Vacuum-Assisted Closure with Advanced Moist Wound Therapy in the Treatment of Diabetic Foot Ulcers. *J Coll Physicians Surg Pak*, 25(11), 789–793. <https://pubmed.ncbi.nlm.nih.gov/26577962/>
- Satasia, R., Solanki, K., & Katara, S. (2017). Conventional Dressings versus Vacuum-Assisted Closure and Hydrojel Dressing in the Management of Diabetic Foot Ulcers : A Prospective Case – Control Study. *NJRM*, 8(3), 130–134.
- Saziye, K., & Afksendiyos, K. (2015). The vacuum-assisted closure (V.A.C®) system for surgical site infection with involved vascular grafts. *Vascular*, 23(2), 144–150. <https://www.ncbi.nlm.nih.gov/pubmed/24879657>
- Schaffer, M., Thomas, B., Becker, H. D., & Hunt, T. K. (1998). *Mediators of Inflammation and Tissue Repair?* 133, 117–1116.

Scherer, S., Pietramaggiori, G., Mathews, J., Prsa, M., Huang, S., & Orgill, D. (2008). The mechanism of action of the vacuum-assisted closure device. *Plastic and Reconstructive Surgery*, 122(3), 789–797.

Schreml, S., Szeimies, R., Prantl, L., Landthaler, M., & Babilas, P. (2010). Wound healing in the 21st century. *Journal of The American Academy of Dermatology*, 63(5), 866–881.

Sedlarik K. (1992). Hygienické a fyziologické aspekty výměny obvazů [Hygienic and physiological aspects of changing dressings]. *Rozhl Chir.* 71(8):433-5.

Sefton, J., Yazar, C., Berry, J., & Pascoe, D. (2010). Therapeutic massage of the neck and shoulders produces changes in peripheral blood flow when assessed with dynamic infrared thermography. *Journal of Alternative and Complementary Medicine*, 16(7), 723–732. <https://www.ncbi.nlm.nih.gov/pubmed/20590481>

Seidel, D., Lefering, R., & Neugebauer, E. A. M. (2013). Treatment of subcutaneous abdominal wound healing impairment after surgery without fascial dehiscence by vacuum assisted closureTM (SAWHI-V.A.C.®-study) versus standard conventional wound therapy: Study protocol for a randomized controlled trial. *Trials*, 14(1), 1 - 10. <https://doi.org/10.1186/1745-6215-14-394>

Seidel, D., Storck, M., Lawall, H., Wozniak, G., Mauckner, P., Hochlenert, D., Wetzel-Roth, W., Sondern, K., Hahn, M., Rothenaicher, G., Krönert, T., Zink, K., & Neugebauer, E. (2020). Negative pressure wound therapy compared with standard moist wound care on diabetic foot ulcers in real-life clinical practice: Results of the German DiaFu-RCT. *BMJ Open*, 10(3), 1 - 16. <https://doi.org/10.1136/bmjopen-2018-026345>

Sharma, D., Singh, B., Jaswal, K. S., Thakur, V., Nanda, V., & Nabh, R. (2017). Effectiveness of negative pressure wound therapy in the management of chronic diabetic ulcers: a prospective study. *International Surgery Journal*, 4(4), 1313. <https://doi.org/10.18203/2349-2902.isj20171134>

Shepherd, A. (2003). Nutrition for optimum wound healing. *Nursing Standard*, 18(6), 55–58.

Shi C, Wang C, Liu H, (2020). Selection of appropriate wound dressing for various wounds. *Front Bioeng Biotechnol*.8:182. doi:10.3389/fbioe.2020.00182

Shukla, U., Kumar, A., Anushapreethi, S., & Singh, S. P. (2020). Evaluation of the Efficacy of Hyperbaric Oxygen Therapy in the Management of Diabetic Ulcer Using Bates-Jensen Wound Assessment Tool. *Anesth Essays Res*, 14(2), 335–342. https://doi.org/10.4103/aer.AER_68_20

Sibbald, R. G., Elliott, J. A., Ayello, E. A., & Somayaji, R. (2015). Optimizing the Moisture Management Tights with Wound Bed Preparation 2015©.

Advances in Skin and Wound Care, 28(10), 466–476.
<https://doi.org/10.1097/01.ASW.0000470851.27030.98>

Simbolon, P., & Ibrahim, H. (2020). Risk Factors that Influence Hospital Length of Stay in Diabetic Foot Ulcer with Negative Pressure Wound Therapy at RS. dr. Cipto Mangunkusumo. *The New Ropanasuri : Journal of Surgery*, 5(1), 20–24. <https://doi.org/10.7454/nrjs.v5i1.1069>

Singer, A., & Clark, R. (1999). Cutaneous wound healing. *The New England Journal of Medicine*, 341(10), 738–746.

Smith, R. (2008). Enzymatic debridging management: an evaluation of the medical literature. *Ostomy Wound Management*, 54(8), 16–34.

Soewondo, P., Suyono, S., Sastrosuwignyo, M. K., Harahap, A. R., Sutrisna, B., & Makmun, L. H. (2017). *Prediction of Wound Healing in Diabetic Foot Ulcers : an Observational Study in Tertiary Hospital in Indonesia*. 49(1), 41–51. <https://www.actamedindones.org/index.php/ijim/article/view/348/pdf>

Sogorski, A., Becker, A., Dadras, M., & Wallner, C. (2022). Superior Enhancement of Cutaneous Microcirculation Due to “ Cyclic ” Application of a Negative Pressure Wound Therapy Device in Humans – Local and Remote Effects. *Frontiers in Surgery*, 9, 822122, 1–9. <https://doi.org/10.3389/fsurg.2022.822122>

Sogorski, A., Lehnhardt, M., Goertz, O., Harati, K., Kapalschinski, N., Hirsch, T., Daigeler, A., & Kolbensschlag, J. (2018). Improvement of local microcirculation through intermittent Negative Pressure Wound Therapy (NPWT). *Journal of Tissue Viability*, 27(4), 267–273. <https://doi.org/https://doi.org/10.1016/j.jtv.2018.08.004>

Sørensen, M. L. B., Jansen, R. B., Wilbek Fabricius, T., Jørgensen, B., & Svendsen, O. L. (2019). Healing of Diabetic Foot Ulcers in Patients Treated at the Copenhagen Wound Healing Center in 1999/2000 and in 2011/2012. *Journal of Diabetes Research*, 1 - 9. <https://doi.org/10.1155/2019/6429575>

Stoekenbroek, R. M., Santema, T. B., Legemate, D. A., Ubbink, D. T., Van Den Brink, A., & Koelemay, M. J. W. (2014). Hyperbaric oxygen for the treatment of diabetic foot ulcers: A systematic review. *European Journal of Vascular and Endovascular Surgery*, 47(6), 647–655. <https://doi.org/10.1016/j.ejvs.2014.03.005>

Straub, R. (2015). *The Origin of Chronic Inflammatory Systemic Disease and their Sequelae* (1st ed.). Elsevier.

Strom, H. S., Iversen, M. M., Igland, J., Østbye, T., Graue, M., Skeie, S., Wu, B., & Rokne, B. (2017). *Severity and duration of diabetic foot ulcer (DFU) before seeking care as predictors of healing time : A retrospective cohort study*. 14, 1–15.

- Suder, N. C., & Wukich, D. K. (2012). Prevalence of Diabetic Neuropati in Patients Undergoing Foot and Ankle Surgery. *Foot & Ankle Specialist*, 5(2), 97 - 101. <https://doi.org/https://doi.org/10.1177/1938640011434502>
- Sudoyo, A., & Setyohadi, B. (2009). *Buku Ajar Ilmu Penyakit Dalam* (5th ed.). Interna Publishing Pusat Penerbitan Ilmu Penyakit Dalam.
- Suh, D., & Hunt, T. (1998). Time line of wound healing. *Clinics in Podiatric Medicine and Surgery*, 15(1), 1–9.
- Sundby, Ø. H., Høiseth, L. Ø., Mathiesen, I., Weedon-Fekjær, H., Sundhagen, J. O., & Hisdal, J. (2017). The acute effects of lower limb intermittent negative pressure on foot macro-and microcirculation in patients with peripheral arterial disease. *PLoS ONE*, 12(6), 1–16. <https://doi.org/10.1371/journal.pone.0179001>
- Suriadi. (2004). *Perawatan Luka*. Sagung Seto.
- Sussman, C., & Bates-Jensen, B. (2012). *Wound Care: A Collaborative Practice Manual for Health Professionals* (4th ed.). Wolters Kluwer.
- Suvas, S. (2017). HHS Public Access. *J Immunol*, 199(5), 1543–1552. <https://doi.org/10.4049/jimmunol.1601751>.Role
- Swanson, E. W., Cheng, H. T., Susarla, S. M., Lough, D. M., & Kumar, A. R. (2016). Does negative pressure wound therapy applied to closed incisions following ventral hernia repair prevent wound complications and hernia recurrence? A systematic review and meta-analysis. *Canadian Journal of Plastic Surgery*, 24(2), 113–118. <https://doi.org/10.1177/229255031602400207>
- Swift, M., Burns, A., Gray, K., & DiPietro, L. (2001). Age-related alterations in the inflammatory response to dermal injury. *The Journal of Investigative Dermatology*, 117(5), 1027 - 1035.
- Swift, M., Kleinman, H., & DiPietro, L. (1999). Impaired wound repair and delayed angiogenesis in aged mice. *Laboratory Investigation*, 79(12), 1479–1487.
- Syafril, S. (2018). Pathophysiology diabetic foot ulcer. *IOP Conference Series: Earth and Environmental Science*, 125(1). <https://doi.org/10.1088/1755-1315/125/1/012161>
- Syauta, D., Hendarto, J., Mariana, N., Kusumanegara, J., & Faruk, M. (2021). Risk factors affecting the degree of diabetic foot ulcers according to Wagner classification in diabetic foot patients &. *Medicina Clínica Práctica*, 4, 1 - 4. <https://doi.org/10.1016/j.mcpsp.2021.100231>
- Tanaka, T., Panthee, N., Itoda, Y., Yamauchi, N., Fukayama, M., & Ono, M. (2016). Negative pressure wound therapy induces early wound healing by

increased and accelerated expression of vascular endothelial growth factor receptors. *European Journal of Plastic Surgery*, 39(4), 247–256. <https://doi.org/10.1007/s00238-016-1200-z>

Tandara, A. A., & Mustoe, T. A. (2004). No Title. *World Journal of Surgery*, 28(3), 294–300.

Taspinar, F., Aslan, U. B., Sabir, N., & Cavlak, U. (2013). *Implementation of Matrix Rhythm Therapy and Conventional Massage in Young Females and*. 19(10), 826–832. <https://doi.org/10.1089/acm.2012.0932>

Tehan, PE., Burrows, T., Hawes, MB., Linton, C., Norbury, K., Peterson, B., Walsh, A., White, D., & Chuter, VH. (2023). Factors influencing diabetes-related foot ulcer healing in Australian adults: A prospective cohort study, *Diabetic Medicine*, 1-12, <https://doi.org/10.1111/dme.14951>

Thorp, A. A., & Schlaich, M. P. (2015). *Relevance of Sympathetic Nervous System Activation in Obesity and Metabolic Syndrome*. 2015. <https://doi.org/10.1155/2015/341583>

Toshev, S., & Grueva, L. (2017). Managing Ulcers of Diabetic Foot. *V i z i o n E*, 59–69.

Tsubokawa, M., Nishimura, M., Tamada, Y., & Nakaji, S. (2022). Factors Associated with Reduced Heart Rate Variability in the General Japanese Population: The Iwaki Cross-Sectional Research Study. *Healthcare (Switzerland)*, 10(5). <https://doi.org/10.3390/healthcare10050793>

Turan, Y., Ertugrul, B. M., Lipsky, B. A., & Bayrakta, K. (2015). Does physical therapy and rehabilitation improve outcomes for diabetic foot ulcers? *World Journal OfExperimental Medicine*, 5(2), 130–140. <https://doi.org/10.5493/wjem.v5.i2.130>

Tuttolomondo, A., Del Cuore, A., La Malfa, A., Casuccio, A., Daidone, M., Maida, C. D., Di Raimondo, D., Di Chiara, T., Puleo, M. G., Norrito, R., Guercio, G., & Pinto, A. (2021). Assessment of heart rate variability (HRV) in subjects with type 2 diabetes mellitus with and without diabetic foot: correlations with endothelial dysfunction indices and markers of adipo-inflammatory dysfunction. *Cardiovascular Diabetology*, 20(1), 1–12. <https://doi.org/10.1186/s12933-021-01337-z>

Vani, J., Sashi, K., & Prathima, C. (2019). A randomized, open-label, comparative study of lysine cream 15% with standard therapy in the management of non-diabetic foot ulcer assessing by Bates-Jensen wound assessment tool. *National Journal of Physiology, Pharmacy and Pharmacology*, 9(9), 907 - 911. <https://doi.org/10.5455/njppp.2019.9.0622802072019>

Vedhara, K., Miles, J. N. V., Wetherell, M. A., Dawe, K., Searle, A., Tallon, D., Cullum, N., Day, A., Dayan, C., Drake, N., Price, P., Tarlton, J., Weinman, J.,

- & Campbell, R. (2010). Coping style and depression influence the healing of diabetic foot ulcers: Observational and mechanistic evidence. *Diabetologia*, 53(8), 1590–1598. <https://doi.org/10.1007/s00125-010-1743-7>
- Vikatmaa, P., Juutilainen, V., Kuukasjärvi, P., & Malmivaara, A. (2008). Negative Pressure Wound Therapy: a Systematic Review on Effectiveness and Safety. *European Journal of Vascular and Endovascular Surgery*, 36(4), 438–448. <https://doi.org/10.1016/j.ejvs.2008.06.010>
- Vileikyte, L. (2007). Stress and wound healing. *Clinics in Dermatology*, 25(1), 49–55.
- Vinik, A. I., Erbas, T., & Casellini, C. M. (2013). Diabetic cardiac autonomic neuropati, inflammation and cardiovascular disease. *Journal of Diabetes Investigation*, 4(1), 4–18. <https://doi.org/10.1111/jdi.12042>
- Voza, F.A.; Huerta, C.T.; Le, N.; Shao, H.; Ribieras, A.; Ortiz, Y.; Atkinson, C.; Machuca, T.; Liu, Z.-J.; Velazquez, O.C. (2024). Fibroblasts in Diabetic Foot Ulcers. *Int. J. Mol. Sci.* 25, 2172. <https://doi.org/10.3390/ijms25042172>.
- Vuksanovic, V., Sheppard, L. W., & Stefanovska, A. (2008). Nonlinear Relationship between Level of Blood Flow and Skin Temperature for Different Dynamics of Temperature Change. *Biophysical Journal: Biophysical Letters*, 94(10), 78–80. <https://doi.org/10.1529/biophysj.107.127860>
- Vuorisalo, S., Venermo, M., & Lepäntalo, M. (2009). Treatment of diabetic foot ulcers. *The Journal of Cardiovascular Surgery*, 50(3), 275–291.
- Wainstein, J., Feldbrin, Z., Boaz, M., & Harman-Boehm, I. (2011). Efficacy of Ozone–Oxygen Therapy for the Treatment of Diabetic Foot Ulcers. *Diabetes Technology & Therapeutics*, 13(12), 1255–1260.
- Wang, T., Li, X., Fan, L., Chen, B., Liu, J., Tao, Y., & Wang, X. (2019). *Negative pressure wound therapy promoted wound healing by suppressing inflammation via down-regulating MAPK-JNK signaling pathway in diabetic foot patients.* 150, 81–89. <https://www.sciencedirect.com/science/article/abs/pii/S0168822718312919>
- Wang, Y., Yao, X., Ge, J., Hu, F., & Zhao, Y. (2014). *Can Vascular Endothelial Growth Factor and Microvessel Density Be Used as Prognostic Biomarkers for Colorectal Cancer ? A Systematic Review and Meta-Analysis.*
- Wang, Z., Hasan, R., Firwana, B., & Elraiyah, T. (2016). A systematic review and meta-analysis of tests to predict wound healing in diabetic foot. *Journal of Vascular Surgery*, 63(2), 29S–36S.e2. <https://doi.org/10.1016/j.jvs.2015.10.004>.

- Winkley, K., Sallis, H., Kariyawasam, D., Leelarathna, L. H., Chalder, T., Edmonds, M. E., Stahl, D., & Ismail, K. (2012). Five-year follow-up of a cohort of people with their first diabetic foot ulcer: The persistent effect of depression on mortality. *Diabetologia*, 55(2), 303–310. <https://doi.org/10.1007/s00125-011-2359-2>
- Woo, K., Ayello, E. A., & Sibbald, R. G. (2007). The Edge Effect: Current Therapeutic Options to Advance the Wound Edge. *Advances in Skin & Wound Care*, 20(2), 118–119.
- Wynn, M., & Freeman, S. (2019). The efficacy of negative pressure wound therapy for diabetic foot ulcers: A systematised review. *Journal of Tissue Viability*, 28(3), 152–160.
- Xiang, J., Wang, S., He, Y., Xu, L., Zhang, S., & Tang, Z. (2019). Reasonable Glycemic Control Would Help Wound Healing During the Treatment of Diabetic Foot Ulcers. *Diabetes Therapy*, 10(1), 95–105. <https://doi.org/10.1007/s13300-018-0536-8>
- Xie, X., McGregor, M., & Dendukuri, N. (2010). The clinical effectiveness of negative pressure wound therapy: a systematic review. *Journal of Wound Care*, 19(11), 490–495. <https://doi.org/10.12968/jowc.2010.19.11.79697>
- Xu, J., Gao, J., Li, H., Zhu, Z., Liu, J., & Gao, C. (2024). The risk factors in diabetic foot ulcers and predictive value of prognosis of wound tissue vascular endothelium growth factor, *Scientific Report*, 14: 14120, <https://doi.org/10.1038/s41598-024-64009-4>
- Xue, E., Chandler, L., Viviano, S., & Keith, J. (2018). Use of FLIR ONE Smartphone Thermography in Burn Wound Assessment. *Annals of Plastic Surgery*, 80(4), S236–S238.
- Yadav, A.K., Mishra, S., Khanna V., Panchal, S., Modi, N., Amin, S. (2023). Comparative study of various dressing techniques in diabetic foot ulcers in the Indian population: a single-center experience. *International Journal of Diabetes in Developing Countries*. 4: 1-7.
- Yang, H. S., Shin, J., Bhang, S. H., Shin, J. Y., Park, J., Im, G., Kim, C. S., & Kim, B. S. (2011). Enhanced skin wound healing by a sustained release of growth factors contained in platelet-rich plasma. *Experimental and Molecular Medicine*, 43(11), 622–629. <https://doi.org/10.3858/emm.2011.43.11.070>
- Yang, S.-L., Han, R., Hu, L.-Y., Li, X.-L., & Zhu, L.-Y. (2014). Negative pressure wound therapy is associated with up-regulation of bFGF and ERK1/2 in human diabetic foot wounds. *Wound Repair and Regeneration*, 22(4), 548–554. <https://doi.org/https://doi.org/10.1111/wrr.12195>
- Zhu, J., Yu, A., Qi, B., Li, Z., & Hu, X. (2014). Effects of negative pressure wound therapy on mesenchymal stem cells proliferation and osteogenic

differentiation in a fibrin matrix. *PLoS ONE*, 9(9), 1 - 9.
<https://doi.org/10.1371/journal.pone.0107339>