

## DAFTAR PUSTAKA

- Acan, B.G., Toker, O.S., Palabiyik, I., Rasouli Pirouzian, H., Bursa, K., Kilicli, M., Yaman, M., Er, T., Konar, N., 2021. Physicochemical properties of chocolate spread with hazelnut cake: Comparative study and optimization. *LWT* 147, 111548. <https://doi.org/10.1016/j.lwt.2021.111548>.
- Albano, K.M., Nicoletti, V.R., 2018. Ultrasound impact on whey protein concentrate-pectin complexes and in the O/W emulsions with low oil soybean content stabilization. *Ultrasonics Sonochemistry* 41, 562–571. <https://doi.org/10.1016/j.ultsonch.2017.10.018>.
- Alimentarius, C., 2022. General Standard For Soy Protein Products. <https://doi.org/CXS175-1989>.
- Allouss, D., Essamlali, Y., Chakir, A., Khadhar, S., Zahouily, M., 2020. Effective removal of Cu(II) from aqueous solution over graphene oxide encapsulated carboxymethylcellulose-alginate hydrogel microspheres: towards real wastewater treatment plants. *Environ Sci Pollut Res* 27, 7476–7492. <https://doi.org/10.1007/s11356-019-06950-w>.
- Almeida, P.F., Lannes, S.C. da S., 2017. Effects of chicken by-product gelatin on the physicochemical properties and texture of chocolate spread. *Journal of Texture Studies* 48, 392–402. <https://doi.org/10.1111/jtxs.12242>.
- Bakry, A.M., Abbas, S., Ali, B., Majeed, H., Abouelwafa, M.Y., Mousa, A., Liang, L., 2016. Microencapsulation of Oils: A Comprehensive Review of Benefits, Techniques, and Applications. *Comp Rev Food Sci Food Safe* 15, 143–182. <https://doi.org/10.1111/1541-4337.12179>.
- Bannikova, A., Evteev, A., Pankin, K., Evdokimov, I., Kasapis, S., 2018. Microencapsulation of fish oil with alginate: *In-vitro* evaluation and controlled release. *LWT* 90, 310–315. <https://doi.org/10.1016/j.lwt.2017.12.045>.
- Barišić, V., Kopjar, M., Jozinović, A., Flanjak, I., Ačkar, Đ., Miličević, B., Šubarić, D., Jokić, S., Babić, J., 2019. The Chemistry behind Chocolate Production. *Molecules* 24, 3163. <https://doi.org/10.3390/molecules24173163>.

- Bascuas, S., Espert, M., Llorca, E., Quiles, A., Salvador, A., Hernando, I., 2021a. Structural and sensory studies on chocolate spreads with hydrocolloid-based oleogels as a fat alternative. *LWT* 135, 110228. <https://doi.org/10.1016/j.lwt.2020.110228>.
- Bascuas, S., Morell, P., Hernando, I., Quiles, A., 2021b. Recent trends in oil structuring using hydrocolloids. *Food Hydrocolloids* 118, 106612. <https://doi.org/10.1016/j.foodhyd.2021.106612>.
- Bhowmik, P.K., Matsui, T., Kawada, K., Suzuki, H., 2001. Seasonal changes of asparagus spears in relation to enzyme activities and carbohydrate content. *Scientia Horticulturae* 88, 1–9. [https://doi.org/10.1016/S0304-4238\(00\)00199-0](https://doi.org/10.1016/S0304-4238(00)00199-0).
- Borompichaichartkul, C., Chinprahast, N., Devahastin, S., Wiset, L., Poomsa-ad, N., Ratchapo, T., 2013. Multistage heat pump drying of macadamia nut under modified atmosphere. *International Food Research Journal* 20, 2199–2203.
- Canfield, L.M., Kaminsky, R.G., Taren, D.L., Shaw, E., Sander, J.K., 2001. Red palm oil in the maternal diet increases provitamin A carotenoids in breastmilk and serum of the mother-infant dyad. *Eur J Nutr* 40, 30–38. <https://doi.org/10.1007/PL00007383>.
- Canneddu, G., Júnior, L.C.C., de Almeida Teixeira, G.H., 2016. Quality Evaluation of Shelled and Unshelled Macadamia Nuts by Means of Near-Infrared Spectroscopy (NIR). *J Food Sci* 81, C1613-1621. <https://doi.org/10.1111/1750-3841.13343>.
- Cao, L., Lu, W., Mata, A., Nishinari, K., Fang, Y., 2020. Egg-box model-based gelation of alginate and pectin: A review. *Carbohydrate Polymers* 242, 116389. <https://doi.org/10.1016/j.carbpol.2020.116389>.
- Chandra, M.V., Shamasundar, B.A., 2015. Texture Profile Analysis and Functional Properties of Gelatin from the Skin of Three Species of Fresh Water Fish. *International Journal of Food Properties* 18, 572–584. <https://doi.org/10.1080/10942912.2013.845787>.
- Chen, X.-W., Fu, S.-Y., Hou, J.-J., Guo, J., Wang, J.-M., Yang, X.-Q., 2016. Zein based oil-in-glycerol emulgels enriched with  $\beta$ -carotene as margarine alternatives. *Food Chem* 211, 836–844. <https://doi.org/10.1016/j.foodchem.2016.05.133>.

- Chitlange, P.R., 2014. Short Communication: Contamination of cell phones by pathogenic microorganisms: Comparison between hospital staff and college students. *Nusantara Bioscience* 6. <https://doi.org/10.13057/nusbiosci/n060213>
- Co, E.D., Marangoni, A.G., 2012. Organogels: An Alternative Edible Oil-Structuring Method. *Journal of the American Oil Chemists' Society* 89, 749–780. <https://doi.org/10.1007/s11746-012-2049-3>.
- DeGarmo, E.P., Sullivan, W.G., Canada, J.R., 1984. *Engineering Economy*. Macmillan.
- Demirkesen, I., Mert, B., 2020. Recent developments of oleogel utilizations in bakery products. *Critical Reviews in Food Science and Nutrition* 60, 2460–2479. <https://doi.org/10.1080/10408398.2019.1649243>.
- Dickinson, E., 2008. Interfacial structure and stability of food emulsions as affected by protein–polysaccharide interactions. *Soft Matter* 4, 932. <https://doi.org/10.1039/b718319d>.
- Doan, C.D., Tavernier, I., Okuro, P.K., Dewettinck, K., 2018. Internal and external factors affecting the crystallization, gelation and applicability of wax-based oleogels in food industry. *Innovative Food Science & Emerging Technologies* 45, 42–52. <https://doi.org/10.1016/j.ifset.2017.09.023>.
- El-Hadad, N.N.M., Youssef, M.M., Abd El-Aal, M.H., Abou-Gharbia, H.H., 2011. Utilisation of red palm olein in formulating functional chocolate spread. *Food Chemistry* 124, 285–290. <https://doi.org/10.1016/j.foodchem.2010.06.034>.
- Esposito, C.L., Kirilov, P., Roullin, V.G., 2018. Organogels, promising drug delivery systems: an update of state-of-the-art and recent applications. *J Control Release* 271, 1–20. <https://doi.org/10.1016/j.jconrel.2017.12.019>.
- Fang, J., Jiang, F., Xu, X., Xiao, Q., Yang, Q., Chen, F., Xiao, A., 2024. Gelation melioration with synergistic interaction between  $\kappa$ -carrageenan and senna tora gum mixed gel. *Food Hydrocolloids* 149, 109574. <https://doi.org/10.1016/j.foodhyd.2023.109574>.
- Fayaz, G., Goli, S.A.H., Kadivar, M., Valoppi, F., Barba, L., Calligaris, S., Nicoli, M.C., 2017. Potential application of pomegranate seed oil oleogels

- based on monoglycerides, beeswax and propolis wax as partial substitutes of palm oil in functional chocolate spread. *LWT* 86, 523–529. <https://doi.org/10.1016/j.lwt.2017.08.036>.
- Freire, M., Cofrades, S., Pérez-Jiménez, J., Gómez-Estaca, J., Jiménez-Colmenero, F., Bou, R., 2018. Emulsion gels containing n-3 fatty acids and condensed tannins designed as functional fat replacers. *Food Research International* 113, 465–473. <https://doi.org/10.1016/j.foodres.2018.07.041>.
- Geremias-Andrade, I.M., Souki, N.P.B.G., Moraes, I.C.F., Pinho, S.C., 2016. Rheology of Emulsion-Filled Gels Applied to the Development of Food Materials. *Gels* 2, 22. <https://doi.org/10.3390/gels2030022>.
- Gheorghita Puscaselu, R., Lobiuc, A., Dimian, M., Covasa, M., 2020. Alginate: From Food Industry to Biomedical Applications and Management of Metabolic Disorders. *Polymers* 12, 2417. <https://doi.org/10.3390/polym12102417>.
- Gonçalves, R.F.S., Zhou, H., Vicente, A.A., Pinheiro, A.C., McClements, D.J., 2024. Plant-based bigels for delivery of bioactive compounds: Influence of hydrogel:oleogel ratio and protein concentration on their physicochemical properties. *Food Hydrocolloids* 150, 109721. <https://doi.org/10.1016/j.foodhyd.2023.109721>.
- Guerrero, P., Kerry, J.P., De La Caba, K., 2014. FTIR characterization of protein–polysaccharide interactions in extruded blends. *Carbohydrate Polymers* 111, 598–605. <https://doi.org/10.1016/j.carbpol.2014.05.005>.
- Guo, J., Cui, L., Meng, Z., 2023. Oleogels/emulsion gels as novel saturated fat replacers in meat products: A review. *Food Hydrocolloids* 137, 108313. <https://doi.org/10.1016/j.foodhyd.2022.108313>.
- Han, J., Zhou, Z., Yin, R., Yang, D., Nie, J., 2010. Alginate-chitosan/hydroxyapatite polyelectrolyte complex porous scaffolds: preparation and characterization. *Int J Biol Macromol* 46, 199–205. <https://doi.org/10.1016/j.ijbiomac.2009.11.004>.
- Hasibuan, H., Ijah, I., 2018. Peningkatan Kesukaan Minyak Sawit Merah Dengan Penambahan Minyak Nabati Atau Flavor Dan Stabilitasnya Dalam Penggorengan Berulang. *Jurnal Penelitian Kelapa Sawit* 26, 1–9. <https://doi.org/10.22302/iopri.jur.jpks.v26i1.57>.

- He, Liu, C., Zhao, J., Guo, F., Wang, Y., 2023. Enhanced gelling properties and hydration capacity of ginkgo seed proteins by genipin cross-linking. *Food Chemistry* 399, 133924. <https://doi.org/10.1016/j.foodchem.2022.133924>.
- He, M., Gao, T., Chen, L., Zhang, M., Teng, F., Li, Y., 2024. Effects of pH and temperature on the properties of acid-induced commercial soy protein isolate gel. *Journal of Molecular Liquids* 409, 125490. <https://doi.org/10.1016/j.molliq.2024.125490>.
- Hilliou, L., 2021. Structure–Elastic Properties Relationships in Gelling Carrageenans. *Polymers* 13, 4120. <https://doi.org/10.3390/polym13234120>.
- Hughes, N., Rush, J.W., Marangoni, A.G., 2018. Chapter 16 - Feeding Study of 12-Hydroxystearic Acid Oleogels, in: Marangoni, A.G., Garti, N. (Eds.), *Edible Oleogels (Second Edition)*. AOCS Press, pp. 381–399. <https://doi.org/10.1016/B978-0-12-814270-7.00016-2>.
- Jeyarani, T., Banerjee, T., Ravi, R., Krishna, A.G.G., 2015. Omega-3 fatty acids enriched chocolate spreads using soybean and coconut oils. *J Food Sci Technol* 52, 1082–1088. <https://doi.org/10.1007/s13197-013-1053-4>.
- Jiang, F., Liu, Y., Xiao, Q., Chen, F., Weng, H., Chen, J., Zhang, Y., Xiao, A., 2022. Eco-Friendly Extraction, Structure, and Gel Properties of  $\iota$ -Carrageenan Extracted Using  $\text{Ca}(\text{OH})_2$ . *Mar Drugs* 20, 419. <https://doi.org/10.3390/md20070419>.
- Jimenez-Colmenero, F., Salcedo-Sandoval, L., Bou, R., Cofrades, S., Herrero, A.M., Ruiz-Capillas, C., 2015. Novel applications of oil-structuring methods as a strategy to improve the fat content of meat products. *Trends in Food Science & Technology* 44, 177–188. <https://doi.org/10.1016/j.tifs.2015.04.011>.
- Keerati-u-rai, M., Corredig, M., 2009. Heat-induced changes in oil-in-water emulsions stabilized with soy protein isolate. *Food Hydrocolloids* 23, 2141–2148. <https://doi.org/10.1016/j.foodhyd.2009.05.010>.
- Khoshdouni Farahani, Z., Mousavi, M., Seyedain Ardebili, S.M., Bakhoda, H., 2022. Modification of sodium alginate by octenyl succinic anhydride to fabricate beads for encapsulating jujube extract. *Current Research in Food Science* 5, 157–166. <https://doi.org/10.1016/j.crfs.2021.11.014>

- Kim, H.-J., Decker, E.A., McClements, D.J., 2005. Influence of Protein Concentration and Order of Addition on Thermal Stability of  $\beta$ -Lactoglobulin Stabilized n-Hexadecane Oil-in-Water Emulsions at Neutral pH. *Langmuir* 21, 134–139. <https://doi.org/10.1021/la048019t>.
- Lal, S.N.D., O'Connor, C.J., Eyres, L., 2006. Application of emulsifiers/stabilizers in dairy products of high rheology. *Advances in Colloid and Interface Science, Special Issue in Honor of Dr. K. L. Mittal* 123–126, 433–437. <https://doi.org/10.1016/j.cis.2006.05.009>.
- Lee, W.J., Tan, C.P., Sulaiman, R., Smith, R.L., Chong, G.H., 2018. Microencapsulation of red palm oil as an oil-in-water emulsion with supercritical carbon dioxide solution-enhanced dispersion. *Journal of Food Engineering* 222, 100–109. <https://doi.org/10.1016/j.jfoodeng.2017.11.011>.
- Li, A., Guo, C., Li, X., Li, P., Yang, X., Guo, Y., 2021. Gelation mechanism and physical properties of glucono- $\delta$ -lactone induced alginate sodium/casein composite gels. *Food Hydrocolloids* 118, 106775. <https://doi.org/10.1016/j.foodhyd.2021.106775>.
- Lin, D., Kelly, A.L., Miao, S., 2021a. The role of mixing sequence in structuring O/W emulsions and emulsion gels produced by electrostatic protein-polysaccharide interactions between soy protein isolate-coated droplets and alginate molecules. *Food Hydrocolloids* 113, 106537. <https://doi.org/10.1016/j.foodhyd.2020.106537>.
- Lin, D., Kelly, A.L., Miao, S., 2021b. The role of mixing sequence in structuring O/W emulsions and emulsion gels produced by electrostatic protein-polysaccharide interactions between soy protein isolate-coated droplets and alginate molecules. *Food Hydrocolloids* 113, 106537. <https://doi.org/10.1016/j.foodhyd.2020.106537>.
- Lin, D., Kelly, A.L., Miao, S., 2020. Preparation, structure-property relationships and applications of different emulsion gels: Bulk emulsion gels, emulsion gel particles, and fluid emulsion gels. *Trends in Food Science & Technology* 102, 123–137. <https://doi.org/10.1016/j.tifs.2020.05.024>.
- Lingiardi, N., Galante, M., Spelzini, D., 2024. Emulsion Gels Based on Quinoa Protein Hydrolysates, Alginate, and High-Oleic Sunflower Oil:

- Evaluation of Their Physicochemical and Textural Properties. *Food Biophysics* 19, 298–309. <https://doi.org/10.1007/s11483-023-09817-3>.
- Lu, Y., Mao, L., Hou, Z., Miao, S., Gao, Y., 2019. Development of Emulsion Gels for the Delivery of Functional Food Ingredients: from Structure to Functionality. *Food Eng Rev* 11, 245–258. <https://doi.org/10.1007/s12393-019-09194-z>.
- Lupi, F.R., Gentile, L., Gabriele, D., Mazzulla, S., Baldino, N., de Cindio, B., 2015. Olive oil and hyperthermal water bigels for cosmetic uses. *Journal of Colloid and Interface Science* 459, 70–78. <https://doi.org/10.1016/j.jcis.2015.08.013>.
- Makarova, A.O., Derkach, S.R., Kadyirov, A.I., Ziganshina, S.A., Kazantseva, M.A., Zueva, O.S., Gubaidullin, A.T., Zuev, Y.F., 2022. Supramolecular Structure and Mechanical Performance of  $\kappa$ -Carrageenan–Gelatin Gel. *Polymers* 14, 4347. <https://doi.org/10.3390/polym14204347>.
- Mäkinen, O.E., Zannini, E., Arendt, E.K., 2015. Modifying the Cold Gelation Properties of Quinoa Protein Isolate: Influence of Heat-Denaturation pH in the Alkaline Range. *Plant Foods for Human Nutrition* 70, 250–256. <https://doi.org/10.1007/s11130-015-0487-4>.
- Mancini, A., Imperlini, E., Nigro, E., Montagnese, C., Daniele, A., Orrù, S., Buono, P., 2015. Biological and Nutritional Properties of Palm Oil and Palmitic Acid: Effects on Health. *Molecules* 20, 17339–17361. <https://doi.org/10.3390/molecules200917339>.
- Manzocco, L., Calligaris, S., Camerin, M., Pizzale, L., Nicoli, M.C., 2014. Prediction of firmness and physical stability of low-fat chocolate spreads. *Journal of Food Engineering* 126, 120–125. <https://doi.org/10.1016/j.jfoodeng.2013.10.042>.
- Martins, A.J., Silva, P., Maciel, F., Pastrana, L.M., Cunha, R.L., Cerqueira, M.A., Vicente, A.A., 2019. Hybrid gels: Influence of oleogel/hydrogel ratio on rheological and textural properties. *Food Research International* 116, 1298–1305. <https://doi.org/10.1016/j.foodres.2018.10.019>.
- Mba, O.I., Dumont, M.-J., Ngadi, M., 2015. Palm oil: Processing, characterization and utilization in the food industry – A review. *Food Bioscience* 10, 26–41. <https://doi.org/10.1016/j.fbio.2015.01.003>.

- McClements, D.J., 2015. Food Emulsions: Principles, Practices, and Techniques, Third Edition, 0 ed. CRC Press. <https://doi.org/10.1201/b18868>.
- Minaker, S.A., Mason, R.H., Chow, D.R., 2021. Optimizing Color Performance of the Ngenuity 3-Dimensional Visualization System. *Ophthalmology Science* 1, 100054. <https://doi.org/10.1016/j.xops.2021.100054>.
- Mirani, A., Goli, M., 2021. Production of the eggplant-fiber incorporated cupcake and evaluating its chemical, textural and colorimetric properties over a ten-day storage time. *J. Food Process. Preserv.* 45. <https://doi.org/10.1111/jfpp.15311>.
- Momeny, E., 2017. Effect of Microwave Pretreatment on the Oil Yield of Mango Seeds for the Synthesis of a Cocoa Butter Substitute. *J Food Process Technol* 03. <https://doi.org/10.4172/2157-7110.1000164>.
- Montellano Duran, N., Spelzini, D., Boeris, V., 2019. Characterization of acid – Induced gels of quinoa proteins and carrageenan. *LWT* 108, 39–47. <https://doi.org/10.1016/j.lwt.2019.03.052>.
- Mørch, Ý.A., Donati, I., Strand, B.L., Skjåk-Bræk, G., 2006. Effect of Ca<sup>2+</sup>, Ba<sup>2+</sup>, and Sr<sup>2+</sup> on Alginate Microbeads. *Biomacromolecules* 7, 1471–1480. <https://doi.org/10.1021/bm060010d>.
- Morrish, C., Teimouri, S., Istivan, T., Kasapis, S., 2020. Molecular characterisation of hot moulded alginate gels as a delivery vehicle for the release of entrapped caffeine. *Food Hydrocolloids* 109, 106142. <https://doi.org/10.1016/j.foodhyd.2020.106142>.
- Motamedzadegan, A., Dehghan, B., Nemati, A., Tirgarian, B., Safarpour, B., 2020. Functionality improvement of virgin coconut oil through physical blending and chemical interesterification. *SN Appl. Sci.* 2, 1513. <https://doi.org/10.1007/s42452-020-03309-6>.
- Mursalin, M., 2017. Engineering Process Of Deodorization To Improve Product Quality Of Red Palm Oil With Rich Of Carotene. *Indonesian Food Science and Technology Journal* 1, 20–26. <https://doi.org/10.22437/iftj.v1i1.5014>.
- Nagendran, B., Unnithan, U.R., Choo, Y.M., Sundram, K., 2000. Characteristics of Red Palm Oil, a Carotene- and Vitamin E-rich Refined Oil for Food

Uses. Food Nutr Bull 21, 189–194.  
<https://doi.org/10.1177/156482650002100213>.

Naseri, A., Holdt, S.L., Jacobsen, C., 2019. Biochemical and Nutritional Composition of Industrial Red Seaweed Used in Carrageenan Production. *Journal of Aquatic Food Product Technology* 28, 967–973.  
<https://doi.org/10.1080/10498850.2019.1664693>.

Nasirpour-Tabrizi, P., Azadmard-Damirchi, S., Hesari, J., Khakbaz Heshmati, M., Savage, G.P., 2020. Production of a spreadable emulsion gel using flaxseed oil in a matrix of hydrocolloids. *J Food Process Preserv* 44.  
<https://doi.org/10.1111/jfpp.14588>.

Necas, J., Bartosikova, L., 2013. Carrageenan: a review. *Veterinárni medicína* 58, 187–205. <https://doi.org/10.17221/6758-VETMED>.

Nguyen, P.T.M., Kravchuk, O., Bhandari, B., Prakash, S., 2017. Effect of different hydrocolloids on texture, rheology, tribology and sensory perception of texture and mouthfeel of low-fat pot-set yoghurt. *Food Hydrocolloids* 72, 90–104. <https://doi.org/10.1016/j.foodhyd.2017.05.035>.

Nishinari, K., Fang, Y., Guo, S., Phillips, G.O., 2014. Soy proteins: A review on composition, aggregation and emulsification. *Food Hydrocolloids* 39, 301–318. <https://doi.org/10.1016/j.foodhyd.2014.01.013>.

Oba, Ş., Yıldırım, T., 2024. Using plant-based hydrogel-oleogels to replace palm oil: impact on texture, sensory, and fatty acid composition of chocolate spreads. *Food Measure* 18, 8931–8943.  
<https://doi.org/10.1007/s11694-024-02839-6>.

O'Brien, R.D., 2008. *Fats and Oils: Formulating and Processing for Applications*, Third Edition, 0 ed. CRC Press.  
<https://doi.org/10.1201/9781420061673>.

Paglarini, C.D.S., Vidal, V.A.S., Martini, S., Cunha, R.L., Pollonio, M.A.R., 2022. Protein-based hydrogelled emulsions and their application as fat replacers in meat products: A review. *Critical Reviews in Food Science and Nutrition* 62, 640–655.  
<https://doi.org/10.1080/10408398.2020.1825322>.

- Palmieri, P.A., Hartel, R.W., 2019. Crystallization of Cocoa Butter in Cocoa Powder. *Journal of the American Oil Chemists' Society* 96, 911–926. <https://doi.org/10.1002/aocs.12247>.
- Patel, A.R., 2015. *Alternative Routes to Oil Structuring*, SpringerBriefs in Food, Health, and Nutrition. Springer International Publishing, Cham. <https://doi.org/10.1007/978-3-319-19138-6>.
- Peng, L.-P., Tang, C.-H., 2020. Outstanding antioxidant pickering high internal phase emulsions by co-assembled polyphenol-soy  $\beta$ -conglycinin nanoparticles. *Food Research International* 136, 109509. <https://doi.org/10.1016/j.foodres.2020.109509>.
- Pereira, R., Tojeira, A., Vaz, D., Mendes, A., Bártolo, P., 2011. Preparation and Characterization of Films Based on Alginate and Aloe Vera. *International Journal of Polymer Analysis and Characterization - INT J POLYM ANAL CHARACT* 16, 449–464. <https://doi.org/10.1080/1023666X.2011.599923>.
- Pérez-Mateos, M., Solas, T., Montero, P., 2002. Carrageenans and alginate effects on properties of combined pressure and temperature in fish mince gels. *Food Hydrocolloids* 16, 225–233. [https://doi.org/10.1016/S0268-005X\(01\)00086-8](https://doi.org/10.1016/S0268-005X(01)00086-8).
- Pongjanyakul, T., 2009. Alginate-magnesium aluminum silicate films: importance of alginate block structures. *Int J Pharm* 365, 100–108. <https://doi.org/10.1016/j.ijpharm.2008.08.025>.
- Purnama, K.O., Setyaningsih, D., Hambali, E., Taniwiryono, D., 2020. Processing, Characteristics, and Potential Application of Red Palm Oil - A review. *Int. J. Oil Palm* 3, 40–55. <https://doi.org/10.35876/ijop.v3i2.47>.
- Puşcaş, A., Mureşan, V., Socaciu, C., Muste, S., 2020. Oleogels in Food: A Review of Current and Potential Applications. *Foods* 9, 70. <https://doi.org/10.3390/foods9010070>.
- Qiao, X., Liu, F., Kong, Z., Yang, Z., Dai, L., Wang, Y., Sun, Q., McClements, D.J., Xu, X., 2023. Pickering emulsion gel stabilized by pea protein nanoparticle induced by heat-assisted pH-shifting for curcumin delivery. *Journal of Food Engineering* 350, 111504. <https://doi.org/10.1016/j.jfoodeng.2023.111504>.

- Rad, A.H., Pirouzian, H.R., Konar, N., Toker, O.S., Polat, D.G., 2019. Effects of polyols on the quality characteristics of sucrose-free milk chocolate produced in a ball mill. *RSC Adv.* 9, 29676–29688. <https://doi.org/10.1039/C9RA04486H>.
- Ramdhan, T., Ching, S.H., Prakash, S., Bhandari, B., 2019. Time dependent gelling properties of cuboid alginate gels made by external gelation method: Effects of alginate-CaCl<sub>2</sub> solution ratios and pH. *Food Hydrocolloids* 90, 232–240. <https://doi.org/10.1016/j.foodhyd.2018.12.022>.
- Rapisarda, M., Valenti, G., Carbone, D.C., Rizzarelli, P., Recca, G., La Carta, S., Paradisi, R., Finchiario, S., 2018. Strength, fracture and compression properties of gelatins by a new 3D printed tool. *Journal of Food Engineering, 3D Printed Food – Design and Technology* 220, 38–48. <https://doi.org/10.1016/j.jfoodeng.2017.05.016>.
- Rehman, K., Amin, M.C.I.M., Zulfakar, M.H., 2014. Development and Physical Characterization of Polymer-Fish Oil Bigel (Hydrogel/Oleogel) System as a Transdermal Drug Delivery Vehicle. *Journal of Oleo Science* 63, 961–970. <https://doi.org/10.5650/jos.ess14101>.
- Sabahannur, S., Alimuddin, S., Subaedah, S., Wahdaniya, N., Faharuddin, F.Y., 2023. The Effect of Cocoa Butter Substitute (CBS) Produced from Palm Kernel Oil and Virgin Coconut Oil (VCO) on The Quality of Milk Chocolate. <https://doi.org/10.21203/rs.3.rs-2819526/v1>.
- Sagiri, S.S., Singh, V.K., Kulanthaivel, S., Banerjee, I., Basak, P., Battachrya, M.K., Pal, K., 2015. Stearate organogel-gelatin hydrogel based bigels: physicochemical, thermal, mechanical characterizations and in vitro drug delivery applications. *J Mech Behav Biomed Mater* 43, 1–17. <https://doi.org/10.1016/j.jmbbm.2014.11.026>.
- Salama, H.H., Hashim, A.F., 2022. A functional spreadable canola and milk proteins oleogels as a healthy system for candy gummies. *Sci Rep* 12, 12619. <https://doi.org/10.1038/s41598-022-16809-9>.
- Sampebarra, A.L., Khaerunisa, K., Ristanti, E.Y., Asriati, D.W., 2019. Karakteristik Cokelat Spread dengan Penambahan Oleogel dari Oleogator Lemak Kakao. *JRI* 14, 24–32. <https://doi.org/10.33104/jihp.v14i2.5387>.

- Selvasekaran, P., Chidambaram, R., 2021. Advances in formulation for the production of low-fat, fat-free, low-sugar, and sugar-free chocolates: An overview of the past decade. *Trends in Food Science & Technology* 113, 315–334. <https://doi.org/10.1016/j.tifs.2021.05.008>.
- Shu, J., McClements, D.J., Luo, S., Ye, J., Liu, C., 2023. Effect of internal and external gelation on the physical properties, water distribution, and lycopene encapsulation properties of alginate-based emulsion gels. *Food Hydrocolloids* 139, 108499. <https://doi.org/10.1016/j.foodhyd.2023.108499>.
- Siddiqui, S.A., Alvi, T., Biswas, A., Shityakov, S., Gusinskaia, T., Lavrentev, F., Dutta, K., Khan, M.K.I., Stephen, J., Radhakrishnan, M., 2023. Food gels: principles, interaction mechanisms and its microstructure. *Critical Reviews in Food Science and Nutrition* 63, 12530–12551. <https://doi.org/10.1080/10408398.2022.2103087>.
- Singh, V.K., Banerjee, I., Agarwal, T., Pramanik, K., Bhattacharya, M.K., Pal, K., 2014. Guar gum and sesame oil based novel bigels for controlled drug delivery. *Colloids Surf B Biointerfaces* 123, 582–592. <https://doi.org/10.1016/j.colsurfb.2014.09.056>.
- Smuda, S.S., Mohammed, A.T., Tsakali, E., Van Impe, J.F.M., Marie, A.M., 2024. Preparation and evaluation of functional cocoa-free spread alternatives from different sources. *Food Sci Nutr* 12, 4299–4310. <https://doi.org/10.1002/fsn3.4095>.
- SNI 01-2901, 2006. SNI 01-2901-2006 Minyak Kelapa Sawit PDF | PDF [WWW Document]. *Minyak sawit mentah (crude palm oil)*. URL <https://id.scribd.com/document/373367884/SNI-01-2901-2006-Minyak-kelapa-sawit-pdf> (accessed 11.4.24).
- Sorour, A.M., Salem, M.A., Arafa, S.G., El-Bana, M.A., 2021. Chemical, Physical and Sensory Evaluation of Low Fat Beef Burger with Carboxymethyl Cellulose Produced From Rice and Wheat Bran. *Int. J. Environ.* <https://doi.org/10.36632/ije/2021.10.1.4>.
- Sözeri Atik, D., Bölük, E., Toker, O.S., Palabiyik, I., Konar, N., 2020. Investigating the effects of Lecithin-PGPR mixture on physical properties of milk chocolate. *LWT* 129, 109548. <https://doi.org/10.1016/j.lwt.2020.109548>.

- Suri, T., Basu, S., 2022. Heat resistant chocolate development for subtropical and tropical climates: a review. *Critical Reviews in Food Science and Nutrition* 62, 5603–5622. <https://doi.org/10.1080/10408398.2021.1888690>.
- Sutariya, S.G., Salunke, P., 2023. Effect of Hyaluronic Acid and Kappa-Carrageenan on Milk Properties: Rheology, Protein Stability, Foaming, Water-Holding, and Emulsification Properties. *Foods* 12, 913. <https://doi.org/10.3390/foods12050913>.
- Tan, C.H., Lee, C.J., Tan, S.N., Poon, D.T.S., Chong, C.Y.E., Pui, L.P., 2021. Red Palm Oil: A Review on Processing, Health Benefits and Its Application in Food. *Journal of Oleo Science* 70, 1201–1210. <https://doi.org/10.5650/jos.ess21108>.
- Tang, J., Zhou, J., Zhou, X., Li, D., Wu, Z., Tian, J., Xu, E., Liu, D., 2022. Rearranged supramolecular structure of resistant starch with polymorphic microcrystals prepared in high-solid enzymatic system. *Food Hydrocolloids* 124, 107215. <https://doi.org/10.1016/j.foodhyd.2021.107215>.
- Tarakçi, Z., Yildirim, M., 2021. Effects of ghee and olive oil usage on cocoa hazelnut spreads during storage. *J. Food Process. Preserv.* 45. <https://doi.org/10.1111/jfpp.15246>.
- Tavernier, I., Patel, A.R., Van der Meeren, P., Dewettinck, K., 2017. Emulsion-templated liquid oil structuring with soy protein and soy protein: κ-carrageenan complexes. *Food Hydrocolloids* 65, 107–120. <https://doi.org/10.1016/j.foodhyd.2016.11.008>.
- Tirgarian, B., Yadegari, H., Bagheri, A., Neshagaran, E., Mardani, M., Farmani, J., 2023. Reduced-fat chocolate spreads developed by water-in-oleogel emulsions. *Journal of Food Engineering* 337, 111233. <https://doi.org/10.1016/j.jfoodeng.2022.111233>.
- Torres-Moreno, M., Torrecasana, E., Salas-Salvadó, J., Blanch, C., 2015. Nutritional composition and fatty acids profile in cocoa beans and chocolates with different geographical origin and processing conditions. *Food Chemistry* 166, 125–132. <https://doi.org/10.1016/j.foodchem.2014.05.141>.
- Udo, T., Mummaleti, G., Mohan, A., Singh, R.K., Kong, F., 2023. Current and emerging applications of carrageenan in the food industry. *Food*

Research International 173, 113369.  
<https://doi.org/10.1016/j.foodres.2023.113369>.

Wakhet, S., Singh, V.K., Sahoo, S., Sagiri, S.S., Kulanthaivel, S., Bhattacharya, M.K., Kumar, N., Banerjee, I., Pal, K., 2015. Characterization of gelatin–agar based phase separated hydrogel, emulgel and bigel: a comparative study. *J Mater Sci: Mater Med* 26, 118. <https://doi.org/10.1007/s10856-015-5434-2>.

Wang, X.-Y., Wang, J., Rousseau, D., Tang, C.-H., 2020. Chitosan-stabilized emulsion gels via pH-induced droplet flocculation. *Food Hydrocolloids* 105, 105811. <https://doi.org/10.1016/j.foodhyd.2020.105811>.

Wardhana, Y.W., Aanisah, N., Sopyan, I., Hendriani, R., Chaerunisaa, A.Y., 2022. Gelling Power Alteration on Kappa-Carrageenan Dispersion through Esterification Method with Different Fatty Acid Saturation. *Gels* 8, 752. <https://doi.org/10.3390/gels8110752>.

Xiao, J., Shi, C., Li, Y., Pan, Y., Huang, Q., 2017. Pickering emulsions immobilized within hydrogel matrix with enhanced resistance against harsh processing conditions and sequential digestion. *Food Hydrocolloids* 62, 35–42. <https://doi.org/10.1016/j.foodhyd.2016.07.025>.

Xiong, T., Sun, H., Niu, Z., Xu, W., Li, Z., He, Y., Luo, D., Xi, W., Wei, J., Zhang, C., 2022. Carrageenan-Based Pickering Emulsion Gels Stabilized by Xanthan Gum/Lysozyme Nanoparticle: Microstructure, Rheological, and Texture Perspective. *Foods* 11, 3757. <https://doi.org/10.3390/foods11233757>.

Xu, Y., He, C., Zhou, Z., 2024. Modulating the texture of heat-set gels of phosphorylated walnut protein isolates through Glucono- $\delta$ -lactone acidification. *Food Chemistry* 437, 137734. <https://doi.org/10.1016/j.foodchem.2023.137734>.

Yang, J., Zheng, H., Mo, Y., Gao, Y., Mao, L., 2022. Structural characterization of hydrogel-oleogel biphasic systems as affected by oleogelators. *Food Research International* 158, 111536. <https://doi.org/10.1016/j.foodres.2022.111536>.

Yiu, C.C.-Y., Liang, S.W., Mukhtar, K., Kim, W., Wang, Y., Selomulya, C., 2023. Food Emulsion Gels from Plant-Based Ingredients: Formulation,

Processing, and Potential Applications. *Gels* 9, 366.  
<https://doi.org/10.3390/gels9050366>.

Yuan, Y., Gao, Y., Zhao, J., Mao, L., 2008. Characterization and stability evaluation of  $\beta$ -carotene nanoemulsions prepared by high pressure homogenization under various emulsifying conditions. *Food Research International* 41, 61–68. <https://doi.org/10.1016/j.foodres.2007.09.006>.

Zembyla, M., Murray, B.S., Sarkar, A., 2020. Water-in-oil emulsions stabilized by surfactants, biopolymers and/or particles: a review. *Trends in Food Science & Technology* 104, 49–59. <https://doi.org/10.1016/j.tifs.2020.07.028>.

Zhang, T., Yuan, Y., Wu, X., Yu, P., Ji, J., Chai, J., Kumar Saini, R., Liu, J., Shang, X., 2023. The level of sulfate substitution of polysaccharide regulates thermal-induced egg white protein gel properties: The characterization of gel structure and intermolecular forces. *Food Research International* 173, 113349. <https://doi.org/10.1016/j.foodres.2023.113349>.

Zhang, X., Qi, B., Xie, F., Hu, M., Sun, Y., Han, L., Li, L., Zhang, S., Li, Y., 2021. Emulsion stability and dilatational rheological properties of soy/whey protein isolate complexes at the oil-water interface: Influence of pH. *Food Hydrocolloids* 113, 106391. <https://doi.org/10.1016/j.foodhyd.2020.106391>.

Zhao, Y., Wang, D., Xu, J., Tu, D., Zhuang, W., Tian, Y., 2024. Effect of polysaccharide concentration on heat-induced Tremella fuciformis polysaccharide-soy protein isolation gels: Gel properties and interactions. *International Journal of Biological Macromolecules* 262, 129782. <https://doi.org/10.1016/j.ijbiomac.2024.129782>.

Zheng, H., Mao, L., Cui, M., Liu, J., Gao, Y., 2020. Development of food-grade bigels based on  $\kappa$ -carrageenan hydrogel and monoglyceride oleogels as carriers for  $\beta$ -carotene: Roles of oleogel fraction. *Food Hydrocolloids* 105, 105855. <https://doi.org/10.1016/j.foodhyd.2020.105855>.

Zhou, M., Li, B., Wu, A., Hu, Z., Liu, J., Wang, Y., Liu, H., 2024. Preparation of a bigel system based on  $\kappa$ -carrageenan hydrogel and beeswax oleogel and the effect of starch on the bigel properties. *LWT* 205, 116516. <https://doi.org/10.1016/j.lwt.2024.116516>.