

DAFTAR PUSTAKA

- Ahmad, A.R., Handayani, V., Syarif, R.A., Najib, A., Hamidu, L. (2019). Mahoni (*Swietenia mahagoni* (L.) Jacq) Herbal untuk Penyakit Diabetes. Makassar: Nas Media Pustaka.
- Álvarez-Cilleros D, López-Oliva E, Goya L, Martín MÁ, Ramos S. (2019). Cocoa intake attenuates renal injury in Zucker Diabetic fatty rats by improving glucose homeostasis. *Food Chem Toxicol*, 127:101-109.
- American Diabetes Association. (2022). Standards of Medical Care in Diabetes Abridged for Primary Care Providers. *Clin. Diabetes*, 38 (1): 10–38.
- Antonowski, T., Osowski, A., Lahuta, L., Goreki, R., Andrzej, R., Wojtkiewicz, J. 2019. Health-Promoting Properties of Selected Cyclitols for Metabolic Syndrome and Diabetes. *J. Nutr.* 11:1-14
- Arfian, N., Wahyudi, D. A. P., Zulfatima, I. B., Citta, A. N., Anggorowati, N., Multazam, A., Romi, M. M., & Sari, D. C. R. (2019). Chlorogenic Acid Attenuates Kidney Ischemic/Reperfusion Injury via Reducing Inflammation, Tubular Injury, and Myofibroblast Formation. *BioMed research international*. 2019:1-10.
- Azker, Y.Y., Aras, Ş.Y., Ölmez, M., Asker, H., Makav, M., Gezer, A., Şahin, T. (2024). The effect of ginger (*Zingiber officinale*) essential oil on catalase in rat kidney tissue. *J. Adv. VetBio. Sci. Tech*, 9(2), 87-95.
- Balaji P, Madhanraj R, Rameshkumar K, Veeramanikandan V, Eyini M, Arun A, Thulasinathan B, Al Farraj DA, Elshikh MS, Alokda AM, Mahmoud AH, Tack JC, Kim HJ. (2020). Evaluation of antidiabetic activity of *Pleurotus pulmonarius* against streptozotocin-nicotinamide induced diabetic wistar albino rats. *Saudi J Biol Sci*, 27(3):913-924.
- Bank, N. (1991) Mechanisms of diabetic hyperfiltration. *Kidney Int*. 40:792–807.
- Basile, D.P., Anderson, M.D., Sutton, T.A. (2012) Pathophysiology of acute kidney injury. *Compr Physiol*, 2(2):1303-53.
- Basy, L.L., Lestari, S.S., Kadarsih, S. (2015). The effects of the ethanolic extract of mahogany seeds (*Swietenia macrophylla* King) on the renal function of streptozotocin-induced diabetic rats. *J Med Sci*, 47(2): 51-58.
- Bergström, J, Ahlberg, M, Alvestrand, A. (1985). Influence of protein intake on renal hemodynamics and plasma hormone concentrations in normal subjects. *Acta Med Scand*. 217:189–196.
- Bosch, J.P., Lauer, A., Glabman, S. (1984). Short-term protein loading in assessment of patients with renal disease. *Am J Med*. 77:873–879.
- Bowman, P., McDonald, T.J., Knight, B.A., Flanagan, S.E., Leveridge, M., Spaul, S.R., Shields, B.M., Hammersley, S., Shepherd, M.H., Andrews, R.C., Patel,

- K.A., Hattersley, A. (2019). Patterns of postmeal insulin secretion in individuals with sulfonylurea treated KCNJ11 neonatal diabetes show predominance of non-K ATP channel pathways. *BMJ Open Diab. Res. Care*, 7: e000721.
- Carbó R, Rodríguez E. (2023). Relevance of Sugar Transport across the Cell Membrane. *International Journal of Molecular Sciences*, 24(7): 6085.
- Chadha, M., Das, A.K., Deb, P., Gangopadhyay, K.K., Joshi, S., Kesavadev, J., Kovil, R., Kumar, S., Misra, A., Mohan, V. (2022). Expert Opinion: Optimum Clinical Approach to Combination-Use of SGLT2i + DPP4i in the Indian Diabetes Setting. *Diabetes Ther* 13, 1097–1114.
- Chagnac, A., Zingerman, B., Rozen Zvi, B., Herman, E.M. (2019). Consequences of Glomerular Hyperfiltration: The Role of Physical Forces in the Pathogenesis of Chronic Kidney Disease in Diabetes and Obesity. *Nephron J.* 143:38–42.
- Chandrasekaran, V., Carta, G., da Costa Pereira, D., Gupta, R., Murphy, C., Feifel, E., Kern, G., Lechner, J., Cavallo, A.L., Gupta, S., Caiment, F., Kleinjans, J.C.S., Gstraunthaler, G., Jennings, P., Wilmes, A. (2021). Generation and characterization of iPSC-derived renal proximal tubule-like cells with extended stability. *Sci. Rep*, 11(1): 1-17.
- Chen Y-Y, Wu T-T, Ho C-Y, Yeh T-C, Sun G-C, Kung Y-H, Wong T-Y, Tseng C-J, Cheng P-W. (2019). Dapagliflozin Prevents NOX- and SGLT2-Dependent Oxidative Stress in Lens Cells Exposed to Fructose-Induced Diabetes Mellitus. *Int. J. Mol. Sci*, 20(18):4357.
- Cruz, P. L., Silva, I.C.M., Ribeiro, A.A., Machil, J.F., de Melo, M.D.T., dos Santos, F. (2021). Nikotinamid attenuates streptozotosin induced diabetes complications and increases survival rate in rats: role of autonomic nervous system. *BMC. Endoc. Disord.* 21(133): 1-10.
- Dalili MD, N., & Jamalian, S. A. (2020). *Sat-007* Fighting Against Proximal And Distal Tubular Damage By Reducing Inflammatory Burden After Cardiac Surgery. *Kidney International Reports*, 5(3), S3–S4.
- Dekkers, C. C. J., Petrykiv, S., Laverman, G.D., Cherney, D.Z., Gansevoort, R.T., Heerspink, H.J.L. (2018). Effects of the SGLT-2 inhibitor Dapagliflozin on glomerular and tubular injury markers. *Diabetes Obes Metab*, 20(8):1988-1993.
- Delnatte, C. (2023). *Swietenia, Acajou à grandes feuilles* (French), *Swietenia macrophylla* King, 1886. National inventory of natural heritage (INPN), Available from: https://inpn.mnhn.fr/espece/cd_nom/447328/tab/fiche
- Dewanjee S, Chakraborty P, Mukherjee B, De Feo V. (2020). Plant-Based Antidiabetic Nanoformulations: The Emerging Paradigm for Effective Therapy. *Int J Mol Sci*, 21(6):2217.

- Divani, M., Georgianos, P. I., Didangelos, T., Liakopoulos, V., Makedou, K., Iliadis, F., Savopoulos, C., & Grekas, D. M. (2021). Assessment of Hyperglycemia, Hypoglycemia and Inter-Day Glucose Variability Using Continuous Glucose Monitoring among Diabetic Patients on Chronic Hemodialysis. *J. Clin. Med*, 10(18): 1-10.
- D'Onofrio N, Sardu C, Trotta MC, Scisciola L, Turriziani F, Ferraraccio F, Panarese I, Petrella L, Fanelli M, Modugno P, Massetti M, Marfella LV, Sasso FC, Rizzo MR, Barbieri M, Furbatto F, Minicucci F, Mauro C, Federici M, Balestrieri ML, Paolisso G, Marfella R. (2021). Sodium-glucose co-transporter2 expression and inflammatory activity in diabetic atherosclerotic plaques: Effects of sodium-glucose co-transporter2 inhibitor treatment. *Mol Metab*, 54:101337.
- Duan J, Zhang F, Lu M, Deng W, Zhai Y, Zhao Y, He L, Bai Z, Wang Y, Zhang C. (2022). Swietenine and swietenolide from *Swietenia macrophylla* king improve insulin secretion and attenuate apoptosis in H₂O₂ induced INS-1 cells. *Environ Toxicol*. 37(11):2780-2792.
- Duan J, Zhao Y, Pei F, Deng W, He L, Rao C, Zhai Y, Zhang C. (2023). Swietenine inhibited oxidative stress through AKT/Nrf2/HO-1 signal pathways and the liver-protective effect in T2DM mice: In vivo and in vitro study. *Environ Toxicol*, 38(6):1292-1304.
- Eizirik, D.L., Pasquali, L., Cnop, M. (2020). Pancreatic β -cells in type 1 and type 2 diabetes mellitus: different pathways to failure. *Nat Rev Endocrinol*, 16(7): 349-362.
- Elsiana, I., Ulum, K., Kurnia, K.A., Widyatamaka, S. Q., Paujiah, S. 2023. Article Review: Molecular Docking of Anti Diabetes Mellitus Drugs. *J. Pharm. Sci.*, 6(2): 541-554.
- Eyth E, Naik R. Hemoglobin A1C. [Updated 2023 Mar 13]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK549816/>
- Fiorenza, M.P. Maslachah, L., Meles, D.K., Widiyatno, T.V., Yuliani, G.A., Ntoruru, J.M., Luqman, E.M. (2022). Effect of Mahogany (*Swietenia mahagoni* Jacq.) Extract on the Islet Cells' Number and Blood Glucose Levels of Alloxan-induced Diabetic Rat. *J. Drug Dev. Tech.*, 12(3): 1004-1008.
- Firdaus, Rimbawan, Marliyati, S.A., Roosita, K. 2016. Model Tikus Diabetes yang Diinduksi Streptozotosin-Sukrosa untuk Pendekatan Penelitian Diabetes Melitus Gestasional. *J. MKMI*, 12(1):29-34.
- Furman, B.L. (2021). Streptozotosin-Induced Diabetic Models in Mice and Rats. *Curr. Protoc. Pharmacol*, 70(5): 1-20.

- Galicia-Garcia, U., Benito-Vicente, A., Jebari, S., Larrea-Sebal, A., Siddiqi, H., Uribe, K. (2020). Pathophysiology of Type 2 Diabetes Mellitus. *Int. J. Mol. Sci.* 21:1-34.
- Gao, Q., Rioual, P. & Chu, G. (2016). Lateglacial and early Holocene climatic fluctuations recorded in the diatom flora of Xiaolongwan maar lake, NE China. *Int.J. Boreas* 45:61–75.
- Garud, A., Vyawahare, N. (2019). Streptozotocin Induced Diabetes in Animal Models. *Ijppr.Human*, 15 (4): 72-90.
- Ghasemi, A., Khalifi, S., Jedi, S. S. (2014). Streptozotocin-nikotinamid-induced rat model of type 2 diabetes. *Acta Physiologica Hungarica*, 101: 408–420.
- Gibson-Corley, K. N., Olivier, A. K., & Meyerholz, D. K. (2013). Principles for valid histopathologic scoring in research. *Vet. Pathol.* 50(6):1-22.
- Gladden, J. (2022). Glycosuria: A Review. *J Clin Diabetes*, 6(3): 3
- Goyal R, Jialal I. (2023). Type 2 Diabetes. [Updated 2023 May 8]. In: StatPearls. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK513253/>
- Guo Y, Ran Z, Zhang Y, Song Z, Wang L, Yao L, Zhang M, Xin J, Mao X. (2020) Marein ameliorates diabetic nephropathy by inhibiting renal sodium glucose transporter 2 and activating the AMPK signaling pathway in db/db mice and high glucose-treated HK-2 cells. *Biomed Pharmacother*; 131:110684.
- Gupta, S., Chauhan, N., Jain, U. (2017). Laboratory diagnosis of hba1c: a review. *J Nanomed Res*, 5(4):11–12.
- Han, S. J., Lee, H. T. (2019). Mechanisms and therapeutic targets of ischemic acute kidney injury. *Kidney research and clinical practice*, 38(4): 427W40.
- Handajani, F. (2021). Metode Pemilihan Dan Pembuatan Hewan Model Beberapa Penyakit Pada Penelitian Eksperimental. Sidoarjo: Zifatama Jawa.
- Hartono, Ediyono, S. (2024). Hubungan Tingkat Pendidikan, Lama Menderita Sakit Dengan Tingkat Pengetahuan 5 Pilar Penatalaksanaan Diabetes Melitus di Wilayah Kerja Puskesmas Sungai Durian Kabupaten KBU Raya Kalimantan Barat. *J. TSCSIKep*, 9(1): 49-58.
- Hediger, M.A, Rhoads, D.B. (1994). Molecular physiology of sodium-glucose cotransporters. *Physiol Rev*, 74(4):993-1026.
- Helal, I, Fick Brosnahan, G, Reed Gitomer, B, Schrier, R. (2012). Glomerular hyperfiltration: definitions, mechanisms and clinical implications. *Nat Rev Nephrol*, 8:293–300.
- Hidayat, R. (2015). Peroxisome Proliferator Activator Receptor (PPAR) γ Agonis Menurunkan Kadar Sitokin Anti Inflamasi TGF- β dan IL-10 pada Tikus Putih Wistar Model Inflamasi Vaskular. *J.Ked.Kes*, 2(3):291-296.

- Hsia, D. S., Grove, O., & Cefalu, W. T. (2017). An update on sodium-glucose co-transporter-2 inhibitors for the treatment of diabetes mellitus. *Current opinion in endocrinology, diabetes, and obesity*, 24(1), 73–79.
- Indriani, I., Hasan, A., Meydinariasty, A. (2021), Sintesis dan Karakterisasi Na-CMC dari A-Selulosa Serabut Kelapa Sawit, *J. Pend. Tek. Indonesia*. 1(9), 375–381.
- Islam, M. N., A. Rauf, F. I. Fahad, T. B. Emran, S. Mitra, A. Olatunde, M. A. Shariati, M. Rebezov, K. R. R. Rengsam, dan M. S. Mubarak. (2021). Superoxide dismutase: an updated review on its health benefits and industrial applications. *Critical Reviews in Food Science and Nutrition* 62(1): 1-9.
- Kalaivanan K, Pugalendi KV. (2011). Antihyperglycemic effect of the alcoholic seed extract of *Swietenia macrophylla* on streptozotocin-diabetic rats. *Pharmacognosy Res*, 3(1):67-71.
- Kalumpiu, J.V. (2019). Dapagliflozin: manfaat dan risiko pada diabetes melitus tipe 2. *J. Biomed. Kes*. 2(2):81-89.
- Kataoka S, Takuma K, Hara Y, Maeda Y, Ago Y, Matsuda T. (2013). Autism-like behaviours with transient histone hyperacetylation in mice treated prenatally with valproic acid. *Int J Neuropsychopharmacol*, 16(1):91-103.
- Keller, CK, Bergis, KH, Fliser, D, Ritz, E. (1996). Renal findings in patients with short-term type 2 diabetes. *J. Am Soc. Nephrol*, 7:2627–2635.
- Kotwal N, Pandit A. (2012). Variability of capillary blood glucose monitoring measured on home glucose monitoring devices. *Indian J Endocrinol Metab*, 16(2): S248-51.
- Krawczyk, N., Dębska, L. (2022). Indoor Environment, Lighting Conditions and Productivity in the Educational Buildings. *Civ. Envi. Eng*, 0(0).
- Krisnawati, H., Kallio, M., Kanninen. (2011). *Swietenia macrophylla* King Ecology, silviculture, and productivity. Bogor: CIFOR Indonesia.
- Landmann, M., Scheibner, D., Graaf, A., Gischke, M., Koethe, S., Fatola, O.I., Raddatz, B., Mettenleiter, T.C., Beer, M., Grund, C., Harder, T., Abdelwhab, E.M., Ulrich, R. (2021). A Semiquantitative Scoring System for Histopathological and Immunohistochemical Assessment of Lesions and Tissue Tropism in Avian Influenza. *Viruses*. 13(5):1-20.
- Liman MNP, Jialal I. Physiology, Glycosuria. [Updated 2023 Mar 13]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK557441/>
- List JF, Woo V, Morales E, Tang W, Fiedorek FT. (2009). Sodium-glucose cotransport inhibition with Dapagliflozin in type 2 diabetes. *Diabetes Care*, 32(4):650-7.

- Made, P.S. Pathni, D. (2019). Terapi Diabetes dengan SGLT-2 Inhibitor CDK-277. *Kalbe farm*, 46(6): 452-456.
- Magliano, D. J., Boyko, E. J. (2021). IDF Diabetes Atlas 10th edition scientific committee. Brussels: International Diabetes Federation; Available from: <https://www.ncbi.nlm.nih.gov/books/NBK581934/>.
- Magri CJ, Fava S. (2009). The role of tubular injury in diabetic nephropathy. *Eur J Intern Med*, 20(6):551-5.
- Maheshwari, R., Gupta, A., Ganeshpurkar, A., Chourasiya, Y., Tekade, M., & Tekade, R. K. (2018). Guiding Principles for Human and Animal Research During Pharmaceutical Product Development. *Dosage Form Design Parameters*, 621–664.
- Mathew TK, Zubair M, Tadi P. Blood Glucose Monitoring. [Updated 2023 Apr 23]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2023 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK555976/>
- McWilliam, S.J., Wright, R.D., Welsh, G.I., Tuffin J, Budge KL, Swan L, Wilm T, Martinas IR, Littlewood J, Oni L. (2020). The complex interplay between kidney injury and inflammation. *Clin Kidney J*, 14(3):780-788.
- Modlinska K, Pisula W. (2020). The Norway rat, from an obnoxious pest to a laboratory pet. *Elife*, 17(9): e50651.
- Moore, P.K., Hsu, R.K., Liu, K.D. (2018). Management of Acute Kidney Injury: Core Curriculum 2018. *Am J Kidney Dis*, 72(1): 136-148.
- Mulyana, Dadan; Ceng, Asmarahman, (2010). 7 Jenis Kayu Penghasil Rupiah. Jakarta: Agromedia Pustaka.
- Muthmainah, Yarso, K.Y., Purwanto, B., Mudigdo, A., Mustofa, M. (2019). 1,4-bis-3,4,5-trimethoxy-phenyl-tetrahydro-furo(3,4-c) furan from mahogany (*swietenia macrophylla* king) seed significantly reduces glucose and malondialdehyde levels in diabetic wistar rats. *Bali Med. J.*, 8(2): 570-575.
- Muzio G, Barrera G, Pizzimenti S. (2021). Peroxisome Proliferator-Activated Receptors (PPARs) and Oxidative Stress in Physiological Conditions and in Cancer. *Antioxidants (Basel)*, 10(11):1734.
- Nakrani MN, Wineland RH, Anjum F. Physiology, Glucose Metabolism. [Updated 2023 Jul 17]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK560599/>
- National Parks. (2023). Flora and Fauna Web. Last updated on 02 August 2023. Available from: <https://www.nparks.gov.sg/florafaunaweb/flora/3/1/3150>
- Navarro, D.M.D.L., Abelilla, J.J. & Stein, H.H. Structures and characteristics of carbohydrates in diets fed to pigs: a review. *J Animal Sci Biotechnol* 10, 39 (2019).

- Neeland, I.J. & Patel, K.V. (2019). Chapter 4 - Diabetes: Key Markers of Injury and Prognosis In: V Nambi, editor. *Biomarkers in Cardiovascular Disease*. Netherlands: *Elsevier*, 41–51.
- Nuroniah, H.S., Nuraeni, Y., Bogidarmanti, R. (2018). Perbanyakan Vegetatif Mahoni (*Swietenia Macrophylla* King) Dengan Cara Stek Pucuk. *Jur. Pen. Hutan Tmn*, 15(1): 57-66.
- Osorio H, Coronel I, Arellano A, Pacheco U, Bautista R, Franco M, Escalante B. (2012). Sodium-glucose cotransporter inhibition prevents oxidative stress in the kidney of diabetic rats. *Oxid Med Cell Longev*. 2012: 542042.
- Padhi, S., Nayak, A. K., & Behera, A. (2020). Type II diabetes mellitus: a review on recent drug based therapeutics. *Biomed & Pharmtrpy*, 131, 110708.
- Padugupati, S., Joshi, K.P., Chacko, T.V., Jamadar, D. 2021. Designing flipped classroom using Kemp's instructional model to enhance deep learning and self-directed collaborative learning of basic science concepts. *J. Edu. Health Promot*, 10:1-7.
- Pancholia A. K. (2018). Sodium-glucose cotransporter-2 inhibition for the reduction of cardiovascular events in high-risk patients with diabetes mellitus. *Indian heart journal*, 70(6), 915–921.
- Permutt MA, Kakita K, Malinas P, Karl I, Bonner-Weir S, Weir G, Giddings SJ. (1984). An in vivo analysis of pancreatic protein and insulin biosynthesis in a rat model for non-insulin-dependent diabetes. *J Clin Invest*, 73(5):1344-1350.
- Pieters TT, Falke LL, Nguyen TQ, Verhaar MC, Florquin S, Bemelman FJ, Kers J, Vanhove T, Kuypers D, Goldschmeding R, Rookmaaker MB. (2019). Histological characteristics of Acute Tubular Injury during Delayed Graft Function predict renal function after renal transplantation. *Physiol Rep*, 7(5): e14000.
- Ping X, Wang G, Gao D. (2024). Mechanistic Modeling of Empagliflozin: Predicting Pharmacokinetics, Urinary Glucose Excretion, and Investigating Compensatory Role of SGLT1 in Renal Glucose Reabsorption. *J Clin Pharmacol*, 64(6):672-684.
- Podkowińska A, Formanowicz D. (2020). Chronic Kidney Disease as Oxidative Stress- and Inflammatory-Mediated Cardiovascular Disease. *Antioxidants (Basel)*, 9(752): 1-54
- Poudel, R.R. (2013). Renal glucose handling in diabetes and sodium glucose cotransporter 2 inhibition. *Indian J Endocrinol Metab*, 17(4):588-593.
- Prasetyastuti, Rifiani, A., Larasati, G., Mursiti, S., Rini, S.L.S. 2018. Seven-hydroxy-2- (4-hydroxy-3-methoxy-phenyl) -chromen-4-one of *Swietenia Macrophylla* King seed improves lipid profile, atherogenic index, and upregulates adipose tissue peroxisome proliferator-activated receptor

gamma expression in type 2 diabetic rats. *Journal of Pharmaceutical Sciences and Research*. 10:2187-2191.

Prasetyastuti, Sunarti, Sadewa, A.H., Mursiti, S., Mustofa. 2017. Effects of 7-Hydroxy-2-(4-hydroxy-3-methoxyphenyl)-chromen-4-one from *Swietenia macrophylla* King Seed on Oxidized LDL, HOMA Beta and Glucagon like Peptide 1 (GLP-1) Gene Expression in Type 2 Diabetic Rats. *Asian Journal of Biochemistry*, 12: 85-90.

Rabbani, N. (2022). Methylglyoxal and glyoxalase 1-a metabolic stress pathway-linking hyperglycemia to the unfolded protein response and vascular complications of diabetes. *Clin Sci (Lond)*, 136(11): 819–824.

Rahmoune, H., Thompson, P.W., Ward, J.M., Smith, C.D., Hong, G., Brown, J. (2005). Glucose transporters in human renal proximal tubular cells isolated from the urine of patients with non-insulin-dependent diabetes. *Diabetes*, 54(12):3427-34.

Roden, M. Shulman, G.I. (2019). The integrative biology of type 2 diabetes. *Springer Nature Limited*. 576:51-60.

Saleh, F., Poncel, D.P., Paula-Lima, A.C., Martin, C.D.S., Behrens, M. (2020). Nikotinamid, a Poly [ADP-Ribose] Polymerase 1 (PARP-1) Inhibitor, as an Adjunctive Therapy for the Treatment of Alzheimer's Disease. *Front. Aging Neurosci*, 12(255): 1-10.

Saleem, F. and Rizvi, S.W. (2017). New Therapeutic Approaches in Obesity and Metabolic Syndrome Associated with Polycystic Ovary Syndrome. *J. Cureus* 9(11):1-11.

Sano, R., Shinozaki, Y., & Ohta, T. (2020). Sodium-glucose cotransporters: Functional properties and pharmaceutical potential. *J. Diabet. Inves*, 11(4), 770–782.

Santulli G, Varzideh F, Forzano I, Wilson S, Salemm L, de Donato A, Lombardi A, Rainone A, Nunziata L, Jankauskas SS, Tesorio T, Guerra G, Kansakar U, Mone P. (2023). Functional and Clinical Importance of SGLT2-inhibitors in Frailty: From the Kidney to the Heart. *Hypertension*, 80(9):1800-1809.

Sapra A, Bhandari P. Diabetes. (2023). In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing.

Sari, D.C.R., Putri, M.W., Leksono, T.P., Chairunnisa, N., Reynaldi, G.N., Simanjuntak, B.C., Debora, J., Yunus, J., Arfian, N. (2020). Calcitriol Ameliorates Kidney Injury Through Reducing Podocytopathy, Tubular Injury, Inflammation and Fibrosis in 5/6 Subtotal Nephrectomy Model in Rats. *Kobe J.Med.Sci*. 65(5):153-163.

- Scheen, A.J., Paquot, N. (2014). Metabolic effects of SGLT-2 inhibitors beyond increased glukosuria: A review of the clinical evidence. *Diabetes Metab*, 40 (6): S4-S11.
- Schwartz, S.S., Epstein, S., Corkey, B.E., Grant, S.F.A., Gavin, J.R., Aguilar, R.B. (2016). The Time Is Right for a New Classification System for Diabetes: Rationale and Implications of the b-Cell–Centric Classification Schema. *Diabet. Care*. 39: 179-186.
- Setyawati, T., Prasetyastuti, P., Sunarti. (2017). Lesser yam induces pgc-1 α protein expression on brown adipose and skeletal muscle tissues in diabetic rats. *Biomed Res (India)*, 28. 3623-3627.
- Sherwani, S. I., Khan, H. A., Ekhzaimy, A., Masood, A., & Sakharkar, M. K. (2016). Significance of HbA1c Test in Diagnosis and Prognosis of Diabetic Patients. *Biomark Ins*, 11: 95–104.
- Shiming Z, Mak KK, Balijepalli MK, Chakravarthi S, Pichika MR. (2021). Swietenine potentiates the antihyperglycemic and antioxidant activity of Metformin in Streptozotocin induced diabetic rats. *Biomed Pharmacother*. 139:111576.
- Shin SJ, Chung S, Kim SJ, Lee EM, Yoo YH, Kim JW, Ahn YB, Kim ES, Moon SD, Kim MJ, Ko SH. (2016). Effect of Sodium-Glucose Co-Transporter 2 Inhibitor, Dapagliflozin, on Renal Renin-Angiotensin System in an Animal Model of Type 2 Diabetes. *PLoS One*, 11(11):e0165703.
- Smith, K., Taylor, G.S., Walker, M., Brunsgaard, L.H., Davies, K.A.B, Stevenson, E.J., Wes, D.J. (2023). Pre-Meal Whey Protein Alters Postprandial Insulinemia by Enhancing β -Cell Function and Reducing Insulin Clearance in T2D. *J. Clin. Endoc. & Metabol*, 108 (8): 603–612.
- Sommer M, Wolf G. (2007). Rosiglitazone increases PPAR γ in renal tubular epithelial cells and protects against damage by hydrogen peroxide. *Am J Nephrol*, 27(4):425-34.
- Sukardiman& Ervina, M. (2020). The recent use of *Swietenia mahagoni* (L.) Jacq. as antidiabetes type 2 phytomedicine: A systematic review. *Heliyon*, 6(3): 1-8.
- Szkudelski T. (2001). The mechanism of alloxan and streptozotosin action in B cells of the rat pankreas. *Physiol Res*, 50(6):537-46.
- Tabatabai, N.M., Sharma, M., Blumenthal, S.S., Petering, D.H. (2009). Enhanced expressions of sodium-glucose cotransporters in the kidneys of diabetic Zucker rats. *Diabet Res Clin Pract*, 83(1): e27-30.
- Taslipinar A, Yaman H, Yilmaz MI, Demirbas S, Saglam M, Taslipinar MY, Agilli M, Kurt YG, Sonmez A, Azal O, Bolu E, Yenicesu M, Kutlu M. (2011). The relationship between inflammation, endothelial dysfunction and proteinuria

in patients with diabetic nephropathy. *Scand J Clin Lab Invest*, 71(7):606-612.

Terami N, Ogawa D, Tachibana H, Hatanaka T, Wada J, Nakatsuka A, Eguchi J, Horiguchi CS, Nishii N, Yamada H, Takei K, Makino H. (2014). Long-term treatment with the sodium glucose cotransporter 2 inhibitor, Dapagliflozin, ameliorates glucose homeostasis and diabetic nephropathy in db/db mice. *PLoS One*, 9(6): e100777.

Tobar, A., Ori, Y., Benchetrit, S., Milo, G., Herman-Edelstein, M., Zingerman, B., Lev, N., Gafter, U. dan Chagnac, A. (2013). Proximal tubular hypertrophy and enlarged glomerular and proximal tubular urinary space in obese subjects with proteinuria. *PLoS One*. 8:e75547.

Tomaszewski M, Charchar FJ, Maric C, McClure J, Crawford L, Grzeszczak W, Sattar N, Zukowska-Szczechowska E, Dominiczak AF. (2007). Glomerular hyperfiltration: a new marker of metabolic risk. *Kidney Int*, 71(8):816-21.

Tot, T., Pekár, G., Hofmeyer, S., Gere, M., Tarján, M., Hellberg, D., & Lindquist, D. (2011). Molecular phenotypes of unifocal, multifocal, and diffuse invasive breast carcinomas. *Path. Res. Int*. 2011:1-5.

Tot, T., Pekár, G., Hofmeyer, S., Gere, M., Tarján, M., Hellberg, D., & Lindquist, D. (2011). Molecular Phenotypes of Unifocal, Multifocal, and Diffuse Invasive Breast Carcinomas. *Path Res Inter*, 1–5.

Triandita, N., Zakaria, F.R., Prangdimurti, E., Putri, N.E. (2016). Perbaikan Status Antioksidan Penderita Diabetes Tipe 2 dengan tahu kedelai hitam kaya serat. *J. Teknol. Indust. Pangan*. 27(2):123-130.

Tsimihodimos V, Psychogios N, Kakaidi V, Bairaktari E, Elisaf M. (2007). Salicylate-induced proximal tubular dysfunction. *Am. J. Kidney. Dis*, 50(3):463-467.

Vallon, V., Gerasimova, M., Rose, M.A., Masuda, T., Satriano, J., Mayoux, E., Koepsell, H., Thomson, S.C., Rieg, T. (2014). SGLT2 inhibitor empagliflozin reduces renal growth and albuminuria in proportion to hyperglycemia and prevents glomerular hyperfiltration in diabetic Akita mice. *Am J Physiol Renal Physiol*, 306(2): F194-204.

Vallon, V., Thomson, S.C. (2020). The Tubular Hypothesis of Nephron Filtration And Diabetic Kidney Disease. *Nat. Rev. Nephrol*, 16(6): 317-336.

Vestri, S., Okamoto, M.M., de Freitas, H.S., Aparecida, Dos Santos, R., Nunes, M.T., Morimatsu, M., Heimann, J.C., Machado, U.F. (2001). Changes in sodium or glucose filtration rate modulate expression of glucose transporters in renal proximal tubular cells of rat. *J Membr Biol*, 182:105–112.

- Vivian, E. M. 2014. Sodium-glucose co-transporter 2 (SGLT2) inhibitors: a growing class of antidiabetic agents. *Drugs in Context* 3: 212264
- Wang, J., Hu, W., Li, L., Huang, X., Liu, Y., Wang, D., Teng, L. (2017). Antidiabetic activities of polysaccharides separated from *Inonotus obliquus* via the modulation of oxidative stress in mice with streptozotocin-induced diabetes. *PLoS One*, 12(6): e0180476.
- Wang, Y., Desai, M., Ryan, P.B., DeFalco, F.J., Schuemie, M.J., Stang, P.E., Berlin, J.A., Yuan, Z. (2017). Incidence of diabetic ketoacidosis among patients with type 2 diabetes mellitus treated with SGLT2 inhibitors and other antihyperglycemic agents. *Diabetes Res Clin Pract*, 128:83-90.
- Wang, Y., Jin, M., Cheng, C.K., Li, Q. (2023). Tubular injury in diabetic kidney disease: molecular mechanisms and potential therapeutic perspectives. *Front. Endocrinol.*, 14:1238927.
- Wilayadi, N.W.M & Widiana, I.G.R. (2023). The role of sodium-glucose transport Protein-2 (Sgl-2) inhibitor on albuminuria and the progressive of diabetic kidney disease. *Gema Wiralodra*, 14(2), 615-623.
- Wright, E.M., Loo, D.D., Hirayama, B.A. (2011). Biology of human sodium glucose transporters. *Physiol Rev*, 91(2):733-94.
- Wu T, Ding L, Andoh V, Zhang J, Chen L. (2023). The Mechanism of Hyperglycemia-Induced Renal Cell Injury in Diabetic Nephropathy Disease: An Update. *Life (Basel)*, 13(2):539.
- Wuerzner G, Pruijm M, Maillard M, Bovet P, Renaud C, Burnier M, Bochud M. (2010). Marked association between obesity and glomerular hyperfiltration: a cross-sectional study in an African population. *Am J Kidney Dis*, 56(2):303-312.
- Wyshama, C. Shubrook, J. (2020). Beta-cell failure in type 2 diabetes: mechanisms, markers, and clinical implications. *Postgrad. Med*, 1–11.
- Yadav, N., Mandal, A.K. (2023). Interference of hemoglobin variants in HbA1c quantification. *Clic. Chem. Act*. 539:55-65.
- Yang, Y., Wang, M., Tong, J., Dong, Z., Deng, M. Ren, X., Li, H., Yang, J., Meng, Z., Sun, J., He, Q., Liu, M. (2019). Impaired Glucose-Stimulated Proinsulin Secretion Is an Early Marker of β -Cell Impairment Before Prediabetes Stage, *J. Clin. Endocrinol. Metab*, 104 (10):4341–4346.
- Yin, D.Y., Hou, G.L., Yang, X.Q., Bi, L.L., Mei, X.F., Bai, M.K., Zhou, L., Zhu, S., Huang, Y.J. (2023) Urinary matrix metalloproteinase-7 is a sensitive biomarker to evaluate renal tubular injury in patients with minimal change disease and focal segmental glomerulosclerosis. *Clin. Kidney J.*, 17(1):sfad027.