

DAFTAR PUSTAKA

- Aguilera, J. S. & Stanley, D. W. (1999). Microstructural principles of food processing and engineering. Aspen Publication. Maryland.
- Aguirre-Garcia, Y. L., Nery-Flores, S. D., Campos-Muzquiz, L. G., Flores-Gallegos, A. C., Palomo-Ligas, L., Ascacio-Valdés, J. A., Sepúlveda-Torres, L., & Rodríguez-Herrera, R. (2024). Lactic acid fermentation in the food industry and bio-preservation of food. *Fermentation*, 10(3), 168. <https://doi.org/10.3390/fermentation10030168>
- Agume, A. S. N., Njintang, N. Y., & Mbofung, C. M. (2017). Effect of soaking and roasting on the physicochemical and pasting properties of soybean flour. *Foods*, 6(12), 1-10. <https://doi.org/doi:10.3390/foods6020012>
- Ahmad, A., Othman, I., Tardy, B. L., Hasan, S. W., & Banat, F. (2022). Enhanced lactic acid production with indigenous microbiota from date pulp waste and keratin protein hydrolysate from chicken feather waste. *Bioresource Technology Reports*, 18, Article 101089. <https://doi.org/10.1016/j.biteb.2022.101089>
- Aidah, S. N. (2020). Ensiklopedi kedelai: deskripsi, filosofi, manfaat, budidaya dan peluang bisnisnya. Yogyakarta: KBM Indonesia.
- Amaliah, Z. Z. N., Bahri, S., & Amelia, P. (2018). Isolasi dan karakterisasi bakteri asam laktat dari limbah cair rendaman kacang kedelai. *Jurnal Fitofarmaka*, 5(1), 253-257. <https://doi.org/10.33096/jffi.v5i1.320>
- Amanah, Y. S., Sya'di, Y. K., & Handarsari, E. (2019). Kadar protein dan tekstur pada tempe koro benguk dengan substitusi kedelai hitam. *Jurnal Pangan dan Gizi*, 9(2), 119-127. <https://doi.org/10.26714/jpg.9.2.2019.69-78>
- Amanda, R. S. A., Widanti, Y. A., & Mustofa, A. (2018). Pemanfaatan tepung kulit ari kedelai (*Glycine max*) sebagai penambah serat pada cookies dengan flavor pisang ambon (*Musa acuminata colla*). *Jurnal Teknologi dan Industri Pangan*, 3(2), 129-134. <https://doi.org/10.33061/jitipari.v3i2.2695>
- Ansar & Abdullah, S. H. (2022). Teknik pengupasan kulit ari biji kedelai menggunakan mesin pengupas. *Jurnal Abdi Mas TPB*, 4(2), 146-151. <https://doi.org/10.29303/amtppb.v4i2.116>

- [AOAC] Association of Official Analytical Chemist. (2005). Official methods of analysis of the association of analytical chemist. Association of Official Analytical Chemist. Virginia.
- Aryani, T., & Ernawati, D. (2022). Analysis of lactic acid levels in breastmilk before and after storage at room temperature and refrigerator temperature. *Jurnal Kesehatan*, 11(1), 39-46. <https://doi.org/10.46815/jk.v11i1.76>
- Astawan, M., Wresdiyati, T., & Maknun, L. (2017). Tempe sumber zat gizi dan komponen bioaktif untuk kesehatan. Bogor: IPB Press.
- Astawan, M., Wresdiyati, T., Widowati, S., Bintari, S. H., & Ichsani, N. (2013). Karakteristik fisikokimia dan sifat fungsional tempe yang dihasilkan dari berbagai varietas kedelai. *Jurnal Pangan*, 22(3), 241-252. <https://doi.org/10.33964/jp.v22i3.102>
- Astawan, M., Humayrah, W., Dewi, L., Anwar, K., & Novianti, A. (2021). Gastronomi 100+Inovasi Tempe: Persembahan dari Indonesia untuk Dunia. Bogor: IPB Press.
- [BSN] Badan Standardisasi Nasional. (2015). SNI 3144:2015. Tempe kedelai. Jakarta.
- Balmaseda, A., Miot-Sertier, C., Lytra, G., Poulain, B., Reguant, C., Lucas, P., & Nioi C. (2024). Application of white wine lees for promoting lactic acid bacteria growth and malolactic fermentation in wine. *International Journal of Food Microbiology*, 413, Article 110583. <https://doi.org/10.1016/j.ijfoodmicro.2024.110583>
- Barbosa, M. L. S., de Alencar, E. R., Leandro, E. dos Santos, Borges, R. W., Mendonça, M. A., & Ferreira, W. F. de Souza. (2020). Characterization of fermented beverages made with soybean and brazil nut hydrosoluble extracts. *International Journal of Gastronomy and Food Science*, 21, Article 100228. <https://doi.org/10.1016/j.ijgfs.2020.100228>
- Barus, T., Giovania, G., & Lay, B. W. (2021). Lactic acid bacteria from tempeh and their ability to acidify soybeans in tempeh fermentation. *Microbiology Indonesia*, 14(4), 149-155. <https://doi.org/10.5454/mi.14.4.4>
- Barus, T., Widyah, Wicaksono, W. A., & Prasasty, V. D. (2021). Identifikasi bakteri yang berperan dalam pengasaman kedelai dalam fermentasi tempe berdasarkan sekuen 16S rDNA. *Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati*, 6(2), 71-77. <https://doi.org/10.24002/biota.v6i2.4029>

- Bavia, A. C. F., da Silva, C. E., Ferreira, M. P., Leite, R. S., Mandarino, J. M. G., & Carrão-Panizzi, M. C. (2012). Chemical composition of tempeh from soybean cultivars specially developed for human consumption. *Food Science Technology*, 32(3). <https://doi.org/10.1590/S0101-20612012005000085>.
- [BPS] Badan Pusat Statistik. (2023). Rata-rata konsumsi perkapita seminggu menurut kelompok kacang-kacangan per kabupaten/kota (satuan komoditas). Jakarta.
- Catharina Y.W. Ang, Liu, K., & Huang, Y. (1999). Asian foods: science and technology. Technomic Publishing. Lancaster.
- Cele, N. P., Akinola, S. A., Manhivi, V. E., Shoko, T., Remize, F., & Sivakumar, D. (2022). Influence of lactic acid bacterium strains on changes in quality, functional compounds and volatile compounds of mango juice from different cultivars during fermentation. *Foods*, 11, 682. <https://doi.org/10.3390/foods11050682>
- Cempaka, L., Widyana, M. A., & Astuti, R. M. (2020). Karakteristik Sensori dan Analisis Mikroba Tempe Segar Beraneka Rasa. *Jurnal Ilmu Pangan dan Hasil Pertanian*, 4(1), 43-58. <http://doi.org/10.26877/jiphp.v4i1.4633>
- Cundari, L., Tiara, A., & Zannah, K. Y. (2023). Biocoagulant effectivity test in tempe wastewater treatment: the effect of biocoagulant type and dosage. *Jurnal Litbang Industri*, 13(2), 99-106. <http://dx.doi.org/10.24960/jli.v13i2.8098.99-106>
- Desfita, S., Yusmarini, Sari, W., dan Pato, U. (2020). Susu fermentasi kedelai dan madu potensi untuk meningkatkan kesehatan tulang wanita menopause. Yogyakarta: Deepublish.
- Dewi, I. W. R., Anam, C., & Widowati, E. (2014). Karakteristik sensoris, nilai gizi dan aktivitas antioksidan tempe kacang gude (*Cajanus cajan*) dan tempe kacang tunggak (*Vigna unguiculata*) dengan berbagai variasi waktu fermentasi. *Jurnal Biofarmasi*, 12(2), 73-82. <https://doi.org/10.13057/biofar/f120204>
- Dopazo, V., Musto, L., Nazareth, T. De Melo, Lafuente, C., Meca, G., & Luz, C. (2024). Revalorization of rice bran as a potential ingredient for reducing fungal contamination in bread by lactic acid bacterial fermentation. *Food Bioscience*, 58, Article 103703. <https://doi.org/10.1016/j.fbio.2024.103703>
- Duniaji, A. S., Wisaniyasa, W., Puspawati, N. N., & Indri, M. H. A. (2019). Isolation and identification of rhizopus oligosporus local isolate derived from

- several inoculum sources. *Int. J. Curr. Microbiol. App. Sci.*, 8(9), 1085-1098.
<https://doi.org/10.20546/ijcmas.2019.809.126>
- Egbune, E. O., Avwioroko, O. J., Anigboro, A. A., Aganbi, E., Amata, A., & Tonukari, N. J. (2022). Characterization of a surfactant-stable α -amylase produced by solid-state fermentation of cassava (*Manihot esculenta crantz*) tubers using *Rhizopus oligosporus*: kinetics, thermal inactivation thermodynamics and potential application in laundry industries. *Biocatalysis and Agricultural Biotechnology* 39, 102290.
<https://doi.org/10.1016/j.bcab.2022.102290>
- Ellent, S. S. C., Dewi, L., Tapilouw, M. C. (2022). Karakteristik mutu tempe kedelai (*Glycine max* L.) yang dikemas dengan klobot. *Jurnal Teknologi Pertanian*, 11(1), 32-40. <https://doi.org/10.30598/jagritekno.2022.11.1.32>
- El-Shemy, H. A. (2013). Soybean – bio-active compounds. InTech. Rijeka.
- Faizah, M. & Yuliana, A. I. (2019). Manfaat biofertilizer dan mikoriza terhadap tanaman kedelai. Jombang: LPPM Universitas KH. A. Wahab Hasbullah
- Fallo, G. & Sine, Y. (2022). Identification of lactic acid bacteria and quality parameter of tempeh obtained from red kidney beans (*Phaseolus vulgaris*) and cowpeas (*Vigna unguiculata*). *Jurnal Ilmiah Biologi*, 10(1), 53-65.
<https://doi.org/10.24252/bio.v10i1.27349>
- Fazrin, H., Dharmawibawa, I. D., Armiani, S. (2020). Studi organoleptik tempe dari perbandingan kacang komak (*Lablab purpureus* (L.) Sweet) dengan berbagai konsentrasi ragi dan lama fermentasi sebagai bahan penyusun brosur. *Bioscientist: Jurnal Ilmiah Biologi*, 8(1), 39-47.
<https://doi.org/10.33394/bioscientist.v8i1.2662>
- Ghazanfari, N., Fallah, S., Vasiee, A., & Yazdi, F. T. (2023). Optimization of fermentation culture medium containing food waste for l-glutamate production using native lactic acid bacteria and comparison with industrial strain. *Food Science and Technology*, 184, Article 114871.
<https://doi.org/10.1016/j.lwt.2023.114871>
- Gómez-Limia, L., Carballo, J., Rodríguez-González, M., Martínez, S. (2022). Impact of the filling medium on the colour and sensory characteristics of canned european eels (*Anguilla anguilla* L.). *Foods*, 11(8), 1115.
<https://doi.org/10.3390/foods11081115>
- Hambali, E., Mujdalifah, S., Halomoan, A., Tambunan, Pattiwiri, A. W., & Hendroko, R. (2007). Teknologi bioenergi. Jakarta: AgroMedia Pustaka.

- Hamidsu, E., Ansharullah, & Faradilla, F. (2023). Analisis pengaruh umur perkecambahan dan lama fermentasi terhadap nilai organoleptik dan mutu tempe kecambah kedelai. *Jurnal Sains dan Teknologi Pangan*, 8(4), 6470-6483. <http://dx.doi.org/10.33772/jstp.v8i4.43264>
- Handoyo, T. & Morita, N. (2006). Structural and functional properties of fermented soybean (tempeh) by using *Rhizopus oligosporus*. *International Journal of Food Properties*, 9(2), 347-355. <https://doi.org/10.1080/10942910500224746>
- Harahap, R. H., Lubis, Z., & Kaban, J. (2018). Komponen flavor volatil tempe yang dibungkus dengan daun pisang dan plastik. *Agritech*, 38(2), 194-199. <http://doi.org/10.22146/agritech.24720>
- Harmayani, E., Santoso, U., & Gardjito, M. (2016). Makanan tradisional indonesia: kelompok makanan fermentasi dan makanan yang populer di masyarakat. Yogyakarta: UGM Press.
- Hasan, A. Artika, I. Made, & Abidin, S. (2014). Produksi asam laktat dan pola pertumbuhan bakteri asam laktat dengan pemberian dosis rendah propolis *Trigona* spp asal Pandeglang Indonesia. *Current Biochemistry*, 1(3), 126-135. <https://doi.org/10.29244/cb.1.3.126-135>
- He, Y., Hu, M., He, W., Li, Y., Liu, S., Hu, X. Nie S., Yin, J., & Xie, M. (2024). Volatile compound dynamics during blueberry fermentation by lactic acid bacteria and its potential associations with bacterial metabolism. *Food Bioscience*, 59, Article 103639. <https://doi.org/10.1016/j.fbio.2024.103639>
- Hikma, N., Alwi, M., & Umrah. (2014). Potensi limbah cair tempe secara mikrobiologis sebagai alternatif penghasil biogas. *Biocelbes*, 8(1), 54-59.
- Ihsan, B. (2021). Dasar-dasar mikrobiologi. Jakarta: Insan Cedekia Mandiri.
- Iman, M. N., Irdiani, R., Rahmawati, D., Fukusaki, E., & Putri, S. P. (2023). Improvement of the functional value of green soybean (edamame) using germination and tempe fermentation: a comparative metabolomics study. *Journal of Bioscience and Bioengineering*, 136(3), 205-212. <https://doi.org/10.1016/j.jbiosc.2023.05.012>
- Isnawati, M., wijaningsih, W., & Tursilowati, S. (2021). Tempe gembus: pengolahan dan potensi gizi. Pekalongan: Nasya Expanding Management.
- Jia, J., Tian, L., Song, Q., Liu, X., Rubert, J., Li, M., & Duan, X. (2023). Investigation on physicochemical properties, sensory quality and storage stability of mayonnaise prepared from lactic acid fermented egg yolk. *Food*

Chemistry, 415, Article 135789.
<https://doi.org/10.1016/j.foodchem.2023.135789>

Kasmidjo, R. B. (1990). *Tempe: mikrobiologi dan biokimia pengolahan serta pemanfaatannya*. Yogyakarta: UGM Press.

Khalisa, Lubis, Y. M., & Agustina, R. (2021). Uji organoleptik minuman sari buah belimbing wuluh (*Averrhoa bilimbi*.L). *Jurnal Ilmiah Mahasiswa Pertanian*, 6(4), 594-601. <https://doi.org/10.17969/jimfp.v6i4.18689>

Kim, S., Kim, J., Kim, Y. Y., Yang, J. E., Lee, H. M., Hwang, I. M., Park, H. W., & Kim, H. M. (2024). Utilization of coffee waste as a sustainable feedstock for high-yield lactic acid production through microbial fermentation. *Science of the Total Environment*, 912, Article 169521. <https://doi.org/10.1016/j.scitotenv.2023.169521>

Komala, P. S., Dewilda, Y., & Wulandari, Z. (2013). Biodegradation of azo dye remazol black 5 by mono culture bacteria with tempe industrial wastewater as co-substrate. *International Journal of Technology*, 3, 240-248. <http://dx.doi.org/10.14716/ijtech.v5i1.120>

Kustyawati, M. E., Pratama, F., Saputra, D., & Wijaya, A. (2014). Modifikasi warna, tekstur dan aroma tempe setelah diproses dengan karbon dioksida superkritik. *Jurnal Teknologi dan Industri Pangan*, 25(2), 168-175. <https://doi.org/10.6066/jtip.2014.25.2.168>

Kusumawati, I., Astawan, M., & Prangdimurti, E. (2020). Proses produksi dan karakteristik tempe dari kedelai pecah kulit. *Jurnal Pangan*, 29(2), 117-126. <https://doi.org/10.33964/jp.v29i2.492>

Lahtinen, Ouwehand, A., Salminen, S., & Wright, Atte von. (2012). *Lactic acid bacteria: microbiological and functional aspects*, fourth edition. CRC Press. Boca Raton.

Laksono, A. S., Marniza, & Rosalina, Y. (2019). Karakteristik mutu tempe kedelai lokal varietas anjasmoro dengan variasi lama perebusan dan penggunaan jenis pengemas. *Jurnal Agroindustri*, 9(1), 8-18. <https://doi.org/10.31186/j.agroind.9.1.8-18>

Laophongphit, A., Wichiansri, S., Siripornadulsil, S., & Siripornadulsil, W. (2024). Enhancing the nutritional value and functional properties of mango pulp via lactic acid bacteria fermentation. *Food Science and Technology*, 197, Article 115878. <https://doi.org/10.1016/j.lwt.2024.115878>

- Latif, I. (2022). Teknik budidaya kedelai. Jakarta: Elementa Agro Lestari.
- Lian, T., Zhang, W., Cao, Q., Wang, S., Yin, F., Zhou, T., Zhang, F., & Dong, H. (2023). Efficient production of lactic acid from anaerobic co-fermentation of starch and nitrogen-rich agro-industrial waste using a batch system. *Chemical Engineering Journal*, 471, Article 144689. <https://doi.org/10.1016/j.cej.2023.144689>
- Lim, J., Nguyen, T. T. H., Pal, K., Kang, C. G., Park, C., Kim, S. W., & Kim, D. (2022). Phytochemical properties and functional characteristics of wild turmeric (*Curcuma aromatica*) fermented with *Rhizopus oligosporus*. *Food Chemistry: X*, 13, Article 100198. <https://doi.org/10.1016/j.fochx.2021.100198>
- Lin, S., Zhang, X., Wang, J., Li, T., & Wang, L. (2024). Effect of lactic acid bacteria fermentation on bioactive components of black rice bran (*Oryza sativa* L.) with Different Milling Fractions. *Food Bioscience*, 58, Article 103684. <https://doi.org/10.1016/j.fbio.2024.103684>
- Liu, K. (1997). Soybeans: chemistry, technology, and utilization. Internasional Thomson Publishing. New York.
- Liu, G., Wu, M., Li, Y., Qayyum, N., Li, X., Zhang, J., & Wang, C. (2023). The effect of different pretreatment methods on jujube juice and lactic acid bacteria-fermented jujube juice. *Food Science and Technology*, 181, Article 114692. <https://doi.org/10.1016/j.lwt.2023.114692>
- Liu, S., Li, Y., Song, X., Hu, X., He, Y., Yin, J., Nie, S., & Xie, M. (2023). Changes in volatile and nutrient components of mango juice by different lactic acid bacteria fermentation. *Food Bioscience*, 56, Article 103141. <https://doi.org/10.1016/j.fbio.2023.103141>
- Liuspiani, A., HimayatulAsri, I., Lestarini, Y., Muspita, Z., & Husni, M. (2020). Pengaruh jenis bahan kemasan terhadap kualitas organoleptik dan daya simpan tempe kedelai. *Jurnal Ilmu Sosial dan Pendidikan*, 4(4), 521-524. <http://dx.doi.org/10.58258/jisip.v4i4.1565>
- Madigan, M. T., Martinko, J. M., Bender, K. S., Buckley, D., & Stahl, D. A. (2014). Brock biology of microorganisms, fourteen edition. Benjamin Cummings. Boston.
- Magdalena, S., Hogaputri, J. E., Yulandi, A., & Yogiara, Y. (2022). The addition of lactic acid bacteria in the soybean soaking process of tempeh. *Food Research*, 6(3), 27-33. [https://doi.org/10.26656/fr.2017.6\(3\).304](https://doi.org/10.26656/fr.2017.6(3).304)

- Mandha, J., Shumoy, H., Devaere, J., Schouteten, J. J., Gellynck, X., de Winne, A. Matemu, A. O., & Raes K. (2021). Effect of lactic acid fermentation of watermelon juice on its sensory acceptability and volatile compounds. *Food Chemistry*, 358, Article 129809. <https://doi.org/10.1016/j.foodchem.2021.129809>
- Meilgaard, M. C., Civille, G. V., & Carr, B. T. (2007). Sensory evaluation techniques. CRC Press. Boca Raton.
- Messadi, N., Mechmeche, M., Setti, K., Tizemmour, Z., Hamdi, M., & Kachouri, F. (2023). Consumer perception of a new non-dairy functional beverage optimized made from lactic acid bacteria fermented date fruit extract. *International Journal of Gastronomy and Food Science*, 34, Article 100831. <https://doi.org/10.1016/j.ijgfs.2023.100831>
- Mo, H., Kariluoto, S., Piironen, V., Zhu, Y., Sanders, M. G., Vincken, J., Wolkers-Rooijackers, J., & Nout, M. J. R. (2013). Effect of soybean processing on content and bioaccessibility of folate, vitamin B₁₂ and isoflavones in tofu and tempe. *Food Chemistry*, 141, 2418-2425. <http://dx.doi.org/10.1016/j.foodchem.2013.05.017>
- Mulyowidarso, R. K., Fleet, G. H., & Buckle, K. A. (1989). The microbial ecology of soybean soaking for tempe production. *International Journal of Food Microbiology*, 8(1), 35–46. [https://doi.org/10.1016/0168-1605\(89\)90078-0](https://doi.org/10.1016/0168-1605(89)90078-0)
- Munu, N., Kigozi, J., Zziwa, A., Kambugu, R., Wasswa, J., & Tumutegyereize, P. (2016). Effect of ambient-soaking time on soybean characteristics for traditional soymilk extraction. *Journal of advances in Food & Technology*, 3(3), 119-128.
- Nazarena, Y., Malahayati, N., & Priyanto, G. (2021). Pengaruh perendaman kedelai terhadap mutu sari kedelai. *Jurnal Sains dan Teknologi Pangan*, 6(2), 3866-3877. <http://dx.doi.org/10.33772/jstp.v6i2.16123>
- Nemati, V., Hashempour-baltork, F., Alizadeh, A. M., & Varzakas, T. (2023). Production of traditional torba yogurt using lactic acid bacteria isolated from fermented vegetables: microbiological, physicochemical and sensory properties. *Journal of Agriculture and Food Research*, 14, Article 100850. <https://doi.org/10.1016/j.jafr.2023.100850>
- Nout, M. J. R. & Kiers, J. L. (2005). Tempe fermentation, innovation and functionality: update into the third millenium. *Journal of Applied Microbiology*, 98(4), 789–805. <https://doi.org/10.1111/j.1365-2672.2004.02471.x>

- Nout, M. J. R., Dreu, M. A., Zuurbier, A. M., Bonants-van Laarhoven, T. M. G. (1987). Ecology of controlled soyabean acidification for tempe manufacture. *Food Microbiology*, 4, 165-172. [https://doi.org/10.1016/0740-0020\(87\)90032-3](https://doi.org/10.1016/0740-0020(87)90032-3)
- Novita, E., Hermawan, A. A. G., & Wahyuningsih, S. (2019). Komparasi proses fitoremediasi limbah cair pembuatan tempe menggunakan tiga jenis tanaman air. *Jurnal Agroteknologi*, 13(1), 16-24. <https://doi.org/10.19184/j-agt.v13i01.8000>
- Nurwahidah, A. & Alif, T. (2022). Potensi air rebusan kedelai sebagai media alternatif perbanyakan bakteri *Pseudomonas fluorescens* sebagai agen hayati. *Jurnal Matematika & Sains*, 2(1), 203-210. <https://doi.org/10.552273/jms.v2i1.127>
- Paba, A., Chessa, L., Daga, E., Campus, M., Bulla, M., Angioni, A., Sedda, P., & Comunian, R. (2020). Do best-selected strains perform table olive fermentation better than undefined biodiverse starters? A comparative study. *Foods*, 9(135). <https://doi.org/10.3390/foods9020135>
- Pakpahan, M. R. R. B., Ruhayat, R. & Hendrawan, D. I. (2021). Karakteristik air limbah industri tempe (studi kasus: industri Tempe Semanan, Jakarta Barat). *Jurnal Bhuwana*, 1(2), 164-172. <https://doi.org/10.25105/bhuwana.v1i2.12535>
- Paramita, V. D., lo Piccolo, J. D., & Kasapis, S. (2017). Effect of co-solute cocentration on the diffusion of linoleic acid from whey protein matrices. *Food Hydrocolloids*, 70, 277-285. <http://dx.doi.org/10.1016/j.foodhyd.2017.04.002>
- Pisol, B., Abdullah, N., Khalil, K. A., Nuraida, L. (2015). Isolation and identification of lactic acid bacteria from different stages of traditional malaysian tempeh production. *Malaysian Journal of Microbiology*, 11(4), 358-364. <http://dx.doi.org/10.21161/mjm.71415>
- Prativi, M. B. N., Astuti, D. I., Putri, S. P., Lavina, W. A., Fukusaki, E., & Aditiawati, P. (2023). Metabolite changes in Indonesian tempe production from raw soybeans to over-fermented tempe. *Metabolites*, 13, 300. <https://doi.org/10.3390/metabo13020300>
- Purawisastra, S., Slamet, D. S., & Soetrisno, U. S. S. (1993). Perubahan kandungan protein dan komposisi asam amino kedelai pada waktu pembuatan tempe dan tahu. *Peneliti Gizi Makanan*, 117-124. <https://dx.doi.org/10.22435/pgm.v0i0.2287>

- Purwanti, A. (2018). Pengenalan pembuatan susu sehat bernutrisi dari kedelai untuk berwirausaha di Dusun Blawong II Trimulyo Jetis Kabupaten Bantul. *Jurnal Inovasi Proses*, 3(2), 83-89.
- Purwanti, I. F., Simamora, D., & Kurniawan, S. B. (2018). Toxicity test of tempe industrial wastewater on *Cyperus rotundus* and *Scirpus grossus*. *International Journal of Civil Engineering and Technology*, 9(4), 1166-1172.
- Puspitasari, D., Nasir, M., & Azmin, N. (2022). Uji organoleptik tempe dari biji asam (*Tamarindus indica*) berdasarkan waktu fermentasi. *Jurnal Sains dan Terapan*, 1(1), 8-14. <https://doi.org/10.55784/juster.Vol1.Iss1.12>
- Rachmah, A. N., Cempaka, L., & Mukaromah, A. S. (2024). Jenis ragi dan bahan pembungkus terhadap kualitas tempe. *Berkala Ilmiah Biologi*, 15(2), 82-91. <https://doi.org/10.22146/bib.v15i2.6341>
- Radiarti, A. & Sumarto. (2016). Analisis sifat fisik, sifat organoleptik, dan kandungan gizi pada produk tempe dari kacang non-kedelai. *Jurnal Aplikasi Teknologi Pangan*, 5(1), 16-22.
- Radita, R., Suwanto, A., Kurosawa, N., Wahyudi, A. T. (2017). Metagenome analysis of tempeh production: where did the bacterial community in tempeh come from?. *Malaysian Journal of Microbiology*, 13(4), 280-288. <https://doi.org/10.21161/mjm.101417>
- Rahmadhia, S. N., Santoso, U., & Supriyadi. (2019). Ekstrak daun pisang klutuk (*Musa balbisiana* Colla) sebagai bahan tambahan pada pembuatan kemasan aktif berbasis methyl cellulose. *Jurnal Teknik Kimia*, 6(1), 7-14. <http://dx.doi.org/10.26555/chemica.v6i1.13724>
- Reu, J. C., Rombouts, F. M., & Nout, M. J. R. (1995). Influence of acidity and initial substrate temperature on germination of *Rhizopus oligosporus* sporangiospores during tempe manufacture. *Journal of Applied Bacteriology*, 78, 200-208. <https://doi.org/10.1111/j.1365-2672.1995.tb02843.x>
- Reu, J. C., Wolde, R. M., Groot, J., Nout, M. J. R., Rombouts, F. M. & Gruppen, H. (1995). Protein hydrolysis during soybean tempe fermentation with *Rhizopus oligosporus*. *Journal of Agricultural and Food Chemistry*, 43, 2235-2239.
- Rizal, S., Kustyawati, M. E., Suharyono, A. S., & Suyarto, V. A. (2022). Changes of nutritional composition of tempeh during fermentation with the addition of *Saccharomyces cerevisiae*. *Jurnal Biodiversitas*, 23(3), 1553-1559. <https://doi.org/10.13057/biodiv/d23034>

- Roekhan, A., Dayanti, A. I., Oktaviani, R., Dewi, F. S., & Anastasya, N. A. (2020). Kemampuan multifungsi bakteri kitinolitik UB *forest* pada budidaya kedelai. Malang: UB Press.
- Rohmatningsih, R. N. (2022). Pengaruh substitusi media limbah cair rebusan kedelai tempe terhadap kondisi pertumbuhan *Acetobacter xylinum* dalam starter *Bacterial Cellulose*. *Indonesian Journal of Laboratory*, 5(3), 139-147.
- Rohmawati, D., Djunaidi, I. H., & Widodo, E. (2015). Nilai nutrisi tepung kulit ari kedelai dengan level inokulum ragi tape dan waktu inkubasi berbeda. *J. Ternak Tropika*, 16(1), 30-33. <https://doi.org/10.21776/ub.jtapro.2015.016.01.5>
- Romulo, A. & Surya, R. (2021). Tempe: a traditional fermented food of Indonesia and its health benefits. *International Journal of Gastronomy and Food Science*, 26, Article 100413. <https://doi.org/10.1016/j.ijgfs.2021.100413>
- Rosenthal, A. J. (1999). Food texture: measurement and perception. Springer. New York.
- Samtiya, M., Aluko, R. E., & Dhewa, T. (2020). Plant food anti-nutritional factors and their reduction strategies: an overview. *Food Production, Processing and Nutrition*, 2(6), 1-14. <https://doi.org/10.1186/s43014-020-0020-5>
- Santhirasegaram V., George, D. S., Anthony, K. K., Singh, H. K. B., Saruan, N. M., Razali, Z., & Somasundram, C. (2016). Effects of soybean processing and packaging on the quality of commonly consumed local delicacy tempe. *Journal of Food Quality* 39, 675-684. <https://doi.org/10.1111/jfq.12252>
- Santosa, E. A. & Retnaningrum, E. (2020). Karakterisasi fenotipik dan aktivitas antimikrobia bakteri asam laktat dari limbah produksi tempe. *Jurnal Sains Dasar*, 9(1), 1-10. <https://doi.org/10.21831/jsd.v9i1.34486>
- Sapitri, Y., Hastuti, U. S., & Witjoro, A. (2018). Pengaruh ragi tempe dengan variasi substrat kacang tunggak (*Vigna unguiculata*) dan kacang kedelai (*Glycine max* (L) Merrill.) serta dosis ragi tempe terhadap kualitas tempe kedelai. *Jurnal Ilmu Hayat*, 2(1), 1-8.
- Sari, D., & Rahmawati, A. (2020). Analisa kandungan limbah cair tempe air rebusan dan air rendaman kedelai. *Jurnal Ilmiah Kesehatan Media Husada*, 9(1), 36-41. <https://doi.org/10.33475/jikmh.v9i1.210>
- Sarwono, B. (2010). Usaha membuat tempe dan oncom. Jakarta: Penebar Swadaya.

- Setiarto, R. H. B. & Widhayastuti, N. (2016). Pengaruh fermentasi bakteri asam laktat terhadap sifat fisikokimia tepung gadung modifikasi (*Dioscorea hispida*). *Jurnal Litbang Industri*, 6(1), 61-72. <https://doi.org/10.24960/jli.v6i1.1134.61-72>
- Setiarto, R. H. B. (2020). Teknologi fermentasi pangan tradisional dan produk olahannya. Bogor: Guepedia.
- Setyawan, G. & Huda, S. (2022). Analisis pengaruh produksi kedelai, konsumsi kedelai, pendapatan per kapita, dan kurs terhadap impor kedelai di Indonesia. *Jurnal Ekonomi dan Manajemen*, 19(2), 215-225. <https://doi.org/10.30872/jkin.v19i2.10949>
- Sine, Y. & Soetarto, E. (2020). Kualitas tempe gude (*Cajanus Cajan* (L) Millps.) berdasarkan karakteristik morfologi dan lama waktu fermentasi. *Jurnal Pendidikan dan Sains Biologi*, 3(3), 96-102. <https://doi.org/10.33323/indigenous.v3i3.167>
- Sitanggang, A. B., Lesmana, M., & Budijanto, S. (2020). Membrane-based preparative methods and bioactivities mapping of tempe-based peptides. *Food Chemistry*, 329, Article 127193. <https://doi.org/10.1016/j.foodchem.2020.127193>
- Song, C., Qiu, Y., Li, S., Liu, Z., Chen, G., Sun, L., Wang, K., & Kitamura, Y. (2019). A novel concept of bicarbonate-carbon utilization via an absorption-microalgae hybrid process assisted with nutrient recycling from soybean wastewater. *Journal of Cleaner Production*, 237, Article 117864. <https://doi.org/10.1016/j.jclepro.2019.117864>
- Sorenson, W. G., & Hesseltine, C. W. (1986). Carbon and nitrogen utilization by *Rhizopus oligosporus*. *Mycologia* 58, 681-689. <https://doi.org/10.1080/00275514.1966.12018361>
- Sousa, T. L., Sousa, K. A., Santos, D. C., Almeida, A. B., Rezende, T. A. M., Santana, R. V., Resende, O., & Egea, M. B. (2021). Bioingredient produced with fermentation of corn bran and “cerrado” cashew byproduct using *Rhizopus oligosporus* and forced-air oven drying: mathematical modeling and evaluation of quality parameters. *Bioactive Carbohydrates and Dietary Fibre* 26, Article 100262. <https://doi.org/10.1016/j.bcdf.2021.100262>
- Suknia, S. L. & Rahmani, T. P. D. (2020). Proses pembuatan tempe *home industry* berbahan dasar kedelai (*Glycine max* (L.) Merr) dan kacang merah (*Phaseolus*

- vulgaris* L.) di Candiwesi, Salatiga. *Southeast Asian Journal of Islamic Education*, 3(1), 59-76. <https://doi.org/10.21093/sajie.v3i1.2780>
- Sulistiani & Hidayat, I. (2020). Identifikasi molekuler bakteri asam laktat dari tempe dan tape berdasarkan sekuen gen 16S rRNA. *Majalah Ilmiah Biologi Biosfera: A Scientific Journal*, 37(2), 69-77. <https://doi.org/10.20884/1.mib.2020.37.2.1149>
- Sumarlan, S. H., Prasetyo, J., Maghfiroh, L., & Hammam. (2024). Mekanisasi produksi sereal (jagung, kedelai, kacang tanah, sorgum). Malang: Media Nusa Creative.
- Sumarmi. (2022). Potensi Pengembangan Kedelai di Indonesia. Malang: Inara Publisher.
- Suparno, Giyanto, Kusumadati, W., & Sadono, A. (2020). Pengaruh lama perendaman kedelai dan proporsi tepung beras sebagai upaya meningkatkan mutu gizi tempe. *Agrienvi: Jurnal Ilmu Pertanian*, 14(2), 50-58. <https://doi.org/10.36873/aev.2020.14.2.50>
- Supinah, P., Setiawan, W. F., & Mulya, S. P. (2020). Sosialisasi pemanfaatan limbah tempe sebagai pupuk organik cair untuk pengelolaan berkelanjutan di Desa Kuripan Kertoharjo. *Jurnal Pusat Inovasi Masyarakat*, 2(4), 642-646.
- Supriyanto, Setyawan, B., & Ulfa, R. (2022). Analisis kandungan protein dan organoleptik tempe dengan media yang berbeda. *Jurnal Teknologi Pangan dan Ilmu Pangan*, 4(2), 23-29. <https://doi.org/10.36526/jipang.v4i2.2681>
- Susianto & Ramayulis, R. (2013). Fakta ajaib khasiat tempe. Jakarta: Swadaya Unggul.
- Sutaryo, Huda, S., Toba, G. A., Izza, A. S., & Rianto, E. (2023). Anaerobic co-digestion of tempe wastewater and dairy cow dung. *Livestock Research for Rural Development*, 35(12).
- Teoh, S. Q., Chin, N. L., Chong, C. W., Ripen, A. M., How, S., & Lim, J. J. L. (2024). A review on health benefits and processing of tempeh with outlines on its functional microbes. *Future Foods*, 9, Article 100330. <https://doi.org/10.1016/j.fufo.2024.100330>
- Thierry, A., Baty, C., Marché, L., Chuat, V., Picard, O., Lortal, S., & Valence, F. (2023). Lactofermentation of vegetables: an ancient method of preservation matching new trends. *Trends in Food Science & Technology*, 139, Article 104112. <https://doi.org/10.1016/j.tifs.2023.07.009>

- Tortora, G. J., Funke, B. R., & Case, C. L. (2007). *Microbiology: an introduction*. Pearson Benjamin Cummings. San Francisco.
- Udenigwe, C. C. (2021). *Food proteins and peptides: emerging biofunctions, food and biomaterial applications*. Burlington House. England.
- Wang, H., He, X., Li, J., Wu, J., Jiang, S., Xue, H., Zhang, J., Jha, R., & Wang, R. (2024). Lactic acid bacteria fermentation improves physicochemical properties, bioactivity, and metabolic profiles of *Opuntia ficus-indica* fruit juice. *Food Chemistry*, 453, Article 139646. <https://doi.org/10.1016/j.foodchem.2024.139646>
- Warisno & Kres, D. (2010). *Meraup untung dari olahan kedelai*. Jakarta: AgroMedia Pustaka.
- Wen, R., Sun, F., Wang, Y., Chen, Q., Kong, B. (2021). Evaluation the potential of lactic acid bacteria isolates from traditional beef jerky as starter cultures and their effects on flavor formation during fermentation. *Food Science and Technology*, 142, Article 110982. <https://doi.org/10.1016/j.lwt.2021.110982>
- Xue, Z., Wang, C., Cao, J., Luo, J., Feng, Q., Fang, F., Li, C., & Zhang, Q. (2018). An alternative carbon source withdrawn from anaerobic fermentation of soybean wastewater to improve the deep denitrification of tail water. *Biochemical Engineering Journal*, 132, 217-224. <https://doi.org/10.1016/j.bej.2018.01.025>
- Yin, L., Liu, Z., Lu, X., Cheng, J., Lu, G., Sun, J., Yang, H., Guan, Y., & Pang, L. (2023). analysis of the nutritional properties and flavor profile of sweetpotato residue fermented with *Rhizopus oligosporus*. *Food Science and Technology*, 174, Article 114401. <https://doi.org/10.1016/j.lwt.2022.114401>
- Yudianti, N. F., Yanti, R., Cahyanto, M. N., Rahayu, E. S., & Utami, T. (2020). Isolation and characterization of lactic acid bacteria from legume soaking water of tempeh productions. *Life Sciences*, 2, Article 00003. <https://doi.org/10.29037/digitalpress.22328>
- Yudiono, K. (2020). Peningkatan daya saing kedelai lokal terhadap kedelai impor sebagai bahan baku tempe melalui pemetaan fisiko-kimia. *Agrointek*, 14(1), 57-66. <https://doi.org/10.21107/agrointek.v14i1.6311>
- Yusuf, A. I., Nazaruddin, & Amaro, M. (2021). Analisis mutu kimia, mikrobiologi dan organoleptik tempe kedelai dengan penambahan sari belimbing wuluh (*Avverhoa bilimbi*) pada proses perendaman kedelai. *Jurnal Ilmu dan Teknologi Pangan*, 7(2), 41-52. <https://doi.org/10.29303/profood.v7i2.225>

- Zaki, H. M. (2009). The effect of zinc concentration on vacancies jump rate, diffusion coefficient and jump length in Cu-Zn ferrite. *Journal of Physics and Chemistry of Solids*, 70, 889-892. <https://doi.org/10.1016/j.jpcs.2009.04.014>
- Zhang, L., Hu, Y., Wang, X., Fakayode, O. A., Ma, H., Zhou, C., Xia, A., & Li, Q. (2021). Improving soaking efficiency of soybeans through sweeping frequency ultrasound assisted by parameters optimization. *Ultrasonics Sonochemistry*, 79, Article 105794. <https://doi.org/10.1016/j.ultsonch.2021.105794>.
- Zhao, X., Tang, F., Cai, W., Peng, B., Zhang, P., & Chunhui, S. (2023). Effect of fermentation by lactic acid bacteria on the phenolic composition, antioxidant activity, and flavor substances of jujube–wolfberry composite juice. *LWT*, 184, Article 114884. <https://doi.org/10.1016/j.lwt.2023.114884>
- Zhao, X., Yang, Y., Cui, J., Gan, Y., & Yang, Q. (2024). Exploring the role of lactic acid bacteria involved in bread fermentation in improving flavor via intelligent sensory technologies and GC×GC-ToF-MS. *Food Science and Technology*, 199, Article 116142. <https://doi.org/10.1016/j.lwt.2024.116142>
- Zheng, Z., Wei, L., Zhu, M., Qian, Z., Liu, J., Zhang, L., & Xu, Y. (2023). Effect of lactic acid bacteria co-fermentation on antioxidant activity and metabolomic profiles of a juice made from wolfberry and longan. *Food Research International*, 174, Article 113547. <https://doi.org/10.1016/j.foodres.2023.113547>