UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Air Rebusan serta Air Rendaman Kedelai terhadap Perubahan Kimiawi dan Mikrobiologis selama Fermentasi Asam pada Proses Produksi Tempe
Tasya Sienita, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.

Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Aguilera, J. S. & Stanley, D. W. (1999). Microstructural principles of food processing and engineering. Aspen Publication. Maryland.

Aguirre-Garcia, Y. L., Nery-Flores, S. D., Campos-Muzquiz, L. G., Flores-Gallegos, A. C., Palomo-Ligas, L., Ascacio-Valdés, J. A., Sepúlveda-Torres, L., & Rodríguez-Herrera, R. (2024). Lactic acid fermentation in the food industry and bio-preservation of food. *Fermentation, 10*(3), 168. https://doi.org/10.3390/fermentation10030168

Agume, A. S. N., Njintang, N. Y., & Mbofung, C. M. (2017). Effect of soaking and roasting on the physicochemical and pasting properties of soybean flour. *Foods, 6*(12), 1-10. https://doi.org/ doi:10.3390/foods6020012

Ahmad, A., Othman, I., Tardy, B. L., Hasan, S. W., & Banat, F. (2022). Enhanced lactic acid production with indigenous microbiota from date pulp waste and keratin protein hydrolysate from chicken feather waste. *Bioresource Technology Reports, 18*, Article 101089. https://doi.org/10.1016/j.biteb.2022.101089

Aidah, S. N. (2020). Ensiklopedi kedelai: deskripsi, filosofi, manfaat, budidaya dan peluang bisnisnya. Yogyakarta: KBM Indonesia.

Amaliah, Z. Z. N., Bahri, S., & Amelia, P. (2018). Isolasi dan karakterisasi bakteri asam laktat dari limbah cair rendaman kacang kedelai. *Jurnal Fitofarmaka, 5*(1), 253-257. https://doi.org/10.33096/jffi.v5i1.320

Amanah, Y. S., Sya'di, Y. K., & Handarsari, E. (2019). Kadar protein dan tekstur pada tempe koro benguk dengan substitusi kedelai hitam. *Jurnal Pangan dan Gizi, 9*(2), 119-127. https://doi.org/10.26714/jpg.9.2.2019.69-78

Amanda, R. S. A., Widanti, Y. A., & Mustofa, A. (2018). Pemanfaatan tepung kulit ari kedelai (*Glycine max*) sebagai penambah serat pada cookies dengan flavor pisang ambon (*Musa acuminata colla*). *Jurnal Teknologi dan Industri Pangan, 3*(2), 129-134. https://doi.org/10.33061/jitipari.v3i2.2695

Ansar & Abdullah, S. H. (2022). Teknik pengupasan kulit ari biji kedelai menggunakan mesin pengupas. *Jurnal Abdi Mas TPB, 4*(2), 146-151. https://doi.org/10.29303/amtpb.v4i2.116

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Air Rebusan serta Air Rendaman Kedelai terhadap Perubahan Kimiawi dan Mikrobiologis selama Fermentasi Asam pada Proses Produksi Tempe
Tasya Sienita, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

[AOAC] Association of Official Analytical Chemist. (2005). Official methods of analysis of the association of analytical chemist. Association of Official Analytical Chemist. Virginia.

Aryani, T., & Ernawati, D. (2022). Analysis of lactic acid levels in breastmilk before and after storage at room temperature and refrigerator temperature. *Jurnal Kesehatan*, *11*(1), 39-46. https://doi.org/10.46815/jk.v11i1.76

Astawan, M., Wresdiyati, T., & Maknun, L. (2017). Tempe sumber zat gizi dan komponen bioaktif untuk kesehatan. Bogor: IPB Press.

Astawan, M., Wresdiyati, T., Widowati, S., Bintari, S. H., & Ichsani, N. (2013). Karakteristik fisikokimia dan sifat fungsional tempe yang dihasilkan dari berbagai varietas kedelai. *Jurnal Pangan*, *22*(3), 241-252. https://doi.org/10.33964/jp.v22i3.102

Astawan, M., Humayrah, W., Dewi, L., Anwar, K., & Novianti, A. (2021). Gastronomi 100+Inovasi Tempe: Persembahan dari Indonesia untuk Dunia. Bogor: IPB Press.

[BSN] Badan Standardisasi Nasional. (2015). SNI 3144:2015. Tempe kedelai. Jakarta.

Balmaseda, A., Miot-Sertier, C., Lytra, G., Poulain, B., Reguant, C., Lucas, P., & Nioi C. (2024). Application of white wine lees for promoting lactic acid bacteria growth and malolactic fermentation in wine. *International Journal of Food Microbiology*, *413*, Article 110583. https://doi.org/10.1016/j.ijfoodmicro.2024.110583

Barbosa, M. L. S., de Alencar, E. R., Leandro, E. dos Santos, Borges, R. W., Mendonça, M. A., & Ferreira, W. F. de Souza. (2020). Characterization of fermented beverages made with soybean and brazil nut hydrosoluble extracts. *International Journal of Gastronomy and Food Science*, *21*, Article 100228. https://doi.org/10.1016/j.ijgfs.2020.100228

Barus, T., Giovania, G., & Lay, B. W. (2021). Lactic acid bacteria from tempeh and their ability to acidify soybeans in tempeh fermentation. *Microbiology Indonesia*, *14*(4), 149-155. https://doi.org/10.5454/mi.14.4.4

Barus, T., Widyah, Wicaksono, W. A., & Prasasty, V. D. (2021). Identifikasi bakteri yang berperan dalam pengasaman kedelai dalam fermentasi tempe berdasarkan sekuen 16S rDNA. *Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati*, *6*(2), 71-77. https://doi.org/10.24002/biota.v6i2.4029

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Air Rebusan serta Air Rendaman Kedelai terhadap Perubahan Kimiawi dan Mikrobiologis selama Fermentasi Asam pada Proses Produksi Tempe
Tasya Sienita, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.

Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Bavia, A. C. F., da Silva, C. E., Ferreira, M. P., Leite, R. S., Mandarino, J. M. G., & Carrão-Panizzi, M. C. (2012). Chemical composition of tempeh from soybean cultivars specially developed for human consumption. *Food Science Technology*, *32*(3). https://doi.org/10.1590/S0101-20612012005000085.

[BPS] Badan Pusat Statistik. (2023). Rata-rata konsumsi perkapita seminggu menurut kelompok kacang-kacangan per kabupaten/kota (satuan komoditas). Jakarta.

Catharina Y.W. Ang, Liu, K., & Huang, Y. (1999). Asian foods: science and technology. Technomic Publishing. Lancaster.

Cele, N. P., Akinola, S. A., Manhivi, V. E., Shoko, T., Remize, F., & Sivakumar, D. (2022). Influence of lactic acid bacterium strains on changes in quality, functional compounds and volatile compounds of mango juice from different cultivars during fermentation. *Foods*, *11*, 682. https://doi.org/10.3390/ foods11050682

Cempaka, L., Widyana, M. A., & Astuti, R. M. (2020). Karakteristik Sensori dan Analisis Mikroba Tempe Segar Beraneka Rasa. *Jurnal Ilmu Pangan dan Hasil Pertanian*, *4*(1), 43-58. http://doi.org/10.26877/jiphp.v4i1.4633

Cundari, L., Tiara, A., & Zannah, K. Y. (2023). Biocoagulant effectivity test in tempe wastewater treatment: the effect of biocoagulant type and dosage. *Jurnal Litbang Industri*, *13*(2), 99-106. http://dx.doi.org/10.24960/jli.v13i2.8098.99-106

Desfita, S., Yusmarini, Sari, W., dan Pato, U. (2020). Susu fermentasi kedelai dan madu potensi untuk meningkatkan kesehatan tulang wanita menopause. Yogyakarta: Deepublish.

Dewi, I. W. R., Anam, C., & Widowati, E. (2014). Karakteristik sensoris, nilai gizi dan aktivitas antioksidan tempe kacang gude (*Cajanus cajan*) dan tempe kacang tunggak (*Vigna unguiculata*) dengan berbagai variasi waktu fermentasi. *Jurnal Biofarmasi, 12*(2), 73-82. https://doi.org/10.13057/biofar/f120204

Dopazo, V., Musto, L., Nazareth, T. De Melo, Lafuente, C., Meca, G., & Luz, C. (2024). Revalorization of rice bran as a potential ingredient for reducing fungal contamination in bread by lactic acid bacterial fermentation. *Food Bioscience, 58*, Article 103703. https://doi.org/10.1016/j.fbio.2024.103703

Duniaji, A. S., Wisaniyasa, W., Puspawati, N. N., & Indri, M. H. A. (2019). Isolation and identification of rhizopus oligosporus local isolate derived from

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Air Rebusan serta Air Rendaman Kedelai terhadap Perubahan Kimiawi dan Mikrobiologis selama Fermentasi Asam pada Proses Produksi Tempe
Tasya Sienita, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

several inoculum sources. *Int. J. Curr. Microbiol. App. Sci.*, *8*(9), 1085-1098. https://doi.org/10.20546/ijcmas.2019.809.126

Egbune, E. O., Avwioroko, O. J., Anigboro, A. A., Aganbi, E., Amata, A., & Tonukari, N. J. (2022). Characterization of a surfactant-stable α-amylase produced by solid-state fermentation of cassava (*Manihot esculenta crantz*) tubers using *Rhizopusoligosporus*: kinetics, thermal inactivation thermodynamics and potential application in laundry industries. *Biocatalysis and Agricultural Biotechnology 39*, 102290. https://doi.org/10.1016/j.bcab.2022.102290

Ellent, S. S. C., Dewi, L., Tapilouw, M. C. (2022). Karakteristik mutu tempe kedelai (*Glycine max* L.) yang dikemas dengan klobot. *Jurnal Teknologi Pertanian, 11*(1), 32-40. https://doi.org/10.30598/jagritekno.2022.11.1.32

El-Shemy, H. A. (2013). Soybean – bio-active compounds. InTech. Rijeka.

Faizah, M. & Yuliana, A. I. (2019). Manfaat biofertilizer dan mikoriza terhadap tanaman kedelai. Jombang: LPPM Universitas KH. A. Wahab Hasbullah

Fallo, G. & Sine, Y. (2022). Identification of lactic acid bacteria and quality parameter of tempeh obtained from red kidney beans (*Phaseolus vulgaris*) and cowpeas (*Vigna unguiculata*). *Jurnal Ilmiah Biologi, 10*(1), 53-65. https://doi.org/10.24252/bio.v10i1.27349

Fazrin, H., Dharmawibawa, I. D., Armiani, S. (2020). Studi organoleptik tempe dari perbandingan kacang komak (*Lablab purpureus* (L.) Sweet) dengan berbagai konsentrasi ragi dan lama fermentasi sebagai bahan penyusun brosur. *Bioscientist: Jurnal Ilmiah Biologi*, *8*(1), 39-47. https://doi.org/10.33394/bioscientist.v8i1.2662

Ghazanfari, N., Fallah, S., Vasiee, A., & Yazdi, F. T. (2023). Optimization of fermentation culture medium containing food waste for l-glutamate production using native lactic acid bacteria and comparison with industrial strain. Food *Science and Technology, 184*, Article 114871. https://doi.org/10.1016/j.lwt.2023.114871

Gómez-Limia, L., Carballo, J., Rodríguez-González, M., Martínez, S. (2022). Impact of the filling medium on the colour and sensory characteristics of canned european eels (*Anguilla anguilla* L.). *Foods*, *11*(8), 1115. https://doi.org/10.3390/foods11081115

Hambali, E., Mujdalifah, S., Halomoan, A., Tambunan, Pattiwiri, A. W., & Hendroko, R. (2007). Teknologi bioenergi. Jakarta: AgroMedia Pustaka.

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Air Rebusan serta Air Rendaman Kedelai terhadap Perubahan Kimiawi dan Mikrobiologis selama Fermentasi Asam pada Proses Produksi Tempe
Tasya Sienita, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Hamidsu, E., Ansharullah, & Faradilla, F. (2023). Analisis pengaruh umur perkecambahan dan lama fermentasi terhadap nilai organoleptik dan mutu tempe kecambah kedelai. *Jurnal Sains dan Teknologi Pangan, 8*(4), 6470-6483. http://dx.doi.org/10.33772/jstp.v8i4.43264

Handoyo, T. & Morita, N. (2006). Structural and functional properties of fermented soybean (tempeh) by using *Rhizopus oligosporus*. *International Journal of Food Properties, 9*(2), 347-355. https://doi.org/10.1080/10942910500224746

Harahap, R. H., Lubis, Z., & Kaban, J. (2018). Komponen flavor volatil tempe yang dibungkus dengan daun pisang dan plastik. *Agritech, 38*(2), 194-199. http://doi.org/10.22146/agritech.24720

Harmayani, E., Santoso, U., & Gardjito, M. (2016). Makanan tradisional indonesia: kelompok makanan fermentasi dan makanan yang populer di masyarakat. Yogyakarta: UGM Press.

Hasan, A. Artika, I. Made, & Abidin, S. (2014). Produksi asam laktat dan pola pertumbuhan bakteri asam laktat dengan pemberian dosis rendah propolis *Trigona* spp asal Pandeglang Indonesia. *Current Biochemistry, 1*(3), 126-135. https://doi.org/10.29244/cb.1.3.126-135

He, Y., Hu, M., He, W., Li, Y., Liu, S., Hu, X. Nie S., Yin, J., & Xie, M. (2024). Volatile compound dynamics during blueberry fermentation by lactic acid bacteria and its potential associations with bacterial metabolism. *Food Bioscience, 59*, Article 103639. https://doi.org/10.1016/j.fbio.2024.103639

Hikma, N., Alwi, M., & Umrah. (2014). Potensi limbah cair tempe secara mikrobiologis sebagai alternatif penghasil biogas. *Biocelebes, 8*(1), 54-59.

Ihsan, B. (2021). Dasar-dasar mikrobiologi. Jakarta: Insan Cedekia Mandiri.

Iman, M. N., Irdiani, R., Rahmawati, D., Fukusaki, E., & Putri, S. P. (2023). Improvement of the functional value of green soybean (edamame) using germination and tempe fermentation: a comparative metabolomics study. *Journal of Bioscience and Bioengineering, 136*(3), 205-212. https://doi.org/10.1016/j.jbiosc.2023.05.012

Isnawati, M., wijaningsih, W., & Tursilowati, S. (2021). Tempe gembus: pengolahan dan potensi gizi. Pekalongan: Nasya Expanding Management.

Jia, J., Tian, L., Song, Q., Liu, X., Rubert, J., Li, M., & Duan, X. (2023). Investigation on physicochemical properties, sensory quality and storage stability of mayonnaise prepared from lactic acid fermented egg yolk. *Food*

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Air Rebusan serta Air Rendaman Kedelai terhadap Perubahan Kimiawi dan Mikrobiologis selama Fermentasi Asam pada Proses Produksi Tempe
Tasya Sienita, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Chemistry, *415*, Article 135789. https://doi.org/10.1016/j.foodchem.2023.135789

Kasmidjo, R. B. (1990). Tempe: mikrobiologi dan biokimia pengolahan serta pemanfaatannya. Yogyakarta: UGM Press.

Khalisa, Lubis, Y. M., & Agustina, R. (2021). Uji organoleptik minuman sari buah belimbing wuluh (*Averrhoa bilimbi*.L). *Jurnal Ilmiah Mahasiswa Pertanian*, *6*(4), 594-601. https://doi.org/10.17969/jimfp.v6i4.18689

Kim, S., Kim, J., Kim, Y. Y., Yang, J. E., Lee, H. M., Hwang, I. M., Park, H. W., & Kim, H. M. (2024). Utilization of coffee waste as a sustainable feedstock for high-yield lactic acid production through microbial fermentation. *Science of the Total Environment*, *912*, Article 169521. https://doi.org/10.1016/j.scitotenv.2023.169521

Komala, P. S., Dewilda, Y., & Wulandari, Z. (2013). Biodegradation of azo dye remazol black 5 by mono culture bacteria with tempe industrial wastewater as co-substrate. *International Journal of Technology*, *3*, 240-248. http://dx.doi.org/10.14716/ijtech.v5i1.120

Kustyawati, M. E., Pratama, F., Saputra, D., & Wijaya, A. (2014). Modifikasi warna, tekstur dan aroma tempe setelah diproses dengan karbon dioksida superkritik. *Jurnal Teknologi dan Industri Pangan*, *25*(2), 168-175. https://doi.org/10.6066/jtip.2014.25.2.168

Kusumawati, I., Astawan, M., & Prangdimurti, E. (2020). Proses produksi dan karakteristik tempe dari kedelai pecah kulit. *Jurnal Pangan, 29*(2), 117-126. https://doi.org/10.33964/jp.v29i2.492

Lahtinen, Ouwehand, A., Salminen, S., & Wright, Atte von. (2012). Lactic acid bacteria: microbiological and functional aspects, fourth edition. CRC Press. Boca Raton.

Laksono, A. S., Marniza, & Rosalina, Y. (2019). Karakteristik mutu tempe kedelai lokal varietas anjasmoro dengan variasi lama perebusan dan penggunaan jenis pengemas. *Jurnal Agroindustri, 9*(1), 8-18. https://doi.org/ 10.31186/j.agroind.9.1.8-18

Laophongphit, A., Wichiansri, S., Siripornadulsil, S., & Siripornadulsil, W. (2024). Enhancing the nutritional value and functional properties of mango pulp via lactic acid bacteria fermentation. *Food Science and Technology*, *197*, Article 115878. https://doi.org/10.1016/j.lwt.2024.115878

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Air Rebusan serta Air Rendaman Kedelai terhadap Perubahan Kimiawi dan Mikrobiologis selama Fermentasi Asam pada Proses Produksi Tempe
Tasya Sienita, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Latif, I. (2022). Teknik budidaya kedelai. Jakarta: Elementa Agro Lestari.

Lian, T., Zhang, W., Cao, Q., Wang, S., Yin, F., Zhou, T., Zhang, F., & Dong, H. (2023). Efficient production of lactic acid from anaerobic co-fermentation of starch and nitrogen-rich agro-industrial waste using a batch system. *Chemical Engineering Journal, 471,* Article 144689. https://doi.org/10.1016/j.cej.2023.144689

Lim, J., Nguyen, T. T. H., Pal, K., Kang, C. G., Park, C., Kim, S. W., & Kim, D. (2022). Phytochemical properties and functional characteristics of wild turmeric (*Curcuma aromatica*) fermented with *Rhizopus oligosporus*. *Food Chemistry: X, 13*, Article 100198. https://doi.org/10.1016/j.fochx.2021.100198

Lin, S., Zhang, X., Wang, J., Li, T., & Wang, L. (2024). Effect of lactic acid bacteria fermentation on bioactive components of black rice bran (*Oryza sativa* L.) with Different Milling Fractions. *Food Bioscience, 58,* Article 103684. https://doi.org/10.1016/j.fbio.2024.103684

Liu, K. (1997). Soybeans: chemistry, technology, and utilization. Internasional Thomson Publishing. New York.

Liu, G., Wu, M., Li, Y., Qayyum, N., Li, X., Zhang, J., & Wang, C. (2023). The effect of different pretreatment methods on jujube juice and lactic acid bacteria-fermented jujube juice. *Food Science and Technology, 181,* Article 114692. https://doi.org/10.1016/j.lwt.2023.114692

Liu, S., Li, Y., Song, X., Hu, X., He, Y., Yin, J., Nie, S., & Xie, M. (2023). Changes in volatile and nutrient components of mango juice by different lactic acid bacteria fermentation. *Food Bioscience, 56,* Article 103141. https://doi.org/10.1016/j.fbio.2023.103141

Liuspiani, A., HimayatulAsri, I., Lestarini, Y., Muspita, Z., & Husni, M. (2020). Pengaruh jenis bahan kemasan terhadap kualitas organoleptik dan daya simpan tempe kedelai. *Jurnal Ilmu Sosial dan Pendidikan, 4*(4), 521-524. http://dx.doi.org/10.58258/jisip.v4i4.1565

Madigan, M. T., Martinko, J. M., Bender, K. S., Buckley, D., & Stahl, D. A. (2014). Brock biology of microorganisms, fourteen edition. Benjamin Cummings. Boston.

Magdalena, S., Hogaputri, J. E., Yulandi, A., & Yogiara, Y. (2022). The addition of lactic acid bacteria in the soybean soaking process of tempeh. *Food Research, 6(*3*),* 27-33. https://doi.org/10.26656/fr.2017.6(3).304

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Air Rebusan serta Air Rendaman Kedelai terhadap Perubahan Kimiawi dan Mikrobiologis selama Fermentasi Asam pada Proses Produksi Tempe
Tasya Sienita, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Mandha, J., Shumoy, H., Devaere, J., Schouteten, J. J., Gellynck, X., de Winne, A. Matemu, A. O., & Raes K. (2021). Effect of lactic acid fermentation of watermelon juice on its sensory acceptability and volatile compounds. *Food Chemistry, 358*, Article 129809. https://doi.org/10.1016/j.foodchem.2021.129809

Meilgaard, M. C., Civille, G. V., & Carr, B. T. (2007). Sensory evaluation techniques. CRC Press. Boca Raton.

Messadi, N., Mechmeche, M., Setti, K., Tizemmour, Z., Hamdi, M., & Kachouri, F. (2023). Consumer perception of a new non-dairy functional beverage optimized made from lactic acid bacteria fermented date fruit extract. *International Journal of Gastronomy and Food Science, 34*, Article 100831. https://doi.org/10.1016/j.ijgfs.2023.100831

Mo, H., Kariluoto, S., Piironen, V., Zhu, Y., Sanders, M. G., Vincken, J., Wolkers-Rooijackers, J., & Nout, M. J. R. (2013). Effect of soybean processing on content and bioaccessibility of folate, vitamin B_{12} and isoflavones in tofu and tempe. *Food Chemistry, 141*, 2418-2425. http://dx.doi.org/10.1016/j.foodchem.2013.05.017

Mulyowidarso, R. K., Fleet, G. H., & Buckle, K. A. (1989). The microbial ecology of soybean soaking for tempe production. *International Journal of Food Microbiology, 8*(1), 35–46. https://doi.org/ 10.1016/0168-1605(89)90078-0

Munu, N.,Kigozi, J., Zziwa, A., Kambugu, R., Wasswa, J., & Tumutegyereize, P. (2016). Effect of ambient-soaking tim on soybean characteristics for traditional soymilk extraction. *Journal of advances in Food & Technology, 3*(3), 119-128.

Nazarena, Y., Malahayati, N., & Priyanto, G. (2021). Pengaruh perendaman kedelai terhadap mutu sari kedelai. *Jurnal Sains dan Teknologi Pangan, 6*(2), 3866-3877. http://dx.doi.org/10.33772/jstp.v6i2.16123

Nemati, V., Hashempour-baltork, F., Alizadeh, A. M., & Varzakas, T. (2023). Production of traditional torba yogurt using lactic acid bacteria isolated from fermented vegetables: microbiological, physicochemical and sensory properties. *Journal of Agriculture and Food Research, 14*, Article 100850. https://doi.org/10.1016/j.jafr.2023.100850.

Nout, M. J. R. & Kiers, J. L. (2005). Tempe fermentation, innovation and functionality: update into the third millenium. *Journal of Applied Microbiology, 98*(4), 789–805. https://doi.org/10.1111/j.1365-2672.2004.02471.x

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Air Rebusan serta Air Rendaman Kedelai terhadap Perubahan Kimiawi dan Mikrobiologis selama Fermentasi Asam pada Proses Produksi Tempe
Tasya Sienita, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.

Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Nout, M. J. R., Dreu, M. A., Zuurbier, A. M., Bonants-van Laarhoven, T. M. G. (1987). Ecology of controlled soyabean acidification for tempe manufacture. *Food Microbiology, 4*, 165-172. https://doi.org/10.1016/0740-0020(87)90032-3

Novita, E., Hermawan, A. A. G., & Wahyuningsih, S. (2019). Komparasi proses fitoremediasi limbah cair pembuatan tempe menggunakan tiga jenis tanaman air. *Jurnal Agroteknologi*, *13*(1), 16-24. https://doi.org/10.19184/j-agt.v13i01.8000

Nurwahidah, A. & Alif, T. (2022). Potensi air rebusan kedelai sebagai media alternatif perbanyakan bakteri *Pseudomonas fluorescens* sebagai agen hayati. *Jurnal Matematika & Sains*, *2*(1), 203-210. https://doi.org/10.552273/jms.v2i1.127

Paba, A., Chessa, L., Daga, E., Campus, M., Bulla, M., Angioni, A., Sedda, P., & Comunian, R. (2020). Do best-selected strains perform table olive fermentation better than undefined biodiverse starters? A comparative study. *Foods, 9*(135). https://doi.org/10.3390/foods9020135

Pakpahan, M. R. R. B., Ruhiyat, R. & Hendrawan, D. I. (2021). Karakteristik air limbah industri tempe (studi kasus: industri Tempe Semanan, Jakarta Barat). *Jurnal Bhuwana*, *1*(2), 164-172. https://doi.org/10.25105/bhuwana.v1i2.12535

Paramita, V. D., lo Piccolo, J. D., & Kasapis, S. (2017). Effect of co-solute cocentration on the diffusion of linoleic acid from whey protein matrices. *Food Hydrocolloids, 70,* 277-285. http://dx.doi.org/10.1016/j.foodhyd.2017.04.002

Pisol, B., Abdullah, N., Khalil, K. A., Nuraida, L. (2015). Isolation and identification of lactic acid bacteria from different stages of traditional malaysian tempeh production. *Malaysian Journal of Microbiology*, *11*(4), 358-364. http://dx.doi.org/10.21161/mjm.71415

Prativi, M. B. N., Astuti, D. I., Putri, S. P., Lavina, W. A., Fukusaki, E., & Aditiawati, P. (2023). Metabolite changes in Indonesian tempe production from raw soybeans to over-fermented tempe. *Metabolites, 13*, 300. https://doi.org/10.3390/ metabo13020300

Purawisastra, S., Slamet, D. S., & Soetrisno, U. S. S. (1993). Perubahan kandungan protein dan komposisi asam amino kedelai pada waktu pembuatan tempe dan tahu. *Peneliti Gizi Makanan*, 117-124. https://dx.doi.org/10.22435/pgm.v0i0.2287

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Air Rebusan serta Air Rendaman Kedelai terhadap Perubahan Kimiawi dan Mikrobiologis selama Fermentasi Asam pada Proses Produksi Tempe
Tasya Sienita, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.

Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Purwanti, A. (2018). Pengenalan pembuatan susu sehat bernutrisi dari kedelai untuk berwirausaha di Dusun Blawong II Trimulyo Jetis Kabupaten Bantul. *Jurnal Inovasi Proses, 3*(2), 83-89.

Purwanti, I. F., Simamora, D., & Kurniawan, S. B. (2018). Toxicity test of tempe industrial wastewater on *Cyperus rotundus* and *Scirpus grossus*. *International Journal of Civil Engineering and Technology, 9*(4), 1166-1172.

Puspitasari, D., Nasir, M., & Azmin, N. (2022). Uji organoleptik tempe dari biji asam (*Tamarindus indica*) berdasarkan waktu fermentasi. *Jurnal Sains dan Terapan, 1*(1), 8-14. https://doi.org/10.55784/juster.Vol1.Iss1.12

Rachmah, A. N., Cempaka, L., & Mukaromah, A. S. (2024). Jenis ragi dan bahan pembungkus terhadap kualitas tempe. *Berkala Ilmiah Biologi, 15*(2), 82-91. https://doi.org/10.22146/bib.v15i2.6341

Radiarti, A. & Sumarto. (2016). Analisis sifat fisik, sifat organoleptik, dan kandungan gizi pada produk tempe dari kacang non-kedelai. *Jurnal Aplikasi Teknologi Pangan, 5*(1), 16-22.

Radita, R., Suwanto, A., Kurosawa, N., Wahyudi, A. T. (2017). Metagenome analysis of tempeh production: where did the bacterial community in tempeh come from?. *Malaysian Journal of Microbiology, 13*(4), 280-288. https://doi.org/ 10.21161/mjm.101417

Rahmadhia, S. N., Santoso, U., & Supriyadi. (2019). Ekstrak daun pisang klutuk (*Musa balbisiana Colla*) sebagai bahan tambahan pada pembuatan kemasan aktif berbasis methyl cellulose. *Jurnal Teknik Kimia, 6*(1), 7-14. http://dx.doi.org/10.26555/chemica.v6i1.13724

Reu, J. C., Rombouts, F. M., & Nout, M. J. R. (1995). Influence of acidity and initial substrate temperature on germination of *Rhizopus oligosporus* sporangiospores during tempe manufacture. *Journal of Applied Bacteriology, 78*, 200-208. https://doi.org/10.1111/j.1365-2672.1995.tb02843.x

Reu, J. C., Wolde, R. M., Groot, J., Nout, M. J. R., Rombouts, F. M. & Gruppen, H. (1995). Protein hydrolysis during soybean tempe fermentation with *Rhizopus oligosporus*. *Journal of Agricultural and Food Chemistry, 43*, 2235-2239.

Rizal, S., Kustyawati, M. E., Suharyono, A. S., & Suyarto, V. A. (2022). Changes of nutritional composition of tempeh during fermentation with the addition of *Saccharomyces cerevisiae*. *Jurnal Biodiversitas, 23*(3), 1553-1559. https://doi.org/ 10.13057/biodiv/d23034

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Air Rebusan serta Air Rendaman Kedelai terhadap Perubahan Kimiawi dan Mikrobiologis selama Fermentasi Asam pada Proses Produksi Tempe
Tasya Sienita, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.

Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Roekhan, A., Dayanti, A. I., Oktaviani, R., Dewi, F. S., & Anastasya, N. A. (2020). Kemampuan multifungsi bakteri kitinolitik UB *forest* pada budidaya kedelai. Malang: UB Press.

Rohmatningsih, R. N. (2022). Pengaruh substitusi media limbah cair rebusan kedelai tempe terhadap kondisi pertumbuhan *Acetobacter xylinum* dalam starter *Bacterial Cellulose*. *Indonesian Journal of Laboratory*, *5*(3), 139-147.

Rohmawati, D., Djunaidi, I. H., & Widodo, E. (2015). Nilai nutrisi tepung kulit ari kedelai dengan level inokulum ragi tape dan waktu inkubasi berbeda. *J. Ternak Tropika*, *16*(1), 30-33. https://doi.org/10.21776/ub.jtapro.2015.016.01.5

Romulo, A. & Surya, R. (2021). Tempe: a traditional fermented food of Indonesia and its health benefits. *International Journal of Gastronomy and Food Science*, *26*, Article 100413. https://doi.org/10.1016/j.ijgfs.2021.100413

Rosenthal, A. J. (1999). Food texture: measurement and perception. Springer. New York.

Samtiya, M., Aluko, R. E., & Dhewa, T. (2020). Plant food anti-nutritional factors and their reduction strategies: an overview. *Food Production, Processing and Nutrition*, *2(*6*)*, 1-14. https://doi.org/10.1186/s43014-020-0020-5

Santhirasegaram V., George, D. S., Anthony, K. K., Singh, H. K. B., Saruan, N. M., Razali, Z., & Somasundram, C. (2016). Effects of soybean processing and packaging on the quality of commonly consumed local delicacy tempe. *Journal of Food Quality 39*, 675-684. https://doi.org/10.1111/jfq.12252

Santosa, E. A. & Retnaningrum, E. (2020). Karakterisasi fenotipik dan aktivitas antimikrobia bakteri asam laktat dari limbah produksi tempe. *Jurnal Sains Dasar*, 9(1), 1-10. https://doi.org/10.21831/jsd.v9i1.34486

Sapitri, Y., Hastuti, U. S., & Witjoro, A. (2018). Pengaruh ragi tempe dengan variasi substrat kacang tunggak (*Vigna unguiculata*) dan kacang kedelai (*Glycine max* (L) Merill.) serta dosis ragi tempe terhadap kualitas tempe kedelai. *Jurnal Ilmu Hayat*, 2(1), 1-8.

Sari, D., & Rahmawati, A. (2020). Analisa kandungan limbah cair tempe air rebusan dan air rendaman kedelai. *Jurnal Ilmiah Kesehatan Media Husada*, *9*(1), 36-41. https://doi.org/10.33475/jikmh.v9i1.210

Sarwono, B. (2010). Usaha membuat tempe dan oncom. Jakarta: Penebar Swadaya.

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Air Rebusan serta Air Rendaman Kedelai terhadap Perubahan Kimiawi dan Mikrobiologis selama Fermentasi Asam pada Proses Produksi Tempe
Tasya Sienita, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.

Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Setiarto, R. H. B. & Widhayastuti, N. (2016). Pengaruh fermentasi bakteri asam laktat terhadap sifat fisikokimia tepung gadung modifikasi (*Dioscorea hispida*). *Jurnal Litbang Industri*, 6(1), 61-72. https://doi.org/10.24960/jli.v6i1.1134.61-72

Setiarto, R. H. B. (2020). Teknologi fermentasi pangan tradisional dan produk olahannya. Bogor: Guepedia.

Setyawan, G. & Huda, S. (2022). Analisis pengaruh produksi kedelai, konsumsi kedelai, pendapatan per kapita, dan kurs terhadap impor kedelai di Indonesia. *Jurnal Ekonomi dan Manajemen*, *19*(2), 215-225. https://doi.org/10.30872/jkin.v19i2.10949

Sine, Y. & Soetarto, E. (2020). Kualitas tempe gude (*Cajanus Cajan* (L) Millps.) berdasarkan karakteristik morfologi dan lama waktu fermentasi. *Jurnal Pendidikan dan Sains Biologi*, *3*(3), 96-102. https://doi.org/10.33323/indigenous.v3i3.167

Sitanggang, A. B., Lesmana, M., & Budijanto, S. (2020). Membrane-based preparative methods and bioactivities mapping of tempe-based peptides. *Food Chemistry*, *329*. Article 127193. https://doi.org/10.1016/j.foodchem.2020.127193

Song, C., Qiu, Y., Li, S., Liu, Z., Chen, G., Sun, L., Wang, K., & Kitamura, Y. (2019). A novel concept of bicarbonate-carbon utilization via an absorption-microalgae hybrid process assisted with nutrient recycling from soybean wastewater. *Journal of Cleaner Production, 237*, Article 117864. https://doi.org/10.1016/j.jclepro.2019.117864

Sorenson, W. G., & Hesseltine, C. W. (1986). Carbon and nitrogen utilization by *Rhizopus oligosporus*. *Mycologia 58*, 681-689. https://doi.org/10.1080/00275514.1966.12018361

Sousa, T. L., Sousa, K. A., Santos, D. C., Almeida, A. B., Rezende, T. A. M., Santana, R. V., Resende, O., & Egea, M. B. (2021). Bioingredient produced with fermentation of corn bran and “cerrado” cashew byproduct using *Rhizopus oligosporus* and forced-air oven drying: mathematical modeling and evaluation of quality parameters. *Bioactive Carbohydrates and Dietary Fibre 26*, Article 100262. https://doi.org/10.1016/j.bcdf.2021.100262

Suknia, S. L. & Rahmani, T. P. D. (2020). Proses pembuatan tempe *home industry* berbahan dasar kedelai (*Glycine max* (L.) Merr) dan kacang merah (*Phaseolus*

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Air Rebusan serta Air Rendaman Kedelai terhadap Perubahan Kimiawi dan Mikrobiologis selama Fermentasi Asam pada Proses Produksi Tempe
Tasya Sienita, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

vulgaris L.) di Candiwesi, Salatiga. *Southeast Asian Journal of Islamic Education, 3*(1), 59-76. https://doi.org/10.21093/sajie.v3i1.2780

Sulistiani & Hidayat, I. (2020). Identifikasi molekuler bakteri asam laktat dari tempe dan tape berdasarkan sekuen gen 16S rRNA. *Majalah Ilmiah Biologi Biosfera: A Scientific Journal*, *37*(2), 69-77. https://doi.org/10.20884/1.mib.2020.37.2.1149

Sumarlan, S. H., Prasetyo, J., Maghfiroh, L., & Hammam. (2024). Mekanisasi produksi serealia (jagung, kedelai, kacang tanah, sorgum). Malang: Media Nusa Creative.

Sumarmi. (2022). Potensi Pengembangan Kedelai di Indonesia. Malang: Inara Publisher.

Suparno, Giyanto, Kusumadati, W., & Sadono, A. (2020). Pengaruh lama perendaman kedelai dan proporsi tepung beras sebagai upaya meningkatkan mutu gizi tempe. *Agrienvi: Jurnal Ilmu Pertanian*, *14*(2), 50-58. https://doi.org/10.36873/aev.2020.14.2.50

Supinah, P., Setiawan, W. F., & Mulya, S. P. (2020). Sosialisasi pemanfaatan limbah tempe sebagai pupuk organik cair untuk pengelolaan berkelanjutan di Desa Kuripan Kertoharjo. *Jurnal Pusat Inovasi Masyarakat, 2*(4), 642-646.

Supriyanto, Setyawan, B., & Ulfa, R. (2022). Analisis kandungan protein dan organoleptik tempe dengan media yang berbeda. *Jurnal Teknologi Pangan dan Ilmu Pangan, 4*(2), 23-29. https://doi.org/10.36526/jipang.v4i2.2681

Susianto & Ramayulis, R. (2013). Fakta ajaib khasiat tempe. Jakarta: Swadaya Unggul.

Sutaryo, Huda, S., Toba, G. A., Izza, A. S., & Rianto, E. (2023). Anaerobic co-digestion of tempe wastewater and dairy cow dung. *Livestock Research for Rural Development, 35*(12).

Teoh, S. Q., Chin, N. L., Chong, C. W., Ripen, A. M., How, S., & Lim, J. J. L. (2024). A review on health benefits and processing of tempeh with outlines on its functional microbes. *Future Foods, 9,* Article 100330. https://doi.org/10.1016/j.fufo.2024.100330

Thierry, A., Baty, C., Marché, L., Chuat, V., Picard, O., Lortal, S., & Valence, F. (2023). Lactofermentation of vegetables: an ancient method of preservation matching new trends. *Trends in Food Science & Technology, 139,* Article 104112. https://doi.org/10.1016/j.tifs.2023.07.009

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Air Rebusan serta Air Rendaman Kedelai terhadap Perubahan Kimiawi dan Mikrobiologis selama Fermentasi Asam pada Proses Produksi Tempe
Tasya Sienita, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Tortora, G. J., Funke, B. R., & Case, C. L. (2007). Microbiology: an introduction. Pearson Benjamin Cummings. San Francisco.

Udenigwe, C. C. (2021). Food proteins and peptides: emerging biofunctions, food and biomaterial applications. Burlington House. England.

Wang, H., He, X., Li, J., Wu, J., Jiang, S., Xue, H., Zhang, J., Jha, R., & Wang, R. (2024). Lactic acid bacteria fermentation improves physicochemical properties, bioactivity, and metabolic profiles of *Opuntia ficus-indica* fruit juice. Food Chemistry, 453, Article 139646. https://doi.org/10.1016/j.foodchem.2024.139646

Warisno & Kres, D. (2010). Meraup untung dari olahan kedelai. Jakarta: AgroMedia Pustaka.

Wen, R., Sun, F., Wang, Y., Chen, Q., Kong, B. (2021). Evaluation the potential of lactic acid bacteria isolates from traditional beef jerky as starter cultures and their effects on flavor formation during fermentation. *Food Science and Technology, 142*, Article 110982. https://doi.org/10.1016/j.lwt.2021.110982

Xue, Z., Wang, C., Cao, J., Luo, J., Feng, Q., Fang, F., Li, C., & Zhang, Q. (2018). An alternative carbon source withdrawn from anaerobic fermentation of soybean wastewater to improve the deep denitrification of tail water. *Biochemical Engineering Journal, 132*, 217-224. https://doi.org/10.1016/j.bej.2018.01.025

Yin, L., Liu, Z., Lu, X., Cheng, J., Lu, G., Sun, J., Yang, H., Guan, Y., & Pang, L. (2023). analysis of the nutritional properties and flavor profile of sweetpotato residue fermented with *Rhizopus oligosporus*. *Food Science and Technology, 174*, Article 114401. https://doi.org/10.1016/j.lwt.2022.114401

Yudianti, N. F., Yanti, R., Cahyanto, M. N., Rahayu, E. S., & Utami, T. (2020). Isolation and characterization of lactic acid bacteria from legume soaking water of tempeh productions. *Life Sciences, 2*, Article 00003. https://doi.org/10.29037/digitalpress.22328

Yudiono, K. (2020). Peningkatan daya saing kedelai lokal terhadap kedelai impor sebagai bahan baku tempe melalui pemetaan fisiko-kimia. *Agrointek, 14*(1), 57-66. https://doi.org/10.21107/agrointek.v14i1.6311

Yusuf, A. I., Nazaruddin, & Amaro, M. (2021). Analisis mutu kimia, mikrobiologi dan organoleptik tempe kedelai dengan penambahan sari belimbing wuluh (*Avverhoa bilimbi*) pada proses perendaman kedelai. *Jurnal Ilmu dan Teknologi Pangan, 7*(2), 41-52. https://doi.org/10.29303/profood.v7i2.225

UNIVERSITAS
GADJAH MADA
Pengaruh Penambahan Air Rebusan serta Air Rendaman Kedelai terhadap Perubahan Kimiawi dan Mikrobiologis selama Fermentasi Asam pada Proses Produksi Tempe
Tasya Sienita, Dr. Ir. Muhammad Nur Cahyanto, M.Sc.; Prof. Dr. Ir. Tyas Utami, M.Sc.

Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Zaki, H. M. (2009). The effect of zinc concentration on vacancies jump rate, diffusion coefficient and jump length in Cu-Zn ferrite. *Journal of Physics and Chemistry of Solids, 70*, 889-892. https://doi.org/10.1016/j.jpcs.2009.04.014

Zhang, L., Hu, Y., Wang, X., Fakayode, O. A., Ma, H., Zhou, C., Xia, A., & Li, Q. (2021). Improving soaking efficiency of soybeans through sweeping frequency ultrasound assisted by parameters optimization. *Ultrasonics Sonochemistry*, *79*, Article 105794. https://doi.org/10.1016/j.ultsonch.2021.105794.

Zhao, X., Tang, F., Cai, W., Peng, B., Zhang, P., & Chunhui, S. (2023). Effect of fermentation by lactic acid bacteria on the phenolic composition, antioxidant activity, and flavor substances of jujube–wolfberry composite juice. *LWT, 184*, Article 114884. https://doi.org/10.1016/j.lwt.2023.114884

Zhao, X., Yang, Y., Cui, J., Gan, Y., & Yang, Q. (2024). Exploring the role of lactic acid bacteria involved in bread fermentation in improving flavor via intelligent sensory technologies and GC×GC-ToF-MS. *Food Science and Technology*, *199*, Article 116142. https://doi.org/10.1016/j.lwt.2024.116142

Zheng, Z., Wei, L., Zhu, M., Qian, Z., Liu, J., Zhang, L., & Xu, Y. (2023). Effect of lactic acid bacteria co-fermentation on antioxidant activity and metabolomic profiles of a juice made from wolfberry and longan. *Food Research International*, *174*, Article 113547. https://doi.org/10.1016/j.foodres.2023.113547