

DAFTAR PUSTAKA

- Abu Bakar, M.H. et al. (2020) ‘Celastrol attenuates inflammatory responses in adipose tissues and improves skeletal muscle mitochondrial functions in high fat diet-induced obese rats via upregulation of AMPK/SIRT1 signaling pathways’, *European Journal of Pharmacology*, 883(July), p. 173371. Available at: <https://doi.org/10.1016/j.ejphar.2020.173371>.
- Adewolu, A. et al. (2021) ‘Ameliorative Effects of Ethanolic Leaf Extract of *Physalis angulata* (Ewe Koropo) on Diabetic-Induced Wistar Rats in South West Nigeria Medicinal Chemistry Ameliorative Effects of Ethanolic Leaf Extract of *Physalis angulata* (Ewe Koropo) on Diabetic-Induced’, 11, p. 2021. Available at: <https://www.researchgate.net/publication/356604057>.
- Ahmad, K. et al. (2023) ‘Therapeutic application of natural compounds for skeletal muscle-associated metabolic disorders: A review on diabetes perspective’, *Biomedicine and Pharmacotherapy*, 168(October), p. 115642. Available at: <https://doi.org/10.1016/j.biopha.2023.115642>.
- Al-Olayan, E.M. et al. (2014) ‘The potential protective effect of *physalis peruviana* L. against carbon tetrachloride-induced hepatotoxicity in rats is mediated by suppression of oxidative stress and downregulation of MMP-9 expression’, *Oxidative Medicine and Cellular Longevity*, 2014. Available at: <https://doi.org/10.1155/2014/381413>.
- ATCC (2021) C2C12 CRL-1772. Available at: <https://www.atcc.org/products/crl-1772>.
- Atkinson, B.J. et al. (2013) ‘Moderate *glut4* overexpression improves insulin sensitivity and fasting triglyceridemia in high-fat diet-fed transgenic mice’, *Diabetes*, 62(7), pp. 2249–2258. Available at: <https://doi.org/10.2337/db12-1146>.
- Bakrim, S. et al. (2022) ‘Health Benefits and Pharmacological Properties of Stigmasterol’, *Antioxidants*, 11(10), pp. 1–32. Available at: <https://doi.org/10.3390/antiox11101912>.
- Beekmann, K. et al. (2015) ‘The effect of quercetin and kaempferol aglycones and glucuronides on peroxisome proliferator-activated receptor-gamma (PPAR- γ)’, *Food and Function*, 6(4), pp. 1098–1107. Available at: <https://doi.org/10.1039/c5fo00076a>.
- Bioscience Meridian (2020) SensiFAST TM SYBR @ Lo - ROX Kit. Ohio.
- Cataldi, S. et al. (2021) ‘PPAR γ and Diabetes: Beyond the Genome and Towards Personalized Medicine’, *Current Diabetes Reports*, 21(6). Available at:

<https://doi.org/10.1007/s11892-021-01385-5>.

Cazarolli, L. et al. (2008) 'Flavonoids: Cellular and Molecular Mechanism of Action in Glucose Homeostasis', *Mini-Reviews in Medicinal Chemistry*, 8(10), pp. 1032–1038. Available at: <https://doi.org/10.2174/138955708785740580>.

Coll, T. et al. (2006) 'Palmitate-mediated downregulation of peroxisome proliferator-activated receptor- γ coactivator 1 α in skeletal muscle cells involves MEK1/2 and nuclear factor- κ B activation', *Diabetes*, 55(10), pp. 2779–2787. Available at: <https://doi.org/10.2337/db05-1494>.

Crossland, H., Constantin-Teodosiu, D. and Greenhaff, P.L. (2021) 'The regulatory roles of ppar α in skeletal muscle fuel metabolism and inflammation: Impact of ppar agonism on muscle in chronic disease, contraction and sepsis', *International Journal of Molecular Sciences*, 22(18). Available at: <https://doi.org/10.3390/ijms22189775>.

Dewanjee, S. et al. (2020) *Big Leaf Mahogany Seeds: Swietenia macrophylla Seeds Offer Possible Phytotherapeutic Intervention Against Diabetic Pathophysiology, Nuts and Seeds in Health and Disease Prevention*. Elsevier Inc. Available at: <https://doi.org/10.1016/B978-0-12-818553-7.00038-3>.

Dhanya, R. et al. (2014) 'Rutin and quercetin enhance glucose uptake in L6 myotubes under oxidative stress induced by tertiary butyl hydrogen peroxide', *Food Chemistry*, 158, pp. 546–554. Available at: <https://doi.org/10.1016/j.foodchem.2014.02.151>.

Dias, M.C., Pinto, D.C.G.A. and Silva, A.M.S. (2021) 'Plant flavonoids: Chemical characteristics and biological activity', *Molecules*, 26(17), pp. 1–16. Available at: <https://doi.org/10.3390/molecules26175377>.

ECACC (2022) cell line profile: c2c12. Available at: https://www.culturecollections.org.uk/products/celllines/generalcell/detail.jsp?refId=91031101&collection=ecacc_gc.

Ensembl (2024) Transcript: Exons - *Mus musculus* (ENSMUST00000000450). Ensembl. Available at: https://asia.ensembl.org/Mus_musculus/Transcript/Exons?db=core;g=ENSMUSG00000000440;r=6:115337912-115467360;t=ENSMUST00000000450 (Accessed: 4 April 2024).

Estrada-Soto, S. et al. (2023) 'Insulin Sensitization by PPAR γ and GLUT-4 Overexpression/Translocation Mediates the Antidiabetic Effect of *Plantago australis* †', *Pharmaceuticals*, 16(4). Available at: <https://doi.org/10.3390/ph16040535>.

- Fan, Y. et al. (2024) 'Primordial Drivers of Diabetes Heart Disease: Comprehensive Insights into Insulin Resistance', *Diabetes and Metabolism Journal*, 48(1), pp. 19–36. Available at: <https://doi.org/10.4093/dmj.2023.0110>.
- Favorgen Biotech Corp (2023) Protocol : FavorPrepTM Tissue Total RNA Mini Kit. Taiwan.
- Ferreira, L.M. dos S.L. et al. (2020) 'Anatomical and Phytochemical Characterization of *Physalis angulata* L.: A Plant with Therapeutic Potential', *Pharmacognosy Research*, 10(October), pp. 24–30. Available at: <https://doi.org/10.4103/pr.pr>.
- Galicia-Garcia, U. et al. (2020) 'Pathophysiology of type 2 diabetes mellitus', *International Journal of Molecular Sciences*, 21(17), pp. 1–34. Available at: <https://doi.org/10.3390/ijms21176275>.
- Guo, Xuan et al. (2019) 'Panax notoginseng saponins alleviate skeletal muscle insulin resistance by regulating the IRS1–PI3K–AKT signaling pathway and GLUT4 expression', *FEBS Open Bio*, 9(5), pp. 1008–1019. Available at: <https://doi.org/10.1002/2211-5463.12635>.
- Haghani, K. et al. (2015) 'TNF- α knockdown alleviates palmitate-induced insulin resistance in C2C12 skeletal muscle cells', *Biochemical and Biophysical Research Communications*, 460(4), pp. 977–982. Available at: <https://doi.org/10.1016/j.bbrc.2015.03.137>.
- Hanchang, W. et al. (2024) 'Sangyod rice extract mitigates insulin resistance in HepG2 cells and hepatic steatosis in diabetic rats via AMPK/mTOR/MAPK signaling pathways', *Food Bioscience*, 61(March), p. 104662. Available at: <https://doi.org/10.1016/j.fbio.2024.104662>.
- Huang, F. et al. (2019) 'Palmitic Acid Induces MicroRNA-221 Expression to Decrease Glucose Uptake in HepG2 Cells via the PI3K/AKT/GLUT4 Pathway', *BioMed Research International* [Preprint], (1). Available at: <https://doi.org/https://doi.org/10.1155/2019/8171989> Research.
- Hulett, N.A., Scalzo, R.L. and Reusch, J.E.B. (2022) 'Glucose Uptake by Skeletal Muscle within the Contexts of Type 2 Diabetes and Exercise: An Integrated Approach', *Nutrients*, 14(3). Available at: <https://doi.org/10.3390/nu14030647>.
- ITIS (2010) *Physalis angulata* L. Available at: <https://doi.org/https://doi.org/10.5066/F7KH0KBK>.
- Iwansyah, A.C. et al. (2022) 'Antidiabetic activity of *Physalis angulata* L. fruit juice on streptozotocin-induced diabetic rats', *South African Journal of Botany*, 145, pp. 313–319. Available at: <https://doi.org/10.1016/j.sajb.2021.08.045>.

- Jia Yijia. et al. (2019) ‘Comparative Study of Dietary Flavonoids with Different Structures as α -Glucosidase Inhibitors and Insulin Sensitizers’, *Agricultural and Food Chemistry* [Preprint]. Available at: <https://doi.org/doi.org/10.1021/acs.jafc.9b04943>.
- Jiang, X. et al. (2024) ‘Effects of dietary phytosterol on growth, lipid homeostasis and lipidomics of largemouth bass (*Micropterus salmoides*)’, *Aquaculture Reports*, 35(January), p. 101959. Available at: <https://doi.org/10.1016/j.aqrep.2024.101959>.
- Kappel, V.D. et al. (2013) ‘Involvement of GLUT-4 in the stimulatory effect of rutin on glucose uptake in rat soleus muscle’, *Journal of Pharmacy and Pharmacology*, 65(8), pp. 1179–1186. Available at: <https://doi.org/10.1111/jphp.12066>.
- Kementerian Kesehatan RI. (2020) Infodatin tetap produktif, cegah, dan atasi Diabetes Melitus 2020, Pusat Data dan Informasi Kementerian Kesehatan RI.
- Khallouki, F. et al. (2024) ‘Current advances in phytosterol free forms and esters: Classification, biosynthesis, chemistry, and detection’, *Steroids*, 212(October). Available at: <https://doi.org/10.1016/j.steroids.2024.109520>.
- Klip, A., McGraw, T.E. and James, D.E. (2019) ‘Thirty sweet years of GLUT4’, *Journal of Biological Chemistry*, 294(30), pp. 11369–11381. Available at: <https://doi.org/10.1074/jbc.REV119.008351>.
- Kouznetsova, V., Hauptschein, M. and Tsigelny, I.F. (2017) ‘Glucose and Lipid Transporters Roles in Type 2 Diabetes’, *Integrative Obesity and Diabetes*, 3(5), pp. 1–6. Available at: <https://doi.org/10.15761/iod.1000192>.
- Kumar, K.J.S. et al. (2021) ‘Fruits of *Rosa laevigata* and its bio-active principal sitostenone facilitate glucose uptake and insulin sensitivity in hepatic cells via AMPK/PPAR- γ activation’, *Phytomedicine Plus*, 1(4), p. 100109. Available at: <https://doi.org/10.1016/j.phyplu.2021.100109>.
- Kurauti, M.A. et al. (2021) ‘Insulin and aging’, *Vitamins and Hormones*, 115, pp. 185–219.
- Lukaszuk, B. et al. (2015) ‘Modest decrease in pgc1 α results in TAG accumulation but not in insulin resistance in L6 myotubes’, *Cellular Physiology and Biochemistry*, 35(4), pp. 1609–1622. Available at: <https://doi.org/10.1159/000373975>.
- Martins, A.R. et al. (2012) ‘Mechanisms underlying skeletal muscle insulin resistance induced by fatty acids: Importance of the mitochondrial function’, *Lipids in Health and Disease*, 11, pp. 1–11. Available at: <https://doi.org/10.1186/1476-511X-11-30>.

- Medina-Medrano, J.R. et al. (2015) 'Phenolic constituents and antioxidant properties of five wild species of *Physalis* (Solanaceae)', *Botanical Studies*, 56. Available at: <https://doi.org/10.1186/s40529-015-0101-y>.
- Miao, L. et al. (2023) 'Anti-diabetic potential of apigenin, luteolin, and baicalein via partially activating PI3K/Akt/Glut-4 signaling pathways in insulin-resistant HepG2 cells', *Food Science and Human Wellness*, 12(6), pp. 1991–2000. Available at: <https://doi.org/10.1016/j.fshw.2023.03.021>.
- Moreno-Santos, I. et al. (2019) 'The antagonist effect of arachidonic acid on GLUT4 gene expression by nuclear receptor type II regulation', *International Journal of Molecular Sciences*, 20(4). Available at: <https://doi.org/10.3390/ijms20040963>.
- Nadhifah, A., Suratman and Pitoyo, A. (2016) 'Kekerabatan fenetik ciplukan (*Physalis angulata* L.) di wilayah eks-Karesidenan Surakarta berdasarkan karakter morfologis, palinologis dan pola pita isozim [Phenetic relationship among ciplukan (*Physalis angulata* L.) in Surakarta based on variation]', *Jurnal Tumbuhan Obat Indonesia*, 9(1), pp. 1–10.
- Nguyen, K.N.H., Nguyen, N.V.T. and Kim, K.H. (2021) 'Determination of phenolic acids and flavonoids in leaves, calyces, and fruits of *Physalis angulata* L. in Viet Nam', *Pharmacia*, 68(2), pp. 501–509. Available at: <https://doi.org/10.3897/PHARMACIA.68.E66044>.
- Niioka, H. et al. (2018) 'Classification of C2C12 cells at differentiation by convolutional neural network of deep learning using phase contrast images', *Human Cell*, 31(1), pp. 87–93. Available at: <https://doi.org/10.1007/s13577-017-0191-9>.
- Nomaguchi, K. et al. (2011) 'Aloe vera phytosterols act as ligands for PPAR and improve the expression levels of PPAR target genes in the livers of mice with diet-induced obesity', *Obesity Research and Clinical Practice*, 5(3), pp. e190–e201. Available at: <https://doi.org/10.1016/j.orcp.2011.01.002>.
- Palomer, X. et al. (2018) 'Palmitic and Oleic Acid: The Yin and Yang of Fatty Acids in Type 2 Diabetes Mellitus', *Trends in Endocrinology and Metabolism*, 29(3), pp. 178–190. Available at: <https://doi.org/10.1016/j.tem.2017.11.009>.
- Papilaya, F.B. (2024) Efek Fraksi Aktif Herba Ciplukan (*Physalis angulata* L.) terhadap Fosforilasi IRS-1 Tyr-612 dan Akt Ser-473 pada Sel C2C12 Resisten Insulin serta Analisis Target secara In Silico. Disertasi. Universitas Gadjah Mada.
- Pepino, M.Y. et al. (2014) 'Structure-Function of CD36 and Importance of Fatty Acid Signal Transduction in Fat Metabolism', *Annu Rev Nutr*, 23(1), pp. 1–

7. Available at: <https://doi.org/10.1146/annurev-nutr-071812-161220.Structure-Function>.

Phua, W.W.T. et al. (2018) 'An apparent functional consequence in skeletal muscle physiology via peroxisome proliferator-activated receptors', *International Journal of Molecular Sciences*, 19(5). Available at: <https://doi.org/10.3390/ijms19051425>.

Prasetyo, Y.C. (2023) *Efek Fraksi Aktif Herba Ciplukan (Physalis Angulata Linn) Terhadap Konsumsi Glukosa Sel C2C12 Myotube: Kajian Pada Model Resistensi Insulin Secara In Vitro*. Disertasi. Universitas Gadjah Mada.

Pu, J. et al. (2011) 'Palmitic acid acutely stimulates glucose uptake via activation of Akt and ERK1/2 in skeletal muscle cells', *Journal of Lipid Research*, 52(7), pp. 1319–1327. Available at: <https://doi.org/10.1194/jlr.M011254>.

Raju, P. and Mamidala, E. (2015) 'Anti diabetic activity of compound isolated from *Physalis angulata* fruit extracts in alloxan induced diabetic rats', *The American Journal of Science and Medical Research*, 1(1), pp. 40–43. Available at: <https://doi.org/10.17812/ajsmr2015111>.

Rakhmawati, R. et al. (2024) 'GC-MS and in silico analyses revealed the potential inhibitory activity of compounds isolated from Ciplukan herb (*Physalis angulata* L.) targeting GLUT-4 receptors', *Journal of Applied Pharmaceutical Science*, 14(8), pp. 142–149. Available at: <https://doi.org/10.7324/JAPS.2024.171953>.

Rang, H.P. (2006) 'The receptor concept: Pharmacology's big idea', *British Journal of Pharmacology*, 147(SUPPL. 1), pp. 9–16. Available at: <https://doi.org/10.1038/sj.bjp.0706457>.

Rengifo-Salgado, E. and Vargas-Arana, G. (2013) '*Physalis angulata* L. (Bolsa Mullaca): A Review of its Traditional Uses, Chemistry and Pharmacology', *Boletín Latinoamericano y del Caribe de Plantas Medicinales y Aromáticas* 12, 12, pp. 431–445. Available at: <http://www.redalyc.org/articulo.oa?id=85628390001>.

Rodríguez De Luna, S.L., Ramírez-Garza, R.E. and Serna Saldívar, S.O. (2020) 'Environmentally Friendly Methods for Flavonoid Extraction from Plant Material: Impact of Their Operating Conditions on Yield and Antioxidant Properties', *Scientific World Journal*, 2020. Available at: <https://doi.org/10.1155/2020/6792069>.

Salehi, B. et al. (2021) 'Phytosterols: From Preclinical Evidence to Potential Clinical Applications', *Frontiers in Pharmacology*, 11(January). Available at: <https://doi.org/10.3389/fphar.2020.599959>.

- Schneider-Poetsch, T. and Yoshida, M. (2018) 'Along the Central Dogma - Controlling Gene Expression with Small Molecules', *Annual Review of Biochemistry*, 87, pp. 391–420. Available at: <https://doi.org/10.1146/annurev-biochem-060614-033923>.
- Shankaran, H., Resat, H. and Wiley, H.S. (2007) 'Cell surface receptors for signal transduction and ligand transport: A design principles study', *PLoS Computational Biology*, 3(6), pp. 0986–0999. Available at: <https://doi.org/10.1371/journal.pcbi.0030101>.
- Singh, A.K. et al. (2018) 'Isolated mangiferin and naringenin exert antidiabetic effect via PPAR γ /GLUT4 dual agonistic action with strong metabolic regulation', *Chemico-Biological Interactions*, 280(September 2017), pp. 33–44. Available at: <https://doi.org/10.1016/j.cbi.2017.12.007>.
- Smobio Technology Inc (2022) Protocol: Smobio ExcelRTTM Reverse Transcription Kit II. Hsinchu.
- Soelistijo, S. et al. (2021) Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021, PERKENI. Available at: www.ginasthma.org.
- Stein, W.D. and Litman, T. (2015) Carrier-Mediated Transport: Facilitated Diffusion. Available at: <https://www.sciencedirect.com/science/article/abs/pii/B9780124165793000046>.
- Taheripak, G. et al. (2024) 'SIRT1 activation attenuates palmitate induced apoptosis in C2C12 muscle cells', *Molecular Biology Reports*, 51(1), pp. 1–14. Available at: <https://doi.org/10.1007/s11033-024-09250-w>.
- Tokarz, V.L., Mylvaganam, S. and Klip, A. (2023) 'Palmitate-induced insulin resistance causes actin filament stiffness and GLUT4 mis-sorting without altered Akt signalling', *Journal of Cell Science*, 136(21), pp. 1–15. Available at: <https://doi.org/10.1242/jcs.261300>.
- Vargas, E., Podder, V. and Sepulveda, M.A.C. (2023) Physiology, Glucose Transporter Type 4.
- Wahyuningsih, M.S.H. et al. (2023) 'Bioassay Guided Fractionation of Ciplukan (*Physalis angulata* L.) monitored by Glucose Consumption Assay and Thin Layer Chromatography on Myoblast Cells', *Majalah Obat Tradisional*, 28(1), pp. 22–30. Available at: <https://doi.org/10.22146/mot.79783>.
- Wardani, E. et al. (2018) 'Antihyperglycemic Activity of Ethanolic Herb Extract of Ceplukan (*Physalis angulata* L.) in Diabetic Hypercholesterolemia in Male Hamsters', in *Proceedings of the 1st Muhammadiyah International*

Conference on Health and Pharmaceutical Development (MICH-PhD 2018), pp. 133–137. Available at: <https://doi.org/10.5220/0008240601330137>.

WHO (2023) Diabetes, https://www.who.int/health-topics/diabetes#tab=tab_1.

Wong, C.Y., Al-Salami, H. and Dass, C.R. (2020) ‘C2C12 cell model: its role in understanding of insulin resistance at the molecular level and pharmaceutical development at the preclinical stage’, *Journal of Pharmacy and Pharmacology*, 72(12), pp. 1667–1693. Available at: <https://doi.org/10.1111/jphp.13359>.

Xing, Y. et al. (2019) ‘Reduction of the PI3K/Akt related signaling activities in skeletal muscle tissues involves insulin resistance in intrauterine growth restriction rats with catch-up growth’, *PLoS ONE*, 14(5), pp. 1–16. Available at: <https://doi.org/10.1371/journal.pone.0216665>.

Yan, L. et al. (2013) ‘Quercetin Inhibits Left Ventricular Hypertrophy in Spontaneously Hypertensive Rats and Inhibits Angiotensin II-Induced H9C2 Cells Hypertrophy by Enhancing PPAR- γ Expression and Suppressing AP-1 Activity’, *PLoS ONE*, 8(9). Available at: <https://doi.org/10.1371/journal.pone.0072548>.

Yang, M. et al. (2013) ‘Saturated fatty acid palmitate-induced insulin resistance is accompanied with myotube loss and the impaired expression of health benefit myokine genes in C2C12 myotubes’, *Lipids in Health and Disease*, 12(1), pp. 1–10. Available at: <https://doi.org/10.1186/1476-511X-12-104>.

Yao, X. et al. (2023) ‘Tectorigenin targets PKAC α to promote GLUT4 expression in skeletal muscle and improve insulin resistance in vitro and in vivo’, *International Journal of Biological Sciences*, 19(5), pp. 1579–1596. Available at: <https://doi.org/10.7150/ijbs.80125>.

Yudhani, R.D. (2022) *Studi Molekuler Mekanisme Isolat 1,4-bis-(3,4,5-trimetoksi-fenil)-tetrahidro-furo(3,4-c) furan dari Biji Mahoni (Swietenia macrophylla King.) sebagai Kandidat Anti-Diabetes Terhadap Model Resisten Insulin In Vitro Pada Cell line C2C12 dan HepG2*. Disertasi. Universitas Gadjah Mada.

Zhao, Y. et al. (2024) ‘Allantoin reduces glucotoxicity and lipotoxicity in a type 2 diabetes rat model by modulating the PI3K and MAPK signaling pathways’, *Heliyon*, 10(15), p. e34716. Available at: <https://doi.org/10.1016/j.heliyon.2024.e34716>.