

## DAFTAR PUSTAKA

Abadía-García, L. *et al.* (2021) ‘Production of ACE Inhibitory Peptides from Whey Proteins Modified by High Intensity Ultrasound Using Bromelain’, *Foods*, 10(9), p. 2099. Available at: <https://doi.org/10.3390/foods10092099>.

Abeer, M.M., Trajkovic, S. and Brayden, D.J. (2021) ‘Measuring the oral bioavailability of protein hydrolysates derived from food sources: A critical review of current bioassays’, *Biomedicine & Pharmacotherapy*, 144, p. 112275. Available at: <https://doi.org/10.1016/j.biopha.2021.112275>.

Abou-Soliman, N.H.I., Awad, S. and Desouky, M.M. (2020) ‘Effect of digestive enzymes on the activity of camel-milk insulin’, *International Journal of Dairy Technology*, 73(2), pp. 341–344. Available at: <https://doi.org/10.1111/1471-0307.12680>.

Ahmad, M. *et al.* (2024) ‘Molecular characterisation, gelation kinetics and rheological enhancement of ultrasonically extracted triggerfish skin gelatine’, *Journal of Molecular Structure*, 1296, p. 136931. Available at: <https://doi.org/10.1016/j.molstruc.2023.136931>.

Ahmad, T. *et al.* (2017) ‘Recent advances on the role of process variables affecting gelatin yield and characteristics with special reference to enzymatic extraction: A review’, *Food Hydrocolloids*, 63, pp. 85–96. Available at: <https://doi.org/10.1016/j.foodhyd.2016.08.007>.

Ahmad, T., Ismail, A., Ahmad, S.A., *et al.* (2018) ‘Characterization of gelatin from bovine skin extracted using ultrasound subsequent to bromelain pretreatment’, *Food Hydrocolloids*, 80, pp. 264–273. Available at: <https://doi.org/10.1016/j.foodhyd.2018.01.036>.

Ahmad, T., Ismail, A., Ahmad, S., *et al.* (2018) ‘Effects of Ultrasound Assisted Extraction in Conjugation with Aid of Actinidin on the Molecular and Physicochemical Properties of Bovine Hide Gelatin’, *Molecules*, 23(4), p. 730. Available at: <https://doi.org/10.3390/molecules23040730>.

Ahmad, T. *et al.* (2019) ‘Physicochemical characteristics and molecular structures of gelatin extracted from bovine skin: effects of actinidin and papain enzymes pretreatment’, *International Journal of Food Properties*, 22(1), pp. 138–153. Available at: <https://doi.org/10.1080/10942912.2019.1576731>.

Ahmad, T. *et al.* (2021) ‘Recovery of Gelatin from Bovine Skin with the Aid of Pepsin and Its Effects on the Characteristics of the Extracted Gelatin’, *Polymers*, 13(10), p. 1554. Available at: <https://doi.org/10.3390/polym13101554>.

Akram, A.N. and Zhang, C. (2020) 'Extraction of collagen-II with pepsin and ultrasound treatment from chicken sternal cartilage; physicochemical and functional properties', *Ultrasonics Sonochemistry*, 64, p. 105053. Available at: <https://doi.org/10.1016/j.ultsonch.2020.105053>.

Alavi, F., Chen, L. and Emam-Djomeh, Z. (2021) 'Effect of ultrasound-assisted alkaline treatment on functional property modifications of faba bean protein', *Food Chemistry*, 354, p. 129494. Available at: <https://doi.org/10.1016/j.foodchem.2021.129494>.

Alemán, A. *et al.* (2011) 'Enzymatic hydrolysis of fish gelatin under high pressure treatment', *International Journal of Food Science & Technology*, 46(6), pp. 1129–1136. Available at: <https://doi.org/10.1111/j.1365-2621.2011.02590.x>.

Alfaro, A. da T. *et al.* (2015) 'Fish Gelatin: Characteristics, Functional Properties, Applications and Future Potentials', *Food Engineering Reviews*, 7(1), pp. 33–44. Available at: <https://doi.org/10.1007/s12393-014-9096-5>.

Alfaro, A.T. *et al.* (2014) 'African catfish (*Clarias gariepinus*) skin gelatin: Extraction optimization and physical–chemical properties', *Food Research International*, 65, pp. 416–422. Available at: <https://doi.org/10.1016/j.foodres.2014.05.070>.

Ali, A.M.M., Kishimura, H. and Benjakul, S. (2018) 'Physicochemical and molecular properties of gelatin from skin of golden carp (*Probarbus jullieni*) as influenced by acid pretreatment and prior-ultrasonication', *Food Hydrocolloids*, 82, pp. 164–172. Available at: <https://doi.org/10.1016/j.foodhyd.2018.03.052>.

Alipal, J. *et al.* (2021) 'A review of gelatin: Properties, sources, process, applications, and commercialisation', *Materials Today: Proceedings*, 42, pp. 240–250. Available at: <https://doi.org/10.1016/j.matpr.2020.12.922>.

Alrosan, M. *et al.* (2021) 'Mechanism of the structural interaction between whey and lentil proteins in the unique creation of a protein structure', *Journal of Food Science*, 86(12), pp. 5282–5294. Available at: <https://doi.org/10.1111/1750-3841.15974>.

Ameta, S.C. and Ameta, R. (2024) *Green Chemistry, 2nd edition: Fundamentals and Applications*. 2nd edn. New York: Apple Academic Press. Available at: <https://doi.org/10.1201/9781003431473>.

AOAC (2005) *Official methods of analysis of AOAC International*. 18. ed., current through rev. 1, 2006. Edited by W. Horwitz. Gaithersburg, Md: AOAC International.

Aristotelis T., H., Anthony K. D., T. and Anne J., M. (2011) ‘A Study of the Enzymatic Hydrolysis of Fish Frames Using Model Systems’, *Food and Nutrition Sciences*, 2011. Available at: <https://doi.org/10.4236/fns.2011.26081>.

Asih, I.D., Kemala, T. and Nurilmala, M. (2019) ‘Halal gelatin extraction from Patin fish bone (*Pangasius hypophthalmus*) by-product with ultrasound-assisted extraction’, *IOP Conference Series: Earth and Environmental Science*, 299(1), p. 012061. Available at: <https://doi.org/10.1088/1755-1315/299/1/012061>.

Ata, O. *et al.* (2024) ‘Structural and molecular characterization of collagen-type I extracted from lamb feet’, *Journal of Food Science*, 89(1), pp. 330–341. Available at: <https://doi.org/10.1111/1750-3841.16870>.

Auwal, S.M. *et al.* (2017) ‘Optimization of Bromelain-Aided Production of Angiotensin I-Converting Enzyme Inhibitory Hydrolysates from Stone Fish Using Response Surface Methodology’, *Marine Drugs*, 15(4), p. 104. Available at: <https://doi.org/10.3390/md15040104>.

Bessalah, S. *et al.* (2023) ‘Effect of Gamma Radiation on Novel Gelatin Extracted from Camel Skin for Pharmaceutical Application’, *Pakistan Journal of Zoology*, 55(2). Available at: <https://doi.org/10.17582/journal.pjz/20220218020207>.

Boughriba, S. *et al.* (2023) ‘Effect of pretreatment-assisted extraction on the physicochemical and structural properties of *Rhinobatos cemiculus* skin gelatin’, *Polymer Bulletin*, 80(1), pp. 445–468. Available at: <https://doi.org/10.1007/s00289-021-04038-5>.

Budiastra, I.W., Mardjan, S.S. and Azis, A.A. (2020) ‘Pengaruh Amplitudo Ultrasonik dan Waktu Ekstraksi Terhadap Rendemen dan Mutu Oleoresin Pala’, *Jurnal Keteknik Pertanian*, 8(2), pp. 45–52. Available at: <https://doi.org/10.19028/jtep.08.2.45-52>.

Cañas, A.I., Delgado, J.P. and Gartner, C. (2016) ‘Biocompatible scaffolds composed of chemically crosslinked chitosan and gelatin for tissue engineering’, *Journal of Applied Polymer Science*, 133(33), p. app.43814. Available at: <https://doi.org/10.1002/app.43814>.

Cebi, N. *et al.* (2016) ‘An evaluation of Fourier transforms infrared spectroscopy method for the classification and discrimination of bovine, porcine and fish gelatins’, *Food Chemistry*, 190, pp. 1109–1115. Available at: <https://doi.org/10.1016/j.foodchem.2015.06.065>.

Chen, H. *et al.* (2023) ‘Structural and physicochemical properties of the different ultrasound frequency modified Qingke protein’, *Ultrasonics Sonochemistry*, 94, p. 106338. Available at: <https://doi.org/10.1016/j.ultsonch.2023.106338>.

Chian, F.M. *et al.* (2021) 'Effects of Pulsed Electric Field Processing and Sous Vide Cooking on Muscle Structure and In Vitro Protein Digestibility of Beef Brisket', *Foods*, 10(3), p. 512. Available at: <https://doi.org/10.3390/foods10030512>.

Chiang, J.H. *et al.* (2019) 'Effects of enzymatic hydrolysis treatments on the physicochemical properties of beef bone extract using endo- and exoproteases', *International Journal of Food Science & Technology*, 54(1), pp. 111–120. Available at: <https://doi.org/10.1111/ijfs.13911>.

Cho, S.M. *et al.* (2004) 'Processing optimization and functional properties of gelatin from shark (*Isurus oxyrinchus*) cartilage', *Food Hydrocolloids*, 18(4), pp. 573–579. Available at: <https://doi.org/10.1016/j.foodhyd.2003.10.001>.

Colletti, A. *et al.* (2021) 'Recent Advances and Insights into Bromelain Processing, Pharmacokinetics and Therapeutic Uses', *Applied Sciences*, 11(18), p. 8428. Available at: <https://doi.org/10.3390/app11188428>.

Croome, R.J. (2007) 'Acid and alkaline hydrolysis of gelatin', *Journal of Applied Chemistry*, 3(6), pp. 280–286. Available at: <https://doi.org/10.1002/jctb.5010030607>.

Cuevas-Acuña, D.A. *et al.* (2020) 'High-Intensity Ultrasound Pulses Effect on Physicochemical and Antioxidant Properties of Tilapia (*Oreochromis niloticus*) Skin Gelatin', *Applied Sciences*, 10(3), p. 1004. Available at: <https://doi.org/10.3390/app10031004>.

Cunha, A.G. *et al.* (2014) 'Preparation of Double Pickering Emulsions Stabilized by Chemically Tailored Nanocelluloses', *Langmuir*, 30(31), pp. 9327–9335. Available at: <https://doi.org/10.1021/la5017577>.

Czelej, M. *et al.* (2022) 'Protein Hydrolysates Derived from Animals and Plants—A Review of Production Methods and Antioxidant Activity', *Foods*, 11(13), p. 1953. Available at: <https://doi.org/10.3390/foods11131953>.

Dabbour, M. *et al.* (2018) 'Ultrasound assisted enzymolysis of sunflower meal protein: Kinetics and thermodynamics modeling', *Journal of Food Process Engineering*, 41(7), p. e12865. Available at: <https://doi.org/10.1111/jfpe.12865>.

Das, M.P. *et al.* (2017) 'EXTRACTION AND CHARACTERIZATION OF GELATIN: A FUNCTIONAL BIOPOLYMER', *International Journal of Pharmacy and Pharmaceutical Sciences*, 9(9), p. 239. Available at: <https://doi.org/10.22159/ijpps.2017v9i9.17618>.

F. A. Settle and Prentice Hall PTR, Upper Saddle River (1998) in *Handbook of Instrumental Techniques for Analytical Chemistry: F. A. Settle, ed., Prentice Hall PTR, Upper Saddle River, New Jersey, 1997, 993 pp.* Available at:

<https://www.tandfonline.com/doi/full/10.1080/10826079808006889> (Accessed: 18 September 2024).

Fan, H.Y., Dumont, M.-J. and Simpson, B.K. (2020) 'Preparation and physicochemical characterization of films prepared with salmon skin gelatin extracted by a trypsin-aided process', *Current Research in Food Science*, 3, pp. 146–157. Available at: <https://doi.org/10.1016/j.crfs.2020.04.002>.

Farahnaky, A. *et al.* (2017) 'Solubilization of bovine gelatin using power ultrasound: gelation without heating', *Journal of Texture Studies*, 48(2), pp. 87–94. Available at: <https://doi.org/10.1111/jtxs.12213>.

Fauzia, R.P. *et al.* (2017) 'Aplikasi Desain Eksperimen Plackett-Burman dan Response Surface Methodology Box-Behnken pada Produksi Senyawa Pengontras Magnetic Resonance Imaging Gadolinium Dietilentriaminpentaasetat-Folat', *Chimica et Natura Acta*, 5(1), p. 1. Available at: <https://doi.org/10.24198/cna.v5.n1.12813>.

Fitriani, A. *et al.* (2022) 'Impact of Gastrointestinal Digestion Simulation on the Formation of Angiotensin-I-Converting Enzyme Inhibitory (ACE-I) Peptides from Germinated Lamtoro Gung Flour', *Foods*, 11(23), p. 3769. Available at: <https://doi.org/10.3390/foods11233769>.

Foletti, C. *et al.* (2019) '4-Naphthylmethyl Proline Forms a Channel Structure', *Helvetica Chimica Acta*, 102(4), p. e1900052. Available at: <https://doi.org/10.1002/hlca.201900052>.

Forlani, G. and Funck, D. (2020) 'A Specific and Sensitive Enzymatic Assay for the Quantitation of L-Proline', *Frontiers in Plant Science*, 11. Available at: <https://doi.org/10.3389/fpls.2020.582026>.

Furtado, M. *et al.* (2022) 'Development of fish collagen in tissue regeneration and drug delivery', *Engineered Regeneration*, 3(3), pp. 217–231. Available at: <https://doi.org/10.1016/j.engreg.2022.05.002>.

Gaidau, C. *et al.* (2024) 'The Influence of Gamma Radiation on Different Gelatin Nanofibers and Gelatins', *Gels*, 10(4), p. 226. Available at: <https://doi.org/10.3390/gels10040226>.

Gál, R. *et al.* (2020) 'Chicken Heads as a Promising By-Product for Preparation of Food Gelatins', *Molecules*, 25(3), p. 494. Available at: <https://doi.org/10.3390/molecules25030494>.

Gandjar, I.G. and Rohman, A. (2018) *Spektroskopi Molekuler Untuk Analisis Farmasi*. UGM PRESS.

Gao, H. *et al.* (2022) 'Optimization of ultrasound-assisted extraction of phenolics from *Asparagus taxiformis* with deep eutectic solvent and their characterization

by ultra-high-performance liquid chromatography-mass spectrometry', *Frontiers in Nutrition*, 9. Available at: <https://doi.org/10.3389/fnut.2022.1036436>.

GMIA, G.M.I. of A. (2012) *GELATIN HANDBOOK*. Available at: [https://gmigelatin.weebly.com/uploads/1/1/8/4/118450438/gmia\\_gelatin\\_manual\\_2012.pdf](https://gmigelatin.weebly.com/uploads/1/1/8/4/118450438/gmia_gelatin_manual_2012.pdf).

Gómez-Guillén, M.C. *et al.* (2011) 'Functional and bioactive properties of collagen and gelatin from alternative sources: A review', *Food Hydrocolloids*, 25(8), pp. 1813–1827. Available at: <https://doi.org/10.1016/j.foodhyd.2011.02.007>.

Gong, X. *et al.* (2022) 'In vitro digestion characteristics of cereal protein concentrates as assessed using a pepsin-pancreatin digestion model', *Food Research International*, 152, p. 110715. Available at: <https://doi.org/10.1016/j.foodres.2021.110715>.

Görgüç, A., Bircan, C. and Yılmaz, F.M. (2019) 'Sesame bran as an unexploited by-product: Effect of enzyme and ultrasound-assisted extraction on the recovery of protein and antioxidant compounds', *Food Chemistry*, 283, pp. 637–645. Available at: <https://doi.org/10.1016/j.foodchem.2019.01.077>.

Hadinoto, S. and Idrus, S. (2018) 'Proporsi dan Kadar Proksimat Bagian Tubuh Ikan Tuna Ekor Kuning (*Thunnus albacares*) Dari Perairan Maluku', *Majalah BIAM*, 14, p. 51. Available at: <https://doi.org/10.29360/mb.v14i2.4212>.

Hall, M. *et al.* (2010) 'Cellulose crystallinity – a key predictor of the enzymatic hydrolysis rate', *The FEBS Journal*, 277(6), pp. 1571–1582. Available at: <https://doi.org/10.1111/j.1742-4658.2010.07585.x>.

Harrysson, H. *et al.* (2019) 'Strategies for Improving the Protein Yield in pH-Shift Processing of *Ulva lactuca* Linnaeus: Effects of Ulvan Lyases, pH-Exposure Time, and Temperature', *ACS Sustainable Chemistry & Engineering*, 7(15), pp. 12688–12691. Available at: <https://doi.org/10.1021/acssuschemeng.9b02781>.

Haryati, D. *et al.* (2019) 'Extraction and Characterization of Gelatin From Rabbitfish Skin (*Siganus canaliculatus*) with Enzymatic Method Using Bromelin Enzyme', *IOP Conference Series: Earth and Environmental Science*, 355(1), p. 012095. Available at: <https://doi.org/10.1088/1755-1315/355/1/012095>.

He, L. *et al.* (2021) 'Ultrasonication promotes extraction of antioxidant peptides from oxbide gelatin by modifying collagen molecule structure', *Ultrasonics Sonochemistry*, 78, p. 105738. Available at: <https://doi.org/10.1016/j.ultsonch.2021.105738>.

He, L. *et al.* (2022) 'Appropriate ultrasonic treatment improves the production of antioxidant peptides by modifying gelatin extracted from yak skin', *International*

*Journal of Food Science & Technology*, 57(9), pp. 5897–5908. Available at: <https://doi.org/10.1111/ijfs.15912>.

Henr, P. *et al.* (2022) ‘Recent Advances in the Application of Enzyme Processing Assisted by Ultrasound in Agri-Foods: A Review’, in. Available at: <https://www.semanticscholar.org/paper/Recent-Advances-in-the-Application-of-Enzyme-by-in-Henr-quez/69171d4c32d56e6aaacaed614a0e42c4cb4df72> (Accessed: 4 September 2024).

Herdyastuti, N. (2006) ‘ISOLASI DAN KARAKTERISASI EKSTRAK KASAR ENZIM BROMELIN DARI BATANG NANAS (*Ananas comusus L.merr*)’, *Berkala Penelitian Hayati*, 12(1), pp. 75–77. Available at: <https://doi.org/10.23869/bphjbr.12.1.200613>.

Hou, Y. *et al.* (2017) ‘Protein hydrolysates in animal nutrition: Industrial production, bioactive peptides, and functional significance’, *Journal of Animal Science and Biotechnology*, 8(1), p. 24. Available at: <https://doi.org/10.1186/s40104-017-0153-9>.

Huang, C.-Y. *et al.* (2018) ‘Characterization and Antioxidant and Angiotensin I-Converting Enzyme (ACE)-Inhibitory Activities of Gelatin Hydrolysates Prepared from Extrusion-Pretreated Milkfish (*Chanos chanos*) Scale’, *Marine Drugs*, 16(10), p. 346. Available at: <https://doi.org/10.3390/md16100346>.

Huang, T., Zhao, H., *et al.* (2019) ‘Comparison of gelling properties and flow behaviors of microbial transglutaminase (MTGase) and pectin modified fish gelatin’, *Journal of Texture Studies*, 50(5), pp. 400–409. Available at: <https://doi.org/10.1111/jtxs.12405>.

Huang, T., Tu, Z., *et al.* (2019) ‘Fish gelatin modifications: A comprehensive review’, *Trends in Food Science & Technology*, 86, pp. 260–269. Available at: <https://doi.org/10.1016/j.tifs.2019.02.048>.

Ikram, S. *et al.* (2020) ‘Ultrasonic pretreatment improved the antioxidant potential of enzymatic protein hydrolysates from highland barley brewer’s spent grain (BSG)’, *Journal of Food Science*, 85(4), pp. 1045–1059. Available at: <https://doi.org/10.1111/1750-3841.15063>.

Ilitchenco, S., Kempka, A.P. and Prestes, R.C. (2017) ‘PROFILES OF ENZYMATIC HYDROLYSIS OF DIFFERENT COLLAGENS AND DERIVATIVES OVER TIME’, *Revista Brasileira de Tecnologia Agroindustrial*, 11(1). Available at: <https://doi.org/10.3895/rbta.v11n1.2755>.

J, T. *et al.* (2023) ‘Mechanistic and synergistic aspects of ultrasonics and hydrodynamic cavitation for food processing’, *Critical reviews in food science and nutrition* [Preprint]. Available at: <https://doi.org/10.1080/10408398.2023.2201834>.

Jafari, H. *et al.* (2020) ‘Fish Collagen: Extraction, Characterization, and Applications for Biomaterials Engineering’, *Polymers*, 12(10), p. 2230. Available at: <https://doi.org/10.3390/polym12102230>.

Jamili, S. *et al.* (2019) ‘Extraction and evaluation of gelatin from yellow fin tuna (*Thunnus albacares*) skin and prospect as an alternative to mammalian gelatin’, *Iranian Journal of Fisheries Sciences* [Preprint]. Available at: <https://doi.org/10.22092/ijfs.2019.119072>.

Jiang, J., Xiong, Y.L. and Chen, J. (2010) ‘pH Shifting Alters Solubility Characteristics and Thermal Stability of Soy Protein Isolate and Its Globulin Fractions in Different pH, Salt Concentration, and Temperature Conditions’, *Journal of Agricultural and Food Chemistry*, 58(13), pp. 8035–8042. Available at: <https://doi.org/10.1021/jf101045b>.

Jindaporn, K. and Ratchadaporn Kaprasob (2021) *King Boletus mushroom-derived bioactive protein hydrolysate: characterisation, antioxidant, ACE inhibitory and cytotoxic activities - Khongdetch - 2022 - International Journal of Food Science & Technology - Wiley Online Library*. Available at: <https://ifst.onlinelibrary.wiley.com/doi/epdf/10.1111/ijfs.15100> (Accessed: 9 September 2024).

Johlin, J.M. (1930) ‘THE ISOELECTRIC POINT OF GELATIN AND ITS RELATION TO THE MINIMUM PHYSICAL PROPERTIES OF GELATIN’, *Journal of Biological Chemistry*, 86(1), pp. 231–243. Available at: [https://doi.org/10.1016/S0021-9258\(18\)76922-6](https://doi.org/10.1016/S0021-9258(18)76922-6).

Joy, J.M. *et al.* (2024) ‘A Review on Fish Skin-Derived Gelatin: Elucidating the Gelatin Peptides—Preparation, Bioactivity, Mechanistic Insights, and Strategies for Stability Improvement’, *Foods*, 13(17), p. 2793. Available at: <https://doi.org/10.3390/foods13172793>.

Jutamongkon, R. and Charoenrein, S. (2010) ‘Effect of Temperature on the Stability of Fruit Bromelain from Smooth Cayenne Pineapple’.

Kadam, S.U. *et al.* (2015) ‘Ultrasound applications for the extraction, identification and delivery of food proteins and bioactive peptides’, *Trends in Food Science & Technology*, 46(1), pp. 60–67. Available at: <https://doi.org/10.1016/j.tifs.2015.07.012>.

Karayannakidis, P.D. and Zotos, A. (2015) ‘Physicochemical Properties of Yellowfin Tuna (*Thunnus albacares*) Skin Gelatin and its Modification by the Addition of Various Coenhancers: Modification of Yellowfin Tuna Skin Gelatin’, *Journal of Food Processing and Preservation*, 39(5), pp. 530–538. Available at: <https://doi.org/10.1111/jfpp.12258>.

Karmoker, J.R. *et al.* (2019) ‘Development and Optimization of Acyclovir Loaded Mucoadhesive Microspheres by Box – Behnken Design’, *Dhaka University Journal of Pharmaceutical Sciences*, 18(1), pp. 1–12. Available at: <https://doi.org/10.3329/dujps.v18i1.41421>.

Kaur, L. *et al.* (2010) ‘Actinidin Enhances Gastric Protein Digestion As Assessed Using an in Vitro Gastric Digestion Model’, *Journal of Agricultural and Food Chemistry*, 58(8), pp. 5068–5073. Available at: <https://doi.org/10.1021/jf903332a>.

Kilinc, D., Ocak, B. and Özdestan-Ocak, Ö. (2021) ‘Preparation, characterization and antioxidant properties of gelatin films incorporated with Origanum onites L. essential oil’, *Journal of Food Measurement and Characterization*, 15(1), pp. 795–806. Available at: <https://doi.org/10.1007/s11694-020-00683-y>.

Kim, Y.J. *et al.* (2023) ‘Improvement of structural, physicochemical, and rheological properties of porcine myofibrillar proteins by high-intensity ultrasound treatment for application as Pickering stabilizers’, *Ultrasonics Sonochemistry*, 92, p. 106263. Available at: <https://doi.org/10.1016/j.ultsonch.2022.106263>.

Koochakzaei, A. (2023) ‘Determination of Sulfuric Acid Effects on Degradation and Structural Changes of Gelatin Using Fourier-Transform Infrared Spectroscopy and Peak Deconvolution Analysis’, 38, pp. 5–11.

Kristensen, J.B., Felby, C. and Jørgensen, H. (2009) ‘Yield-determining factors in high-solids enzymatic hydrolysis of lignocellulose’, *Biotechnology for Biofuels*, 2(1), p. 11. Available at: <https://doi.org/10.1186/1754-6834-2-11>.

Kurniawansyah, I.S., Paramita, M.O. and Prasaja, B. (2018) ‘COMPARISON STUDY BETWEEN HPLC AND UHPLC METHODS FOR TESTING THE LEVEL OF AMINO ACID’, *International Research Journal Of Pharmacy*, 9(6), pp. 113–117. Available at: <https://doi.org/10.7897/2230-8407.096100>.

Lee, J.E., Noh, S.-K. and Kim, M.J. (2022) ‘Effects of Enzymatic- and Ultrasound-Assisted Extraction on Physicochemical and Antioxidant Properties of Collagen Hydrolysate Fractions from Alaska Pollack (*Theragra chalcogramma*) Skin’, *Antioxidants*, 11(11), p. 2112. Available at: <https://doi.org/10.3390/antiox11112112>.

Li, D.-F. *et al.* (2010) ‘EFFECTS OF MICROWAVE IRRADIATION ON COLLAGEN DENATURATION: EFFECTS OF MICROWAVE IRRADIATION’, *Journal of Food Biochemistry*, 34(6), pp. 1319–1331. Available at: <https://doi.org/10.1111/j.1745-4514.2010.00334.x>.

Li, H. *et al.* (2019) ‘Optimization of ultrasound-assisted enzymatic extraction and in vitro antioxidant activities of polysaccharides extracted from the leaves of *Perilla frutescens*’, *Food Science and Technology*, 40, pp. 36–45. Available at: <https://doi.org/10.1590/fst.29518>.

Li, J. *et al.* (2023) 'Improved gelling and emulsifying properties of myofibrillar protein from frozen shrimp (*Litopenaeus vannamei*) by high-intensity ultrasound', *Food Hydrocolloids*, 135, p. 108188. Available at: <https://doi.org/10.1016/j.foodhyd.2022.108188>.

Li, R. and Xiong, Y.L. (2021) 'Sensitivity of oat protein solubility to changing ionic strength and pH', *Journal of Food Science*, 86(1), pp. 78–85. Available at: <https://doi.org/10.1111/1750-3841.15544>.

Li, Z. *et al.* (2013) 'Influence of average molecular weight on antioxidant and functional properties of cartilage collagen hydrolysates from *Sphyrna lewini*, *Dasyatis akjei* and *Raja porosa*', *Food Research International*, 51(1), pp. 283–293. Available at: <https://doi.org/10.1016/j.foodres.2012.12.031>.

Lindberg, D. *et al.* (2021) 'Exploring Effects of Protease Choice and Protease Combinations in Enzymatic Protein Hydrolysis of Poultry By-Products', *Molecules*, 26(17), p. 5280. Available at: <https://doi.org/10.3390/molecules26175280>.

Liu, M. *et al.* (2023) 'Preparation of Bovine Hides Gelatin by Ultra-High Pressure Technique and the Effect of Its Replacement Fat on the Quality and In Vitro Digestion of Beef Patties', *Foods*, 12(16), p. 3092. Available at: <https://doi.org/10.3390/foods12163092>.

Liu, W. *et al.* (2022) 'Evaluating the Properties of Ginger Protease-Degraded Collagen Hydrolysate and Identifying the Cleavage Site of Ginger Protease by Using an Integrated Strategy and LC-MS Technology', *Molecules*, 27(15), p. 5001. Available at: <https://doi.org/10.3390/molecules27155001>.

Lueyot, A. *et al.* (2022) 'Improved jellyfish gelatin quality through ultrasound-assisted salt removal and an extraction process', *PLOS ONE*. Edited by R. Abdul Wahab, 17(11), p. e0276080. Available at: <https://doi.org/10.1371/journal.pone.0276080>.

Ma, Q. *et al.* (2024) 'Ultrasound modification on milk fat globule membrane and soy lecithin to improve the physicochemical properties, microstructure and stability of mimicking human milk fat emulsions', *Ultrasonics Sonochemistry*, 105, p. 106873. Available at: <https://doi.org/10.1016/j.ultsonch.2024.106873>.

Manninen, A.H. (2009) 'Protein hydrolysates in sports nutrition', *Nutrition & Metabolism*, 6(1), p. 38. Available at: <https://doi.org/10.1186/1743-7075-6-38>.

Martínez-Padilla, E. *et al.* (2020) 'In Vitro Protein Digestibility and Fatty Acid Profile of Commercial Plant-Based Milk Alternatives', *Foods*, 9(12), p. 1784. Available at: <https://doi.org/10.3390/foods9121784>.

Masirah (2016) *Optimasi Proses Ekstraksi Pengolahan Gelatin Tulang Ikan Bandeng (Chanos Chanos, Forskal) Menggunakan Rsm-Bbd (Respon Surface Methodology- Box Behnken Design)*. Magister. Universitas Brawijaya. Available at: <http://repository.ub.ac.id/id/eprint/160125/> (Accessed: 28 July 2023).

Matoba, T., Doi, E. and Yonezawa, D. (1980) 'Digestibility of acetylated and succinylated proteins by pepsin-pancreatin and some intracellular peptidases.', *Agricultural and Biological Chemistry*, 44(10), pp. 2323–2328. Available at: <https://doi.org/10.1271/bbb1961.44.2323>.

Matulessy, D.N. *et al.* (2021) 'Characterization and functional properties of gelatin from goat bone through alcalase and neutrase enzymatic extraction', *Veterinary World*, pp. 2397–2409. Available at: <https://doi.org/10.14202/vetworld.2021.2397-2409>.

Meng, X. *et al.* (2019) 'Alterations in physicochemical and functional properties of buckwheat straw insoluble dietary fiber by alkaline hydrogen peroxide treatment', *Food Chemistry*: X, 3, p. 100029. Available at: <https://doi.org/10.1016/j.fochx.2019.100029>.

Mirzaee, H. *et al.* (2023) 'Relation of amino acid composition, hydrophobicity, and molecular weight with antidiabetic, antihypertensive, and antioxidant properties of mixtures of corn gluten and soy protein hydrolysates', *Food Science & Nutrition*, 11(3), pp. 1257–1271. Available at: <https://doi.org/10.1002/fsn3.3160>.

Mirzapour-Kouhdasht, A. *et al.* (2019) 'Physicochemical, rheological, and molecular characterization of colloidal gelatin produced from Common carp by-products using microwave and ultrasound-assisted extraction', *Journal of Texture Studies*, 50(5), pp. 416–425. Available at: <https://doi.org/10.1111/jtxs.12408>.

Misir, G.B. and Koral, S. (2019) 'EFFECTS OF ULTRASOUND TREATMENT ON STRUCTURAL, CHEMICAL AND FUNCTIONAL PROPERTIES OF PROTEIN HYDROLYSATE OF RAINBOW TROUT (*ONCORHYNCHUS MYKISS*) BY-PRODUCTS'. Available at: <https://doi.org/10.14674/IJFS-1218>.

Mohammadnezhad, S. and Farmani, J. (2022) 'Rheological and functional characterization of gelatin and fat extracted from chicken skin for application in food technology'.

Mokrejš, P. *et al.* (2021) 'Valorization of a By-Product from the Production of Mechanically Deboned Chicken Meat for Preparation of Gelatins', *Molecules*, 26(2), p. 349. Available at: <https://doi.org/10.3390/molecules26020349>.

Montero, M. and Acosta, Ó.G. (2020) 'Tuna skin gelatin production: optimization of extraction steps and process scale-up', *CyTA - Journal of Food*, 18(1), pp. 580–590. Available at: <https://doi.org/10.1080/19476337.2020.1801849>.

Mrabet, A. *et al.* (2019) 'Date Palm Fruits as a Potential Source of Functional Dietary Fiber: A Review', *Food Science and Technology Research*, 25(1), pp. 1–10. Available at: <https://doi.org/10.3136/fstr.25.1>.

Mulyani, S. *et al.* (2017) 'The effect of pretreatment using hydrochloric acid on the characteristics of buffalo hide gelatin', *Journal of the Indonesian Tropical Animal Agriculture*, 42(1), pp. 14–22. Available at: <https://doi.org/10.14710/jitaa.42.1.14-22>.

Musa, A. *et al.* (2016) 'Effect of Gelatin-Stabilized Copper Nanoparticles on Catalytic Reduction of Methylene Blue', *Nanoscale Research Letters*, 11(1), p. 438. Available at: <https://doi.org/10.1186/s11671-016-1656-6>.

Muzykiewicz, A. *et al.* (2020) 'Antioxidant activity and polyphenol content in extracts from various parts of fresh and frozen mangosteen', *Acta Scientiarum Polonorum Technologia Alimentaria*, 19(3), pp. 261–270. Available at: <https://doi.org/10.17306/J.AFS.0788>.

Nhat, D.M. (2018) 'EFFECT OF ULTRASOUND ON PRETREATMENT OF TUNA SKIN FOR GELATIN PRODUCTION', *Vietnam Journal of Science and Technology*, 54(4A), p. 55. Available at: <https://doi.org/10.15625/2525-2518/54/4A/11978>.

Nicolescu, A. *et al.* (2022) 'Optimized Ultrasound-Assisted Enzymatic Extraction of Phenolic Compounds from Rosa canina L. Pseudo-Fruits (Rosehip) and Their Biological Activity', *Antioxidants*, 11(6), p. 1123. Available at: <https://doi.org/10.3390/antiox11061123>.

Nitsuwat, S. *et al.* (2021) 'Fish gelatin as an alternative to mammalian gelatin for food industry: A meta-analysis', *LWT*, 141, p. 110899. Available at: <https://doi.org/10.1016/j.lwt.2021.110899>.

Noor, N.Q.I.M. *et al.* (2021) 'Application of Green Technology in Gelatin Extraction: A Review', *Processes*, 9(12), p. 2227. Available at: <https://doi.org/10.3390/pr9122227>.

Norziah, M.H., Kee, H.Y. and Norita, M. (2014) 'Response surface optimization of bromelain-assisted gelatin extraction from surimi processing wastes', *Food Bioscience*, 5, pp. 9–18. Available at: <https://doi.org/10.1016/j.fbio.2013.10.001>.

Nurhayati, T., Nurjanah, -- and Sanapi, C.H. (2013) 'KARAKTERISASI HIDROLISAT PROTEIN IKAN LELE DUMBO (*Clarias gariepinus*)', *Jurnal Pengolahan Hasil Perikanan Indonesia*, 16(3). Available at: <https://doi.org/10.17844/jphpi.v16i3.8058>.

Nurilmala, M. *et al.* (2019) 'Characterization of collagen and its hydrolysate from yellowfin tuna *Thunnus albacares* skin and their potencies as antioxidant and

antiglycation agents', *Fisheries Science*, 85(3), pp. 591–599. Available at: <https://doi.org/10.1007/s12562-019-01303-5>.

Nurilmala, M. *et al.* (2020) 'Characterization and Antioxidant Activity of Collagen, Gelatin, and the Derived Peptides from Yellowfin Tuna (*Thunnus albacares*) Skin', *Marine Drugs*, 18(2), p. 98. Available at: <https://doi.org/10.3390/md18020098>.

Obeidnejad, E. *et al.* (2024) 'Chemical composition, functional properties, physico-chemical properties, and techno-functional characteristics of Satureja protein hydrolysate stabilized in a gelatin matrix', *Food Science & Nutrition*, n/a(n/a). Available at: <https://doi.org/10.1002/fsn3.4344>.

Olvera Ríos, Y.A. *et al.* (2020) 'Effect of ultrasound treatment on dehydration kinetics and physicochemical, microbiological, structural and rehydration characteristics of tilapia', *CyTA - Journal of Food*, 18(1), pp. 31–42. Available at: <https://doi.org/10.1080/19476337.2019.1702106>.

Östbring, K. *et al.* (2021) 'The Effect of pH and Storage Temperature on the Stability of Emulsions Stabilized by Rapeseed Proteins', *Foods*, 10(7), p. 1657. Available at: <https://doi.org/10.3390/foods10071657>.

Parvizi, J. and Kim, G.K. (2010) 'Chapter 53 - Collagen', in J. Parvizi and G.K. Kim (eds) *High Yield Orthopaedics*. Philadelphia: W.B. Saunders, pp. 107–109. Available at: <https://doi.org/10.1016/B978-1-4160-0236-9.00064-X>.

Pezeshk, S., Rezaei, M. and Abdollahi, M. (2022) 'Impact of ultrasound on extractability of native collagen from tuna by-product and its ultrastructure and physicochemical attributes', *Ultrasonics Sonochemistry*, 89, p. 106129. Available at: <https://doi.org/10.1016/j.ultsonch.2022.106129>.

Potin, F. *et al.* (2019) 'Hemp (*Cannabis sativa* L.) Protein Extraction Conditions Affect Extraction Yield and Protein Quality', *Journal of Food Science*, 84(12), pp. 3682–3690. Available at: <https://doi.org/10.1111/1750-3841.14850>.

Qian, J. *et al.* (2023) 'Ultrasound-Assisted Enzymatic Protein Hydrolysis in Food Processing: Mechanism and Parameters', *Foods*, 12(21), p. 4027. Available at: <https://doi.org/10.3390/foods12214027>.

Qiu, Y.-T. *et al.* (2019) 'Gelatin and Antioxidant Peptides from Gelatin Hydrolysate of Skipjack Tuna (*Katsuwonus pelamis*) Scales: Preparation, Identification and Activity Evaluation', *Marine Drugs*, 17(10), p. 565. Available at: <https://doi.org/10.3390/md17100565>.

Quan, T.H. and Benjakul, S. (2019) 'Production and characterisation of duck albumen hydrolysate using enzymatic process', *International Journal of Food Science & Technology*, 54(11), pp. 3015–3023. Available at: <https://doi.org/10.1111/ijfs.14214>.

Rather, J.A. *et al.* (2022) ‘A comprehensive review on gelatin: Understanding impact of the sources, extraction methods, and modifications on potential packaging applications’, *Food Packaging and Shelf Life*, 34, p. 100945. Available at: <https://doi.org/10.1016/j.fpsl.2022.100945>.

Ruan, Q. *et al.* (2023) ‘Influences of Trypsin Pretreatment on the Structures, Composition, and Functional Characteristics of Skin Gelatin of Tilapia, Grass Carp, and Sea Perch’, *Marine Drugs*, 21(8), p. 423. Available at: <https://doi.org/10.3390/md21080423>.

Rutherford, S.M. (2010) ‘Methodology for Determining Degree of Hydrolysis of Proteins in Hydrolysates: A Review’, *Journal of AOAC INTERNATIONAL*, 93(5), pp. 1515–1522. Available at: <https://doi.org/10.1093/jaoac/93.5.1515>.

Sá, A.G.A. *et al.* (2022) ‘Cold-pressed sesame seed meal as a protein source: Effect of processing on the protein digestibility, amino acid profile, and functional properties’, *Journal of Food Composition and Analysis*, 111, p. 104634. Available at: <https://doi.org/10.1016/j.jfca.2022.104634>.

Salamah, N. *et al.* (2023) ‘Analysis of Gelatin on Soft Candy using a Combination of Fourier Transform Infrared Spectroscopy (FTIR) with Chemometrics for Halal Authentication’, *Indonesian Journal of Halal Research*, 5(2), pp. 90–98. Available at: <https://doi.org/10.15575/ijhar.v5i2.25682>.

Samatra, M.Y. *et al.* (2022) ‘Bovidae-based gelatin: Extractions method, physicochemical and functional properties, applications, and future trends’, *Comprehensive Reviews in Food Science and Food Safety*, 21(4), pp. 3153–3176. Available at: <https://doi.org/10.1111/1541-4337.12967>.

Schlegel, K. *et al.* (2019) ‘Enzymatic hydrolysis of lupin protein isolates—Changes in the molecular weight distribution, technofunctional characteristics, and sensory attributes’, *Food Science & Nutrition*, 7(8), pp. 2747–2759. Available at: <https://doi.org/10.1002/fsn3.1139>.

Shaterabadi, D. *et al.* (2020) ‘Effect of power ultrasound on the extraction of black caraway (*Carum carvi* L.) and evaluation of their qualitative properties using response surface methodology’, *Food Science & Nutrition*, 8(8), pp. 4361–4369. Available at: <https://doi.org/10.1002/fsn3.1733>.

Shoulders, M.D. and Raines, R.T. (2009) ‘Collagen Structure and Stability’, *Annual Review of Biochemistry*, 78(1), pp. 929–958. Available at: <https://doi.org/10.1146/annurev.biochem.77.032207.120833>.

Shuai, J. *et al.* (2022) ‘Ultrasound treatment can increase digestibility of myofibrillar protein of pork with modified atmosphere packaging’, *Food Chemistry*, 377, p. 131811. Available at: <https://doi.org/10.1016/j.foodchem.2021.131811>.

Silventoinen, P. and Sozer, N. (2020) ‘Impact of Ultrasound Treatment and pH-Shifting on Physicochemical Properties of Protein-Enriched Barley Fraction and Barley Protein Isolate’, *Foods*, 9(8), p. 1055. Available at: <https://doi.org/10.3390/foods9081055>.

Singh, N. *et al.* (2023) ‘Purification and Characterization of a Glucose tolerant  $\beta$ -Glucosidase from a Newly Isolated *Neofusicoccum Parvum* strain F7: Production Optimization using Plackett Burman and Box Behnken’. Available at: <https://doi.org/10.21203/rs.3.rs-2571707/v1>.

Sirivibulkovit, K., Nouanthavong, S. and Sameenoi, Y. (2018) ‘Paper-based DPPH Assay for Antioxidant Activity Analysis’, *Analytical Sciences*, 34(7), pp. 795–800. Available at: <https://doi.org/10.2116/analsci.18P014>.

Skopinska-Wisniewska, J., Tuszynska, M. and Olewnik-Kruszkowska, E. (2021) ‘Comparative Study of Gelatin Hydrogels Modified by Various Cross-Linking Agents’, *Materials*, 14(2), p. 396. Available at: <https://doi.org/10.3390/ma14020396>.

SNI (1995) ‘SNI 01-3735-1995\_ Mutu dan cara uji gelatin \_ Perpustakaan PATKY.pdf’.

Sockalingam, K. *et al.* (2016) ‘Effects of Pre-Treatment Durations on Properties of Black Tilapia (*Oreochromis mossambicus*) Skin Gelatin’, *Materials Science Forum*, 840, pp. 146–150. Available at: <https://doi.org/10.4028/www.scientific.net/MSF.840.146>.

Sousa, S.C. *et al.* (2017) ‘Valorization of By-Products from Commercial Fish Species: Extraction and Chemical Properties of Skin Gelatins’, *Molecules*, 22(9), p. 1545. Available at: <https://doi.org/10.3390/molecules22091545>.

Su, J. and Cavaco-Paulo, A. (2021) ‘Effect of ultrasound on protein functionality’, *Ultrasonics Sonochemistry*, 76, p. 105653. Available at: <https://doi.org/10.1016/j.ultsonch.2021.105653>.

Sun, Y. *et al.* (2023) ‘The Hydrolysis of Pigment-Protein Phycoerythrin by Bromelain Enhances the Color Stability’, *Foods*, 12(13), p. 2574. Available at: <https://doi.org/10.3390/foods12132574>.

Sykutera, D. *et al.* (2018) ‘The Influence of Processing Conditions on the Polypropylene Apparent Viscosity Measured Directly in the Mold Cavity’, *Macromolecular Symposia*, 378(1), p. 1700056. Available at: <https://doi.org/10.1002/masy.201700056>.

Tai, C., Arellano, M.G. and Keshwani, D.R. (2014) ‘Epidemic based modeling of enzymatic hydrolysis of lignocellulosic biomass’, *Biotechnology Progress*, 30(5), pp. 1021–1028. Available at: <https://doi.org/10.1002/btpr.1960>.

Tang, C.-H. *et al.* (2006) ‘Physicochemical and Functional Properties of Hemp (*Cannabis sativa* L.) Protein Isolate’, *Journal of Agricultural and Food Chemistry*, 54(23), pp. 8945–8950. Available at: <https://doi.org/10.1021/jf0619176>.

Tazawa, S., Kobayashi, K. and Yamanaka, M. (2016) ‘Effect of Sodium Dodecyl Sulfate Concentration on Supramolecular Gel Electrophoresis’, *ChemNanoMat*, 2(5), pp. 423–425. Available at: <https://doi.org/10.1002/cnma.201600003>.

Thongrattanatrai, K. *et al.* (2023) ‘Effect of Ultrasonic-Assisted Enzymatic Hydrolysis on Functional Properties and Antioxidant Activity of Eri Silkworm Pupa Protein Isolate’, *International Journal of Food Science*, 2023(1), p. 9409710. Available at: <https://doi.org/10.1155/2023/9409710>.

Topuz, O.K. *et al.* (2021) ‘Biogenic amine formation in fish roe in under the effect of drying methods and coating materials’, *Journal of Food Processing and Preservation*, 45(1). Available at: <https://doi.org/10.1111/jfpp.15052>.

Tu, Z. *et al.* (2015) ‘Physico-chemical properties of gelatin from bighead carp (*Hypophthalmichthys nobilis*) scales by ultrasound-assisted extraction’, *Journal of Food Science and Technology*, 52(4), pp. 2166–2174. Available at: <https://doi.org/10.1007/s13197-013-1239-9>.

Udjono, G.A.P. (2023) *PENGARUH LAMA WAKTU EKSTRAKSI ULTRASONIC ASSISTED EXTRACTION (UAE) TERHADAP KOLAGEN TULANG CEKER AYAM DENGAN METODE KOMBINASI PERENDAMAN ENZIM PAPAIN*. other. Universitas Katholik Soegijapranata Semarang. Available at: <http://repository.unika.ac.id/31316/> (Accessed: 23 April 2024).

Ulug, S.K., Jahandideh, F. and Wu, J. (2021) ‘Novel technologies for the production of bioactive peptides’, *Trends in Food Science & Technology*, 108, pp. 27–39. Available at: <https://doi.org/10.1016/j.tifs.2020.12.002>.

Usman, M. *et al.* (2022) ‘Gelatin extraction from fish waste and potential applications in food sector’, *International Journal of Food Science & Technology*, 57(1), pp. 154–163. Available at: <https://doi.org/10.1111/ijfs.15286>.

Valcarcel, J. *et al.* (2021) ‘Extraction and Characterization of Gelatin from Skin By-Products of Seabream, Seabass and Rainbow Trout Reared in Aquaculture’, *International Journal of Molecular Sciences*, 22(22), p. 12104. Available at: <https://doi.org/10.3390/ijms222212104>.

Van Sadelhoff, J.H.J. *et al.* (2018) ‘Short Communication: Differences in Levels of Free Amino Acids and Total Protein in Human Foremilk and Hindmilk’, *Nutrients*, 10(12), p. 1828. Available at: <https://doi.org/10.3390/nu10121828>.

Venkatachalam, M. *et al.* (2021) ‘OVAT Analysis and Response Surface Methodology Based on Nutrient Sources for Optimization of Pigment Production

in the Marine-Derived Fungus *Talaromyces albobiverticillius* 30548 Submerged Fermentation', *Marine Drugs*, 19(5), p. 248. Available at: <https://doi.org/10.3390/md19050248>.

Verma, V. *et al.* (2022) 'Chapter 10 - Plant extracts as enzymes', in S.A. Mir, A. Manickavasagan, and M.A. Shah (eds) *Plant Extracts: Applications in the Food Industry*. Academic Press, pp. 209–223. Available at: <https://doi.org/10.1016/B978-0-12-822475-5.00009-0>.

Vidal, A.R. *et al.* (2018) 'Enzymatic hydrolysis (pepsin) assisted by ultrasound in the functional Properties of hydrolyzates from different collagens', *Ciência Rural*, 48(3). Available at: <https://doi.org/10.1590/0103-8478cr20170649>.

Viji, P. *et al.* (2019) 'Functional and Antioxidant Properties of Gelatin Hydrolysates Prepared from Skin and Scale of Sole Fish', *Journal of Aquatic Food Product Technology*, 28(10), pp. 976–986. Available at: <https://doi.org/10.1080/10498850.2019.1672845>.

Wang, Q., Jin, Y. and Xiong, Y.L. (2018) 'Heating-Aided pH Shifting Modifies Hemp Seed Protein Structure, Cross-Linking, and Emulsifying Properties', *Journal of Agricultural and Food Chemistry*, 66(41), pp. 10827–10834. Available at: <https://doi.org/10.1021/acs.jafc.8b03901>.

Wang, T. *et al.* (2018) 'Effects of ultrasound on the physicochemical properties and microstructure of salted-dried grass carp ( *Ctenopharyngodon idella* )', *Journal of Food Process Engineering*, 41(1), p. e12643. Available at: <https://doi.org/10.1111/jfpe.12643>.

Wardani, D.W. *et al.* (2023) 'In silico and in vitro assessment of yellowfin tuna skin (*Thunnus albacares*) hydrolysate antioxidation effect', *Food Hydrocolloids for Health*, 3, p. 100126. Available at: <https://doi.org/10.1016/j.fhfh.2023.100126>.

Waters (2012) 'ACQUITY UPLC H-Class and H-Class Bio Amino Acid Analysis System Guide', *waters corporation*.

Wei, W. *et al.* (2018) 'Analysis of protein structure changes and quality regulation of surimi during gelation based on infrared spectroscopy and microscopic imaging', *Scientific Reports*, 8(1), p. 5566. Available at: <https://doi.org/10.1038/s41598-018-23645-3>.

Wu, X. *et al.* (2017) 'Microstructure of transglutaminase-induced gelatin-natamycin fungistatic composite films', *International Journal of Food Properties*, 20(12), pp. 3191–3203. Available at: <https://doi.org/10.1080/10942912.2017.1280679>.

Yang, H. *et al.* (2008) 'Effects of alkaline and acid pretreatment on the physical properties and nanostructures of the gelatin from channel catfish skins', *Food*

*Hydrocolloids*, 22(8), pp. 1541–1550. Available at: <https://doi.org/10.1016/j.foodhyd.2007.10.007>.

Yang, H. *et al.* (2019) ‘Hydrolysis Process Optimization and Functional Characterization of Yak Skin Gelatin Hydrolysates’, *Journal of Chemistry*, 2019, pp. 1–11. Available at: <https://doi.org/10.1155/2019/9105605>.

Yang, J. *et al.* (2022) ‘Ultrasonic-assisted pH shift-induced interfacial remodeling for enhancing the emulsifying and foaming properties of perilla protein isolate’, *Ultrasonics Sonochemistry*, 89, p. 106108. Available at: <https://doi.org/10.1016/j.ultsonch.2022.106108>.

Yu, Z.-L. *et al.* (2016) ‘Effect of ultrasonic pretreatment on kinetics of gelatin hydrolysis by collagenase and its mechanism’, *Ultrasonics Sonochemistry*, 29, pp. 495–501. Available at: <https://doi.org/10.1016/j.ultsonch.2015.11.004>.

Yvon, M., Chabanet, C. and Pélissier, J. (1989) ‘Solubility of peptides in trichloroacetic acid (TCA) solutions Hypothesis on the precipitation mechanism’, *International Journal of Peptide and Protein Research*, 34(3), pp. 166–176. Available at: <https://doi.org/10.1111/j.1399-3011.1989.tb00227.x>.

Zambuto, S.G. *et al.* (2023) ‘Evaluation of gelatin bloom strength on gelatin methacryloyl hydrogel properties’. *bioRxiv*, p. 2023.11.13.566924. Available at: <https://doi.org/10.1101/2023.11.13.566924>.

Zeng, S. *et al.* (2010) ‘Original article: Optimisation of extraction conditions and characteristics of skin gelatin from Nile tilapia ( *Oreochromis niloticus* )’, *International Journal of Food Science & Technology*, 45(9), pp. 1807–1813. Available at: <https://doi.org/10.1111/j.1365-2621.2010.02332.x>.

Zhang, T.-F., Yang, J.-F. and Lin, D.K.J. (2011) ‘Small Box–Behnken design’, *Statistics & Probability Letters*, 81(8), pp. 1027–1033. Available at: <https://doi.org/10.1016/j.spl.2011.02.024>.

Zhang, W. *et al.* (2021) ‘Influence of ultrasound-assisted ionic liquid pretreatments on the functional properties of soy protein hydrolysates’, *Ultrasonics Sonochemistry*, 73, p. 105546. Available at: <https://doi.org/10.1016/j.ultsonch.2021.105546>.

Zhao, D. *et al.* (2023) ‘Effect of Chickpea Dietary Fiber on the Emulsion Gel Properties of Pork Myofibrillar Protein’, *Foods*, 12(13), p. 2597. Available at: <https://doi.org/10.3390/foods12132597>.

Zhao, F. *et al.* (2019) ‘Effects of High-Intensity Ultrasound Pretreatment on Structure, Properties, and Enzymolysis of Soy Protein Isolate’, *Molecules*, 24(20), p. 3637. Available at: <https://doi.org/10.3390/molecules24203637>.

Zheng, J. *et al.* (2014) 'Enzymatic hydrolysis of steam exploded corncob residues after pretreatment in a twin-screw extruder', *Biotechnology Reports*, 3, pp. 99–107. Available at: <https://doi.org/10.1016/j.btre.2014.06.008>.