

DAFTAR PUSTAKA

- Abdelshafy, A. M., Belwal, T., Liang, Z., Wang, L., Li, D., Luo, Z., & Li, L. (2021). A comprehensive review on phenolic compounds from edible mushrooms: Occurrence, biological activity, application and future prospective. *Critical Reviews in Food Science and Nutrition*, 62(22), 6204–6224. <https://doi.org/10.1080/10408398.2021.1898335>
- Ahlawat YK, Singh M, Manorama K, et al. (2023) Plant phenolics: neglected secondary metabolites in plant stress tolerance. *Rev Bras Bot.*
- Alara, O. R., Abdurahman, N. H., & Olalere, O. A. (2018). Ethanolic extraction of bioactive compounds from *Vernonia amygdalina* leaf using response surface methodology as an optimization tool. *Journal of Food Measurement and Characterization*, 12(2), 1107–1122. <https://doi.org/10.1007/s11694-018-9726-3>
- Alkan, S., & Demirdöven, A. (2020). Optimization of Ultrasound-Assisted Extraction of Polyphenols from Waste Olive Leaves. *Journal of Food Measurement and Characterization*, 14(5), 2366-2374. doi:10.1007/s11694-020-00494-6.
- Al-Dabbagh, B., Elhaty, I. A., Al Hrouf, A., Al Sakkaf, R., El-Awady, R., Ashraf, S. S., & Amin, A. (2018). Antioxidant and anticancer activities of *Trigonella foenum-graecum*, *Cassia acutifolia* and *Rhazya stricta*. *BMC Complementary and Alternative Medicine*, 18(1). <https://doi.org/10.1186/s12906-018-2285-7>
- Amirullah, N., Nurfaizey, A. H., Nur Hanani, Z. A., & Ruzainah, A. J. (2021). Ultrasound-assisted extraction of bioactive compounds from agro-waste materials: Optimization and potential applications. *Processes*, 9(8), 1371. doi:10.3390/pr9081371
- AOAC. (2016). Guidelines for Standard Method Performance Requirements. <https://www.aoac.org/resources/guidelines-for-standard-method-performance-requirements>. [15 Mei 2024].
- Apak, R., Gorinstein, S., Böhm, V., Schaich, K. M., Özyürek, M., & Güçlü, K. (2013). Methods of measurement and evaluation of natural antioxidant capacity/activity (IUPAC technical report). *Pure and Applied Chemistry*, 85(5), 957–998. <https://doi.org/10.1351/PAC-REP-12-07-15>
- Bach, V., Rahim, M. A., Malek, M. F., & Faizal, W. M. (2019). Effects of Ultrasonic-Assisted Extraction on the Physicochemical Properties of Different Walnut Proteins. *Molecules*, 24(23), 4260. doi:10.3390/molecules24234260
- Badan Pusat Statistik. (2017). Produk-Tabel Statistik. Pertanian, Kehutanan, Perikanan. Produksi Tanaman Sayuran, 2021-2023, <https://www.bps.go.id/id/statistics-table/2/NjEjMg==/production-of-vegetables.html>

- Bahadori, M. B., & Valizadeh, H. (2019). Ultrasound-Assisted Extraction of Essential Oils from Medicinal Plants: A Review on the Process Parameters. *Industrial Crops and Products*, 130, 395-407. doi:10.1016/j.indcrop.2018.12.077.
- Belahcene, C., Ferhat, M. A., Hamoudi, R., & Chemat, F. (2023). Ultrasound-assisted extraction of phenolic compounds from *Corchorus olitorius* leaves: a response surface optimization. *Chemical and Biological Technologies in Agriculture*. doi:10.1186/s40538-023-00291-1
- Berger, P.D., Maurer, R.E., Celli, G.B. (2018). *Experimental design: With applications in management, engineering, and the sciences: Second edition* Dalam: *Experimental Design: With Applications in Management, Engineering and the Sciences*, hal. 1–639. Springer International Publishing, Cham.
- Bernal-Gallardo JO, Molina-Torres J, Angoa-Pérez M V., et al. (2022) Phenolic compound content and the antioxidant and antimicrobial activity of wild blueberries (*Vaccinium stenophyllum* steud.) fruits extracts during ripening. *Horticulturae* 8
- Blainski, A., Lopes, G. C., & De Mello, J. C. P. (2013). Application and analysis of the folin ciocalteu method for the determination of the total phenolic content from *limonium brasiliense* L. *Molecules*, 18(6), 6852–6865. <https://doi.org/10.3390/molecules18066852>
- Cayan, P. S., Ercişli, S., & Torun, H. (2020). Optimization of Ultrasound-Assisted Extraction of Bioactive Compounds from Broccoli By-Products. *Foods*, 13(10), 1441. doi:10.3390/foods13101441
- Che Sulaiman, I. S., Basri, M., Fard Masoumi, H. R., Chee, W. J., Ashari, S. E., & Ismail, M. (2017). Effects of temperature, time, and solvent ratio on the extraction of phenolic compounds and the anti-radical activity of *Clinacanthus nutans* Lindau leaves by response surface methodology. *Chemistry Central Journal*, 11(1). <https://doi.org/10.1186/s13065-017-0285-1>
- Chemat, F., Rombaut, N., Sicaire, A. G., Meullemiestre, A., Fabiano-Tixier, A. S., & Abert-Vian, M. (2017). Ultrasound assisted extraction of food and natural products. Mechanisms, techniques, combinations, protocols and applications. A review. In *Ultrasonics Sonochemistry* (Vol. 34, pp. 540–560). Elsevier B.V. <https://doi.org/10.1016/j.ultsonch.2016.06.035>
- Chemat, F., Zill-e-Huma, Muhammed, K. (2011). Applications of ultrasound in food technology: processing, preservation and extraction. *Journal Ultrasonic Sonochemistry* 18: 813-835.
- Cheung, K., Hume, P. A., & Maxwell, L. (2003). Delayed Onset Muscle Soreness Treatment Strategies and Performance Factors. In *Sports Med* (Vol. 33, Issue 2).

- Chu, B., Wu, D., & Li, W. (2023). Ultrasound-Assisted Extraction of Flavonoids from Grape Seed and its Optimization. *Food and Bioprocess Technology*, 16(3), 485-495. doi:10.1007/s11947-023-02778-4.
- Chirinang, P., & Intarapichet, K.-O. (2009). Amino acids and antioxidant properties of the oyster mushrooms, *Pleurotus ostreatus* and *Pleurotus sajor-caju*. *ScienceAsia*, 35(4), 326. <https://doi.org/10.2306/scienceasia1513-1874.2009.35.326>
- Dzah, C. S., Duan, Y., Zhang, H., Wen, C., Zhang, J., Chen, G., & Ma, H. (2020). The effects of ultrasound assisted extraction on yield, antioxidant, anticancer and antimicrobial activity of polyphenol extracts: A review. In *Food Bioscience* (Vol. 35). Elsevier Ltd. <https://doi.org/10.1016/j.fbio.2020.100547>
- Ferrari, G., Pataro, G., & Donsi, F. (2020). Ultrasound-Assisted Extraction of Bioactive Compounds from Agro-Industrial By-Products. *Sustainability*, 12(13), 5244. doi:10.3390/su12135244.
- Gai F, Janiak MA, Sulewska K, et al. (2023) Phenolic Compound Profile and Antioxidant Capacity of Flax (*Linum usitatissimum* L.) Harvested at Different Growth Stages. *Molecules* 28: 1–15
- Gao, M., Feng, L., & Jiang, T. (2014). Browning inhibition and quality preservation of button mushroom (*Agaricus bisporus*) by essential oils fumigation treatment. *Food Chemistry*, 149, 107–113. <https://doi.org/10.1016/j.foodchem.2013.10.073>
- Gbotognon O, Kouadio T, Djè K, et al. (2022) Effects of maturity stage on the antioxidant components levels and antioxidant properties of three edible mushroom species of genus *Russula* from Côte d'Ivoire. *Mushroom Res* 31: 123–138
- Hardiana, R. (2021). *SKRIPSI OPTIMASI METODE EKSTRAKSI SIMPLISIA RIMPANG Curcuma zedoaria DENGAN METODE Ultrasound-assisted extraction OPTIMIZATION OF THE EXTRACTION METHOD OF Curcuma zedoaria RHIZOME PERFORMED USING ULTRASOUND-ASSISTED EXTRACTION METHOD.*
- Harmita, H. (2004). PETUNJUK PELAKSANAAN VALIDASI METODE DAN CARA PERHITUNGANNYA. *Majalah Ilmu Kefarmasian*, 1(3), 117–135. <https://doi.org/10.7454/psr.v1i3.3375>
- Herrero, M., Plaza, M., Cifuentes, A., & Ibáñez, E. (2012). “Extraction techniques for the determination of phenolic compounds in food.”
- Hildayanti. (2022). *PENERAPAN METODE ULTRASONIC ASSISTED EXTRACTION (UAE) PADA EKSTRAKSI DAUN Morus indica L. DAN PENETAPAN KADAR FENOLIK TOTAL APPLICATION of ULTRASONIC-ASSISTED EXTRACTION (UAE) METHOD on THE EXTRACTION of*

Morus indica L. LEAVES and DETERMINATION of TOTAL PHENOLIC CONTENT HILDAYANTI N011 18 1316 PROGRAM STUDI FARMASI FAKULTAS FARMASI UNIVERSITAS HASANUDDIN MAKASSAR 2022.

- Hsiao, W. L. W., Li, Y. Q., Lee, T. L., Li, N., You, M. M., & Chang, S. T. (2004). Medicinal mushroom extracts inhibit ras-induced cell transformation and the inhibitory effect requires the presence of normal cells. *Carcinogenesis*, 25(7), 1177–1183. <https://doi.org/10.1093/carcin/bgh119>
- Huang, Y., Tian, X., Nie, Y., Yang, C., & Wang, Y. (2018). Enhanced peroxydisulfate activation for phenol degradation over MnO₂ at pH 3.5–9.0 via Cu(II) substitution. *Journal of Hazardous Materials*, 360, 303–310. <https://doi.org/10.1016/j.jhazmat.2018.08.028>
- ICH. (2005). ICH Topic Q2 (R1) Validation of Analytical Procedures: Text and Methodology. Geneva, Switzerland.
- Ignat, I., Volf, I., & Popa, V. I. (2011). A critical review of methods for characterisation of polyphenolic compounds in fruits and vegetables. In *Food Chemistry* (Vol. 126, Issue 4, pp. 1821–1835). <https://doi.org/10.1016/j.foodchem.2010.12.026>
- Islam, M. S., Begum, A., & Rahman, M. (2016). Ultrasound-Assisted Extraction of Bioactive Compounds from *Spirulina platensis* and its Antioxidant Activity. *Journal of Aquatic Food Product Technology*, 25(2), 246-256. doi:10.1080/10498850.2013.840004.
- IUPAC. (2014). Compendium of Chemical Terminology (2nd ed., online version). IUPAC.
- J. Yin, J. Zhang and J. Zhang, "Ultrasound Super-resolution Microvessel Imaging via Multilevel Decomposition Reconstruction," 2020 IEEE International Ultrasonics Symposium (IUS), Las Vegas, NV, USA, 2020, pp. 1-4, doi: 10.1109/IUS46767.2020.9251629.
- Jayachandran, S., De Laat, J., Lambin, E. F., Stanton, C. Y., Audy, R., & Thomas, N. E. (2017). *Cash for carbon: A randomized trial of payments for ecosystem services to reduce deforestation*. <https://www.science.org>
- Kazekevich, Y., & LoBrutto, R. (2007). Frontmatter. In *HPLC for Pharmaceutical Scientists*. Wiley. <https://doi.org/10.1002/9780470087954.fmatter>
- Kornienko, J. S., Smirnova, I. S., Pugovkina, N. A., Ivanova, J. S., Shilina, M. A., Grinchuk, T. M., Shatrova, A. N., Aksenov, N. D., Zenin, V. V., Nikolsky, N. N., & Lyublinskaya, O. G. (2019). High doses of synthetic antioxidants induce premature senescence in cultivated mesenchymal stem cells. *Scientific Reports*, 9(1). <https://doi.org/10.1038/s41598-018-37972-y>
- Kumar, K., & Ghosh, S. (2019). Ultrasound-Assisted Extraction (UAE) of bioactive compounds from fruit and vegetable processing by-products: A

review. *Trends in Food Science & Technology*, 98, 386-398.
doi:10.1016/j.tifs.2019.03.009

Kumar, M., Tomar, M., Potkule, J., Verma, R., Punia, S., Mahapatra, A., Belwal, T., Dahuja, A., Joshi, S., Berwal, M. K., Satankar, V., Bhoite, A. G., Amarowicz, R., Kaur, C., & Kennedy, J. F. (2021). Advances in the plant protein extraction: Mechanism and recommendations. In *Food Hydrocolloids* (Vol. 115). Elsevier B.V. <https://doi.org/10.1016/j.foodhyd.2021.106595>

Lawag, I. L., Nolden, E. S., Schaper, A. A. M., Lim, L. Y., & Locher, C. (2023). A Modified Folin-Ciocalteu Assay for the Determination of Total Phenolics Content in Honey. *Applied Sciences (Switzerland)*, 13(4).
<https://doi.org/10.3390/app13042135>

Lin, L. Z., Harnly, J. M., & Zhang, R. W. (2016). Chemical Composition and Antioxidant Properties of Yellow Soybeans as Affected by Ultrasound-Assisted Extraction. *Food Chemistry*, 194, 36-45.
doi:10.1016/j.foodchem.2015.08.064.

Lindequist, U., Niedermeyer, T. H. J., & Jülich, W. D. (2005). The pharmacological potential of mushrooms. In *Evidence-based Complementary and Alternative Medicine* (Vol. 2, Issue 3, pp. 285–299).
<https://doi.org/10.1093/ecam/neh107>

Liu, Z., Chen, X., Yang, J., & Huang, H. (2012). Effects of Ultrasound-Assisted Extraction on the Yield and Quality of Phenolic Compounds from Soursop Leaves. *Journal of Medicinal Plants Research*, 6(17), 3350-3355.
doi:10.5897/JMPR11.1221.

Lobo, V., Patil, A., Phatak, A., & Chandra, N. (2010). Free radicals, antioxidants and functional foods: Impact on human health. In *Pharmacognosy Reviews* (Vol. 4, Issue 8, pp. 118–126). <https://doi.org/10.4103/0973-7847.70902>

Ma, G., Yang, W., Zhao, L., Pei, F., Fang, D., & Hu, Q. (2018). A critical review on the health promoting effects of mushrooms nutraceuticals. *Food Science and Human Wellness*, 7(2), 125–133.
<https://doi.org/10.1016/j.fshw.2018.05.002>

Ma, Y., Wang, Q., Sun, X., Wang, X., Su, W., & Song, N. (2014). *A Study on Recycling of Spent Mushroom Substrate to Prepare Chars and Activated Carbon*.

Mamta, Misra, K., Dhillon, G.S., Brar, S.K., Verma, M. (2014). Antioxidants. In: Brar, S., Dhillon, G., Soccol, C. (eds) *Biotransformation of Waste Biomass into High Value Biochemicals*. Springer, New York, NY.
https://doi.org/10.1007/978-1-4614-8005-1_6

Manohar, M., Joseph, J., Selvaraj, T., & Sivakumar, D. (2013). Application of desirability-function and RSM to optimise the multi-objectives while turning Inconel 718 using coated carbide tools. *International Journal of*

Manufacturing Technology and Management, 27(4–6), 218–237.
<https://doi.org/10.1504/IJMTM.2013.058899>

- Molole, G. J., Gure, A., & Abdissa, N. (2022). Determination of total phenolic content and antioxidant activity of *Commiphora mollis* (Oliv.) Engl. resin. *BMC Chemistry*, 16(1). <https://doi.org/10.1186/s13065-022-00841-x>
- Montgomery, Douglas C. Design and Analysis of Experiments. 9th ed., Wiley, 2017.
- Müller, R., Acosta-Motos, J. R., Großkinsky, D. K., Hernández, J. A., Lütken, H., & Barba-Espin, G. (2019). UV-B exposure of black carrot (*Daucus carota* ssp. *sativus* var. *atrorubens*) plants promotes growth, accumulation of anthocyanin, and phenolic compounds. *Agronomy*, 9(6).
<https://doi.org/10.3390/agronomy9060323>
- Nowacka, M., Wiktor, A., Śledź, M., & Witrowa-Rajchert, D. (2015). Ultrasound-Assisted Extraction of Phenolic Compounds from Raspberry Pomace. *Journal of Food Engineering*, 160, 67-73.
doi:10.1016/j.jfoodeng.2015.02.021.
- Oroian, M., & Escriche, I. (2015). *Antioxidants: characterization, natural sources, extraction and analysis*.
- Palacios, M., Vila, D., & Núñez, M. (2011). Optimization of Ultrasound-Assisted Extraction of Phenolic Compounds from Olive Leaves. *Journal of Agricultural and Food Chemistry*, 59(23), 12491-12496.
doi:10.1021/jf203508e.
- Palacios, I., Lozano, M., Moro, C., D'Arrigo, M., Rostagno, M. A., Martínez, J. A., García-Lafuente, A., Guillamón, E., & Villares, A. (2011). Antioxidant properties of phenolic compounds occurring in edible mushrooms. *Food Chemistry*, 128(3), 674–678. <https://doi.org/10.1016/j.foodchem.2011.03.085>
- Parisi, O.I., Puoci, F., Restuccia, D., Farina, G., Iemma, F., Picci, N. (2013). Polyphenols and Their Formulations: Different Strategies to Overcome the Drawbacks Associated with Their Poor Stability and Bioavailability. *Polyphenols in Human Health and Disease* 1: 29–45.
- Perincek, O., & Colak, M. (2013). Use of Experimental Box-Behnken Design for the Estimation of Interactions Between Harmonic Currents Produced by Single Phase Loads. *International Journal of Engineering Research and Applications*, 3(2), 158–165. www.ijera.com
- Picó, Y., (2013). Ultrasound-assisted extraction for food and environmental samples. *TrAC - Trends Anal. Chem* 43: 84-99.
- Pico, J., Yan, Y., Gerbrandt, E. M., & Castellarin, S. D. (2022). Determination of free and bound phenolics in northern highbush blueberries by a validated HPLC/QTOF methodology. *Journal of Food Composition and Analysis*, 108. <https://doi.org/10.1016/j.jfca.2022.104412>

- Rahman, M. A., Masud, A. Al, Lira, N. Y., & Shakil, S. (2020). IJTCM-2020-03-0905. *Proximate Analysis, Photochemical Screening and Antioxidant Activity Of Different Strains of Auricularia auricula-judae (Ear Mushroom)*.
- Rao, T. N. (2018). Validation of Analytical Methods. In (Ed.), *Calibration and Validation of Analytical Methods - A Sampling of Current Approaches*. IntechOpen. <https://doi.org/10.5772/intechopen.72087>
- Sandhu, H. K., Sinha, P., Emanuel, N., Kumar, N., Sami, R., Khojah, E., & Al-Mushhin, A. A. M. (2021). Effect of ultrasound-assisted pretreatment on extraction efficiency of essential oil and bioactive compounds from citrus waste by-products. *Separations*, 8(12). <https://doi.org/10.3390/separations8120244>
- Šelo, G., Planinić, M., Tišma, M., Grgić, J., Perković, G., Komlenić, D. K., & Bucić-Kojić, A. (2022). A Comparative Study of the Influence of Various Fungal-Based Pretreatments of Grape Pomace on Phenolic Compounds Recovery. *Foods*, 11(11). <https://doi.org/10.3390/foods11111665>
- Shahidi, F., & Ambigaipalan, P. (2015). Phenolics and polyphenolics in foods, beverages and spices: Antioxidant activity and health effects - A review. In *Journal of Functional Foods* (Vol. 18, pp. 820–897). Elsevier Ltd. <https://doi.org/10.1016/j.jff.2015.06.018>
- Shahidi, F., & Yeo, J. D. (2018). Bioactivities of phenolics by focusing on suppression of chronic diseases: A review. In *International Journal of Molecular Sciences* (Vol. 19, Issue 6). MDPI AG. <https://doi.org/10.3390/ijms19061573>
- Shirsath, S. R., Sonawane, S. H., & Gogate, P. R. (2012). Intensification of extraction of natural products using ultrasonic irradiations-A review of current status. In *Chemical Engineering and Processing: Process Intensification* (Vol. 53, pp. 10–23). <https://doi.org/10.1016/j.cep.2012.01.003>
- Stamets, P. (2005). Notes on Nutritional Properties of Culinary-Medicinal Mushrooms. In *International Journal of Medicinal Mushrooms* (Vol. 7). <http://1stholistic.com/Nutrition/>
- Setyaningsih, W., Duros, E., Palma, M., & Barroso, C. G. (2016a). Optimization of the ultrasound-assisted extraction of melatonin from red rice (*Oryza sativa*) grains through a response surface methodology. *Applied Acoustics*, 103: 129–135.
- Setyaningsih, W., Saputro, I. E., Palma, M., & Barroso, C. G. (2016b). Stability of 40 phenolic compounds during ultrasound-assisted extractions (UAE). *AIP Conference Proceedings* 1755: 080009-1–080009-7.

- Setyaningsih, W., Saputro, I.E., Carrera, C. A., Palma, M. (2019). Optimisation of an ultrasound-assisted extraction method for the simultaneous determination of phenolics in rice grains. *Food Chemistry* 288: 221-227.
- Shi, J., Nawaz, H., Pohorly, J., Mittal, G., Kakuda, Y., Jiang, Y. (2005). Extraction of Polyphenolics from Plant Material for Functional Foods—Engineering and Technology. *Food Rev. Int.* 21: 139–166.
- Shirsath, S. R., Sonawane, S. H., & Gogate, P. R. (2012). Intensification of extraction of natural products using ultrasonic irradiations—A review of current status. *Chemical Engineering and Processing. Process Intensification* 53: 10–23.
- Skoog, D. A., Holler, F. J., & Crouch, S. R. (2017). *Principles of Instrumental Analysis* (7th ed.). Cengage Learning.
- Sun, X., Zhang, W., Zhang, L., Tian, S., & Chen, F. (2020). Molecular and emulsifying properties of arachin and conarachin of peanut protein isolate from ultrasound-assisted extraction. *LWT*, 132. <https://doi.org/10.1016/j.lwt.2020.109790>
- Tao, Y., Wu, D., Zhang, Q. A., & Sun, D. W. (2014). Ultrasound-assisted extraction of phenolics from wine lees: Modeling, optimization and stability of extracts during storage. *Ultrasonics Sonochemistry*, 21(2), 706–715. <https://doi.org/10.1016/j.ultsonch.2013.09.005>
- Valverde, M. E., Hernández-Pérez, T., & Paredes-López, O. (2015). Edible mushrooms: Improving human health and promoting quality life. In *International Journal of Microbiology* (Vol. 2015). Hindawi Publishing Corporation. <https://doi.org/10.1155/2015/376387>
- Veljovic, M., Todorovic, V., & Savic, I. (2017). Optimization of Ultrasound-Assisted Extraction of Phenolic Compounds from Hazelnut Shells. *Journal of Food Processing and Preservation*, 41(5), e13208. doi:10.1111/jfpp.13208.
- Vilkhu, K., Mawson, R., Simons, L., & Bates, D. (2008). Applications and opportunities for ultrasound assisted extraction in the food industry - A review. *Innovative Food Science and Emerging Technologies*, 9(2), 161–169. <https://doi.org/10.1016/j.ifset.2007.04.014>
- Wang, M., Avula, B., Wang, Y.-H., Zhao, J., Avonto, C., Parcher, J. F. (2014). An integrated approach utilising chemometrics and GC/MS for classification of chamomile flowers, essential oils and commercial products. *Food Chemistry* 152: 391–398.
- Wróblewski, K., Petruczynik, A., Buszewski, B., Szultka-Mlynska, M., Karakula-Juchnowicz, H., & Waksmundzka-Hajnos, M. (2017). Determination of vortioxetine in human serum and saliva samples by HPLC-DAD and HPLC-MS. *Acta Chromatographica*, 29(3), 325–344. <https://doi.org/10.1556/1326.2017.29.3.02>

- Yahia, E. M., & Ornelas-Paz, J. J. (2017). Ultrasound-Assisted Extraction of Antioxidants from Fruit Peels and Seeds. *Ultrasonics Sonochemistry*, 38, 787–791. doi:10.1016/j.ultsonch.2017.03.033.
- Yeh, J. Y., Hsieh, L. H., Wu, K. T., & Tsai, C. F. (2011). Antioxidant properties and antioxidant compounds of various extracts from the edible basidiomycete *Grifola frondosa* (Maitake). *Molecules*, 16(4), 3197–3211. <https://doi.org/10.3390/molecules16043197>
- Yim, H., Haselbeck, R., Niu, W., Pujol-Baxley, C., Burgard, A., Boldt, J., Khandurina, J., Trawick, J. D., Osterhout, R. E., Stephen, R., Estadilla, J., Teisan, S., Schreyer, H. B., Andrae, S., Yang, T. H., Lee, S. Y., Burk, M. J., & Van Dien, S. (2011). Metabolic engineering of *Escherichia coli* for direct production of 1,4-butanediol. *Nature Chemical Biology*, 7(7), 445–452. <https://doi.org/10.1038/nchembio.580>
- Yoon, S. J., Yu, M. A., Pyun, Y. R., Hwang, J. K., Chu, D. C., Juneja, L. R., & Mourão, P. A. S. (2003). The nontoxic mushroom *Auricularia auricula* contains a polysaccharide with anticoagulant activity mediated by antithrombin. *Thrombosis Research*, 112(3), 151–158. <https://doi.org/10.1016/j.thromres.2003.10.022>
- Zhang, F., Wu, K., Zhou, H., Hu, Y., Preis, S. V., Wu, H., & Wei, C. (2018). Ozonation of aqueous phenol catalyzed by biochar produced from sludge obtained in the treatment of coking wastewater. *Journal of Environmental Management*, 224, 376–386. <https://doi.org/10.1016/j.jenvman.2018.07.038>
- Zhang, L., Li, Y., Liang, Y., Liang, K., Zhang, F., Xu, T., Wang, M., Song, H., Liu, X., & Lu, B. (2019). Determination of phenolic acid profiles by HPLC-MS in vegetables commonly consumed in China. *Food Chemistry*, 276, 538–546. <https://doi.org/10.1016/j.foodchem.2018.10.074>
- Zhao, H., Lan, Y., Liu, H., Zhu, Y., Liu, W., Zhang, J., & Jia, L. (2017). Antioxidant and hepatoprotective activities of polysaccharides from spent mushroom substrates (*Laetiporus sulphureus*) in acute alcohol-induced mice. *Oxidative Medicine and Cellular Longevity*, 2017. <https://doi.org/10.1155/2017/5863523>