

DAFTAR PUSTAKA

- Astley, S., Finglas, P. 2016. Nutrition and health. *Elsevier*.
<https://www.sciencedirect.com/science/article/pii/B97800810059650>.
- Badan Kebijakan Pembangunan Kesehatan. 2024. Factsheets: Stunting di Indonesia dan Determinannya. : 1–2. <https://www.badankebijakan.kemkes.go.id/fact-sheet-survei-kesehatan-indonesia-ski-2023/>.
- Begić, H., Tahirović, H. 2013. The impact of delayed cardiac surgery on the postnatal growth of children with congenital heart disease in Bosnia and Herzegovina. *Coll Antropol*, 37(2): 507–513. <https://pubmed.ncbi.nlm.nih.gov/23940997/>.
- Bhargava, M., Shewade, H.D., Bhargava, A. 2020. TB in Indian adolescents: results from a nationally representative survey, 2015-2016. *Int J Tuberc lung Dis Off J Int Union against Tuberc Lung Dis*, 24(12): 1247–1253.
- BPOM. 2018. *PERATURAN BADAN PENGAWAS OBAT DAN MAKANAN NOMOR 1 TAHUN 2018 TENTANGgig PENGAWASAN PANGAN OLAHAN UNTUK KEPERLUAN GIZI KHUSUS*.
https://standarpangan.pom.go.id/dokumen/peraturan/2018/PerBPOM_1_Tahun_2018_PKGK_Join.pdf.
- Briend, A., Aziz, K.M., Hasan, K.Z., Hoque, B.A. 1989. Are Diarrhoea Control Programmes Likely to Reduce Childhood Malnutrition? Observations From Rural Bangladesh. *Lancet*: 319.
- Bueno, N.B., Lisboa, C.B., Clemente, A.G., Antunes, R.T., Sawaya, A.L., Florêncio, T.T. 2018. Effectiveness of a stunting recovery program for children treated in a specialized center. *Nat Publ Gr*, 83(4): 851–857.
<http://dx.doi.org/10.1038/pr.2017.321>.
- Casale, D. 2020. Recovery from stunting in early childhood and subsequent schooling outcomes: Evidence from NIDS Waves 1–5. *Dev South Afr*, 37(3): 483–500.

<https://doi.org/10.1080/0376835X.2020.1715790>.

- Checkley, W., Buckley, G., Gilman, R.H., Assis, A.M., Guerrant, R.L., Morris, S.S., Mølbak, K., Valentiner-Branth, P., Lanata, C.F., Black, R.E. 2008. Multi-country analysis of the effects of diarrhoea on childhood stunting. *Int J Epidemiol*, 37(4): 816–830.
- Das, S., Fahim, S.M., Alam, A., Mahfuz, M., Bessong, P., Mduma, E., Kosek, M., Shrestha, S.K., Ahmed, T. 2020. Not water , sanitation and hygiene practice , but timing of stunting is associated with recovery from stunting at 24 months : results from a multi-country birth cohort study.
- Deichsel, E.L., Pavlinac, P.B., Richardson, B.A., Mbori-Ngacha, D., Walson, J.L., McGrath, C.J., Farquhar, C., Bosire, R., Maleche-Obimbo, E., John-Stewart, G.C. 2019. Birth size and early pneumonia predict linear growth among HIV-exposed uninfected infants. *Matern Child Nutr*, 15(4): 1–14.
- Desmond, C., Casale, D. 2017. Catch-up growth in stunted children : Definitions and predictors. : 1–12.
<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0189135>.
- Fjeld, C.R., Schoeller, D.A., Brown, K.H. 1989. Body composition of children recovering from severe protein-energy malnutrition at two rates of catch-up growth. *Am J Clin Nutr*, 50(6): 1266–1275.
- Garenne, M., Myatt, M., Khara, T., Dolan, C., Briend, A. 2019. Concurrent wasting and stunting among under-five children in Niakhar, Senegal. *Matern Child Nutr*, 15(2): 1–8.
- Gilmartin, A.A., Petri, W.A. 2015. Exploring the role of environmental enteropathy in malnutrition, infant development and oral vaccine response. *Philos Trans R Soc B Biol Sci*, 370(1671).
- Huynh, D.T.T., Estorninos, E., Capeding, R.Z., Oliver, J.S., Low, Y.L., Rosales, F.J. 2015. Longitudinal growth and health outcomes in nutritionally at-risk children who received long-term nutritional intervention. *J Hum Nutr Diet*, 28(6): 623–635.

- Id, F., Fonn, S., Levin, J. 2019. Factors associated with recovery from stunting among under-five children in two Nairobi informal settlements. : 1–17.
- Ikatan Dokter Anak Indonesia. 2011a. Pedoman Pelayanan Medis IDAI Edisi II. : 71.
- Ikatan Dokter Anak Indonesia. 2011b. Rekomendasi Ikatan Dokter Anak Indonesia : Asuhan Nutrisi Pediatrik (Pediatric Nutrition Care). *Paediatric*, 3(2): 5–6.
- Kabir, I., Butler, T., Underwood, L.E., Rahman, M.M. 1992. Effects of a protein-rich diet during convalescence from shigellosis on catch-up growth, serum proteins, and insulin-like growth factor-I. *Pediatr Res*, 32(6): 689–692.
- Kabir, I., Rahman, M.M., Haider, R., Mazumder, R.N., Khaled, M.A., Mahalanabis, D. 1998. Increased height gain of children fed a high-protein diet during convalescence from shigellosis: A six-month follow-up study. *J Nutr*, 128(10): 1688–1691. <https://doi.org/10.1093/jn/128.10.1688>.
- Kang, A., Zamora, S.A., Scott, R.B., Parsons, H.G., Children, A. 2021. Catch-up Growth in Children Treated With Home Enteral Nutrition. , (4). <https://pediatrics.aappublications.org/content/pediatrics/102/4/951.full.pdf>.
- Kemendes RI. Hasil Studi Status Gizi Indonesia (SSGI) Tingkat Nasional, Provinsi, dan Kabupaten/Kota Tahun 2021. <https://drive.google.com/file/d/1p5fAfI53U0sStfaLDCTmbUmF92RDRhmS/view>.
- Kementerian PPN/ Bappenas. 2018. Pedoman Pelaksanaan Intervensi Penurunan Stunting Terintegrasi di Kabupaten/Kota. *Rencana Aksi Nas dalam Rangka Penurunan Stunting Rembuk Stunting*, (November): 1–51. <https://www.bappenas.go.id>.
- Kementrian Kesehatan Republik Indonesia. 2022. PEDOMAN NASIONAL PELAYANAN KEDOKTERAN TATA LAKSANA STUNTING. : 1–52.
- Kumala, D.S.P., Widodo, Y., Gunardi, H., Kusharisupeni, Besral, Djahari, A.B., Syafiq, A., Achadi, E.L., Bhutta, Z.A. 2023. When did the substantial loss of child linear growth occur? *PLoS One*, 18(9 September): 1–11. <http://dx.doi.org/10.1371/journal.pone.0291176>.

- Kundan, I., Nair, R., Kulkarni, S., Deshpande, A., Jotkar, R., Phadke, M. 2021. Assessment, outcomes and implications of multiple anthropometric deficits in children. *BMJ Nutr Prev Heal*, 4(1): 267–274.
- Leung, A.K.C. 2019. Urinary tract infections in children. *Recent Pat Inflamm Allergy Drug Discov*: 2–18.
- Manary, M., Callaghan, M., Singh, L., Briend, A. 2016. Protein Quality and Growth in Malnourished Children. *Food Nutr Bull*, 37(Supplement 1): S29–S36.
- Mengist, B., Tesfa, M., Kassie, B. 2020. Time to recovery and predictors of severe community-acquired pneumonia among pediatric patients in Debre Markos referral hospital, North West Ethiopia: A retrospective follow-up study. *PLoS One*, 15(9 September): 1–15. <http://dx.doi.org/10.1371/journal.pone.0239655>.
- Michaelsen, K.F. Cow's milk in the prevention and treatment of stunting and wasting. *Food Nutr Bull United Nations Univ*, 34(no.2). <http://www.fao> 26 March 2022.
- Miller, A., A, G., F, R., L, C., M, R., V, R., HR, R., R, R.R., O, R., BN, R., MA, O., MH, B., L, R. 2020. Factors associated with risk of developmental delay in preschool children in a setting with high rates of malnutrition: a cross-sectional analysis of data from the IHOPE study, Madagascar. *BMC Pediatr*, 20(1). <https://pubmed.ncbi.nlm.nih.gov/32138722/> 13 August 2021.
- Moschovis, P.P., Addo-Yobo, E.O.D.D., Banajeh, S., Chisaka, N., Christiani, D.C., Hayden, D., Jeena, P., Macleod, W.B., Mino, G., Patel, A., Qazi, S., Santosham, M., Thea, D.M., Hibberd, P.L. 2015. Stunting is associated with poor outcomes in childhood pneumonia. *Trop Med Int Heal*, 20(10): 1320–1328. <https://pubmed.ncbi.nlm.nih.gov/26141411/> 12 August 2021.
- Murki, Srinivas; Kallem, Venkat Reddy; Gururaj, J. Growth and Neurodevelopmental Outcomes at 12 to 18 Months of Corrected Age in Preterm Infants Born Small for Gestational Age - PubMed. <https://pubmed.ncbi.nlm.nih.gov/32038032/> 13 August 2021.
- Nemerimana, M., Havugarurema, S., Nshimiyiryo, A., Karambizi, A.C., Kirk, C.M., Beck, K., Gégout, C., Anderson, T., Bigirumwami, O., Ubarijoro, J.M.,

- Ngamije, P.K., Miller, A.C. 2023. Factors associated with recovery from stunting at 24 months of age among infants and young children enrolled in the Pediatric Development Clinic (PDC): A retrospective cohort study in rural Rwanda. *PLoS One*, 18(7 July): 1–17.
- Noriega, K.E., Lindshield, B.L. 2014. Is the inclusion of animal source foods in fortified blended foods justified? *Nutrients*, 6(9): 3516–3535.
- De Onis, M. 2006. WHO Child Growth Standards based on length/height, weight and age. *Acta Paediatr Int J Paediatr*, 95(SUPPL. 450): 76–85.
- de Onis, M., Branca, F. 2016. Childhood stunting: A global perspective. *Matern Child Nutr*, 12: 12–26.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5084763/pdf/MCN-12-12.pdf>.
- De Onis, M., Dewey, K.G., Borghi, E., Onyango, A.W., Blössner, M., Daelmans, B., Piwoz, E., Branca, F. 2013. The world health organization’s global target for reducing childhood stunting by 2025: Rationale and proposed actions. *Matern Child Nutr*, 9(S2): 6–26.
- Pham, D.T., Hoang, T.N., Ngo, N.T., Nguyen, L.H., Tran, T.Q., Pham, H.M., Huynh, D.T.T., Ninh, N.T. 2019. Effect of Oral Nutritional Supplementation on Growth in Vietnamese Children with Stunting. *Open Nutr J*, 13(1): 43–52.
- Pham, D.T., Ninh, N.T., Hoang, T.N., Pham, C.T.K., Nguyen, L.H., Tran, T.Q., Huynh, D.T.T. 2020. The effectiveness of oral nutritional supplements improves the Micronutrient deficiency of Vietnamese children with stunting. *Arch Pharm Pract*, 11(1): 7–13. www.10.2174/1874288201913010043.
- Pradeilles, R., Norris, T., Mazhar, S., Bux, H., Gazdar, H., Ferguson, E., Budhani, A., Mehmood, R., Aslam, S., Dangour, A.D., Allen, E. 2019. Factors associated with catch - up growth in early infancy in rural Pakistan : A longitudinal analysis of the women ’ s work and nutrition study. , (April 2018): 1–10.
<https://onlinelibrary.wiley.com/doi/epdf/10.1111/mcn.12733>.
- Prendergast, A.J., Humphrey, J.H. 2014. The stunting syndrome in developing countries. *Paediatr Int Child Health*, 34(4): 250–265.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4232245/pdf/pch-34-04-250.pdf>.

- Richard, S.A., Black, R.E., Gilman, R.H., Guerrant, R.L., Kang, G., Lanata, C.F., Mølbaek, K., Rasmussen, Z.A., Bradley Sack, R., Valentiner-Branth, P., Checkley, W. 2014. Catch-up growth occurs after diarrhea in early childhood. *J Nutr*, 144(6): 965–971.
- Rouhani, S., Griffin, N.W., Yori, P.P., Gehrig, J.L., Olortegui, M.P., Salas, M.S., Trigos, D.R., Moulton, L.H., Houpt, E.R., Barratt, M.J., Kosek, M.N., Gordon, J.I. 2020. Diarrhea as a potential cause and consequence of reduced gut microbial diversity among undernourished children in peru. *Clin Infect Dis*, 71(4): 989–999.
- Sastroasmoro, S., Ismael, S. 2014. *Dasar-dasar Metodologi Penelitian Klinis edisi ke-5*. Sagung Seto.
- SB, W., T, M., TC, M., W, F., Workie, S.B., Mekonen, T.C.T., Mekonen, T.C.T., Fekadu, W. 2020. Child development and nutritional status in 12-59 months of age in resource limited setting of Ethiopia. *J Heal Popul Nutr*, 39(1): 1–9.
<https://pubmed.ncbi.nlm.nih.gov/32290871/> 13 August 2021.
- Sedgh, G., Herrera, M.G., Nestel, P., Amin, A., Fawzi, W.W. 2000. Dietary Vitamin A Intake and Nondietary Factors Are Associated with Reversal of Stunting in Children. , (June 1988): 2520–2526.
<https://academic.oup.com/jn/article/130/10/2520/4686165>.
- Semba, R.D., Shardell, M., Sakr Ashour, F.A., Moaddel, R., Trehan, I., Maleta, K.M., Ordiz, M.I., Kraemer, K., Khadeer, M.A., Ferrucci, L., Manary, M.J. 2016. Child Stunting is Associated with Low Circulating Essential Amino Acids. *EBioMedicine*, 6: 246–252. <http://dx.doi.org/10.1016/j.ebiom.2016.02.030>.
- Singh, A., Upadhyay, A.K., Kumar, K. 2016. Birth Size , Stunting and Recovery from Stunting in Andhra Pradesh , India : Evidence from the Young Lives Study. *Matern Child Health J*. <https://pubmed.ncbi.nlm.nih.gov/27456305/>.
- Sjarif, D.R., Yuliarti, K., Iskandar, W.J. 2019. Erratum: Daily consumption of

- growing-up milk is associated with less stunting among indonesian toddlers (Medical Journal of Indonesia, 2019; 28 (1): 70-76, (10.13181/mji.v28i1.2607)).
Med J Indones, 28(2): 203.
- Soliman, A., Khella, A., Yassin, H., Elawwa, A., Saeed, S. 2012. Linear growth in relation to the circulating concentration of insulin-like growth factor-I in young children with acyanotic congenital heart disease with left to right shunts before versus after surgical intervention. *Indian J Endocrinol Metab*, 16(5): 791.
- Stephensen, C.B. 1999. Symposium : Causes and Etiology of Stunting Burden of Infection on Growth Failure. *J Nutr*, 129(July): 534–538.
- Stewart, C.P., Iannotti, L., Dewey, K.G., Michaelsen, K.F., Onyango, A.W. 2013. Contextualising complementary feeding in a broader framework for stunting prevention. *Matern Child Nutr*, 9(S2): 27–45.
- Tumilowicz, A., Beal, T., Neufeld, L.M. 2018. A review of child stunting determinants in Indonesia. , (October 2017): 1–10.
- Waterlow, C. 1973. Note on the Assessment and Classification of Protein-Energy Malnutrition in Children. : 87–89.
- WHO/UNICEF. 2017. Discussion paper The extension of the 2025 Maternal , Infant and Young Child nutrition targets to 2030. : 1–12.
- World Health Organization (WHO). 2021a. Malnutrition. 9 June 2021.
<https://www.who.int/news-room/fact-sheets/detail/malnutrition#:~:text=Globally in 2020%2C 149 million,age are linked to undernutrition. 23 March 2022.>
- World Health Organization (WHO). 2016. Nutrition Stunting in a nutshell. , (November 2015): 7–8. <https://www.who.int/news/item/19-11-2015-stunting-in-a-nutshell#:~:text=Stunting is the impaired growth,WHO Child Growth Standards median.>
- World Health Organization (WHO). 2002. Protein and Amino Acid Requirement in Human Nutrition. *WHO Tech Rep Ser* 935.
- World Health Organization (WHO). 2021b. World Health Statistics data visualizations dashboard Child stunting. : 2021.

<https://apps.who.int/gho/data/node.sdg.2-2-viz-1?lang=en>.

World Health Organization (WHO), UNICEF, Bank, W. 2021a. Levels and Trends in Child Malnutrition 2021 Edition. <https://www.who.int/news/item/06-05-2021-the-unicef-who-wb-joint-child-malnutrition-estimates-group-released-new-data-for-2021>.

World Health Organization (WHO), UNICEF, Bank, W. 2021b. Levels and Trends in Child Malnutrition 2021 Edition.

Yackobovitch-Gavan, M., Phillip, M., Gat-Yablonski, G. 2017. How milk and its proteins affect growth, bone health, and weight. *Horm Res Paediatr*, 88(1): 63–69.