Pengaruh Jenis Inokulum dan Waktu Fermentasi Terhadap Kadar Protein dan Senyawa Anti Nutrisi Tempe
Lamtoro (Leucaena leucocephala (Lam.) de Wit
Cornelia Ratna Kusuma, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

A.O.A.C. (1990). *Official Methods of Analysis*. *Association of Official Analytical Chemistry* vol.13. Washington, USA. pp. 1234.

Ababor, S., Tamiru, M., Alkhtib, A., Wamatu, J., Kuyu, C. G., Teka, T. A., Terefe, L. A. and Burton, E. 2023. The Use of Biologically Converted Agricultural Byproducts in Chicken Nutrition. *Sustainability* 15(19):14562.

Abair, A., Hughes, C. E. and Bailey, D. 2019. The evolutionary history of Leucaena: Recent research, new genomic resources and future directions. *Trop. Grassl.* 7:65–73.

Ahmed, M. E. and Abdelati, K. A. 2009. Chemical composition and amino acids profile of *Leucaena leucocephala* seeds. *Int. J. Poult. Sci*. 8:966–970.

Aini, N. dan Rahayu, T. 2017). Media Alternatif untuk Pertumbuhan Jamur Menggunakan Sumber Karbohidrat yang Berbeda. *Seminar Nasional XII Pendidikan Biologi FKIP UNS*, 855–860.

Alam, M., Alandis, N.M., Sharmin, E., Ahmad, N., Husain, F. M. and Khan, A. 2020. Mechanically strong, hydrophobic, antimicrobial, and corrosion protective polyesteramide nanocomposite coatings from *Leucaena leucocephala* oil: A sustainable resource. *ACS Omega* 5:30383–30394.

Alhomodi, A.F., Zavadil, A., Berhow, M., Gibbons, W.R. and Karki, B. 2021. Composition of canola seed sprouts fermented by *Aureobasidium pullulans*, *Neurospora crassa*, and *Trichoderma reesei* under submergedstate fermentation. *Food and Bioprod. Pro.* 126:256–264.

Altamirano, B. N., Lagunas, L. L. M., Ramirez, J. R., Torres, S. S. Gonzalez, L. V. A. and Bernal, L. G. B. Techno-functional properties and antioxidant capacity of the concentrate and protein fractions of Leucaena spp. Seeds. *Archivos Latioamericanos De Nutricion* 72:196-204.

Andrew, S. R., Wiwiek, S. W. dan Subagio, A. 2006. Karakterisasi Biji dan Protein Koro Komak (Lablab purpureus (L.) Sweet) Sebagai Sumber Protein. *Jurnal Teknol. Dan Industri Pangan* 17(2):120-124.

Andriati, N., Anggrahini, S., Setyaningsih, W., Sofiana I., Pusparasi, D.A. and Mossberg, F. 2018. Physicochemical Characterization of Jack Bean (*Canavalia ensiformis*) Tempeh. *Food Research* 2 (5):481-485.

Angelis, A. D., Gasco, L., Parisi, G. and Danieli, P.P. 2021. A Multipurpose Leguminous Plant for the Mediterranean Countries: *L.leucocephala* as an Alternative Protein Source: A Review. *Animals* 11:2-16.

UNIVERSITAS
GADJAH MADA
Pengaruh Jenis Inokulum dan Waktu Fermentasi Terhadap Kadar Protein dan Senyawa Anti Nutrisi Tempe Lamtoro (Leucaena leucocephala (Lam.) de Wit
Cornelia Ratna Kusuma, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Apriyantono, A., Ardiaz, D., Puspitasari, N. L., Yasni, S. dan Budijanto, S. 1989. *Analisis Pangan*. PAU Pangan dan Gizi IPB. Bogor.

Aschemann-Witzel, J., Gantriis, R. F., Fraga, P. and Perez-Cueto, F. J. 2021. Plant-based food and proteintrend from a business perspective: markets, consumers, and the challenges and opportunitiesin the future. *Critical Reviews in Food Science and Nutrition*. 61(18):3119–3128.

Atlas, R. M. 1984. *Microbiology Fundamentals and Aplications.* Macmillan Publishing Company. New York.

Aunstrop, K. 1979. *Production, Isolation, and Economic of Extracellular Enzymes*. Biochemistry Bioengineering Enzymes Technology Academic Press. New York.

Azizul, N. H., Salim, R. J.M., Ramly, F., Noh, M.F.M., Ahmad, N.I. and Li, R. 2020. Health benefit of *Leucaena leucocephala* seeds: A scoping review protocol. *Am. J. Biomed. Sci. and Res.* 10(5):499-501.

Backer, C. A. and Brink, R. C. 1965. *Flora of Java*. Wolters Noordhoff N.V., Groningen, Netherland.

Badan Ketahanan Pangan Kementrian Pertanian, 2020. *Analisis Ketersediaan Pangan: Neraca Bahan Makanan Indonesia 2018-2020*. (http://bkp.pertanian.go.id/). Diakses tanggal 18 Agustus 2021. Hal. 28, 32, 35, 36.

Badan Pusat Statistik. 2018. *Rata-rata Konsumsi per Kapita Seminggu Beberapa Macam Bahan Makanan Penting*. Biro Pusat Statistik. Jakarta.

Badan Standardisasi Nasional. 2012. *Tempe: Persembahan Indonesia untuk Dunia*. BSN Press, Jakarta, hal. 2.

Badan Standarisasi Nasional 3144. 2015. *Tempe Kedelai*. BSN, Jakarta.

Bageel, A. M. and Borthakur, D. 2022. The effects of pH, salinity, age of leaves, post-harvest storage duration, and psyllid infestation on nutritional qualities of giant leucaena fodder. *J. Crop Sci. Biotech*. 25(4):1-12.

Balderas-Leon, I., Baigts-Allende, D. and Cardador-Martinez, A. 2021. Antioxidant, angiotensin-converting enzyme, and α-amylase inhibitory activities of protein hydrolysates of *Leucaena leucocephala* seeds. *Journal of Food* 19:349-359.

Balogun, O. I., Epriliati, I., Otunola, E. T. and Agboola, H. A. 2017. *Rhizopus oryzae* FNCC 6010, *Rhizopus oligosporus* FNCC 6011, and their hybrid lowered antioxidant capacity in velvet beans compared to germination. *International Food Research Journal* 24(4):1606-1613.

Barnes, S., Prasain, J., D'Alessandro, T., Arabshahi, A., Botting, N., Lila, M.A., Jackson, G., Janle, E. and Weaver, C. M. 2011. The metabolism and

UNIVERSITAS
GADJAH MADA
Pengaruh Jenis Inokulum dan Waktu Fermentasi Terhadap Kadar Protein dan Senyawa Anti Nutrisi Tempe Lamtoro (Leucaena leucocephala (Lam.) de Wit
Cornelia Ratna Kusuma, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

analysis of isoflavones and other dietary polyphenols in foods and biological systems. *Food and Function.* 2:235–244.

Barnet, H. and Hunter, B. 1998. *Illustrated Genera of Imperfect Fungi,*. The American Phytopathological Society Press, St. Paul. Hal 218.

Barus, T., Widyah., Wicaksono, W. A. dan Prasasty, V. D. 2021. Identifikasi Bakteri yang Berperan Dalam Pengasaman Kedelai Dalam Fermentasi Tempe Berdasarkan Sekuen 16S rDNA. *J. Ilmiah Ilmu-Ilmu Hayati* 6(2):71-77.

Baskin, S. I. and Brewer, T. G. 2006. *Cyanide Poisoning Chapter Phamacology Division*. Army Medical Research Institute of Chemical Defense, Aberdeen Proving Ground, Mayland.

Batisteli, A. F., Costa, R. O. and Christianini, A. V. 2020. Seed abundance affects seed removal of an alien and a native tree in the Brazilian savanna: implications for biotic resistance. *Austral Ecol.* 45:1007–1015.

Bera, I., O'Sullivan, M., Flynn, D. and Shields, D. C. 2023. Relationship between protein digestibility and the proteolysis of legume proteins during seed germination. *Molecules* 28:1-17.

Bigman, L.S. and Levy, Y. 2020. Proteins: Molecules defined by their trade-offs. *Curr. Opin. Struct. Biol.* 60:50-56.

Bintari, S. H. and Nugraheni, K. 2017. The potential of tempeh as a chemopreventive and chemotherapeutic agent targeting breast cancer cells. *Pakistan Journal of Nutrition* 16(10):743–749.

Biorad. 2013. *A Guide to Polyacrylamide Gel Electrophoresis and Detection*. Biorad Publisher. pp. 6, 7, 10, 11.

Bolarinwa, I.F., Oke, M.O., Olaniyan, S.A. and Ajala, A.S. 2016. *A Review of Cyanogenic Glucosides in Edible Plants in Book Toxicology - New Aspects to This Scientific Conundrum*. InTech. https://doi.org/10.5772/64886. Diakses tanggal 17 Agustus 2021.

Bomfim, N. C. P., Aguilar, J. V., de Paiva, W. D. S., de Souza, L. A., Justino, G. C., Faria, G. A., dkk. 2021. Iron phytostabilization by *Leucaena leucocephala*. *S. Afr. J. Bot.* 138:318–327.

Campbell, M. K., and S. O. Farrel. 2012. *Biochemistry* 7th ed. Brooks/Cole Cengage Learning, Australia. pp. 129-131.

Campbell, S., Vogle, W., Brazier, D., Vitelli, J. and Brook, S. 2019. Weed *leucaena* and its significance, implications and control. *Tropical Grasslands-Forrajes Tropicales* 7(4):280-289.

Pengaruh Jenis Inokulum dan Waktu Fermentasi Terhadap Kadar Protein dan Senyawa Anti Nutrisi Tempe
Lamtoro (Leucaena leucocephala (Lam.) de Wit
Cornelia Ratna Kusuma, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Carbonaro, M. and Nucara, A. 2022. Legume proteins and peptides as compounds in nutraceuticals: a structural basis for dietary health effects. *Nutrients* 14(6):1-11.

Cempaka, L., Naila, E., Ardiansyah, Handoko, D.H. and Astuti, M.A. 2018. Proximate Composition, Total Phenolic Content, and Sensory Analysis of Rice Bran Tempeh. *Makara Journal of Science* 22(2):89-94.

Chai, J. S., Feng, J. Y., Ni, Z. J., Ma, R. H., Thakur, K., Wang, S., Hu, F., Zhang J. G. and Wei, Z. J. 2021. An update on the nutritional, functional, sensory characteristics of soy products, and applications of new processing strategies. *Trends in Food Science and Technology* 112:676–689.

Chai, K. F., Ng, K. R., Samarasiri, M. dan Chen, W. N. 2022. Precision fermentation to advance fungal food fermentations. *Cur. Op. Food Sci.* 47:(1005-1013).

Chalid, S.Y., Hermanto, S. and Rahmawati, A. 2019. Angiotensin Converting Enzyme Inhibitor Activity of the Soybean Tempeh Protein as Functional Food. *International Journal of GEOMATE* 16(56):73-78.

Chaturvedi, O. P., and Jha, A. N. (1992). Studies on allelopathic potential of an important agroforestry species. *For. Ecol. Manag*. 53:91–98.

Chen, C. C., Liou, G. Y. and Lee, F. W. 2007. *Rhizopus* and related species from peka in Taiwan. *Fung. Sci*. 22(1, 2):51–57.

Chen, F., Liu, K., Xie, Z., Liu,M., and Chen, C. 2018. Effects of decomposing leaf litter of *Leucaena leucocephala* on photosynthetic traits of *Cynodon dactylon* and *Medicago sativa*. New For. 49:667–679.

Chen, P., Sun, J., Liang, Z., Xu, H., Du, P., Li, A. and Li, C. 2022. The bioavailability of soy isoflavones in vitro and their effects on gut microbiota in the simulator of the human intestinal microbial ecosystem. *Food Research International* 152:110868.

Chiou, C. R., Wang, H. H., Chen, Y. J. and Grant, W. E. 2013. Modeling potential range expansion of the invasive shrub *Leucaena leucocephala* in the Hengchun Peninsula, Taiwan. *Invasive Plant Sci. Manag.* 6:492–501.

Chowrivannakul, P., Srichaikul, B. and Talubmook, C. 2016. Antidiabetic and antioxidant activities of seed extract from *Leucaena leucocephala* (Lam.) de Wit. *Agriculture and Natural Resources* 50:357-361.

Coulibaly, A., Kouakou, B. and Chen, J. 2011. Phytic acid in cereal grains: Structure, healthy or harmful ways to reduce phytic acid in cereal grains and their effects on nutritional quality. *American J. P. Nut. & Fert. Tech.* 1(1): 1–22.

UNIVERSITAS
GADJAH MADA
Pengaruh Jenis Inokulum dan Waktu Fermentasi Terhadap Kadar Protein dan Senyawa Anti Nutrisi Tempe Lamtoro (Leucaena leucocephala (Lam.) de Wit
Cornelia Ratna Kusuma, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Dadi, M. and Yasir, M. 2022. Spectroscopy and Spectrophotometry: Principles and Applications for Colorimetric and Related Other Analysis. *Int. Open* 1-22.

Das, G., Sharma, A. and Sharkar, P. K. 2022. Conventional and emerging processing techniques for the post-harvest reduction of antinutrients in edible legume. *Applied Food Research* 2:1-12.

Dash, R. R., Gaur, A. and Balomajumder, C. 2009. Cyanide in industrial wastewaters and its removal: A review on biotreatment. *J. Hazard. Mat.* 163(1):1-11.

Davies, N. T. and Reid, H. 1979. An evaluation of the phytate, iron and manganese contents of, and Zn availability from, soya-based textured-vegetable-protein meat-substitutes or meat-extenders. *Br. J. Nutr*. 41:579-589.

De Caro, C. A. and Claudia, H. 2015. *UV/VIS Spectrophotometry – Fundamentals and Applications*. Mettler Toledo Publisher, Switzerland. pp. 9.

Dewi, I. W. R. 2014. Karakteristik sensoris, nilai gizi, dan aktivitas antioksidan tempe kacang gude (*Cajanus cajan* (L.) Millsp.) dan tempe kacang tunggak (*Vigna unguiculata* (L.) Walp.) dengan berbagai variasi waktu fermentasi. *Asian J. of Nat. Prod. Biochem.* 12(2):73-82.

Dietzen, D.J. 2018. *Amino acids, peptides, and proteins. In Principles and Applications of Molecular Diagnostics*. Else. Inc, Amsterdam pp. 345–380.

Din, W. M., Zin, M., Abdullah, M.A.A. and Zainol M.K. 2020. The effects of different pre-treatments on the physicochemical composition and sensory acceptability of 'Kacang Koro' energy bar. *Food Res.* 4 (4):1162 – 1171.

Dwidjoseputro, D. and Wolf, F. T. 1970. Microbiological studies of Indonesian fermented foodstuffs. *Mycopathol. Mycol. Appl*. 41:211–222.

Edwards, T.G. and Willians, H.J. *1980*. Estimation of cyanide with alcaline picrate. *Journal of the Science of Food and Agriculture* 31: 15-22.

EFSA. 2007. Opinion of the scientific panel on contaminants in the food chain on a request from the commission related to cyanogenic compounds as undesirable substances in animal feed. *The EFSA Journal* 434:1-67.

Esteban-Torres, M., Mancheño, J M., de las Rivas, B. and Muñoz, R. 2015. Characterization of a halotolerant lipase from the lactic acid bacteria *Lactobacillus plantarum* useful in food fermentations. *LWT Food and Science Technology* 60:246–252.

UNIVERSITAS
GADJAH MADA
Pengaruh Jenis Inokulum dan Waktu Fermentasi Terhadap Kadar Protein dan Senyawa Anti Nutrisi Tempe Lamtoro (Leucaena leucocephala (Lam.) de Wit
Cornelia Ratna Kusuma, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Eynard, A. R. and Navarro, A. 2013. Crosstalk among dietary polyunsaturated fatty acids, urolithiasis, chronic inflammation, and urinary tract tumor risk. *Nutrition* 29:930–938.

Ezeilo, U. R., Wahab, R. A., Tin, L. C., Zakaria, I. I., Huyop, F. and Mahat, N. A. 2020. Fungal-assistes valorization of raw oil palm leaves for production of cellulase and xylanase in solid state fermentation media. *Waste and Biomass Valorization* 11:3133–3149.

Farabi, M.F. and Mubarok, A. 2020. Profil protein pada kedelai dan tempe berbasis SDS-PAGE. *Jurnal Ilmiah Kefarmasian* 1(2):49-54.

Fardiaz, S.1989. *Mikrobiologi Pangan*, IPB Press, Bogor.

Feizollahi, E., Mirmahdi, R. S., Zoghi, A., Zijlstra, R. T., Roopesh, M.S. and Vasanthan, T. 2021. Review of the beneficial and anti-nutritional qualities of phytic acid, and procedures for removing it from food products. *Food Research International* 143:2-13.

Feng, X. M. 2006. Microbial dynamics during barley tempeh fermentation. *Doctoral thesis.* Swedish University of Agricultural Sciences. pp. 20.

Firmansyah, R., Sukarnp, N., Suharsono, U. W. dan Fadillah, W. N. 2024. Isolasi, identifikasi, dan produksi miselia *Rhizopus* sp. berkadar asam nukleat rendah untuk pengembangan mikoprotein. *Jurnal Ilmu Pertanian Indonesia* 29(2):179-186.

Francesco, A. D., Santis, M. A. D., Lanzoni, A. Pittala, M. G. G., Saletti, R. Flagella, Z. and Cunsolo V. 2024. Mass Spectrometry Characterization of the SDS-PAGE Protein Profile of Legumins and Vicilins from Chickpea Seed. *Food* 13(6):1-18.

Gabriel, B. P. dan Riyatno. 1989. *Metarhizium anisopliae (Metch) Sor: Taksonomi, Patologi, Produksi dan Aplikasinya*. Direktorat Perlindungan Tanaman Perkebunan, Departemen Pertanian, Jakarta.

Gleadow, R. and Møller, B. L. 2014. Cyanogenic Glycosides: Synthesis, Physiology, and Phenotypic Plasticity. *Annu. Rev. Plant Biol.* 65:155–85.

Gocheva, Y., Engibarov, S., Lazarkevich, I. and Eneva, R. 2023. Phytases - Types, Sources, and Factors Affecting Their Activity. *Acta Microbilogica Bulgarica* 39(3):249-263.

Gonzales, L. V. A., Altamirano, B. N., Lagunas, L. L. M., Ramirez, J. R., Torres, S. S. and Bernal, L. G. B. 2023. Potential of *Leucaena leucocephala* and *Leucaena esculenta* seeds in human nutrition: composition, techno-functional properties, toxicology and pretreatment technologies. *Legume Research-An International Journal* 46(10):1261-1270.

UNIVERSITAS
GADJAH MADA
Pengaruh Jenis Inokulum dan Waktu Fermentasi Terhadap Kadar Protein dan Senyawa Anti Nutrisi Tempe Lamtoro (Leucaena leucocephala (Lam.) de Wit
Cornelia Ratna Kusuma, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Gupta, R.K., Gangoliya, S.S. and Singh, N.K. 2015. Reduction of phytic acid and enhancement of bioavailable micronutrients in food grains. *J Food Sci Technol* 52(2):676–684.

Handoyo, T. and Morita, N. 2006. Structural and functional properties of fermente soybean (tempeh) by using *Rhizopus oligosporus*. *International Journal of Food Properties* 9:347-335.

Harahap, R. H., Lubis, Z. dan Kaban, J. 2018. Volatile flavor com-pounds of tempeh wrapped with banana leaf and plastic. *Agritech- Jurnal Teknologi Pertanian* 38(2):194-199.

Hartanti AT, Rahayu G, Hidayat I. 2015. *Rhizopus* species from fresh tempeh collected from several regions in Indonesia. *HAYATI Journal of Biosciences* 22(3): 136–142.

Hartanti, D. and Cahyani, A.N. 2020. Plant cyanogenic glycosides: an overview. *Farmasains: Jurnal Ilmu Farmasi dan Kesehatan* 5(1):1-6.

Hasyim, D. M., Nugraha, Y. R. dan Muharam, F. 2024. Analisis kadar sianida pada biji petai cina mentah (*Leucaena leucocephala* (Lam.) de Wit) asal Cisompet Kabupaten Garut dengan metode spektrofotometri UV-Vis. *Journal Of Social Science Research* 4(4):9705-9715.

Heo, S., Park, J., Lee, K. W., Lee, J. H. and Jeong D. W. 2023. Quality characteristics of soybean fermented by *Mucor, Rhizopus,* and *Aspergillus* from meju. *Heliyon* 9:1-9.

Hesseltine, C. W. 1965. A millennium of fungi, food, and fermentation. *Mycologia* 57:149–197.

Hidayat, T., Hamzah, B. and Jura, M. 2020. Determination of total flavonoid contents and antioxidant activity of *Leucaena leucocephala* leaves's extract. *Jurnal Akademika Kimia 9*(2), 70-77.

Howson, S. J. and Davis, R. P. 1983. Production of phytate hydrolyzing enzyme by some fungi. *Enzyme Microb. Technol.* 5: 377-382.

Hsiao, N.W., Chen, Y., Kuan, Y.C., Lee, Y.C., Lee, S.K., Chan, H.H. and Kao, C.H. 2014. Purification and Characterization of An Aspartic Protease from the *Rhizopus oryzae* Protease Extract, Peptidase R. *Electronic Journal of Biotechnology* 17(2): 89-94.

Huang, L., Huang, Z., Zhang, Y., Zhou, S. and Dong, M. 2019. Impact of tempeh flour on the rheology of wheat flour dough and bread staling. *LWT Food Sci Technol*. 111:694–702.

Huang, L., Wang, C., Zhang, Y., Chen, X., Huang, Z., Xing, G. and Dong, M. 2019. Degradation of anti-nutritional factors and reduction of immunoreactivity of tempeh by cofermentation with *Rhizopus*

UNIVERSITAS
GADJAH MADA
Pengaruh Jenis Inokulum dan Waktu Fermentasi Terhadap Kadar Protein dan Senyawa Anti Nutrisi Tempe
Lamtoro (Leucaena leucocephala (Lam.) de Wit
Cornelia Ratna Kusuma, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

oligosporus RT-3 and *Actinomucor elegans* DCY-1. *Int J Food Sci Technol*. 54(5).

Husein, S., Nainggolan, M., Yuandani, Y. and Fanany, I. 2020. Evaluation of Antidiarrheal Activity of the Ethanol Extract *Leucaena leucocephala* (Lam) de Wit Seed. Open Access Macedonian *J. of Med. Sci.*. 8:278-82.

Hwang, C. E., Haque, M. A., Lee, J. H., Song, Y. H., Lee, H. Y., Kim, S. C. and Cho, K. M. 2018. Bioconversion of γ-aminobutyric acid and isoflavone contents during the fermentation of high-protein soy powder yogurt with *Lactobacillus brevis. Applied Biological Chemistry* 61:409-421.

Hwang, C. Y., Hsu, L. M., Liou, Y. J. and Wang, C. Y. 2010. Distribution, growth, and seed germination ability of lead tree (*Leucaena leucocephala*) plants in Penghu Islands, Taiwan. *Weed Technol.* 24, 574–582.

Ibrahim, W. M. H. W., Amini, M. H. M., Sulaiman, N. S. and Kadir, W. R. W. A. 2021. Evaluation of alkaline-based activated carbon from *Leucaena leucocephala* produced at different activation temperatures for cadmium adsorption. *Applied Water Sci*. 11:1.

Ishartani, D., Sistiani, D., Sari, A.M., Nursiwi, A. and Zaman, M.Z. 2021. Changes to the chemical and microbiological characteristics of *Leucaena leucocephala* seeds during tempeh fermentation in Pacitan, East Java. *F. Res.* 5(2):78-83.

Jan, S., Kumar, K., Ahmed, N. and Thakur, P. 2022. Beneficial effect of diverse fermentation treatments on nutritional composition, bioactive components, and anti-nutritional factors of foxtail millet (*Setaria italica* L.). *J. Postharvest Tech.* 10(2):35-47.

Janiszewska, A. S., Dulinski, R. and Stodolak, B. 2020. Fermentation with edible *Rhizopus* strains to enhance the bioactive potential of hull-less pumpkin oil cake. *Molecules* 25(24):1-13.

Jannah, A. 2015. Isolation and characterization of rice bran protein using NaOH solution. *Alchemy* 4(1):1-5.

Kaimana, H., Sohilait, H. J. and Souisa, C. J. 2021. Qualitative Protein Hydrolyzed from *Nerita undata* in *supralittoral rocks* and *mezolittoral zone* of Hasa Cape using TLC. *Indonesian Journal of Chemical Research* 9(2):118-123.

Kasmidjo, R. B. 1990. *Tempe: Mikrobiologi Dan Biokimia Pengolahan Serta Pemanfaatannya*. PAU Pangan dan Gizi UGM, Yogyakarta.

UNIVERSITAS
GADJAH MADA
Pengaruh Jenis Inokulum dan Waktu Fermentasi Terhadap Kadar Protein dan Senyawa Anti Nutrisi Tempe Lamtoro (Leucaena leucocephala (Lam.) de Wit
Cornelia Ratna Kusuma, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Kementerian Kesehatan Indonesia, 2017. *Data komposisi pangan Indonesia*. www.panganku.org/id-ID/beranda. Diakses tanggal 29 September 2021.

Kementerian Perdagangan RI. 2021. *Analisis Perkembangan Harga Bahan Pangan Pokok di Pasar Domestik dan Internasional Bulan April 2021*. (http://bppp.kemendag.go.id/media_content/2021/05/Analisis_Bapok_Bulan_April_2021). Diakses tanggal 18 Agustus 2021. Hal. 66.

Kim. I. S. Current perspektives on the beneficial effects of soybean isoflavones and their metabolites on plants. *Food Sci. Biotech* 31:515:526.

Koeswara, T. T., Auli, W. N. and Tursino, T. 2024. Comparison of sample preparation methods in determination of soybean tempeh protein content using the biuret method. *J. Il. Medicamento* 10(1):10-21.

Komari. 1999. Proses fermentasi biji lamtoro gung dengan *Rhizopus oryzae*. *Jurnal Mikrobiologi Indonesia* 4(1):19-21.

Kour, D., Kaur, T., Yadav, N., Rastegari, A.A., Singh, B., Kumar and Yadav. 2020. *Chapter 10 - Phytases from microbes in phosphorus acquisition for plant growth promotion and soil health.* In: Rastegari, A. A., A. N. Yadav, N. Yadav (Eds), New and Future Developments in Microbial Biotechnology and Bioengineering, Elsevier. Hal 157-176.

Kristanda, J., Sintiago, K. S., Kristianto, H., Prasetyo, S. and Sugih, A. K. 2021. Optimization study of *Leucaena leucocephala* seed extract as natural coagulant on decolorization of aqueous Congo Red solutions. *Arab J. Sci. Eng.* 46:6275–6286.

Kumar, A., Singh, B., Raigond, P., Sahu, C., Mishra, U. N., Sharma, S. and Lal, M. K. 2021. Phytic acid: blessing in disguise, a prime compound required for both plant and human nutrition. *Food Research International* 142:110193.

Kumar, B., Tirkey, N. and Kumar, S. 2017. Anti-nutrient in fodders: a review. *Chemical Science Review and Letter* 6(24):2513-2519.

Kurnia, E. D., Ratnasari, D. dan Helmiawati, Y. 2019. Pembuatan Gel Ekstrak Daun Petai Cina (*Leucaena glauca*, Benth) Dengan Basis Gel Lidah Buaya (*Aloe Vera* L.) Sebagai Obat Luka Terbuka. *J. of Hol. and Health Sci*.3(1):39-45.

Kustyawati, M. E., Subeki, Murhadi, Rizal, S. and Astuti, P. 2020. Vitamin B12 production in soybean fermentation for tempeh. *Agri. & Food* 5:262–271.

Landecker and Moore. 1996. Fundamental of The Fungi. Prentice Hall. New Jersey. Hal 470-476.

UNIVERSITAS GADJAH MADA
Pengaruh Jenis Inokulum dan Waktu Fermentasi Terhadap Kadar Protein dan Senyawa Anti Nutrisi Tempe Lamtoro (Leucaena leucocephala (Lam.) de Wit
Cornelia Ratna Kusuma, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Lathifah, Q. and Hermawati, A. H. 2019. The quantitative test of protein levels in soybean and lamtoro tempeh. *Borneo J. of Med. Lab. Tech.* 2(1):116-119.

Latimer, G.W. 2016. *Official Methods of Analysis of AOAC International.* AOAC International, Gaithersburg, MD, USA.

Leong, Y. S., Ker, P. J., Jamaludin, M. Z., Nomanbhay, S. M., Ismail, A., Abdullah F. 2018. UV-vis spectroscopy: A new approach for assessing the color index of transformer insulating oil. *Sensors (Basel)* 18(7):21-75.

Liguori, I., Russo, G., Curcio, F., Bulli, G., Aran, L., Della-Morte, D., Gargiulo, G.,Testa, G., Cacciatore, F., Bonaduce, D. and Abete, P., 2018. Oxidative stress, aging, and diseases. *Clinical Interventions in Aging* 13:757–772.

Lok, A. F. S. L., Tan, K. X., Ang,W. F. and Tan, H. T.W. 2010. The distribution and ecology of *Leucaena leucocephala* (Lam.) de Wit ssp. *leucocephala* (Fabaceae) in Singapore. *Cosmos.* 6:45–55.

Lowry, O. H and Randall, R. J. 1951. Protein Measurement by the Folin Reagent. *J. Biol. Chem.* 193:265–75.

Mæhre, H.K., Dalheim, L., Edvinsen, G.K., Elvevoll, E.O, and Jensen, I.J. 2018. Protein Determination-Method Matters. *Foods.* 7(1):5.

Magdeldin, S. 2012. *Gel electrophoresis – Principles and Basics*. Intech Publisher, Croatia. pp. 3, 4, 7, 57, 58.

Malecki, J., Muszynski, S. and Solowiej, B. 2021. Proteins in food systems-bionanomaterials, conventional and unconventional sources, functional properties, and development opportunities. *Polymers* 13(15):1-21.

Malik, M., Mardiati, Z., Yetti, M., Khasrad, K. and Anuraga, J. 2019. Fatty acids composition and bio-hydrogenation reduction agents of tropical forages. Biodiversity 20:1917–1922.

Marina, Emanauli, dan Yulia, A. 2018. Pengaruh lama pengukusan terhadap penurunan kadar asam sianida pada biji api-api dalam pembuatan tepung biji api-api (*Avicennia marina* (Forks) Vierh.). *Seminar Nasional Fakultas Pertanian, Universitas Jambi*.

Meussen, B. J., de Graaff L. H., Sanders, J. P. M. and Weusthuis, R.A. 2012. Metabolic engineering of *Rhizopus oryzae* for the production of platform chemicals. *Appl. Microbiol Biotechnol* 94:875-886.

Mileno, F. A., Fauziyah, A, Nasrulloh, N. dan Sofianita, N. 2024. Analisis kandungan gizi, total fenol, dan sifat organoleptic tempe dengan

UNIVERSITAS
GADJAH MADA
Pengaruh Jenis Inokulum dan Waktu Fermentasi Terhadap Kadar Protein dan Senyawa Anti Nutrisi Tempe Lamtoro (Leucaena leucocephala (Lam.) de Wit
Cornelia Ratna Kusuma, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

substitusi biji lamtoro (*Leucaena leucocephala*). Gizi Indonesia 47(1):47-54.

Mirzaei, R., Dehkhodaie, E., Bouzari, B., Rahimi, M., Gholestani, A., Hosseini-Fard, S. R., Keyvani, H., Teimoori, A. and Karampoor, S. 2022. Dual role of microbiota-derived short-chain fatty acids on host and pathogen. *Biomedicine and Pharmacotherapy* 145:1-18.

Mitchell, D. A., de Lima Luz, L. F., Krieger, N. and Berovic, M. 2011. Comprehensive Biotechnology (Second Edition): Bioreactors for Solid-State Fermentation. *Academic Press* 2:347-360.

Mittal, N. and Kaur, G. 2019. *Leucaena leucocephala* (Lam.) galactomannan nanoparticles: Optimization and characterization for ocular delivery in glaucoma treatment. *Int. J. of Biological Macromolecules* 139:1252-1262.

Moller, A. C., van der Padt, A. V. D. and van der Goot, A. J. 2022. Influence of the fractionation method on the protein composition and functional properties. *Inn. Food Sci. and Emerg.* 81:1-10.

Mukherjee, R., Chakraborty, R. and Dutta, A. 2016. Role of fermentation in improving nutritional quality of soybean meal — a review. Asian-Australas. *J. Anim. Sci*. 29:1523–1529.

Mulyowidarso, R. K. Flet, G. H. and Buckle, K. A. 1989. The microbiology and biochemistry of soybeansoaking for tempe fermentation. *Int. J. Food Microbiol*. 8(1):35-46.

Mushollaeni, T. W. Tantalu, L. dan Sanny, R. 2019. Reduksi Sianida Pada Biji Karet Melalui Fermentasi. UNITRI Press, Malang. Hal. 1.

Muthmainna, Sabang, dan Supriadi. 2016. Pengaruh waktu fermentasi terhadap kadar protein dari tempe biji buah lamtoro gung (*Leucaena leucocephala*). *J. Akademika Kim*. 5(1):50-54.

Nakano, S., Gao, Q., Aimi, T. and Shimomura, N. 2022. Effect of sodium chloride on basidiospore germination and vegetative mycelial growth of the ectomycorrhizal fungus *Rhizopogon roseolus. Mycoscience 63(3):96-101.*

Neji, C., Semwal, J. Kamani, M. H., Mathe, E. and Sipos, P. 2022. Legume protein extracts: the relevance of physical processing in the context of structural, techno-functional and nutritional aspects of food development. *Processes* 10(2):1-127.

Nissar, J., Ahad, T., Naik, H. and Hussain, S. 2017. A review phytic acid: As antinutrient or nutraceutical. *J. of Pharma. & Phytochem.* 6(6): 1554–1560.

UNIVERSITAS
GADJAH MADA
Pengaruh Jenis Inokulum dan Waktu Fermentasi Terhadap Kadar Protein dan Senyawa Anti Nutrisi Tempe Lamtoro (Leucaena leucocephala (Lam.) de Wit
Cornelia Ratna Kusuma, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Niu, L., Zhang, H., Wu, Z., Wang, Y., Liu, H., Wu, X. dan Wang, W. 2018. Modified TCA/acetone precipitation of plant proteins for proteomic analysis. *PLOS ONE* 13(12):1-13.

Nout, M. and Kiers, J. 2005. Tempe fermentation, innovation and functionality: update into the third millenium. *J Appl Microbiol* 98(4):789-805.

Nuraida L, and Krusong. 2014. *Starter cultures. In: Owens J.D. (ed). Indigenous Fermented Foods of Southeast Asia*. CRC Press, pp. 109-136.

Nurdini, A.L., Nuraida, L. and Suwanto, A. 2015. Microbial growth dynamics during tempe fermentation in two different home industries. *International Food Research Journal* 22(4):1668-1674.

Nursiwi, A., Ishartani, D., Sari, A.M. and Nisyah, K. 2018. Study on *Leucaena leocochepala* seed during fermentation: sensory characteristic and changes on antinutritional compounds and mimosine level. *Earth and Environmental Science* 102(1):1-7.

Omosebi, M. O. and Otunola, E. T. 2013. Preliminary studies on tempeh flour produced from three different *Rhizopus* species. *Int. J. of Biotech. and Food Sci.* 1(5):90-96.

Ostap Laboratory. General Protocol: *SDS Page Buffers*. Department of Physiology and Pennsylvania Muscle Institute. (https://www.med.upenn.edu/ostaplab/protocols-and-software.html). Diakses tanggal 2 Agustus 2024.

Pakerti, A. L. dan Purnama, R. C. 2022. Analisis kadar protein pada tepung jagung (*Zea mays* L.) yang dibeli dengan merek L di daerah pasar semuli jaya lampung Utara dengan menggunakan metode kjeldahl. *Jurnal Analisis Farmasi* 7(2):119-129.

Palupi, H. T., Estiasih, T., Yunianta, and Sutrisno, A. 2022. Physicochemical and protein characterization of lima bean (*Phaseolus lunatus* L) seed. *Food Research* 6(1):168-177.

Pandey, V. C. and Kumar, A. 2013. *Leucaena leucocephala*: an underutilized plant for pulp and paper production. *Genet. Resour. Crop Evol*. 60:1165–1171.

Patterson, C.A., Curran, J. and Der T. 2016. Effect of Processing on Antinutrient Compounds in Pulses. *Cereal Chemistry* 94(1):2-10.

Pitt, J. I. and Hocking, A. D. 1985. *Fungi and Food Spoilage.* Academic Press, Australia. Pp. 161-165.

Prameswari, H.A., Nursiwi, A., Zaman, M.Z., Ishartani, D. and Sari, A.M. 2021. Changes in Chemical and Sensory Characteristics of Gunungkidul's Lamtoro (*Leucaena Leucocephala*) Tempeh during Extended. *Fermentation Earth and Environmental Science* 828:1-7.

UNIVERSITAS
GADJAH MADA
Pengaruh Jenis Inokulum dan Waktu Fermentasi Terhadap Kadar Protein dan Senyawa Anti Nutrisi Tempe Lamtoro (Leucaena leucocephala (Lam.) de Wit
Cornelia Ratna Kusuma, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Pramitha, J. L., Rana, S., Aggarwal, P.R., Ravikesavan, R., Joel, A. J., and Muthamilarasan, M. 2021. Diverse role of phytic acid in plants and approaches to develop low-phytate grains to enhance bioavailability of micronutrients. *Advances in Genetics* 107:89–120.

Puspitojati, E., Indrati, R., Cahyanto, M.N. and Marsono, Y. 2019.Formation of ACEinhibitory peptides during fermentation of jack bean tempe inoculated by usar Hibiscus tiliaceus leaves starter. *Earth and Environ. Sci.* 292:1-8.

Puteri, N. E., Astawan, M., Palupi, N. S., Wresdiyati, T. and Takagi, Y. 2018. Characterization of biochemical and functional properties of water-soluble tempe flour. *Food Sci.Technol.* 38:147–153.

Qomariyah, N. and Utomo, D. 2016. Influence of Seed Addition Gung Leucaena (*Leucaena leucocephala*) At Tempe Fermentation Process. *Journal of Food Technology* 7 (1): 46-56.

Rachmatiah, T., Nurvita, H. dan Triana, R. 2015. Potensi Antidiabetes Pada Tumbuhan Petai Cina (*Leucaena leucocephala* (Lam). De Wit). *Sainstech.* 25(1):115-8.

Rahayu, W.P., Pambayun, R., Santoso, U., Nuraida, L. dan Ardiansyah, 2015. *Tinjauan Ilmiah Proses Pengolahan Tempe Kedelai*. Perhimpunan Ahli Teknologi Pangan Indonesia, Jakarta. Hal 9-10.

Rahma, A. N. 2022. Pengaruh Pemberian Biji Lamtoro (*Leucaena leucocephala*) Mentah dan Kukus Terhadap Kadar Glukosa Darah Mencit (*Mus Musculus*). *J.Pedago Biologi* 10(2):75-80.

Rahmanto, F., Purnomo, E. P. dan Kasiwi, A. N. 2021. Food diversification: strengthening strategic efforts to reduce social inequality through sustainable food security development in Indonesia. *Journal of Sustainable Agriculture* 36(1):33-44.

Rahmawati, D., Puteri, M. D. P. T. G. and Santosa, E. Non-soy legumes as alternative raw ingredient for tempe production in Indonesia with additional health benefits: a review. *J. of Functional Food and Nutraceutical* 3(1):23-38.

Ramachandran, S., Krishnankutty, R., Nampoothiri, K. M., Szakacs, G. and Pandey, A. 2005. Mixed substrate fermentation for the production of phytase by *Rhizopus* spp. using oilcakes as substrates. *Proc. Biochem*. 40:1749–1754.

Ramli, N.A.M., Chen, Y. H., Zin, Z.M., Abdullah, M.A.A., Rusli, N. D. and Zainol M.K. 2021. Effect of soaking time and fermentation on the nutrient and antinutrients composition of *Canavalia ensiformis* (Kacang Koro). *Earth and Environmental Science* 756:1-8.

UNIVERSITAS
GADJAH MADA
Pengaruh Jenis Inokulum dan Waktu Fermentasi Terhadap Kadar Protein dan Senyawa Anti Nutrisi Tempe Lamtoro (Leucaena leucocephala (Lam.) de Wit
Cornelia Ratna Kusuma, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Riyanto. 2014. *Validasi dan Verifikasi Metode Uji*. Penerbit DeePublish, Yogyakarta. Hal 58.

Rizal, S., Kustyawati, M. E., Murhadi, Hasanudin, U. 2021. The growth of yeast and fungi, the formation of β-Glucan, and the antibacterial activities during soybean fermentation in producing tempeh. *Int. J. Food and Sci*. 1-8.

Rizwanuddin, S., Kumar, V., Naik, B., Singh, P., Mishra, S., Rustagi, S. and Kumar, V. 2023. Microbial phytase: Their sources, production, and role in the enhancement of nutritional aspects of food and feed additives. *Journal of Agriculture and Food Research* 12:1-9.

Rohmah, I. N. dan Alif, T. 2021. Uji Pengembangan Spora Entomopatogen Bunga Entomopatogen *Lecanicillium lecanii* Menggunakan Haemocytometer. *Jurnal Matematika dan Sains* 1 (2):143-150.

Romulo, A. and Surya, R. 2021. Tempe: A traditional fermentated food in Indonesia and its health benefits. *Int. J. of Gastronomy and Food Science* 26:1-9.

Samtiya, M., Aluko, R. E. and Dhewa T. 2020. Plant food anti-nutritional factors and their reduction strategies: an overview. *Food Product.Pr. & Nut.*2(6):1-14.

Sandberg, A. S. and Scheers, N. 2016. Phytic acid: Properties, uses, and determination. *Encyclopedia of Food and Health* 365–368.

Sayudi, S., Herawati, N. dan Ali, A. 2015. Potensi biji lamtoro gung dan biji kedelai sebagai bahan baku pembuatan tempe komplementasi. *Jurnal Online Mahasiswa (JOM)* 2(1):1-9.

Schipper, M. A. A. and Stalpers, J. A. 1984. A Revision of the Genus *Rhizopus*: The Rhizopus stolonifera-group and *Rhizopus oryzae*. *Stud. in Myco.* 25: 1-20.

Schoch, C. L. et al. 2020. *NCBI Taxonomy: a comprehensive update on curation, resources & tools.* *https://www.ncbi.nlm.nih.gov/Taxonomy/Browser/wwwtax.cgi?mode=Undef&id=3866&lvl=3&lin=s&keep=1&srchmode=1&unlock&log_op=lineage _toggle.* Diakses tanggal 18 Agustus 2021.

Sentat, T. dan Handayani, F. 2018. Uji Efek Antiinflamasi Ekstrak Etanol Biji Lamtoro (*Leucaena leucocephala*) Terhadap Udem Telapak Kaki Mencit yang Diinduksi Karagenin. Jurnal Ilmu Kesehatan 6(1):84-89.

Septina, E., Yetti, R. D. and Rivai, H. 2020. Overview of Traditional Use, Phytochemical, and Pharmacological Activities of Chinese Petai (*Leucaena leucocephala*). *Int. J. of Pharma.l Sci. and Med* 5(12):1-10.

UNIVERSITAS
GADJAH MADA
Pengaruh Jenis Inokulum dan Waktu Fermentasi Terhadap Kadar Protein dan Senyawa Anti Nutrisi Tempe Lamtoro (Leucaena leucocephala (Lam.) de Wit
Cornelia Ratna Kusuma, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Setyawati, T., Narulita, S., Bahri, I. P. dan Raharjo, G. T. 2015. *A Guide Book to Invasive Alien Plant Species in Indonesia*. Research, Development and Innovation Agency. Ministry of Environment and Forestry, Jakarta.

Shami, S. H., Hassan, A. M., Razzaq, A. L., Hashim, R. M., Khalaf, T. A., Shaheen, K. M., Ghafl, A. M., Zaghir, A. J. and Lateef, E. H. 2024. *Current Clinical and Medical Education* (5):116-124.

Sharma, R., Garg, P., Kumar, P., Bhatia, S. K. and Kulshrestha, S. 2020. Microbial Fermentation and Its Role in Quality Improvement of Fermented Foods. *Fermentation 6*(4):106.

Shen, C. H. 2019. *Quantification and Analysis of Protein: Diagostic Molecular Biology*. Academic Press, New York. pp 187-214.

Sine, Y. dan Soetarto, E. S. 2018. Isolasi dan identifikasi kapang *Rhizopus* pada tempe gude (*Cajanus cajan* L.). *Jurnal Pertanian Lahan Kering* 3(4): 67-68.

Sjamsuridzal, W., Khasanah, M., Febriani, R., Vebliza, Y., Oetari, A., Santoso, I. and Gandjar, I. 2021. The effect of the use of commercial tempeh starter on the diversity of *Rhizopus* tempeh in Indonesia. *Scientific Reports* 11(1): 1–10.

Soccol, C. R., da Costa, E. S. F., Letti, L. A. J., Karp, S. G., Woiciechowski, A. L., de Souza and Vandenberghe, L. P. 2017. Recent developments and innovations in solid state fermentation. *Biotechnol Res Innov*. 1:52–71.

Steinkraus, K. H., Hwa, Y. B., van Buren, J. P., Provvidenti, M. I. and Hand, D. B. 1959. Studies on tempeh—An Indonesian fermented soybean food. *N. Y. State Agric. Exp. Stn. Cornell Univ.* 1176:777–788.

Sudarmadji, S., Haryono, B. dan Suhardi. 1997. *Prosedur Analisa untuk Bahan Makanan dan Pertanian Edisi Keempat.* Penerbit Liberty. Yogyakarta.

Sukma, A. T. C and Anwar, H. 2022. Optimization of protein production from banana peel flour by *Rhizopus oryzae* through solid-state fermentation using response surface methodology. *AIP Conference Proceedings* 1-9.

Suhartanti, P. D., Handajani, S. and Nandariyah. 2019. Physical characteristics of the seeds of soybean (*Glycine max*) varieties and effect of fermentation time on the chemical characteristics of *tempeh. Cell Bio. & Dev. 3(1): 13-18.*

Supriyanto., Setyawan, B. dan Ulfa, R. 2022. Analisis Kandungan Protein dan Organoleptik Tempe Dengan Media Yang Berbeda. Jurnal Teknologi Pangan dan Ilmu Pertanian 4(2):23-29.

UNIVERSITAS
GADJAH MADA
Pengaruh Jenis Inokulum dan Waktu Fermentasi Terhadap Kadar Protein dan Senyawa Anti Nutrisi Tempe Lamtoro (Leucaena leucocephala (Lam.) de Wit
Cornelia Ratna Kusuma, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Suryanti, I. A. P., Artawan, I. K. dan Martriani, A. T. 2016. Potensi Ekstrak Kasar Biji Lamtoro Gung (Leucana leucocephala) Untuk Menurunkan Glukosa Darah Tikus Putih. *Prosiding Seminar Nasional MIPA* 287-295.

Syamsudin., Sumarny, R. and Simanjuntak, P. 2010. Antidiabetic activity of active fractions of *Leucaena leucocephala* (Lmk) de Wit seeds in the experiment model. *European Journal of Scientific Research.* 43(3):384-391

Tahir, A., Anwar, M., Mubeen, H. and Raza. 2018. Evaluation of physicochemical and nutritional contents in soybean fermented food tempeh by *Rhizopus oligosporus*. *Journal of Advances in Biology and Biotechnology* 17(1):1-9.

Teoh, S. Q., Chin, N. L., Chong, C. W., Ripen, A. M., How, S. dan Lim, J. J. L. 2024. A review on health benefits and processing of tempeh with outlines on its functional microbes. *Future Foods* 9:100330.

U.S. Department of Agriculture. 2019. *Nutrients Soybeans (Mature seeds and Raw).* (https://fdc.nal.usda.gov/fdc-app.html#/food-details/174270/nutrients). Diakses tanggal 17 Agustus 2021.

Umboro R. O. dan Hamdani, A. S. 2019. Uji Daya Anthelmintik Ekstrak Etanol Biji Petai Cina (*Leucaena leucocephala*, Lmk. de Wit) terhadap cacing gelang (*Ascaridia galli schrank*) Secara In Vitro. *Jurnal Ilmu Sosial dan Pendidikan* 3(1):304-10.

Utami, S., Fatmona, S. and Wahyuni, S. 2024. Application of Fermented Sword Beans (*Canavalia ensiformis* L.) on *Rhizopus oligosporus* Production Performance and Quality of Quail Eggs. *JPPIPA* 10(8):4520-4526.

Virgianti, D. P. 2015. Uji antagonis jamur tempe *Rhizopus* sp terhadap bakteri patogen enterik. *Biosfera* 32(3):162 – 168.

Wahono, F. 2016. Perubahan Konsentrasi Biomassa, Kadar Asam Sianida (HCN), pH dan Tampilan Sensori dari Koro Pedang Selama Proses Fermentasi 4 Hari. *Jurnal Aplikasi Teknologi Pangan* 5(4):123-128.

Walia, A., Gupta, A. K. and Sharma, V. 2019. Role of Bioactive Compounds in Human Health. *Acta Sci. Med. Sci*. 3:25–33.

Waterborg, J. H. 2009. *The Lowry Method for Protein Quantification: The Protein Protocol Handbook.* Humana Press, Totowa. pp 7-10.

Wheeler, E dan Ferrel, R. E. 1971. Methods for phytic acid determination in wheat and wheat Fractions. *Cereal Chemistry* 84:312-320.

Wiesner, R., Scheller, C., Krebs, F., Watzig, H. and Oltmann-Norden, I. 2021. A comparative study of CE-SDS, SDS-PAGE, and Simple Western:

UNIVERSITAS
GADJAH MADA
Pengaruh Jenis Inokulum dan Waktu Fermentasi Terhadap Kadar Protein dan Senyawa Anti Nutrisi Tempe
Lamtoro (Leucaena leucocephala (Lam.) de Wit
Cornelia Ratna Kusuma, Dr. Tri Rini Nuringtyas, S.Si., M.Sc.
Universitas Gadjah Mada, 2024 | Diunduh dari http://etd.repository.ugm.ac.id/

Influences of sample preparation on molecular weight determination of proteins. *Electrophoresis* 42:206-218.

Wikandari, R., Utami, T.A.N., Hasniah, N. and Sardjono. 2020. Chemical, Nutritional, Physical and Sensory Characterization of Tempe Made from Various Underutilized Legumes. *Pakistan J. of Nutrition* 19:179-190.

Wilson, K. and Walker, J. 2010. *Principles and Techniques of Biochemistry and Molecular Biology* 7th ed. Cambridge University Press, Cambridge. pp. 407, 408.

Winarno, F. G., Winarno, W. dan Ahnan-Winarno, A. D. 2017. *Tempe kumpulan fakta menarik berdasarkan penelitian*. Gramedia Pustaka Utama, Jakarta.

Wipradnyadewi, P. A., Rahayu, E. S. dan Raharjo, S. 2005. *Isolasi dan Identifikasi Rhizopus oligosporus Pada Beberapa Inokulum Tempe*. *Agro.* 11(2):1-9.

Wu, J., Ren, L., Zao, N., Wu, T., Liu, R., Sui, W. and Zhang, M. 2022. Solid-state fermentation by *Rhizopus oryzae* improves flavor of wheat bran for application in food. *Journal of Cereal Science* 107:103536.

Yastanto, A.J. 2020. Karakteristik Pertumbuhan Jamur Pada Media PDA dengan Metode Pour Plate. *Indonesian Journal of Laboratory* 2(2):33-39.

Yildirim, R. M. and Arici, M. 2019. Effect of the fermentation temperature on the degradation of phytic acid in whole-wheat sourdough bread. *Food Science and Technology* 112:2-9.

Yousif, M. A. I., Wang, Y. R. and Dali, C. 2020. Seed dormancy overcoming and seed coat structure change in *Leucaena leucocephala* and *Acacia nilotica*. *Forest Sci Tech*. 16:18–25.

Yusuff, A. S., Lala, M. A., Popoola, L. T. and Adesina, O. A. 2019. Optimization of oil extraction from *Leucaena leucocephala* seed as an alternative low-grade feedstock for biodiesel production. *SN Applied Sci*. 1(357).

Zawawi, Z., Ruzaidi, C.M., Sam, S.T., Abdullah, M.M.A.B. and Aminah, M.H. 2018. Bioactive compound analysis in seeds of *Leucaena leucocephala* (Petai Belalang). *AIP Conf. Proc*. 2030:1-7.

Zayed, M. Z. and Samling, B. E. 2016. Phytochemical constituents of the leaves of *Leucaena leucocephala* from Malaysia. *Int J Pharm Sci.* 8(12):174-9.

Zhang, Y., Wei, R., Azi, F., Jiao, L., Wang, H., He, T., Liu, X., Wang, R. and Lu, B. 2022. Solid-state fermentation with *Rhizopus oligosporus* RT-3 enhanced the nutritional properties of soybeans. *Frontiers in Nutrition* 9:1-14.