

DAFTAR PUSTAKA

- AbdelMassih, A.F., Al. Zahraa Hassan, F., El-Gammal, A., Tawfik, M., Nabil, D., 2021. The overlooked left ventricle in persistent pulmonary hypertension of the newborn. *J. Matern. -Fetal Neonatal Med* 34, 72–76. <https://doi.org/10.1080/14767058.2019.1598363>
- Abman, S.H., Hansmann, G., Archer, S.L., Ivy, D.D., Adatia, I., Chung, W.K., et al. 2015. Pediatric Pulmonary Hypertension. *Circulation* 132, 2037–2099. <https://doi.org/10.1161/CIR.0000000000000329>
- Agrawal, 2013. Persistent Pulmonary Hypertension of the Newborn: Recent Advances in the Management. *Int. J. Clin. Pediatr* 2, 1–11. <https://doi.org/10.4021/ijcp79w>
- Bassler, D., Kreutzer, K., McNamara, P., Kirpalani, H., 2010. Milrinone for persistent pulmonary hypertension of the newborn. *Cochrane Database Syst Rev*. <https://doi.org/10.1002/14651858.CD007802.pub2>
- Bohn, D., 2002. Congenital Diaphragmatic Hernia. *Am J Respir Crit Care Med* 166, 911–915. <https://doi.org/10.1164/rccm.200204-304CC>
- Bozkurt, B., Coats, A.J.S., Tsutsui, H., Abdelhamid, C.M., Adamopoulos, S., Albert, N., et al. 2021. Universal definition and classification of heart failure: a report of the Heart Failure Society of America, Heart Failure Association of the European Society of Cardiology, Japanese Heart Failure Society and Writing Committee of the Universal Definition of Heart Failure. *Eur J Heart Fail* 23, 352–380. <https://doi.org/10.1002/ejhf.2115>
- Cabral, J.E.B., Belik, J., 2013. Persistent pulmonary hypertension of the newborn: Recent advances in pathophysiology and treatment. *J Pediatr (Rio J)* 89, 226–242. <https://doi.org/10.1016/j.jped.2012.11.009>
- Curtis, J., Kim, G., Wehr, N.B., Levine, R.L., 2003. Group B streptococcal phospholipid causes pulmonary hypertension. *Proc Natl Acad Sci* 100, 5087–5090. <https://doi.org/10.1073/pnas.0931493100>
- Chen, H.Y., Blackwell, S.C., & Chauhan, S.P., 2022. Association between Apgar score at 5 minutes and adverse outcomes among low-risk pregnancies. *J. Matern. -Fetal Neonatal Med.*, 35(7), pp.1344-1351. <https://doi.org/10.1080/14767058.2020.1754789>
- Davis, J.M., Spitzer, A.R., Cox, C., Fox, W.W., 1988. Predicting survival in infants with persistent pulmonary hypertension of the newborn. *Pediatr Pulmonol* 5, 6–9. <https://doi.org/10.1002/ppul.1950050103>
- D’Cunha, C., Sankaran, K., 2001. Persistent fetal circulation. *Paediatr Child Health* 6, 744–750. <https://doi.org/10.1093/pch/6.10.744>

- de Boode, W.P., Singh, Y., Molnar, Z., Schubert, U., Savoia, M., Sehgal, A., et al. 2018. Application of Neonatologist Performed Echocardiography in the assessment and management of persistent pulmonary hypertension of the newborn. *Pediatr Res* 84, 68–77. <https://doi.org/10.1038/s41390-018-0082-0>
- Deshpande, S., Suryawanshi, P., Holkar, S., Singh, Y., Yengkhom, R., Klimek, J., et al. 2022. Pulmonary hypertension in late onset neonatal sepsis using functional echocardiography: a prospective study. *J Ultrasound* 25, 233–239. <https://doi.org/10.1007/s40477-021-00590-y>
- Drummond, W.H., Peckham, G.J., Fox, W.W., 1977. The Clinical Profile of the Newborn with Persistent Pulmonary Hypertension: Observations in 19 Affected Neonates. *Clin Pediatr (Phila)* 16, 335–341. <https://doi.org/10.1177/000992287701600407>
- Eriksen, V., Nielsen, L.H., Klokke, M., Greisen, G., 2009. Follow-up of 5- to 11-year-old children treated for persistent pulmonary hypertension of the newborn. *Acta Paediatr* 98, 304–309. <https://doi.org/10.1111/j.1651-2227.2008.01065.x>
- Fernandez, M.A.Y., Eka Gunawijaya, Ni Putu Veny Kartika Yantie, Made Sukmawati, 2023. Incidence and outcomes of persistent pulmonary hypertension of the newborn in a tertiary referral center, Indonesia. *Intisari Sains Medis* 14, 482–486. <https://doi.org/10.15562/ism.v14i2.1732>
- Gardner, S.L., Carter, B.S., Hines, M.E., 2016. *Merenstein Gardner's Handbook of Neonatal Intensive Care*, 8th ed. Elsevier, Missouri, pp 802-811.
- Gentles, T.L., 2009. The Right Ventricle and Persistent Pulmonary Hypertension of the Newborn. *Neonatal* 96, 200–202. <https://doi.org/10.1159/000215586>
- Gomella, T.K., Eyal, F.G., Mohammed, F.B., 2020. *Gomella's Neonatology : Management, Procedures, On-Call Problems, Diseases and Drugs*, 8th ed. McGraw-Hill Education, New York , pp. 1032-1040.
- Higgins, J., Thomas, J., 2024. *Cochrane Handbook for Systematic Reviews of Interventions*, 2nd ed. Cochrane, Chapter 15, Section 15-3: Interpreting results of statistical analyses.
- Iliodromiti, S., Mackay, D.F., Smith, G.C.S., Pell, J.P., Nelson, S.M., 2014. Apgar score and the risk of cause-specific infant mortality: a population-based cohort study. *The Lancet* 384, 1749–1755. [https://doi.org/10.1016/S0140-6736\(14\)61135-1](https://doi.org/10.1016/S0140-6736(14)61135-1)
- Jain, A., McNamara, P.J., 2015. Persistent pulmonary hypertension of the newborn: Advances in diagnosis and treatment. *Semin Fetal Neonatal Med* 20, 262–271. <https://doi.org/10.1016/j.siny.2015.03.001>

- Kelly, L.E., Ohlsson, A., Shah, P.S., 2017. Sildenafil for pulmonary hypertension in neonates. *Cochrane Database Syst Rev*. <https://doi.org/10.1002/14651858.CD005494.pub4>
- Kinsella, J.P., Abman, S.H., 1995. Recent developments in the pathophysiology and treatment of persistent pulmonary hypertension of the newborn. *J Pediatr* 126, 853–864. [https://doi.org/10.1016/S0022-3476\(95\)70197-4](https://doi.org/10.1016/S0022-3476(95)70197-4)
- Konduri, G.G., Kim, U.O., 2009. Advances in the Diagnosis and Management of Persistent Pulmonary Hypertension of the Newborn. *Pediatr Clin North Am* 56, 579–600. <https://doi.org/10.1016/j.pcl.2009.04.004>
- Lakshminrusimha, S., Keszler, M., 2015. Persistent Pulmonary Hypertension of the Newborn. *Neoreviews* 16, e680 LP-e692. <https://doi.org/10.1542/neo.16-12-e680>
- Lin, C., Mi, J., Zhang, Y., Duan, S., Wu, J., Li, Y., 2022. A nomogram prediction model for early death in patients with persistent pulmonary hypertension of the newborn. *Front Cardiovasc Med* 9. <https://doi.org/10.3389/fcvm.2022.1077339>
- Lotze, A., Mitchell, B.R., Bulas, D.I., Zola, E.M., Shalwitz, R.A., Gunkel, J.H., 1998. Multicenter study of surfactant (beractant) use in the treatment of term infants with severe respiratory failure. *J Pediatr* 132, 40–47. [https://doi.org/10.1016/S0022-3476\(98\)70482-2](https://doi.org/10.1016/S0022-3476(98)70482-2)
- Mandell, E., Kinsella, J.P., Abman, S.H., 2021. Persistent pulmonary hypertension of the newborn. *Pediatr Pulmonol* 56, 661–669. <https://doi.org/10.1002/ppul.25073>
- Maneenil, G., Thatrimontrichai, A., Janjindamai, W., Dissaneevate, S., 2018. Effect of bosentan therapy in persistent pulmonary hypertension of the newborn. *Pediatr Neonatol* 59, 58–64. <https://doi.org/10.1016/j.pedneo.2017.02.003>
- Mat Bah, M.N., Tan, R.Y.H., Razak, H., Sopian, M.H., Abdullah, N., Alias, E.Y., 2021. Survival and associated risk factors for mortality among infants with persistent pulmonary hypertension of the newborn in Malaysia. *J. Perinatol* 41, 786–793. <https://doi.org/10.1038/s41372-021-00962-6>
- Mathew, B., Lakshminrusimha, S., 2017. Persistent Pulmonary Hypertension in the Newborn. *Children*. <https://doi.org/10.3390/children4080063>
- McNamara, P.J., Laique, F., Muang-In, S., Whyte, H.E., 2006. Milrinone improves oxygenation in neonates with severe persistent pulmonary hypertension of the newborn. *J Crit Care* 21, 217–222. <https://doi.org/10.1016/j.jcrc.2006.01.001>
- Mohamed, W.A., Ismail, M., 2012. A randomized, double-blind, placebo-controlled, prospective study of bosentan for the treatment of persistent

- pulmonary hypertension of the newborn. *J. Perinatol* 32, 608–613. <https://doi.org/10.1038/jp.2011.157>
- Montasser, M., Patel, N., 2021. Pulmonary hypertension in newborn infants: pathophysiology, clinical assessment and management. *Paediatr Child Health* 31, 32–37. <https://doi.org/10.1016/j.paed.2020.10.005>
- Motoyama, E.K., Finder, J.D., 2017. Respiratory Physiology, in: *Smith's Anesthesia for Infants and Children*. Elsevier, pp. 23-72.e15. <https://doi.org/10.1016/B978-0-323-34125-7.00003-6>
- Nakwan, N., 2018. The Practical Challenges of Diagnosis and Treatment Options in Persistent Pulmonary Hypertension of the Newborn: A Developing Country's Perspective. *Am J Perinatol* 35, 1366–1375. <https://doi.org/10.1055/s-0038-1660462>
- Nakwan, N., Jain, S., Kumar, K., Hosono, S., Hammoud, M., Elsayed, Y.Y., et al. 2020. An Asian multicenter retrospective study on persistent pulmonary hypertension of the newborn: incidence, etiology, diagnosis, treatment and outcome. *J. Matern. -Fetal Neonatal Med* 33, 2032–2037. <https://doi.org/10.1080/14767058.2018.1536740>
- Nakwan, Narongsak, Nakwan, Narongwit, Wannaro, J., 2011. Predicting mortality in infants with persistent pulmonary hypertension of the newborn with the Score for Neonatal Acute Physiology-Version II (SNAP-II) in Thai neonates. *J Perinat Med* 39, 311–315. <https://doi.org/10.1515/JPM.2011.011>
- Ostrea, E.M., Villanueva-Uy, E.T., Natarajan, G., Uy, H.G., 2006. Persistent pulmonary hypertension of the newborn: Pathogenesis, etiology, and management. *Paediatr Drugs* 8, 179–188. <https://doi.org/10.2165/00148581-200608030-00004>
- Panda, S.K., Mohakud, N.K., Rath, S., Panda, S.S., Nayak, M.K., 2021. Clinical outcomes of neonates with persistent pulmonary hypertension in a teaching hospital, Eastern India. *Sri Lanka J. Child Health* 50, 272. <https://doi.org/10.4038/sljch.v50i2.9570>
- Porta, N.F.M., Steinhorn, R.H., 2012. Pulmonary Vasodilator Therapy in the NICU: Inhaled Nitric Oxide, Sildenafil, and Other Pulmonary Vasodilating Agents. *Clin Perinatol* 39, 149–164. <https://doi.org/10.1016/j.clp.2011.12.006>
- Prasad, H., Vempalli, N., Agrawal, N., Ajun, U.N., Salam, A., Subhra Datta, S., et al. 2023. Correlation and agreement between arterial and venous blood gas analysis in patients with hypotension—an emergency department-based cross-sectional study. *Int J Emerg Med* 16, 18. <https://doi.org/10.1186/s12245-023-00486-0>

- Qasim, A., Jain, S.K., 2020. Milrinone use in persistent pulmonary hypertension of the newborn. *Neoreviews* 21, e165–e178. <https://doi.org/10.1542/neo.21-3-e165>
- Rhodes, A., Evans, L.E., Alhazzani, W., Levy, M.M., Antonelli, M., Ferrer, R., et al. 2017. Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016. *Intensive Care Med* 43, 304–377. <https://doi.org/10.1007/s00134-017-4683-6>
- Roofthoof, M.T.R., Elema, A., Bergman, K.A., Berger, R.M.F., 2011. Patient characteristics in persistent pulmonary hypertension of the newborn. *Pulm Med* 2011. <https://doi.org/10.1155/2011/858154>
- Rosenkranz, S., Howard, L.S., Gomberg-Maitland, M., Hooper, M.M., 2020. Systemic Consequences of Pulmonary Hypertension and Right-Sided Heart Failure. *Circulation* 141, 678–693. <https://doi.org/10.1161/CIRCULATIONAHA.116.022362>
- Roth, P., 2016. Pulse oximetry and the neonate. *Pediatr Rev* 37, 402–405. <https://doi.org/10.1542/pir.2015-0174>
- Sallaam, S., Natarajan, G., Aggarwal, S., 2016. Persistent Pulmonary Hypertension of the Newborn with D-transposition of the Great Arteries: Management and Prognosis. *Congenit Heart Dis* 11, 239–244. <https://doi.org/10.1111/chd.12304>
- Sardar, S., Pal, S., Mishra, R., 2020. A Retrospective study on the profile of persistent pulmonary hypertension of newborn in a tertiary care unit of Eastern India. *J Clin Neonatol* 9, 18. https://doi.org/10.4103/jcn.JCN_68_19
- Sharma, M., Mohan, K.R., Narayan, S., Chauhan, L., 2011. Persistent pulmonary hypertension of the newborn: A review. *Med J Armed Forces India* 67, 348–353. [https://doi.org/10.1016/S0377-1237\(11\)60082-8](https://doi.org/10.1016/S0377-1237(11)60082-8)
- Sharma, V., Berkelhamer, S., Lakshminrusimha, S., 2015. Persistent pulmonary hypertension of the newborn. *Matern Health Neonatol Perinatol* 1, 14. <https://doi.org/10.1186/s40748-015-0015-4>
- Steurer, M.A., Baer, R.J., Oltman, S., Ryckman, K.K., Feuer, S.K., Rogers, E., et al. 2019. Morbidity of Persistent Pulmonary Hypertension of the Newborn in the First Year of Life. *J Pediatr* 213, 58-65.e4. <https://doi.org/10.1016/j.jpeds.2019.06.053>
- Steurer, M.A., Jelliffe-Pawlowski, L.L., Baer, R.J., Partridge, J.C., Rogers, E.E., Keller, R.L., 2017. Persistent Pulmonary Hypertension of the Newborn in Late Preterm and Term Infants in California. *Pediatrics* 139. <https://doi.org/10.1542/peds.2016-1165>

- Teng, R.-J., Wu, T.-J., 2013. Persistent pulmonary hypertension of the newborn. *J Formos Med Assoc* 112, 177–184. <https://doi.org/10.1016/j.jfma.2012.11.007>
- Verma, B., Daga, S.R., Mahapankar, A., 2006. Persistent pulmonary hypertension among neonates with sepsis. *Indian J Pediatr* 73, 250–251. <https://doi.org/10.1007/BF02825496>
- Waites, K.B., Crouse, D.T., Philips, J.B., Canupp, K.C., Cassell, G.H., 1989. Ureaplasma pneumoniae and sepsis associated with persistent pulmonary hypertension of the newborn. *Pediatrics* 83, 79–85.
- Walsh-Sukys, M.C., Tyson, J.E., Wright, L.L., Bauer, C.R., Korones, S.B., Stevenson, D.K., et al. 2000. Persistent pulmonary hypertension of the newborn in the era before nitric oxide: Practice variation and outcomes. *Pediatrics* 105, 14–20. <https://doi.org/10.1542/peds.105.1.14>
- Weiner, G.M., Zaichkin, J., Bloom, R.S., 2021. *Textbook of Neonatal Resuscitation*, 8th ed. American Academy of Pediatrics, Itasca, IL. pp. 1–12. <https://doi.org/10.1542/9781610025256>