

DAFTAR PUSTAKA

- [1] G. R. Ana, A. S. Alli, D. C. Uhiara, and D. G. Shendell, "Indoor air quality and reported health symptoms among hair dressers in salons in ibadan, nigeria," *Journal of Chemical Health & Safety*, vol. 26, no. 1, pp. 23–30, 2019.
- [2] R. T. Burnett *et al.*, "Global estimates of mortality associated with long-term exposure to outdoor fine particulate matter," *Proceedings of the National Academy of Sciences of the United States of America*, vol. 115, no. 38, pp. 9592–9597, 2018.
- [3] J. S. Kiurski, S. M. Aksentijević, and S. Mandarić, "Statistical approach for characterization of photocopying indoor pollution," *Air Quality, Atmosphere and Health*, vol. 11, no. 7, pp. 867–881, 2018.
- [4] M. Hadei *et al.*, "Indoor and outdoor concentrations of btex and formaldehyde in tehran, iran: effects of building characteristics and health risk assessment," *Environmental Science and Pollution Research*, vol. 25, no. 27, pp. 27 423–27 437, 2018.
- [5] S. C. Marco Gola, Gaetano Settimo, "Indoor air in healing environments: Monitoring chemical pollution in inpatient rooms," *Facilities*, vol. 37, no. 9/10, pp. 600–623, 2018.
- [6] B. D. Horne *et al.*, "Short-term elevation of fine particulate matter air pollution and acute lower respiratory infection," *American Journal of Respiratory and Critical Care Medicine*, vol. 198, no. 6, pp. 759–766, 2018.
- [7] S. Vardoulakis, E. Giagloglou, S. Steinle, A. Davis, A. Sleuwenhoek, K. Galea, K. Dixon, and J. Crawford, "Indoor exposure to selected air pollutants in the home environment: A systematic review," *International Journal of Environmental Research and Public Health*, vol. 17, 2020.
- [8] J. Sun, Z. Zhou, J. Huang, and G. Li, "A bibliometric analysis of the impacts of air pollution on children," *International Journal of Environmental Research and Public Health*, vol. 17, no. 4, pp. 1277–1277, 2020.
- [9] J. Saini, M. Dutta, and G. Marques, "A comprehensive review on indoor air quality monitoring systems for enhanced public health," *Sustainable Environment Research*, vol. 30, no. 1, 2020.
- [10] S. Sun, X. Zheng, J. Villalba-Díez, and J. Ordieres-Meré, "Indoor air-quality data-monitoring system: Long-term monitoring benefits," *Sensors*, vol. 19, no. 19, pp. 4157–4157, 2019.
- [11] P. Wargoeki, *Productivity and Health Effects of High Indoor Air Quality*. Elsevier, 12 2013.
- [12] A. Persily, "Development and application of an indoor carbon dioxide metric." *Indoor air*, vol. 32 7, p. e13059, 2022.

- [13] S. D. Lowther, S. Dimitroulopoulou, K. Foxall, C. Shrubsole, E. Cheek, B. Gadeberg, and O. Sepai, “Low level carbon dioxide indoors—a pollution indicator or a pollutant? a health-based perspective,” *Environments*, 2021.
- [14] G. Marques, R. Pitarma, N. M. García, and N. Pombo, “Internet of things architectures, technologies, applications, challenges, and future directions for enhanced living environments and healthcare systems: A review,” *Electronics*, vol. 8, no. 10, pp. 1081–1081, 2019.
- [15] C. B. D. Kuncoro, A. Amaris, and A. F. Permana, “Smart wireless co2 sensor node for iot based strategic monitoring tool of the risk of the indoor sars-cov-2 airborne transmission,” *Applied Sciences*, vol. 12, no. 21, p. 10784, 2022.
- [16] A. Pérez, B. Bierer, L. Scholz, J. Wöllenstein, and S. Palzer, “A wireless gas sensor network to monitor indoor environmental quality in schools,” *Sensors*, vol. 18, no. 12, pp. 4345–4345, 2018.
- [17] M. Muladi, S. Sendari, and T. Widiyaningtyas, “Real-time indoor air quality monitoring using internet of things at university,” in *2018 2nd Borneo International Conference on Applied Mathematics and Engineering (BICAME)*, 2018, pp. 169–173.
- [18] L. Scislo and N. Szczepanik-Scislo, “Air quality sensor data collection and analytics with iot for an apartment with mechanical ventilation,” in *2021 11th IEEE International Conference on Intelligent Data Acquisition and Advanced Computing Systems: Technology and Applications (IDAACS)*, vol. 2, 2021, pp. 932–936.
- [19] M. Marzouk and M. Atef, “Assessment of indoor air quality in academic buildings using iot and deep learning,” *Sustainability*, 2022.
- [20] C. Toma, A. Alexandru, M. Popa, and A. Zamfiroiu, “Iot solution for smart cities’ pollution monitoring and the security challenges,” *Sensors (Basel, Switzerland)*, vol. 19, 2019.
- [21] Y. Sun and W. Dong, “Feature-based identification method of mcu firmware io interface,” *2023 IEEE 6th Information Technology, Networking, Electronic and Automation Control Conference (ITNEC)*, vol. 6, pp. 1540–1543, 2023.
- [22] D. Oliveira, W. Chen, S. Pinto, and R. Mancuso, “Investigating and mitigating contention on low-end multi-core microcontrollers,” *Proceedings of Cyber-Physical Systems and Internet of Things Week 2023*, 2023.
- [23] NXP Semiconductors, *I²C-bus Specification and User Manual*, NXP Semiconductors, October 2021, uM10204, Rev. 7.0, 1 Oct. 2021. [Online]. Available: <https://www.nxp.com/docs/en/user-guide/UM10204.pdf>
- [24] G. Marques, J. Saini, M. Dutta, P. Singh, and W. Hong, “Indoor air quality monitoring systems for enhanced living environments: A review toward sustainable smart cities,” *Sustainability*, 2020.
- [25] N. R. Wibowo, “Rancang bangun sistem detektor konsentrasi karbon dioksida (co₂) dan particulate matter (pm_{2.5} & pm₁₀) untuk sistem pemantauan

- [26] J. Mbarndouka Taamté, M. Kountchou Noubé, B. Bodo, Y. F. Tchuenta Siaka, N. Nasser, V. Folifack Signing, R. Mogue, and S. , “Low-cost air quality monitoring system design and comparative analysis with a conventional method,” *International Journal of Energy and Environmental Engineering*, vol. 12, 07 2021.
- [27] H. Wisesa, “Co2 monitoring system prototype using wireless sensor network,” *International Journal on Information and Communication Technology (IJoICT)*, vol. 2, p. 49, 07 2017.
- [28] M. Benammar, A. Abdaoui, S. H. Ahmad, F. Touati, and A. Kadri, “A modular iot platform for real-time indoor air quality monitoring,” *Sensors*, vol. 18, no. 2, 2018. [Online]. Available: <https://www.mdpi.com/1424-8220/18/2/581>
- [29] A. F. Adziimaa, P. Yeni Aisyah, and N. Y. Puspita, “Design and development of air quality measurement with early warning systems,” in *2023 International Conference on Advanced Mechatronics, Intelligent Manufacture and Industrial Automation (ICAMIMIA)*, 2023, pp. 171–176.
- [30] P. D. Lapshina, S. P. Kurilova, and A. A. Belitsky, “Development of an arduino-based co2 monitoring device,” in *2019 IEEE Conference of Russian Young Researchers in Electrical and Electronic Engineering (EIconRus)*, 2019, pp. 595–597.
- [31] B. P. Hippe, A. A. Dezay, M. A. Garcia, M. C. Newton, J. M. Acken, and D. C. Burnett, “Multi-node networked indoor air quality monitor,” in *2023 IEEE SENSORS*, 2023, pp. 1–4.
- [32] Kementerian Kesehatan Republik Indonesia, *Peraturan Menteri Kesehatan Nomor 2 Tahun 2023 tentang Peraturan Pelaksanaan Peraturan Pemerintah Nomor 66 Tahun 2014 tentang Kesehatan Lingkungan*, Kementerian Kesehatan Republik Indonesia Std., Januari 2023.
- [33] CEN, *EN 13779:2007 - Ventilation for non-residential buildings - Performance requirements for ventilation and room-conditioning systems*, European Committee for Standardization Std., april 2007.
- [34] Health Canada, *Residential Indoor Air Quality Guidelines: Carbon Dioxide*. Ottawa: Health Canada, 2021. [Online]. Available: <https://www.canada.ca/content/dam/hc-sc/documents/services/publications/healthy-living/residential-indoor-air-quality-guidelines-carbon-dioxide/carbon-dioxide.pdf>
- [35] National Institute for Occupational Safety and Health (NIOSH), *National Institute for Occupational Safety and Health Pocket Guide to Chemical Hazards*. Cincinnati, OH: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health, 2007. [Online]. Available: <https://www.cdc.gov/niosh/npg/default.html>

- [36] Standards Singapore, *SS 554:2016 + A1:2021 Code of Practice for Indoor Air Quality for Air-conditioned Buildings*. Springer, 2016. [Online]. Available: <https://www.singaporestandardseshop.sg/Product/SSPdtDetail/8ee48ab1-38f5-4dae-a469-b8612a05876f>
- [37] G. Stringham, *Hardware/Firmware Interface Design: Best Practices for Improving Embedded Systems Development*. Massachusetts: Newnes, 2010.
- [38] V. Carvalho and F. L. Kastensmidt, “Enhancing i2c robustness to soft errors,” in *Proc. IEEE 8th Latin Amer. Symp. Circuits Syst. (LASCAS)*, Feb. 2017, pp. 1–4.
- [39] J. Bouwmeester, M. Langer, and E. Gill, “Survey on the implementation and reliability of cubesat electrical bus interfaces,” *CEAS Space Journal*, vol. 9, no. 2, pp. 163–173, June 2017.
- [40] S. Van Der Linden, J. Bouwmeester, and A. Povolac, “Design and validation of an innovative data bus architecture for cubesats,” in *Proc. Reinventing Space Conf.*, 2016, pp. 1–13.
- [41] Picotech. (2024) I2c - serial protocol decoding. Accessed: Aug. 10, 2024. [Online]. Available: <https://www.picotech.com/library/oscilloscopes/serial-protocol-decoding-i2c>
- [42] J. Valdez and J. Becker, “Understanding the i2c bus,” Texas Instruments, Dallas, TX, USA, Tech. Rep., 2015, online: <https://www.ti.com/lit/an/slva704/slva704.pdf>.
- [43] R. Arora, “I2c bus pullup resistor calculation,” Texas Instruments, Dallas, TX, USA, Tech. Rep., 2015.
- [44] L. Kepko, L. S. Soto, C. Clagett, B. Azimi, D. Chai, A. Cudmore, J. Marshall, and J. Lucas, “Dellingr: Reliability lessons learned from on-orbit,” in *Proc. Conf. Small Satell.*, 2018, pp. 1–14.
- [45] Espressif Systems, *ESP32-DevKitC V4 Getting Started Guide*, Espressif Systems (Shanghai) Co., Ltd., 2023, accessed: 2024-08-06. [Online]. Available: <https://docs.espressif.com/projects/esp-idf/en/stable/esp32/hw-reference/esp32/get-started-devkitc.html>
- [46] N. Dunbar, *Alternatives to the Arduino IDE*. Apress, 06 2024, pp. 163–217.
- [47] S. Neethirajan, D. Jayas, and S. Sadistap, “Carbon dioxide (co2) sensors for the agri-food industry—a review,” *Food and Bioprocess Technology*, vol. 2, pp. 115–121, 2009.
- [48] R. K. Jha, “Non-dispersive infrared gas sensing technology: A review,” *IEEE Sensors Journal*, vol. 22, no. 1, pp. 6–15, Jan 2022.
- [49] X. Jia, J. Roels, R. Baets, and G. Roelkens, “On-chip non-dispersive infrared co2 sensor based on an integrating cylinder,” *Sensors*, vol. 19, no. 19, p. 4260, 2019.
- [50] K. Wysokiński, M. Napierała, T. Stańczyk, S. Lipiński, and T. Nasiłowski, “Study on the sensing coating of the optical fibre co2 sensor,” *Sensors*, vol. 15, no. 12, pp. 31 888–31 903, 2015. [Online]. Available: <https://www.mdpi.com/1424-8220/15/12/29890>

- [51] A. Mujahid, P. A. Lieberzeit, and F. L. Dickert, "Chemical sensors based on molecularly imprinted sol-gel materials," *Materials*, vol. 3, no. 4, pp. 2196–2217, 2010. [Online]. Available: <https://www.mdpi.com/1996-1944/3/4/2196>
- [52] T. Kida, K. Shimanoe, N. Miura, and N. Yamazoe, "Stability of nasicon-based co₂ sensor under humid conditions at low temperature," *Sensors and Actuators B: Chemical*, vol. 75, no. 3, pp. 179–187, 2001. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0925400501005494>
- [53] N. L. Kazanskiy, M. A. Butt, and S. N. Khonina, "Carbon dioxide gas sensor based on polyhexamethylene biguanide polymer deposited on silicon nano-cylinders metasurface," *Sensors*, vol. 21, no. 2, 2021. [Online]. Available: <https://www.mdpi.com/1424-8220/21/2/378>
- [54] Sensirion, "Scd4x datasheet," Sensirion AG, Technical Report, 2023, accessed: 2024-07-04. [Online]. Available: https://sensirion.com/media/documents/48C4B7FB/64C134E7/Sensirion_SCD4x_Datasheet.pdf
- [55] "What are the advantages of photoacoustic ndir co₂ sensors?" <https://www.sentera.eu/en/faq/a/what-are-the-advantages-of-photoacoustic-ndir-co2-sensors/1074>, Sentera.eu, 2024, accessed: Aug. 10, 2024.
- [56] D. Joseph, "MQ2 Gas Sensor Detector Module - Datasheet Hub," Jun 2023, (accessed Oct. 25, 2024). [Online]. Available: <https://www.datasheethub.com/mq2-gas-sensor-detector-module/>
- [57] F. N. Abbas, M. M. Saadoon, Z. Abdalrdha, and E. N. Abud, "Capable of gas sensor mq-135 to monitor the air quality with arduino uno," *International Journal of Engineering Research and Technology*, 2020.
- [58] J. Hodgkinson, R. Smith, W. O. Ho, J. R. Saffell, and R. P. Tatam, "Non-dispersive infra-red (ndir) measurement of carbon dioxide at 4.2 um in a compact and optically efficient sensor," *Sensors and Actuators B: Chemical*, vol. 186, pp. 580–588, 2013.
- [59] J. Y. Wong, "Self-calibration of an ndir gas sensor," U.S. Patent 5,347,474, Sep., 1994, u.S. Patent.
- [60] Sensirion, "Scd4x testing guide," Sensirion AG, Technical Report, 2021.
- [61] ———, "Scd4x low power operating modes," Sensirion AG, Technical Report, 2021.
- [62] F. Pertanian, "Panduan panduan program sarjana program sarjana panduan program sarjana," 2021, accessed: Aug. 05, 2024. [Online]. Available: <https://web.faperta.ugm.ac.id/wp-content/uploads/sites/19/2021/12/Panduan-Sarjana-Faperta-UGM-2021.pdf>