

DAFTAR PUSTAKA

- A, N. G. A., A, J. W., B, T. S., C, W. H., & Anawati, A. (2024). *Bahan Surat Karakteristik lapisan oksida elektrolitik plasma pada komposit magnesium-hidroksiapatit*. 356(November 2023), 18–22.
- Adeleke, S. A., Ramesh, S., Bushroa, A. R., Ching, Y. C., Sopyan, I., Maleque, M. A., Krishnasamy, S., Chandran, H., Misran, H., & Sutharsini, U. (2018). The properties of hydroxyapatite ceramic coatings produced by plasma electrolytic oxidation. *Ceramics International*, 44(2), 1802–1811.
<https://doi.org/10.1016/j.ceramint.2017.10.114>
- Akbar, A. F., & Cahyaningrum, S. E. (2022). Characterization and Anti-Bacterial Activity Testing of the Nano Hydroxyapatite-Clove (*Eugenia Caryophyllus*) Against *Streptococcus Mutans* Bacteria. *Indonesian Journal of Chemical Science*, 11(1), 1–8. <https://doi.org/10.15294/ijcs.v11i1.51037>
- Aliofkhazraei, M., Macdonald, D. D., Matykina, E., Parfenov, E. V., Egorkin, V. S., Curran, J. A., Troughton, S. C., Sinebryukhov, S. L., Gnedenkoy, S. V., Lampke, T., Simchen, F., & Nabavi, H. F. (2021). Review of plasma electrolytic oxidation of titanium substrates: Mechanism, properties, applications and limitations. *Applied Surface Science Advances*, 5(June), 100121. <https://doi.org/10.1016/j.apsadv.2021.100121>
- Arsista, D., & Eriwati, Y. K. (2018). <p>Desain dan fungsi implan kedokteran gigi yang beredar di pasaran</p><p>Design and function of dental implants widely circulated on the market</p>. *Jurnal Kedokteran Gigi Universitas Padjadjaran*, 30(3), 168. <https://doi.org/10.24198/jkg.v30i3.18007>
- Aziz, I., Mahmudah, H., & Yusuf, Y. (2022). Pembentukan Permukaan Porous Lapisan Tipis Ti-Cu-N pada Permukaan Stainless Steel 316L Menggunakan Metode Anodisasi. *Prosiding Sains Nasional dan Teknologi*, 12(1), 202.
<https://doi.org/10.36499/psnst.v12i1.7317>

- CHENG, Y. lin, XIE, H. jun, CAO, J. hui, & CHENG, Y. liang. (2021). Effect of NaOH on plasma electrolytic oxidation of A356 aluminium alloy in moderately concentrated aluminate electrolyte. *Transactions of Nonferrous Metals Society of China (English Edition)*, 31(12), 3677–3690.
[https://doi.org/10.1016/S1003-6326\(21\)65756-4](https://doi.org/10.1016/S1003-6326(21)65756-4)
- Cho, H. R., & Choe, H. C. (2021). Morphology of hydroxyapatite and Sr coatings deposited using radio frequency-magnetron sputtering method on nanotube formed Ti-6Al-4V alloy. *Thin Solid Films*, 735(August), 138893.
<https://doi.org/10.1016/j.tsf.2021.138893>
- Durdu, S., Deniz, Ö. F., Kutbay, I., & Usta, M. (2013). Characterization and formation of hydroxyapatite on Ti6Al4V coated by plasma electrolytic oxidation. *Journal of Alloys and Compounds*, 551, 422–429.
<https://doi.org/https://doi.org/10.1016/j.jallcom.2012.11.024>
- Dwipa, G. (2022). *Efektivitas Bone Graft yang Mengandung Cangkang Kerang Mutiara (Pinctada Maxima) terhadap Regenerasi Tulang melalui Analisis Ekspresi Osteoprotegerin (OPG)*. 20–54.
- Dzhurinskiy, D., Gao, Y., Yeung, W. K., Strumban, E., Leshchinsky, V., Chu, P. J., Matthews, A., Yerokhin, A., & Maev, R. G. (2015). Characterization and corrosion evaluation of TiO₂:n-HA coatings on titanium alloy formed by plasma electrolytic oxidation. *Surface and Coatings Technology*, 269(1), 258–265. <https://doi.org/10.1016/j.surfcoat.2015.01.022>
- Eliaz, N. (2019). Corrosion of metallic biomaterials: A review. *Materials*, 12(3).
<https://doi.org/10.3390/ma12030407>
- Fitriani, C. Y., & Wibawa, A. (2019). Biokompatibilitas Material Titanium Implan Gigi. *Insisiva Dental Journal : Majalah Kedokteran Gigi Insisiva*, 8(2), 53–58. <https://doi.org/10.18196/di.8208>
- Gilbert, J. L. (2020). 1.3.3 - *Metals: Basic Principles* (W. R. Wagner, S. E. Sakiyama-Elbert, G. Zhang, & M. J. B. T.-B. S. (Fourth E. Yaszemski (ed.);

hal. 205–227). Academic Press. <https://doi.org/https://doi.org/10.1016/B978-0-12-816137-1.00017-9>

Hanawa, T. (2019). Titanium-Tissue Interface Reaction and Its Control With Surface Treatment. *Frontiers in Bioengineering and Biotechnology*, 7, 170. <https://doi.org/10.3389/fbioe.2019.00170>

Hou, F., Gorthy, R., Mardon, I., Tang, D., & Goode, C. (2022). Low voltage environmentally friendly plasma electrolytic oxidation process for titanium alloys. *Scientific Reports*, 12(1), 1–13. <https://doi.org/10.1038/s41598-022-09693-w>

Huang, C. H., & Yoshimura, M. (2023). Biocompatible hydroxyapatite ceramic coating on titanium alloys by electrochemical methods via Growing Integration Layers [GIL] strategy: A review. *Ceramics International*, 49(14), 24532–24540. <https://doi.org/10.1016/j.ceramint.2022.12.248>

Iqbal, M. A., Asghar, H., Maurino, V., Matykina, E., Arrabal, R., & Mohedano, M. (2024). Evaluating the energy consumption, structural, and corrosion resistance properties of photocatalytic TiO₂-based PEO coatings on pre-anodized AA2024-Al. *Surfaces and Interfaces*, 44(September 2023), 103659. <https://doi.org/10.1016/j.surf.2023.103659>

Kalesaran, O. J., Lumenta, C., Rompas, R., & Mamuaya, G. (2018). Komposisi mineral cangkang kerang mutiara Pinctada margaritifera di Sulawesi Utara. *e-Journal BUDIDAYA PERAIRAN*, 6(1), 25–30. <https://doi.org/10.35800/bdp.6.1.2018.24126>

Kang, J. I., Son, M. K., Choe, H. C., & Brantley, W. A. (2016). Bone-like apatite formation on manganese-hydroxyapatite coating formed on Ti-6Al-4V alloy by plasma electrolytic oxidation. *Thin Solid Films*, 620, 126–131. <https://doi.org/10.1016/j.tsf.2016.07.088>

Koizumi, H., Takeuchi, Y., Imai, H., Kawai, T., & Yoneyama, T. (2019). Application of titanium and titanium alloys to fixed dental prostheses.

Journal of Prosthodontic Research, 63(3), 266–270.

<https://doi.org/10.1016/j.jpor.2019.04.011>

Kostelac, L., Pezzato, L., Settimi, A. G., Franceschi, M., Gennari, C., Brunelli, K., Rampazzo, C., & Dabalà, M. (2022). Investigation of hydroxyapatite (HAP) containing coating on grade 2 titanium alloy prepared by plasma electrolytic oxidation (PEO) at low voltage. *Surfaces and Interfaces*, 30(March).
<https://doi.org/10.1016/j.surfin.2022.101888>

Kotta, R. (2018). Teknik Pembenihan Tiram Mutiara (Pinctada maxima).
Seminar Nasional Penelitian, Pusat Lipi Oseanografi Ternate, 1(2), 228–244.

Li, K., Tao, B., Tian, H., Wu, J., Huang, K., Yan, C., Chen, S., Guo, A., & Jiang, D. (2023). Titanium implants with antiaging effect to repair senile osteoporosis fracture. *Materials and Design*, 232, 112071.
<https://doi.org/10.1016/j.matdes.2023.112071>

Li, X., Xiong, Y. Z., Zhang, H., & Gao, R. N. (2021). Development of functionally graded porous titanium/silk fibroin composite scaffold for bone repair. *Materials Letters*, 282, 128670.
<https://doi.org/10.1016/j.matlet.2020.128670>

Megawati. (2022). *Sintesis dan Karakterisasi Scaffold Hidroksiapatit dan Karbonat Hidroksiapati Dari Kerang Mutiara Dengan Metode Pengeringan Beku/Freeze Drying*. <http://etd.repository.ugm.ac.id/>

Morsiya, C. (2022). A review on parameters affecting properties of biomaterial SS 316L. *Australian Journal of Mechanical Engineering*, 20(3), 803–813.
<https://doi.org/10.1080/14484846.2020.1752975>

Mozartha, M. (2015). Hidroksiapatit Dan Aplikasinya Di Bidang Kedokteran Gigi. *Cakradonya Dent J*, 7(2)(2), 807–868.

Mubeen, B., Ahmed, I., & Jameel, A. (2015). *STUDY OF MECHANICAL PROPERTIES OF BONES AND MECHANICS OF BONE FRACTURE*.

- Muñoz-Sanchez, E. R., Arrieta-Gonzalez, C. D., Quinto-Hernandez, A., Garcia-Hernandez, E., & Porcayo-Calderon, J. (2023). Synthesis of hydroxyapatite from eggshell and its electrochemical characterization as a coating on titanium. *International Journal of Electrochemical Science*, 18(9), 100204. <https://doi.org/10.1016/J.IJOES.2023.100204>
- Nisar, S. S., & Choe, H. C. (2024). Mechanical hydroxyapatite coatings on PEO-treated Ti–6Al–4V alloy for enhancing implant's surface bioactivity. *Ceramics International*, 50(10), 17703–17719. <https://doi.org/10.1016/j.ceramint.2024.02.259>
- Parfenova, L. V., Galimshina, Z. R., Gil'fanova, G. U., Alibaeva, E. I., Danilko, K. V., Pashkova, T. M., Kartashova, O. L., Farrakhov, R. G., Mukaeva, V. R., Parfenov, E. V., Nagumothu, R., & Valiev, R. Z. (2022). Hyaluronic acid bisphosphonates as antifouling antimicrobial coatings for PEO-modified titanium implants. *Surfaces and Interfaces*, 28(December 2021), 101678. <https://doi.org/10.1016/j.surfin.2021.101678>
- Pei, X., Wang, L., Wu, L., Lei, H., Zeng, Z., Wang, L., Zhou, C., Yang, X., Song, Y., & Fan, Y. (2023). In-situ synthesized hydroxyapatite whiskers on 3D printed titanium cages enhanced osteointegration in a goat spinal fusion model. *Materials and Design*, 233(June), 112270. <https://doi.org/10.1016/j.matdes.2023.112270>
- Poernomo, H. (2019). TEKNIK BONE TISSUE ENGINEERING (BTE) UNTUK REGENERASI JARINGAN PERIODONTAL DAN ESTETIK PADA EDENTULOUS RIDGE. *Interdental Jurnal Kedokteran Gigi (IJKG)*, 15(2 SE-Articles). <https://doi.org/10.46862/interdental.v15i2.592>
- Purwasasmita, B. S., & Gultom, R. S. (2008). Sintesis Dan Karakterisasi Serbuk Hidroksiapatit Skala Sub-Mikron Menggunakan Metode Presipitasi. *Jurnal Bionatura*, 10(2), 155–167.
- Rahmah, J., Hikmawati, D., & Siswanto. (2015). Pengaruh Variasi Lama Waktu Pengadukan pada Komposit Gelatin-Hidroksiapatit Bergentamisin sebagai

Bahan Implan Tulang. *Journal UNAIR : Fisika dan Terapannya*, 3(2), 45–56.

- Salahshouri, F., Saebnoori, E., Borghei, S., Mossahebi-Mohammadi, M., Bakhsheshi-Rad, H. R., & Berto, F. (2022). Plasma Electrolytic Oxidation (PEO) Coating on γ -TiAl Alloy: Investigation of Bioactivity and Corrosion Behavior in Simulated Body Fluid. *Metals*, 12(11). <https://doi.org/10.3390/met12111866>
- Sari, M., Kristianto, N. A., Chotimah, Ana, I. D., & Yusuf, Y. (2021). Carbonated hydroxyapatite-based honeycomb scaffold coatings on a titanium alloy for bone implant application—physicochemical and mechanical properties analysis. *Coatings*, 11(8). <https://doi.org/10.3390/coatings11080941>
- Sikdar, S., Menezes, P. V., Maccione, R., Jacob, T., & Menezes, P. L. (2021). Plasma electrolytic oxidation (Peo) process—processing, properties, and applications. *Nanomaterials*, 11(6). <https://doi.org/10.3390/nano11061375>
- Smeets, R., Stadlinger, B., Schwarz, F., Beck-Broichsitter, B., Jung, O., Precht, C., Kloss, F., Gröbe, A., Heiland, M., & Ebker, T. (2016). Impact of Dental Implant Surface Modifications on Osseointegration. *BioMed Research International*, 2016, 6285620. <https://doi.org/10.1155/2016/6285620>
- Song, G., Wu, Y., Wang, F., Shao, Y., Jiang, J., Fan, C., Li, P., Zhang, Y., & Zuo, H. (2015). Development and preparation of a low-immunogenicity porcine dermal scaffold and its biocompatibility assessment. *Journal of Materials Science. Materials in Medicine*, 26(4), 170. <https://doi.org/10.1007/s10856-015-5503-6>
- Songur, F., Dikici, B., Niinomi, M., & Arslan, E. (2019). The plasma electrolytic oxidation (PEO) coatings to enhance in-vitro corrosion resistance of Ti–29Nb–13Ta–4.6Zr alloys: The combined effect of duty cycle and the deposition frequency. *Surface and Coatings Technology*, 374(May), 345–354. <https://doi.org/10.1016/j.surfcoat.2019.06.025>
- Thomas, T., & Tiwari, G. (2019). Crushing behavior of honeycomb structure: a

review. *International Journal of Crashworthiness*, 24(5), 555–579.

<https://doi.org/10.1080/13588265.2018.1480471>

Vargas, C. A., Zuleta, A. A., Botero, C. A., Baena, L. M., Castaño, J. G., Gómez, M. A., & Tamayo, J. A. (2023). Morphological analysis of plasma electrolytic oxidation coatings formed on Ti6Al4V alloys manufactured by electron beam powder bed fusion. *Heliyon*, 9(9).

<https://doi.org/10.1016/j.heliyon.2023.e19289>

Zawazi Ichsan, M. (2012). *Sintesis Makroporus Komposit Kolagen-Hidroksiapatit Sebagai Kandidat Bone Graft*.

Zhao, C., Shu, C., Yu, J., & Zhu, Y. (2023). Metal-organic frameworks functionalized biomaterials for promoting bone repair. *Materials Today Bio*, 21(June), 100717. <https://doi.org/10.1016/j.mtbio.2023.100717>

Zultiniar, Yelmida, A., Shiqhi, N., Kimia, J. T., Teknik, F., & Riau, U. (2017). Impregnasi Logam Cu Pada Hidroksiapatit dari Kulit Kerang Darah (*Anadara granosa*). *Jurnal Sains dan Teknologi*, 16(1), 20–23.