

DAFTAR PUSTAKA

- Amanda, N., Yuniardi, Y., Mardiana, U., Mohammad, F., & Pribadi, F. J., 2017, Fasies Batubara Formasi Warukin Atas Daerah Tapian Timur, Kp Pt. Adaro Indonesia Kalimantan Selatan. *Geoscience Journal*, 1(1), 1-10.
- Amijaya, D.H., 2016, Pembentukan Batubara: [tidak diterbitkan Presentation Slide]: Departemen Teknik Geologi, Universitas Gadjah Mada, 1–26 p.
- Amijaya, D.H., & Littke, R., 2005, Microfacies and depositional environment of Tertiary Tanjung Enim low rank coal, South Sumatra Basin, Indonesia: *International Journal of Coal Geology*, v. 61, p. 197–221.
- Anggara, F., 2016, Geologi Batubara <Analisis Batubara=, Presentation Slide: [tidak diterbitkan Presentation Slide]: Departemen Teknik Geologi, Universitas Gadjah Mada, 1–30 p.
- Anggara, F., Patria, A.A., Rahmat, B., Wibisono, H., Putera, M.Z.J., Petrus, H.T.B.M., Erviana, F., Handini, E. & Amijaya, D.H., 2024, The signature characteristics of coal geochemistry from the Eocene Tanjung Formation and the Miocene Warukin Formation, Barito Basin: insights into geological control on coal deposition and future valuable elements prospection: *International Journal of Coal Geology*, v. 282, p. 1-20.
- ASTM D2797-04, 2004, Standard Practice for Preparing Coal Samples for Microscopical Analysis by Reflected Light:, <https://www.astm.org/d2797-04.html>.
- ASTM D3173-11, 2013, Standard Test Method for Moisture in the Analysis Sample of Coal and Coke:, <https://www.astm.org/d3173-11.html>.
- ASTM D3174-12, 2005, Standard Test Method for Ash in the Analysis Sample of Coal and Coke from Coal:, <https://www.astm.org/d3174-12.html>.

ASTM D3175-18, 2002, Standard Test Method for Volatile Matter in the Analysis Sample of Coal and Coke:, <https://www.astm.org/d3175-18.html>.

ASTM D3176-15, 2009, Standard Practice for Ultimate Analysis of Coal and Coke:, <https://www.astm.org/d3176-15.html>.

Calder, J.H., Gibling, M.R., & Mukhopadhyay, P.K., 1991, Peat Formation in A Westphalian B Pied-mont Setting, Cumberland Basin, Nova Scotia :Implications for The Maceral-Based Interpreta-tion of Rheotrophic and Raised Paleomires. Bul-letin Soc Geology. v. 162. No. 2. p. 283-298.

Calder, J.H., Gibling, M.R., & Mukhopadhyay, P.K., 1991, Peat formation in a Westphalian B Piedmont Setting, Cumberland Basin, Nova Scotia : implications for the maceral-based interpretation of rheotrophic and raised paleomires: Bulletin de la Société Géologique de France, v. 162, p. 283–298.

Cameron, C.C., Palmer, C.A., & Esterle, J.S., 1990, The geology of selected peatforming environments in temperate and tropical latitudes: International Journal of Coal Geology, v. 16, p. 127–130.

Chou, C.L., 2012, Sulfur in coals: A review of geochemistry and origins: International Journal of Coal Geology, v. 100, p. 1–13.

Cook, A.C., Sherwood, N.R. Classification of oil shales, coals and other organic-rich rocks, Organic Geochemistry, Volume 17, Issue 2, 1991, p. 211-222.

Diessel, C.F.K., 1986, On the correlation between coal facies and depositional environments: Proceeding of 20th Symposium of Department of Geology, University Newcastle, NSW, p. 19–22.

Diessel, C.F.K., 1992, Coal-bearing depositional systems: Springer Berlin Heidelberg, p. 1689–1699.

Direktur Jenderal Minerba. 2021. KEPUTUSAN DIREKTUR JENDERAL MINERAL DAN BATUBARA KEMENTERIAN ENERGI DAN SUMBERDAYA MINERAL NOMOR 246,Pers/04/SJI/2021 Cadangan Batubara Masih 38,84 Miliar Ton, Teknologi Bersih Pengelolaannya Terus Didorong. Jakarta: Kementerian Energi dan Sumberdaya Mineral.

Esterle, J.S., & Ferm, J.C., 1994, Spatial variability in modern tropical peat deposits from Sarawak, Malaysia and Sumatra, Indonesia: analogues for coal: *International Journal of Coal Geology*, v. 26, p. 1–41.

Fikri, H.N., Sachsenhofer, R.F., Bechtel, A., & Gross, D., 2022, Organic geochemistry and petrography in Miocene coals in the Barito Basin (Tutupan Mine, Indonesia): Evidence for astronomic forcing in kerapah type peats. *International Journal of Coal Geology*, 256, 103997.

Heldreich, G., Redfern, J., Legler, B., Gerdes, K., & Williams, B. P. J., 2017, Challenges in characterizing subsurface paralic reservoir geometries: a detailed case study of the Mungaroo Formation, North West Shelf, Australia. *Geological Society, London, Special Publications*, 444(1), 59-108.

Heryanto, R., & Panggabean, H., 2013, Lingkungan Pengendapan Formasi Pembawa Batubara Warukin Di Daerah Kandangan Dan Sekitarnya, Kalimantan Selatan. *Jurnal Geologi dan Sumberdaya Mineral*, 23(2), 93-103.

International Committee for Coal and Organic Petrology (ICCP), 1998, The new vitrinite classification (ICCP system 1994): *International Committee for Coal and Organic Petrology (ICCP): Fuel*, v. 77, p. 349–358.

International Committee for Coal and Organic Petrology (ICCP), 2001, New inertinite classification (ICCP System 1994): *Fuel*, v. 80, p. 459–471.

Killops, S., & Killops, V., 2005, *Introduction to organic geochemistry*, second edition: U.S.A, Blackwell Publishing, v. 5, 236–237 p.

- Kusnama, K., 2008, Batubara Formasi Warukin di daerah Sampit dan sekitarnya, Kalimantan Tengah: Indonesian Journal on Geoscience, v. 3, p. 11–22,
- Kusuma, I., & Darin, T., 1989, The hydrocarbon potential of the Lower Tanjung Formation, Barito Basin, S.E. Kalimantan: Indonesian Petroleum Association, Proceedings 18th Annual Convention, p. 107-138.
- Lamberson, M.N., Bustin, R.M., & Kalkreuth, W., 1991, Lithotype (maceral) composition and variation as correlated with paleo-wetland environments, Gates Formation, northeastern British Columbia, Canada: International Journal of Coal Geology, v. 18, p. 87–124.
- Larasati, S.D.S., 2023, Mikrofasies Dan Rekonstruksi Paleomire Batubara Pada Formasi Warukin, Cekungan Barito, Daerah Kandangan, Kabupaten Hulu Sungai Selatan, Provinsi Kalimantan Selatan: [Skripsi tidak dipublikasikan]: Departemen Teknik Geologi, Universitas Gadjah Mada, p, 1-156.
- Stein R., ten Haven H. L., Littke R., Rullkotter J., & Welte D. H., 1989, Accumulation Of Marine And Terrigenous Organic Carbon At Upwelling Site 658 And Nonupwelling Sites 657 And 659: Implications For The Reconstruction Of Paleoenvironments In The Eastern Subtropical Atlantic Through Late Cenozoic Times: Proceedings of the Ocean Drilling Program, Scientific Results, Vol. 108, p. 361-385.
- Metcalf, I.. (1996). Pre-Cretaceous evolution of SE Asian terranes. Geological Society, London, Special Publications, v. 106, p. 97-122. Moore, P.D., 1989, The ecology of peat-forming processes: a review. In peat and coal: origin, facies, and depositional models: International Journal of Coal Geology, v. 12, p. 89–103.
- Morley, R.J., 1991, Tertiary Stratigraphic Palynology In Southeast Asia: Current Status And New Directions: Geol. Soc. Malaysia, Bulletin 28, November 1991; pp. 1 - 36.

- Morley, R.J., 2013, Cenozoic ecological history of South East Asian peat mires based on the comparison of coals with present day and late quaternary peats: *Journal of Limnology*, v. 72, p. 36–59.
- Novita, D., & Kusumah, K.D., 2016, Karakteristik dan Lingkungan Pengendapan Batubara Formasi Warukin di Desa Kalumpang, Binuang, Kalimantan Selatan.: *Geo-resource*, v. 17, p. 139–152.
- Patria, A.A., & Anggara, F., 2022, Microfacies and Depositional Environment of the Eocene Sawahlunto Coal, Ombilin Basin, Indonesia: *Iraqi Geological Journal*, v. 55, p. 128–146.
- Pickel, W. Kus J. Flores D. Kalaitzidis S. Christanis K. Cardott B.J. Misz-Kennan M. Rodrigues S. Hentschel A. Hamor-vido M. Crosdale P. Wagner N. ICCP., 2017, Classification of liptinite – ICCP System 1994: *International Journal of Coal Geology*, v. 169, p. 40–61.
- Pratama, D.A.P., 2015, Lingkungan pengandaapan batubara Formasi Warukin berdasarkan analisis petrografi organik di daerah Paringin, Cekungan Barito, Kalimantan Selatan: [Skripsi tidak dipublikasikan]: Universitas Gadjah Mada.
- Rahimah, A. Y., 2024, Ekstraksi Asam Humat Pada Sampel Batubara Kalori Rendah Di Desa Kasiau, Kecamatan Murung Puduk, Kabupaten Tabalong, Kalimantan Selatan: [Skripsi tidak dipublikasikan]: Departemen Teknik Geologi, Universitas Gadjah Mada, p. 1-168.
- Sapiie, B., and Rifiyanto, A., 2017, Tectonics and geological factors controlling cleat development in the barito basin, Indonesia: *Journal of Engineering and Technological Sciences*, v. 49, p. 322–339.
- Satyana, A.H., 1995, Paleogene unconformities in the Barito Basin, S.E. Kalimantan : A concept for the solution of the <Barito Dilemma= and a key to the search for

Paleogene structures: Indonesian Petroleum Association, Proceedings 24th Annual Convention, p. 263–267.

Satyana, A.H., Nugroho, D., & Surantoko, I., 1999, Tectonic controls on the hydrocarbon habitats of the Barito, Kutei, and Tarakan Basins, Eastern Kalimantan, Indonesia: major dissimilarities in adjoining basins: *Journal of Asian Earth Sciences*, v. 17, p. 99–122.

Schopf, J., 1960, Field Description and Sampling of Coal Beds: U.S. Geological Survey Bulletin B 1111, p. 25–67.

Sosnowski, P., & Jenolek, I., 2022, Facies development of coal seams in the Knur'ow deposit (Upper Silesia, Poland) : *International Journal of Coal Geology*, v. 261, p. 1-19.

Speight, J.G., 2005, *Handbook of Coal Analysis (Chemical Analysis: A Series of Monographs on Analytical Chemistry and Its Applications)*: New Jersey, America, v. 166, 240 p.

Stanley P, Schweinfurth, 2009, *An Introduction to Coal Quality*, U.S. Geological Survey Professional. Virginia. P. 14.

Suarez-Ruiz, I., & Crelling, J.C., 2008, Basic Factors Controlling Coal Quality and Technological Behavior of Coal Isabel, in Suarez-Ruiz, I. dan Ward, C.R. ed., *Applied Coal Petrology: The Role of Petrology in Coal Utilization*, U.S.A, AP, p. 1–388

Sýkorova, I., Pickel, W., Christanis, K., Wolf, M., Taylor, G.H., & Flores, D., 2005, Classification of huminite - ICCP System 1994: *International Journal of Coal Geology*, v. 62, p. 85–106.

Thomas, L., 2013, *Coal Geology*: Oxford, John Wiley and Sons, Inc, p. 444.

Verhoeven, J.T., 1986, Nutrient dynamics in minerotrophic peat mires: Aquatic Botany, v. 25, p. 117–137.

Wiranata, B., Amijaya, H., Anggara, F., Perdana, A.R., Isnadiyati, O.F., & Putra Tanggara, D.N.S., 2019, Total sulfur and ash yield of Tanjung Formation coal in Sekako, Barito Basin, Central Kalimantan: implication of depositional process: Journal of Applied Geology, v. 4, p. 82.

Witts, D., Hall, R., Nichols, G., & Morley, R., 2012, A new depositional and 120 provenance model for the Tanjung Formation, Barito Basin, SE Kalimantan, Indonesia: Journal of Asian Earth Sciences, v. 56, p. 77–104.