



## DAFTAR PUSTAKA

- A Elshanawane, A., 2014. Development and Validation of HPLC Method for Simultaneous Estimation of Brimonidine Tartrate and Timolol Maleate in Bulk and Pharmaceutical Dosage Form. *Journal of Chromatography & Separation Techniques*, **05**: .
- Abd, E., Yousef, S.A., Pastore, M.N., Telaprolu, K., Mohammed, Y.H., Namjoshi, S., dkk., 2016. Skin models for the testing of transdermal drugs. *Clinical Pharmacology: Advances and Applications*, **8**: 163–176.
- Abdel-Aziz, R.T., Aly, U.F., dan Mady, F.M., 2021. Enhanced skin delivery of propranolol HCl using nonionic surfactant-based vesicles for topical treatment of infantile hemangioma. *Journal of Drug Delivery Science and Technology*, **61**: 102235.
- Adnan, M., Afzal, O., S. A. Altamimi, A., Alamri, M.A., Haider, T., dan Faheem Haider, M., 2023. Development and optimization of transethosomal gel of apigenin for topical delivery: In-vitro, ex-vivo and cell line assessment. *International Journal of Pharmaceutics*, **631**: 122506.
- Agnihotri, S.A. dan Aminabhavi, T.M., 2007. Chitosan Nanoparticles for Prolonged Delivery of Timolol Maleate. *Drug Development and Industrial Pharmacy*, **33**: 1254–1262.
- Ahdyani, R., Novitasari, L., Martien, R., dan Danarti, R., 2019. Formulation and characterization of timolol maleate-loaded nanoparticles gel by ionic gelation method using chitosan and sodium alginate. *International Journal of Applied Pharmaceutics*, **11**: 48–54.
- Ahirrao, S., Patil, K., Kshirsagar, S., Jadhav, A., dan Salunkh, S., 2014. Formulation and Evaluation of Thermos-Sensitive Ophthalmic In-Situ Gel Of Timolol Maleate and Brimonidine Tartarate. *International Journal of Pharmaceutical Investigation*, **4**: 112–118.
- Akakuru, OU, Louis, H., Amos, P., Akakuru, OC, Nosike, E., dan Ogulewe, E., 2018. The Chemistry of Chitin and Chitosan Justifying their Nanomedical Utilities. *Biochemistry & Pharmacology: Open Access*, **07**: 1–6.
- Akazawa, M., Itoh, T., Masaki, K., Nghiem, B.T., Tsuzuki, N., Konishi, R., dkk., 1989. An automated method for continuously monitoring diffusion cells in skin penetration studies. *International Journal of Pharmaceutics*, **50**: 53–60.
- Akinluwade, K., Oyatogun, G., Alebiowu, G., Adeyemi, I., dan Akinwale, I., 2017. Synthesis and Characterization of Polymeric Nanoparticles Formed from Cowry Shells and Acacia Gum Extracts. *Journal of Advances in Biology & Biotechnology*, **14**: 1–8.
- Alaqad, K. dan Saleh, T.A., 2016. Gold and Silver Nanoparticles: Synthesis Methods, Characterization Routes and Applications towards Drugs. *Journal of Environmental & Analytical Toxicology*, **6**: .



- Ali, A., Ahmad, Mursalin, Khan, H., Ahmad, Muneer, dan Ullah Khan, N., 2018. Cosmetic lipid nanocarriers, dalam: *Lipid Nanocarriers for Drug Targeting*. Elsevier, hal. 437–472.
- Alkoholief, M., 2019. Optimization of Lecithin-Chitosan nanoparticles for simultaneous encapsulation of doxorubicin and piperine. *Journal of Drug Delivery Science and Technology*, **52**: 204–214.
- Alkilani, A.Z., McCrudden, M.T.C., dan Donnelly, R.F., 2015. Transdermal drug delivery: Innovative pharmaceutical developments based on disruption of the barrier properties of the stratum corneum. *Pharmaceutics*, **7**: 438–470.
- Ames, J.A. dan Sykes, J.M., 2015. Current trends in medical management of infantile hemangioma. *Current Opinion in Otolaryngology and Head and Neck Surgery*, **23**: 286–291.
- Anderson, D.M., Douglas, D.M., Morrison, N.A., dan Wang, W.P., 1990. Specifications for gum arabic (*Acacia senegal*); analytical data for samples collected between 1904 and 1989. *Food additives and contaminants*, **7**: 303–321.
- Anissimov, Y.G., Jepps, O.G., Dancik, Y., dan Roberts, M.S., 2013. Mathematical and pharmacokinetic modelling of epidermal and dermal transport processes. *Advanced Drug Delivery Reviews*, **65**: 169–190.
- Aranaz, I., Acosta, N., Civera, C., Elorza, B., Mingo, J., Castro, C., dkk., 2018. Cosmetics and cosmeceutical applications of chitin, chitosan and their derivatives. *Polymers*, **10**: .
- Aroui, S., Brahim, S., Waard, M. De, dan Kenani, A., 2010. Cytotoxicity, intracellular distribution and uptake of doxorubicin and doxorubicin coupled to cell-penetrating peptides in different cell lines: A comparative study. *Biochemical and Biophysical Research Communications*, **391**: 419–425.
- Ascenso, A., Salgado, A., Euletério, C., Praça, F.G., Bentley, M.V.L.B., Marques, H.C., dkk., 2014. In vitro and in vivo topical delivery studies of tretinoin-loaded ultradeformable vesicles. *European Journal of Pharmaceutics and Biopharmaceutics*, **88**: 48–55.
- Atgié, M., Masbernat, O., dan Roger, K., 2019. Emulsions Stabilized by Gum Arabic: Composition and Packing within Interfacial Films. *Langmuir*, **35**: 962–972.
- B. Goudoulas, T., 2012. Polymers and Biopolymers as Drug Delivery Systems in Nanomedicine. *Recent Patents on Nanomedicine*, **2**: 52–61.
- Bahrani, B., Hojjat-Farsangi, M., Mohammadi, H., Anvari, E., Ghalamfarsa, G., Yousefi, M., dkk., 2017. Nanoparticles and targeted drug delivery in cancer therapy. *Immunology Letters*, **190**: 64–83.
- BakiGabriella dan Alexander, S.K., 2015. *Introduction to Cosmetic Formulation and Technology*.



- Beck, R., Guterres, S., dan Pohlmann, A., 2011. *Nanocosmetics and Nanomedicines: New Approaches for Skin Care*.
- Benson, H.A.E., Grice, J.E., Mohammed, Y., Namjoshi, S., dan Roberts, M.S., 2019. Topical and Transdermal Drug Delivery: From Simple Potions to Smart Technologies. *Current Drug Delivery*, **16**: 444–460.
- Bergström, C.A.S. dan Larsson, P., 2018. Computational prediction of drug solubility in water-based systems: Qualitative and quantitative approaches used in the current drug discovery and development setting. *International Journal of Pharmaceutics*, **540**: 185–193.
- Bertrand, N., Wu, J., Xu, X., Kamaly, N., dan Farokhzad, O.C., 2014. Cancer nanotechnology: The impact of passive and active targeting in the era of modern cancer biology. *Advanced Drug Delivery Reviews*, **66**: 2–25.
- Bezrouk, A., Fiala, Z., Kotingová, L., Krulichová, I.S., Kopečná, M., dan Vávrová, K., 2017. SAMPA: A free software tool for skin and membrane permeation data analysis. *Toxicology in Vitro*, **44**: 361–371.
- Bhardwaj, B., Singh, P., Kumar, A., Kumar, S., dan Budhwar, V., 2020. Eco-friendly greener synthesis of nanoparticles. *Advanced Pharmaceutical Bulletin*, **10**: 566–576.
- Bischoff, J., 2009. Progenitor cells in infantile hemangioma. *Journal of Craniofacial Surgery*, **20**: 695–697.
- Bolla, P.K., Clark, B.A., Juluri, A., Cheruvu, H.S., dan Renukuntla, J., 2020. Evaluation of formulation parameters on permeation of ibuprofen from topical formulations using Strat-M® membrane. *Pharmaceutics*, **12**: .
- Bos, J.D. dan Meinardi, M.M.H.M., 2000. EXPERIMENTAL DERMATOLOGY The 500 Dalton rule for the skin penetration of chemical compounds and drugs Bos JD, Meinardi MMHM. The 500 Dalton rule for the skin penetration. *Exp Dermatol*, **9**: 165–169.
- Bota, M., Fischer-Fodor, E., Bochiş, O., Cenariu, M., Popa, G., Blag, C., dkk., 2018. Combined effect of propranolol, vincristine and bevacizumab on HUVECs and BJ cells. *Experimental and Therapeutic Medicine*, 307–315.
- Bronaugh, R.L. dan Stewart, R.F., 1986. Methods for in vitro percutaneous absorption studies VI: Preparation of the barrier layer. *Journal of Pharmaceutical Sciences*, **75**: 487–491.
- Cabral, H., 2009. Drug Delivery Systems . Methods in Molecular Biology. 437. Edited by Kewal K. Jain. *Angewandte Chemie International Edition*, **48**: 1718.
- Callahan, A.B. dan Yoon, M.K., 2012. Infantile hemangiomas: A review. *Saudi Journal of Ophthalmology*, **26**: 283–291.
- Chakkittakandiyil, A., Phillips, R., Frieden, I.J., Siegfried, E., Lara-Corrales, I., Lam, J., dkk., 2012. Timolol maleate 0.5% or 0.1% gel-forming solution for infantile hemangiomas: A retrospective, multicenter, cohort study. *Pediatric*



*Dermatology*, **29**: 28–31.

- Chang, S.J., Wang, H., Chen, J., Chen, Q., Chang, L., Huang, Y., dkk., 2022. Evaluation of Transdermal Transport and Concurrent Cutaneous Hydrolysis of Timolol Prodrug for the Treatment of Infantile Hemangiomas. *Pharmaceutics*, **14**: .
- Chantasart, D., Hao, J., dan Li, S.K., 2013. Evaluation of skin permeation of  $\beta$ -blockers for topical drug delivery. *Pharmaceutical research*, **30**: 866–877.
- Chen, Z.-Y., Wang, Q.-N., Zhu, Y.-H., Zhou, L.-Y., Xu, T., He, Z.-Y., dkk., 2019. Progress in the treatment of infantile hemangioma. *Annals of Translational Medicine*, **7**: 692–692.
- Chen, Z.G., Zheng, J.W., Yuan, M.L., Zhang, L., dan Yuan, W.E., 2015. A novel topical nano-propranolol for treatment of infantile hemangiomas. *Nanomedicine: Nanotechnology, Biology, and Medicine*, **11**: 1109–1115.
- Da Silva, J.D., Gomes, M.V., Cabral, L.M., dan de Sousa, V.P., 2019. Evaluation of the in vitro release and permeation of Cordia verbenacea DC essential oil from topical dosage forms. *Journal of Drug Delivery Science and Technology*, **53**: 101173.
- Danarti, R., Ariwibowo, L., Radiono, S., dan Budiyanto, A., 2016. Topical Timolol Maleate 0.5% for Infantile Hemangioma: Its Effectiveness Compared to Ultrapotent Topical Corticosteroids - A Single-Center Experience of 278 Cases. *Dermatology*, **232**: 566–571.
- Dauqan, E. dan Abdullah, A., 2013. Utilization of gum Arabic for industries and human health. *American Journal of Applied Sciences*, **10**: 1270–1279.
- Dayan, N., 2005. 4 - Delivery System Design in Topically Applied Formulations: An Overview, dalam: Rosen, M.R.B.T.-D.S.H. for P.C. and C.P. (Editor), *Personal Care & Cosmetic Technology*. William Andrew Publishing, Norwich, NY, hal. 101–118.
- de Alvarenga, E.S., 2011. Characterization and Properties of Chitosan. *Biotechnology of Biopolymers*, .
- deLa Torre, L.G., Sipoli, C.C., Oliveira, A.F., Eş, I., Pessoa, A.C.S.N., Vitor, M.T., dkk., 2017. *Biopolymers for Gene Delivery Applications*, Biopolymer-Based Composites: Drug Delivery and Biomedical Applications. Elsevier Ltd.
- De Oliveira, J.L., Campos, E.V.R., Pereira, A.E.S., Nunes, L.E.S., Da Silva, C.C.L., Pasquoto, T., dkk., 2018. Geraniol Encapsulated in Chitosan/Gum Arabic Nanoparticles: A Promising System for Pest Management in Sustainable Agriculture. *Journal of Agricultural and Food Chemistry*, **66**: 5325–5334.
- Dey, A., Stenberg, J., Dandekar, P., dan Jain, R., 2020. A combinatorial study of experimental analysis and mathematical modeling: How do chitosan nanoparticles deliver therapeutics into cells? *Carbohydrate Polymers*, **229**: 115437.



- Dickison, P., Christou, E., dan Wargon, O., 2011. A prospective study of infantile hemangiomas with a focus on incidence and risk factors. *Pediatric Dermatology*, **28**: 663–669.
- Dragicevic, N. dan Maibach, H.I., 2017. *Percutaneous Penetration Enhancers Drug Penetration into/through the Skin: Methodology and General Considerations*, Percutaneous Penetration Enhancers Drug Penetration Into/Through the Skin: Methodology and General Considerations.
- Dukhin, A.S. dan Xu, R., 2019. Zeta-potential measurements, dalam: Hodoroaba, V.-D., Unger, W.E.S., dan Shard, A.G.B.T.-C. of N. (Editor), *Characterization of Nanoparticles: Measurement Processes for Nanoparticles*. Elsevier, hal. 213–224.
- Dumur, F., Guerlin, A., Dumas, E., Bertin, D., Gigmès, D., dan Mayer, C.R., 2011. Controlled spontaneous generation of gold nanoparticles assisted by dual reducing and capping agents. *Gold Bulletin*, **44**: 119–137.
- Espinosa-Andrews, H., Sandoval-Castilla, O., Vázquez-Torres, H., Vernon-Carter, E.J., dan Lobato-Calleros, C., 2010. Determination of the gum Arabic–chitosan interactions by Fourier Transform Infrared Spectroscopy and characterization of the microstructure and rheological features of their coacervates. *Carbohydrate Polymers*, **79**: 541–546.
- Fereig, S.A., El-Zaafarany, G.M., Arafa, M.G., dan Abdel-Mottaleb, M.M.A., 2021. Tacrolimus-loaded chitosan nanoparticles for enhanced skin deposition and management of plaque psoriasis. *Carbohydrate Polymers*, **268**: 118238.
- Fisher, H.A., Evans, M. V., Bunge, A.L., Hubal, E.A.C., dan Vallero, D.A., 2024. A compartment model to predict in vitro finite dose absorption of chemicals by human skin. *Chemosphere*, **349**: 140689.
- Geusens, B., Van Gele, M., Braat, S., De Smedt, S.C., Stuart, M.C.A., Prow, T.W., dkk., 2010. Flexible nanosomes (SECosomes) enable efficient siRNA delivery in cultured primary skin cells and in the viable epidermis of ex vivo human skin. *Advanced Functional Materials*, **20**: 4077–4090.
- Goh, C.H., Heng, P.W.S., dan Chan, L.W., 2012. Alginates as a useful natural polymer for microencapsulation and therapeutic applications. *Carbohydrate Polymers*, **88**: 1–12.
- Gohil, S. V., Padmanabhan, A., Kan, H.M., Khanal, M., dan Nair, L.S., 2021. Degradation-Dependent Protein Release from Enzyme Sensitive Injectable Glycol Chitosan Hydrogel. *Tissue Engineering - Part A*, **27**: 867–880.
- Gopi, S., Amalraj, A., Sukumaran, N.P., Haponiuk, J.T., dan Thomas, S., 2018. Biopolymers and Their Composites for Drug Delivery: A Brief Review. *Macromolecular Symposia*, **380**: 1–14.
- Greenberger, S. dan Bischoff, J., 2011. Infantile hemangioma-mechanism(s) of drug action on a vascular tumor. *Cold Spring Harbor Perspectives in Medicine*, **1**: 1–10.



- Greenberger, S., Boscolo, E., Adini, I., Mulliken, J.B., dan Bischoff, J., 2010. Corticosteroid suppression of VEGF-A in infantile hemangioma-derived stem cells. *The New England journal of medicine*, **362**: 1005–1013.
- Grenha, A., 2012. Chitosan nanoparticles: A survey of preparation methods. *Journal of Drug Targeting*, **20**: 291–300.
- Gui, C. dan Cui, D.X., 2012. Functionalized gold nanorods for tumor imaging and targeted therapy. *Cancer Biology and Medicine*, **9**: 221–233.
- Guo, L., Wang, M., Song, D., Sun, J., Wang, C., Li, X., dkk., 2023. Additive value of single intralesional bleomycin injection in the management of propranolol for proliferative infantile hemangioma. *Asian Journal of Surgery*, 0–3.
- Guo, X., Dong, C., Liu, Q., Zhu, X., Zuo, S., dan Zhang, H., 2019. The sustained and targeted treatment of hemangiomas by propranolol-loaded CD133 aptamers conjugated liposomes-in-microspheres. *Biomedicine and Pharmacotherapy*, **114**: 108823.
- Guo, X., Zhu, X., Gao, J., Liu, D., Dong, C., dan Jin, X., 2017. PLGA nanoparticles with CD133 aptamers for targeted delivery and sustained release of propranolol to hemangioma. *Nanomedicine*, **12**: 2611–2624.
- Harmita, H., 2004. Petunjuk Pelaksanaan Validasi Metode Dan Cara Perhitungannya. *Majalah Ilmu Kefarmasian*, **1**: 117–135.
- Harun, M.S., Wong, T.W., dan Fong, C.W., 2021. Advancing skin delivery of  $\alpha$ -tocopherol and  $\gamma$ -tocotrienol for dermatitis treatment via nanotechnology and microwave technology. *International Journal of Pharmaceutics*, **593**: 120099.
- Hasegawa, M., Isogai, A., dan Onabe, F., 1993. Preparation of low-molecular-weight chitosan using phosphoric acid. *Carbohydrate Polymers*, **20**: 279–283.
- Hassib, S.T., Elkady, E.F., dan Sayed, R.M., 2016. Simultaneous determination of timolol maleate in combination with some other anti-glaucoma drugs in rabbit aqueous humor by high performance liquid chromatography-tandem mass spectroscopy. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, **1022**: 109–117.
- Helal-Neto, E., de Barros, A.O. da S., Saldanha-Gama, R., Brandão-Costa, R., Alencar, L.M.R., Dos Santos, C.C., dkk., 2020. Molecular and cellular risk assessment of healthy human cells and cancer human cells exposed to nanoparticles. *International Journal of Molecular Sciences*, **21**: .
- Hoeger, P.H., Harper, J.I., Baselga, E., Bonnet, D., Boon, L.M., Atti, M.C.D., dkk., 2015. Treatment of infantile haemangiomas: recommendations of a European expert group. *European Journal of Pediatrics*, **174**: 855–865.
- Hou, F., Dai, Y., Fan, C.Y., Suen, J.Y., dan Richter, G.T., 2018. Estrogen is involved in hemangioma regression associated with mast cells. *Orphanet Journal of Rare Diseases*, **13**: 1–8.
- Huai, Y., Hossen, M.N., Wilhelm, S., Bhattacharya, R., dan Mukherjee, P., 2019.



- Nanoparticle Interactions with the Tumor Microenvironment. *Bioconjugate Chemistry*, **30**: 2247–2263.
- Hussain, I., Singh, N.B., Singh, A., Singh, H., dan Singh, S.C., 2016. Green synthesis of nanoparticles and its potential application. *Biotechnology Letters*, **38**: 545–560.
- Idrees, H., Zaidi, S.Z.J., Sabir, A., Khan, R.U., Zhang, X., dan Hassan, S.U., 2020. A review of biodegradable natural polymer-based nanoparticles for drug delivery applications. *Nanomaterials*, **10**: 1–22.
- Ilka, R., Mohseni, M., Kianirad, M., Naseripour, M., Ashtari, K., dan Mehravi, B., 2018. Nanogel-based natural polymers as smart carriers for the controlled delivery of Timolol Maleate through the cornea for glaucoma. *International Journal of Biological Macromolecules*, **109**: 955–962.
- Jung, H.L., 2021. Update on infantile hemangioma. *Clinical and Experimental Pediatrics*, **64**: 559–572.
- Kaila, T., Huupponen, R., Karhuvaara, S., Havula, P., Scheinin, M., Iisalo, E., dkk., 1991.  $\beta$ -Blocking effects of timolol at low plasma concentrations. *Clinical Pharmacology and Therapeutics*, **49**: 53–58.
- Kalita, H., Palaparthi, V.S., Baghini, M.S., dan Aslam, M., 2020. Electrochemical synthesis of graphene quantum dots from graphene oxide at room temperature and its soil moisture sensing properties. *Carbon*, **165**: 9–17.
- Kasaai, M.R., Arul, J., dan Charlet, G., 2008. Fragmentation of chitosan by ultrasonic irradiation. *Ultrasonics Sonochemistry*, **15**: 1001–1008.
- Katas, H., Hussain, Z., dan Ling, T.C., 2012. Chitosan nanoparticles as a percutaneous drug delivery system for hydrocortisone. *Journal of Nanomaterials*, **2012**: .
- Khalil, R.M., El Arini, S.K., AbouSamra, M.M., Zaki, H.S., El-Gazaerly, O.N., dan Elbary, A.A., 2021. Development of Lecithin/Chitosan Nanoparticles for Promoting Topical Delivery of Propranolol Hydrochloride: Design, Optimization and In-Vivo Evaluation. *Journal of Pharmaceutical Sciences*, **110**: 1337–1348.
- Khan, M., Boyce, A., Prieto-Merino, D., Svensson, Å., Wedgeworth, E., dan Flohr, C., 2017. The role of topical timolol in the treatment of infantile hemangiomas: A systematic review and meta-analysis. *Acta Dermato-Venereologica*, **97**: 1167–1171.
- Khezri, K., Saeedi, M., dan Maleki Dizaj, S., 2018. Application of nanoparticles in percutaneous delivery of active ingredients in cosmetic preparations. *Biomedicine and Pharmacotherapy*, **106**: 1499–1505.
- Kim, B., Cho, H.-E., Moon, S.H., Ahn, H.-J., Bae, S., Cho, H.-D., dkk., 2020. Transdermal delivery systems in cosmetics. *Biomedical Dermatology*, **4**: 1–12.



- Kim, M.J., Doh, H.J., Choi, M.K., Chung, S.J., Shim, C.K., Kim, D.D., dkk., 2008. Skin permeation enhancement of diclofenac by fatty acids. *Drug Delivery*, **15**: 373–379.
- Kohli, A.K. dan Alpar, H.O., 2004. Potential use of nanoparticles for transcutaneous vaccine delivery: Effect of particle size and charge. *International Journal of Pharmaceutics*, **275**: 13–17.
- Kouhi, M., Prabhakaran, M.P., dan Ramakrishna, S., 2020. Edible polymers: An insight into its application in food, biomedicine and cosmetics. *Trends in Food Science and Technology*, **103**: 248–263.
- Koukaras, E.N., Papadimitriou, S.A., Bikiaris, D.N., dan Froudakis, G.E., 2012. Insight on the formation of chitosan nanoparticles through ionotropic gelation with tripolyphosphate. *Molecular Pharmaceutics*, **9**: 2856–2862.
- Kowalska, M., Dębek, W., dan Matuszczak, E., 2021. Infantile hemangiomas: An update on pathogenesis and treatment. *Journal of Clinical Medicine*, **10**: .
- Krowchuk, D.P., Frieden, I.J., Mancini, A.J., Darrow, D.H., Blei, F., Greene, A.K., dkk., 2019. Clinical Practice Guideline for the Management of Infantile Hemangiomas. *Pediatrics*, **143**: .
- Kunjachan, S. dan Jose, S., 2010. Understanding the mechanism of ionic gelation for synthesis of chitosan nanoparticles using qualitative techniques. *Asian Journal of Pharmaceutics*, **4**: 148–153.
- Laddha, U.D., Barse, R.K., Zilpelwar, R. V., dan Tagalpallewar, A.A., 2014. 'Development and validation of stability indicating reverse phase high performance liquid chromatography method for timolol maleate', , dalam: *International Journal of PharmTech Research*. hal. 1429–1435.
- Lamy, S., Lachambre, M.P., Lord-Dufour, S., dan Béliveau, R., 2010. Propranolol suppresses angiogenesis in vitro: Inhibition of proliferation, migration, and differentiation of endothelial cells. *Vascular Pharmacology*, **53**: 200–208.
- Léauté-Labrèze, C., de la Roque, E.D., Hubiche, T., Boralevi, F., Thambo, J.-B., dan Taïeb, A., 2008. Propranolol for Severe Hemangiomas of Infancy. *New England Journal of Medicine*, **358**: 2649–2651.
- Léauté-Labrèze, C., Harper, J.I., dan Hoeger, P.H., 2017. Infantile haemangioma. *The Lancet*, **390**: 85–94.
- Lee, P.W., Peng, S.F., Su, C.J., Mi, F.L., Chen, H.L., Wei, M.C., dkk., 2008. The use of biodegradable polymeric nanoparticles in combination with a low-pressure gene gun for transdermal DNA delivery. *Biomaterials*, **29**: 742–751.
- Leite-Silva, V.R., de Almeida, M.M., Fradin, A., Grice, J.E., dan Roberts, M.S., 2012. Delivery of drugs applied topically to the skin. *Expert Review of Dermatology*, **7**: 383–397.
- Li, G., Xu, D.P., Tong, S., Xue, L., Sun, N.N., dan Wang, X.K., 2016. Oral propranolol with topical timolol maleate therapy for mixed infantile



- hemangiomas in oral and maxillofacial regions. *Journal of Craniofacial Surgery*, **27**: 56–60.
- Li, K., Xing, R., Liu, S., Qin, Y., Meng, X., dan Li, P., 2012. Microwave-assisted degradation of chitosan for a possible use in inhibiting crop pathogenic fungi. *International Journal of Biological Macromolecules*, **51**: 767–773.
- Li, X., Ren, X., Liang, J., Ma, W., Wang, Z., dan Yang, Z., 2017. Delivery of sodium morrhuate to hemangioma endothelial cells using immunoliposomes conjugated with anti-VEGFR2/KDR antibody. *International Journal of Nanomedicine*, **12**: 6963–6972.
- Löffler, H., Dreher, F., dan Maibach, H.I., 2004. Stratum corneum adhesive tape stripping: Influence of anatomical site, application pressure, duration and removal. *British Journal of Dermatology*, **151**: 746–752.
- Ma, J., Wang, Y., dan Lu, R., 2022. Mechanism and Application of Chitosan and Its Derivatives in Promoting Permeation in Transdermal Drug Delivery Systems: A Review. *Pharmaceuticals*, **15**: .
- Ma, Z., Wang, W., Wu, Y., He, Y., dan Wu, T., 2014. Oxidative Degradation of Chitosan to the Low Molecular Water-Soluble Chitosan over Peroxotungstate as Chemical Scissors. *PLoS ONE*, **9**: e100743.
- Maguregui, M.I., Alonso, R.M., dan Jiménez, R.M., 1996. A rapid quantitative analysis of the  $\beta$ -blocker timolol in human urine by HPLC-electrochemical detection. *Journal of Liquid Chromatography and Related Technologies*, **19**: 1643–1652.
- Manna, S., Lakshmi, U.S., Racharla, M., Sinha, P., Kanthal, L.K., dan Kumar, S.P.N., 2016. Bioadhesive HPMC gel containing gelatin nanoparticles for intravaginal delivery of tenofovir. *Journal of Applied Pharmaceutical Science*, **6**: 22–29.
- Mannschreck, D.B., Huang, A.H., Lie, E., Psoter, K., dan Puttgen, K., 2019. Topical timolol as adjunct therapy to shorten oral propranolol therapy for infantile hemangiomas. *Pediatric Dermatology*, **36**: 283–289.
- Mansur, A.P., Avakian, S.D., Paula, R.S., Donzella, H., Santos, S.R.C.J., dan Ramires, J.A.F., 1998. Pharmacokinetics and pharmacodynamics of propranolol in hypertensive patients after sublingual administration: Systemic availability. *Brazilian Journal of Medical and Biological Research*, **31**: 691–696.
- Marley, A. dan Connolly, D., 2014. Determination of (R)-timolol in (S)-timolol maleate active pharmaceutical ingredient: Validation of a new supercritical fluid chromatography method with an established normal phase liquid chromatography method. *Journal of Chromatography A*, **1325**: 213–220.
- Mattiasson, J., 2020. 'Method development of an in vitro vertical Franz diffusion cell system to assess permeation of cosmetic active ingredients', *UPTECK NV - 20020*. Department of Chemistry - Ångström, Chemistry, Disciplinary



Domain of Science and Technology, Uppsala University.

- McCarley, K.D. dan Bunge, A.L., 2000. Physiologically relevant two-compartment pharmacokinetic models for skin. *Journal of Pharmaceutical Sciences*, **89**: 1212–1235.
- Modena, M.M., Rühle, B., Burg, T.P., dan Wuttke, S., 2019. Nanoparticle Characterization: What to Measure? *Advanced Materials*, **31**: 1–26.
- Montenegro, A., M., Boiero, L., M., Valle, L., dan Borsarelli, D., C., 2012. Gum Arabic: More Than an Edible Emulsifier, dalam: *Products and Applications of Biopolymers*. InTech.
- Morsi, N.M., Aboelwafa, A.A., dan Dawoud, M.H.S., 2016. Improved bioavailability of timolol maleate via transdermal transfersomal gel: Statistical optimization, characterization, and pharmacokinetic assessment. *Journal of Advanced Research*, **7**: 691–701.
- Muhtadi, W.K., Novitasari, L., Danarti, R., dan Martien, R., 2020. Development of polymeric nanoparticle gel prepared with the combination of ionic pre-gelation and polyelectrolyte complexation as a novel drug delivery of timolol maleate. *Drug Development and Industrial Pharmacy*, **46**: 1844–1852.
- Munden, A., Butschek, R., Tom, W.L., Marshall, J.S., Poeltler, D.M., Krohne, S.E., dkk., 2014. Prospective study of infantile haemangiomas: Incidence, clinical characteristics and association with placental anomalies. *British Journal of Dermatology*, **170**: 907–913.
- Muñoz-Garza, F.Z., Ríos, M., Roé-Crespo, E., Bernabeu-Wittel, J., Montserrat-García, M.T., Puig, L., dkk., 2021. Efficacy and Safety of Topical Timolol for the Treatment of Infantile Hemangioma in the Early Proliferative Stage. *JAMA Dermatology*, **157**: 583.
- Neupane, R., Boddu, S.H.S., Renukuntla, J., Babu, R.J., dan Tiwari, A.K., 2020. Alternatives to Biological Skin in Permeation Studies: Current Trends and Possibilities. *Pharmaceutics*, **12**: 152.
- Nguyen, H.P., Pickrell, B.B., dan Wright, T.S., 2014. Beta-blockers as therapy for infantile hemangiomas. *Seminars in Plastic Surgery*, **28**: 87–90.
- Nieminen, T., Lehtimäki, T., Mäenpää, J., Ropo, A., Uusitalo, H., dan Kähönen, M., 2007. Ophthalmic timolol: Plasma concentration and systemic cardiopulmonary effects. *Scandinavian Journal of Clinical and Laboratory Investigation*, **67**: 237–245.
- Nitta, S.K. dan Numata, K., 2013. Biopolymer-based nanoparticles for drug/gene delivery and tissue engineering. *International Journal of Molecular Sciences*, **14**: 1629–1654.
- Noval, N., Rosyifa, R., dan Annisa, A., 2020. 'Effect of HPMC Concentration Variation as Gelling Agent on Physical Stability of Formulation Gel Ethanol Extract Bundung Plants (*Actinuscirpus Grossus*)', , dalam: *Proceedings of the Proceedings of the First National Seminar Universitas Sari Mulia, NS-UNISM*



- 2019, 23rd November 2019, Banjarmasin, South Kalimantan, Indonesia. EAI.
- Nugroho, A.K., Della Pasqua, O., Danhof, M., dan Bouwstra, J.A., 2004. Compartmental modeling of transdermal iontophoretic transport: I. In vitro model derivation and application. *Pharmaceutical Research*, **21**: 1974–1984.
- Orbay, H., Li, Y., Xiao, W., Cherry, S.R., Lam, K., dan Sahar, D.E., 2016. Developing a nanoparticle-delivered high-efficacy treatment for infantile hemangiomas using a mouse hemangioendothelioma model. *Plastic and Reconstructive Surgery*, **138**: 410–417.
- Papini, M., Simonetti, S., Franceschini, S., Scaringi, L., dan Binazzi, M., 1981. Lysozyme distribution in healthy human skin. *Archives of Dermatological Research*, **272**: 167–170.
- Pathan, I.B. dan Setty, C.M., 2009. Chemical penetration enhancers for transdermal drug delivery systems. *Tropical Journal of Pharmaceutical Research*, **8**: 173–179.
- Patni, M., Puranik, P., Sonawane, A., dan Panzade, P., 2012. Transdermal iontophoretic delivery of timolol maleate. *Brazilian Journal of Pharmaceutical Sciences*, **48**: 819–827.
- Pawestri, S.A., Nugroho, A.K., Lukitaningsih, E., dan Purwantiningsih, 2021. Compartmental Modeling Approach: Application on Transdermal Delivery for In Vitro Drug Permeation Mechanism Analysis. *Journal of Food and Pharmaceutical Sciences*, **9**: 481–486.
- Praça, F.G., Viegas, J.S.R., Peh, H.Y., Garbin, T.N., Medina, W.S.G., dan Bentley, M.V.L.B., 2020. Microemulsion co-delivering vitamin A and vitamin E as a new platform for topical treatment of acute skin inflammation. *Materials Science and Engineering C*, **110**: 110639.
- Püttgen, K., Lucky, A., Adams, D., Pope, E., McCuaig, C., Powell, J., dkk., 2016. Topical Timolol Maleate Treatment of Infantile Hemangiomas. *Pediatrics*, **138**: .
- Rathore, K.S., Nema, R.K., dan Sisodia, S.S., 2010. Timolol maleate a gold standard drug in glaucoma used as ocular films and inserts: An overview. *International Journal of Pharmaceutical Sciences Review and Research*, **3**: 23–29.
- Renard, D., Garnier, C., Lapp, A., Schmitt, C., dan Sanchez, C., 2012. Structure of arabinogalactan-protein from Acacia gum: From porous ellipsoids to supramolecular architectures. *Carbohydrate Polymers*, **90**: 322–332.
- Rocha, J.L., Pires, F.Q., Gross, I.P., Alencar-Silva, T., Gratieri, T., Gelfuso, G.M., dkk., 2023. Propranolol-loaded nanostructured lipid carriers for topical treatment of infantile hemangioma. *Journal of Drug Delivery Science and Technology*, **80**: 104099.
- Roman, D.L., Ostafe, V., dan Isvoran, A., 2020. Deeper inside the specificity of lysozyme when degrading chitosan. A structural bioinformatics study. *Journal*



*of Molecular Graphics and Modelling*, **100**: 107676.

- Rosbe, K., 2012. Infantile hemangiomas: from pathogenesis to clinical features. *Research and Reports in Neonatology*, **55**.
- Sahu, T., Ratre, Y.K., Chauhan, S., Bhaskar, L.V.K.S., Nair, M.P., dan Verma, H.K., 2021. Nanotechnology based drug delivery system: Current strategies and emerging therapeutic potential for medical science. *Journal of Drug Delivery Science and Technology*, **63**: 102487.
- Sajid, M. dan Plotka-Wasyilka, J., 2020. Nanoparticles: Synthesis, characteristics, and applications in analytical and other sciences. *Microchemical Journal*, **154**: 104623.
- Salahpour Anarjan, F., 2019. Active targeting drug delivery nanocarriers: Ligands. *Nano-Structures and Nano-Objects*, **19**: 100370.
- Schellinger, A.P. dan Carr, P.W., 2004. Solubility of buffers in aqueous-organic eluents for reversed-phase liquid chromatography. *LCGC North America*, **22**: 544–548.
- Schneider, M., Stracke, F., Hansen, S., dan Schaefer, U.F., 2009. Nanoparticles and their interactions with the dermal barrier. *Dermato-endocrinology*, **1**: 197–206.
- Şenyiğit, T., Sonvico, F., Barbieri, S., Özer, Ö., Santi, P., dan Colombo, P., 2010. Lecithin/chitosan nanoparticles of clobetasol-17-propionate capable of accumulation in pig skin. *Journal of Controlled Release*, **142**: 368–373.
- Severino, P., da Silva, C.F., Andrade, L.N., de Lima Oliveira, D., Campos, J., dan Souto, E.B., 2019. Alginate Nanoparticles for Drug Delivery and Targeting. *Current Pharmaceutical Design*, **25**: 1312–1334.
- Sezer, A.D. dan Cevher, E., 2012. Topical drug delivery using chitosan nano- and microparticles. *Expert Opinion on Drug Delivery*, **9**: 1129–1146.
- Shah, S.M., Ashtikar, M., Jain, A.S., Makhija, D.T., Nikam, Y., Gude, R.P., dkk., 2015. LeciPlex, invasomes, and liposomes: A skin penetration study. *International Journal of Pharmaceutics*, **490**: 391–403.
- Sharkawy, A., Casimiro, F.M., Barreiro, M.F., dan Rodrigues, A.E., 2020. Enhancing trans-resveratrol topical delivery and photostability through entrapment in chitosan/gum Arabic Pickering emulsions. *International Journal of Biological Macromolecules*, **147**: 150–159.
- Sharma, N., Rao, S.S., dan Reddy, A.M., 2012. A novel and rapid validated stability-indicating UPLC method of related substances for dorzolamide hydrochloride and timolol maleate in ophthalmic dosage form. *Journal of Chromatographic Science*, **50**: 745–755.
- Shi, Q., J., M., Zhang, X., Dai, K., Benderdour, M., dan C., J., 2011. Chitosan-DNA/siRNA Nanoparticles for Gene Therapy. *Non-Viral Gene Therapy*, .
- Shokry, M., Hathout, R.M., dan Mansour, S., 2018. Exploring gelatin nanoparticles



- as novel nanocarriers for Timolol Maleate: Augmented in-vivo efficacy and safe histological profile. *International Journal of Pharmaceutics*, **545**: 229–239.
- Singh, G. dan Dhawan, R., 2024. Validation of RP-HPLC Method for the Estimation of Timolol Maleate in Fast Dissolving Tablets. *International Journal For Multidisciplinary Research*, **6**: 1–6.
- Soleimani, K., Derakhshankhah, H., Jaymand, M., dan Samadian, H., 2021. Stimuli-responsive natural gums-based drug delivery systems for cancer treatment. *Carbohydrate Polymers*, **254**: 117422.
- Soni, S., Jain, S.K., dan Jain, N.K., 1992. Effect of Penetration Enhancers on Transdermal Delivery of Timolol Maleate. *Drug Development and Industrial Pharmacy*, **18**: 1127–1135.
- Srivastava, A., Patel, A.K., Prasad, R.K., Sahu, A.K., dan Gautam, S.S., 2016. Formulation and Evaluation of Timolol Maleate Transdermal Patches Using Various Permeation Enhancers. *American Journal of Advanced Drug Delivery*, **4**: 021–031.
- Stamatas, G.N., Nikolovski, J., MacK, M.C., dan Kollias, N., 2011. Infant skin physiology and development during the first years of life: A review of recent findings based on in vivo studies. *International Journal of Cosmetic Science*, **33**: 17–24.
- Stiles, J., Amaya, C., Pham, R., Rowntree, R.K., Lacaze, M., Mulne, A., dkk., 2012. Propranolol treatment of infantile hemangioma endothelial cells: A molecular analysis. *Experimental and Therapeutic Medicine*, **4**: 594–604.
- Stracke, F., Weiss, B., Lehr, C.M., König, K., Schaefer, U.F., dan Schneider, M., 2006. Multiphoton microscopy for the investigation of dermal penetration of nanoparticle-borne drugs. *Journal of Investigative Dermatology*, **126**: 2224–2233.
- Sudha, P.N., Sangeetha, K., Jisha Kumari, A. V., Radha, E., Vanisri, N., Aisverya, S., dkk., 2018. *In Vivo Biocompatibility Studies: Perspectives on Evaluation of Biomedical Polymer Biocompatibility*, Fundamental Biomaterials: Polymers. Elsevier Ltd.
- Swamy, N., Reddy, V.K., Thorat, P., dan Sengupta, P., 2020. Development and validation of a stability indicating high performance liquid chromatography method for trimethobenzamide. *Brazilian Journal of Pharmaceutical Sciences*, **56**: 1–11.
- Szekalska, M., Puciłowska, A., Szymańska, E., Ciosek, P., dan Winnicka, K., 2016a. Alginate: Current Use and Future Perspectives in Pharmaceutical and Biomedical Applications. *International Journal of Polymer Science*, **2016**: 7697031.
- Szekalska, M., Puciłowska, A., Szymańska, E., Ciosek, P., dan Winnicka, K., 2016b. Alginate: Current Use and Future Perspectives in Pharmaceutical and



- Biomedical Applications. *International Journal of Polymer Science*, **2016**: 1–17.
- Ta, Q., Ting, J., Harwood, S., Browning, N., Simm, A., Ross, K., dkk., 2021. Chitosan nanoparticles for enhancing drugs and cosmetic components penetration through the skin. *European Journal of Pharmaceutical Sciences*, **160**: 105765.
- Takeuchi, H., Mano, Y., Terasaka, S., Sakurai, T., Furuya, A., Urano, H., dkk., 2011. Usefulness of Rat Skin as a Substitute for Human Skin in the in Vitro Skin Permeation Study. *Experimental Animals*, **60**: 373–384.
- Tan, G., Yu, S., Pan, H., Li, J., Liu, D., Yuan, K., dkk., 2017. Bioadhesive chitosan-loaded liposomes: A more efficient and higher permeable ocular delivery platform for timolol maleate. *International Journal of Biological Macromolecules*, **94**: 355–363.
- Teeranachaideekul, V., Boonme, P., Souto, E.B., Müller, R.H., dan Junyaprasert, V.B., 2008. Influence of oil content on physicochemical properties and skin distribution of Nile red-loaded NLC. *Journal of Controlled Release*, **128**: 134–141.
- Telofski, L.S., Morello, A.P., MacK Correa, M.C., dan Stamatas, G.N., 2012. The infant skin barrier: Can we preserve, protect, and enhance the barrier? *Dermatology Research and Practice*, **2012**: .
- Thassu, D., Deleers, M., dan Pathak, Y., 2007. Nanoparticulate drug delivery systems. *Chemistry & biodiversity*, **166**: 1829–1841.
- Tiemann, L. dan Hein, S., 2020. Infantile hemangioma: A review of current pharmacotherapy treatment and practice pearls. *Journal of Pediatric Pharmacology and Therapeutics*, **25**: 586–599.
- Uner, B., Ozdemir, S., Nur Pilevne, S., dan Cenk Celebi, A.R., 2023. Timolol-loaded ethosomes for ophthalmic delivery: Reduction of high intraocular pressure in vivo. *International Journal of Pharmaceutics*, **640**: .
- Visscher, M.O., Adam, R., Brink, S., dan Odio, M., 2015. Newborn infant skin: Physiology, development, and care. *Clinics in Dermatology*, **33**: 271–280.
- Vuillemin, M.E., Michaux, F., Muniglia, L., Linder, M., dan Jasniewski, J., 2019. Gum Arabic and chitosan self-assembly: Thermodynamic and mechanism aspects. *Food Hydrocolloids*, **96**: 463–474.
- Weibel, L., Barysch, M.J., Scheer, H.S., Königs, I., Neuhaus, K., Schiestl, C., dkk., 2016. Topical timolol for infantile hemangiomas: Evidence for efficacy and degree of systemic absorption. *Pediatric Dermatology*, **33**: 184–190.
- Wermuth, C.G., 2003. 33 - DESIGNING PRODRUGS AND BIOPRECURSORS, dalam: Wermuth, C.G.B.T.-T.P. of M.C. (Second E. (Editor), . Academic Press, London, hal. 561–585.
- Whateley, T.L., 2002. *Drug Delivery and Targeting; for Pharmacists and*



*Pharmaceutical Scientists*, Journal of Drug Targeting.

- Williams, P.A., Phillips, G.O., dan Stephen, A.M., 1990. Spectroscopic and molecular comparisons of three fractions from Acacia senegal gum. *Food Hydrocolloids*, **4**: 305–311.
- Wu, H., Wang, X., Liang, H., Zheng, J., Huang, S., dan Zhang, D., 2020. Enhanced efficacy of propranolol therapy for infantile hemangiomas based on a mesoporous silica nanoplatfrom through mediating autophagy dysfunction. *Acta Biomaterialia*, **107**: 272–285.
- Wu, H., Wang, X., Zheng, J., Zhang, L., Li, X., Yuan, W.E., dkk., 2019. Propranolol-Loaded Mesoporous Silica Nanoparticles for Treatment of Infantile Hemangiomas. *Advanced Healthcare Materials*, **8**: 1–12.
- Wu, H.W., Liu, C., Wang, X., Zhang, L., Yuan, W., Zheng, J.W., dkk., 2017. Topical application of 0.5% timolol maleate hydrogel for the treatment of superficial infantile hemangioma. *Frontiers in Oncology*, **7**: 3–8.
- Wu, H.W., Wang, X., Zhang, L., Zheng, J.W., Liu, C., dan Wang, Y.A., 2018. Topical Timolol Vs. Oral Propranolol for the Treatment of Superficial Infantile Hemangiomas. *Frontiers in Oncology*, **8**: 1–6.
- Yang, Y., Bugno, J., dan Hong, S., 2013. Nanoscale polymeric penetration enhancers in topical drug delivery. *Polymer Chemistry*, **4**: 2651–2657.
- Yang, Y., Faustino, P.J., Volpe, D.A., Ellison, C.D., Lyon, R.C., dan Yu, L.X., 2007. Biopharmaceutics Classification of Selected  $\beta$ -blockers: Solubility and permeability class membership. *Molecular Pharmaceutics*, **4**: 608–614.
- Zanela da Silva Marques, T., Santos-Oliveira, R., Betzler de Oliveira de Siqueira, L., da Silva Cardoso, V., Maria Faria de Freitas, Z., Barros, R.C.S.A., dkk., 2018. Development and characterization of a nanoemulsion containing propranolol for topical delivery. *International Journal of Nanomedicine*, **Volume 13**: 2827–2837.
- Zhang, Y., Kung, C.P., Iliopoulos, F., Sil, B.C., Hadgraft, J., dan Lane, M.E., 2021. Dermal delivery of niacinamide—in vivo studies. *Pharmaceutics*, **13**: 1–14.
- Zhu, X., Guo, X., Liu, D., Gong, Y., Sun, J., dan Dong, C., 2017. Promotion of propranolol delivery to hemangiomas by using anti-VEGFR antibody-conjugated poly(lactic-co-glycolic acid) nanoparticles. *Journal of Biomedical Nanotechnology*, **13**: 1694–1705.
- Zsikó, S., Csányi, E., Kovács, A., Budai-Szűcs, M., Gácsi, A., dan Berkó, S., 2019a. Methods to evaluate skin penetration in vitro. *Scientia Pharmaceutica*, **87**: .
- Zsikó, S., Cutcher, K., Kovács, A., Budai-Szűcs, M., Gácsi, A., Baki, G., dkk., 2019b. Nanostructured lipid carrier gel for the dermal application of lidocaine: Comparison of skin penetration testing methods. *Pharmaceutics*, **11**: 1–11.