

## DAFTAR PUSTAKA

- Alhasyimi, A.A., Pudyani, P., Asmara, W., Ana, I., 2018, Enhancement of Post-Orthodontic Tooth Stability by Carbonated Hydroxyapatite-Incorporated Advanced Platelet-Rich Fibrin In Rabbits, *Orthod Craniofac Res*, 21(2):112-118.
- Alhasyimi, A.A., Suparwitri, S., Christnawati, C., 2021, Effect of Carbonate Apatite Hydrogel-Advanced Platelet-Rich Fibrin Injection on Osteoblasogenesis during Orthodontic Relapse in Rabbits, *Eur. J. Dent.*, 15(3): 412-419.
- Ana, I.D., Satria, G.A.P., Dewi, A.H. & Ardhani, R., 2018, Bioceramics for Clinical Application in Regenerative Dentistry, *Adv. Exp. Med. Biol.*, 1077: 309-316.
- Andriani, I., Meiyanto, E., Suryono, S., Ana, I.D., 2020, The combination of carbonate hydroxyapatite and human  $\beta$ -defensin 3 to enhance collagen fibre density in periodontitis Sprague Dawley rats, *Dent. J.*, 53(2): 76-80.
- Aneem, T.H., Saha, S.K., Jahan, R.A., Wong, S.Y., Li, X., Arafat, M.T., 2019, Effects of organic modifiers and temperature on the synthesis of biomimetic carbonated hydroxyapatite, *Ceram. Int.*, 45(18): 24717-24726.
- Ardhiyanto, H., 2015, Peran Hidroksiapatit Sebagai Material Bone Graft dalam Menstimulasi Kepadatan Kolagen Tipe L pada Proses Penyembuhan Tulang, *J.K.G Unej*, 9(1): 16-18.
- Campbell, S., Greenwood, M., Prior, S., Shearer, T., Walkem, K., Young, S., dkk., 2020, Purposive sampling: complex or simple? Research case examples, *J. Nurs. Res.* 25(8): 652-661.
- Edrizal, Busman, M.T.S.A., 2021, Evaluasi Relaps Pasca Perawatan Ortodonti Aktif: Scoping Review Evaluation of Relapse After Active Orthodontic Treatment: Scoping Review, *Menara Ilmu*, 15(01): 43-54.
- Eroglu, A.K., Baka, Z.M., Arslan, U., 2019, Comparative evaluation of salivary microbial levels and periodontal status of patients wearing fixed and removable orthodontic retainers, *AJODO*, 156(2): 186-192.
- Fakhrurrazi, Hakim, C., 2020, Efek Ekstrak Daun Ceremai (*Phyllanthus Acidus* (L.) Skeels) Terhadap Penyembuhan Luka Mukosa Tikus Wistar (*Rattus Norvegicus*), *Cakradonya Dent J.*, 12(2): 119-125.
- Farani, W., Abdillah, M.I., 2021, Prevalensi Maloklusi Anak Usia 9-11 Tahun di SD IT Insan Utama Yogyakarta, *Insisiva Dental Journal: Majalah Kedokteran Gigi Insisiva*, 10(1): 26-31.
- Hadi, A.F.N., Aghniya, S.N., Haidar, G.A., Sihombing, W.S.M., Sutedjo, A., Alhasyimi, A.A., 2024, Post-Orthodontic Relapse Prevention through Administration of a Novel Synthetic Carbonated Hydroxyapatite-Chitosan Hydrogel Derived from Blood Cockle Shell (*Anadara granosa* L.), *Dent. J.*, 12(1): 1-13.

- Hae-Young, K., 2015, Statistical notes for clinical researchers: post-hoc multiple comparisons, *RDE Journal*, 40(2): 172-176.
- Inchingolo, F., Inchingolo, A.M., Ceci, S., Carpentiere, V., Garibaldi, M., Riccaldo, L., dkk., 2023, Orthodontic Relapse after Fixed or Removable Retention Devices: A Systematic Review, *Appl. Sci.*, 13(20): 11442.
- Jedliński, M., Grocholewicz, K., Mazur, M., Janiszewska-Olszowska, J., 2021, What causes failure of fixed orthodontic retention? – systematic review and meta-analysis of clinical studies, *Head and Face Medicine*, 17(1): 1–22.
- Jeon, H.H., Yang, C.Y., Shin, M.K., Wang, J., Patel, J.H., Chung, C.H., dkk., 2021, Osteoblas lineage cells and periodontal ligament fibroblasts regulate orthodontic tooth movement that is dependent on Nuclear Factor-kappa B (NF-κB) activation, *Angle Orthodontist*, 91(5): 664–671.
- Jiménez, O.G.M., Kanán, A.D., Velázquez, F.A.D., Pérez, J.F.A., Bernal, M. de los Á.M., Orozco, M.F.S., dkk., 2022, Use of Hydrogels to Regulate Orthodontic Tooth Movement in Animal Models: A Systematic Review, *Appl. Sci.*, 12(18): 1-15.
- Karnina, R., Arif, S.K., Hatta, M., Bukhari, A., Natzir, R., Hisbullah, dkk., 2021, Systemic lidocaine administration influences NF-κβ gene expression, NF-κβ and TNF- α protein levels on BALB/c mice with musculoskeletal injury, *Ann. med. surg.*, 69(8): 1–5.
- Kaygili, O., Dorozhkin, S. V., Keser, S., 2014, Synthesis and characterization of Ce-substituted hydroxyapatite by sol-gel method, *Mater. sci. eng. C*, 42, 78–82.
- Kenkre, J.S., Bassett, J.H.D., 2018, The bone remodelling cycle, *Annals of Clinical Biochemistry*, 55(3): 308–327.
- Kohli, N., Ho, S., Brown, S.J., Sawadkar, P., Sharma, V., Snow, M., dkk., 2018, Bone remodelling in vitro: Where are we headed?: -A review on the current understanding of physiological bone remodelling and inflammation and the strategies for testing biomaterials in vitro, *Bone*, 110: 38–46.
- Kolanthai, E., Abinaya, P., Thanigai, K., Sarath, V., Manikandan, E., Narayana, S., 2017, Agarose encapsulated mesoporous carbonated hydroxyapatite nanocomposites powder for drug delivery, *J Photochem Photobiol B*, 166: 220–231.
- Kurniawati, I., Pujiastuti, P., Wulan, A., 2016, Kadar Kalsium (Ca) dalam Cairan Krevikular Gingiva pada Penderita Periodontitis Kronis, *ODONTO : Dent. J.*, 2(1): 8.
- Kusumawardhani, A.D., Kalsum, U., Rini, I.S., 2015, Effect of Betel Leaves Extract Ointment (Piper betle Linn.) on the Number of Fibroblas in IIA Degree Burn Wound on Rat (*Rattus norvegicus*) Wistar Strain, *Majalah Kesehatan FKUB*, 2(1): 16–28.
- Laguhu, V., Anindita P., Gunawan, P., 2014, Gambaran Maloklusi dengan Menggunakan HMAR pada Pasien di Rumah Sakit Gigi dan Mulut. *e-GiGi*, 2(2): 1–7.

- Li, Y., Jacox, L., Little, S., Ko, C., 2018, Orthodontic Tooth Movement: The Biology and Clinical Implications, *KJMS*, 1(34): 207-214.
- Lim, M.E., Dhaliwal, J.S., Wahab, A., Rahman, H.A., 2023, A Survey of Patient Compliance with Removable Orthodontic Retainer Wear in Brunei Darussalam, *BDJ Open*, 9(1): 1-7.
- Lombardo, Vena, Negri, Pagano, Barilotti, Paglia, dkk., 2020, Worldwide prevalence of malocclusion in the different stages of dentition: A systematic review and meta-analysis, *EJPD*, 21(2): 115-122.
- Maltha, J. C., Krishnan, V., Kuijpers-Jagtman, A.M., 2021, Cellular and Molecular Biology of Orthodontic Tooth Movement, *Biological Mechanisms of Tooth Movement*, 35-48.
- Maltha, J.C., Kuijpers-Jagtman, A.M., den Hoff, J.W. Von, Ongkosuwito, E.M., 2017, Relapse revisited—Animal studies and its translational application to the orthodontic office, *Seminars in Orthodontics*, 23(4): 390-398.
- Maltha, J.C., Vandevska-Radunovic, V., Kuijpers-Jagtman, A.M., 2015, The biological background of relapse of orthodontic tooth movement, *Biological Mechanisms of Tooth Movement*, 297-307.
- Monika, P., Waiker, V., Rangarajan, A., Murthy, C., 2021, Myofibroblas Progeny in Wound Biology and Wound Healing Studies, *Wound Repair Regen*, 29(4): 531-547.
- Osuchukwu, O.A., Salihi, A., Abdullahi, I., Obada, D.O., 2022, Synthesis and characterization of sol-gel derived hydroxyapatite from a novel mix of two natural biowastes and their potentials for biomedical applications, *Materials Today: Proceedings*, 62: 4182-4187.
- Palumpun, E., Wiraguna A., Pangkahila, W., 2017, Pemberian ekstrak daun sirih (Piper betle) secara topikal meningkatkan ketebalan epidermis, jumlah fibroblas, dan jumlah kolagen dalam proses penyembuhan luka pada tikus jantan galur Wistar (Rattus norvegicus), *Jurnal eBm*, 5(1): 1-7.
- Poernomo, S., 2022, The Effect of Pegagan Gel (Centella Asiatica (L.) Urban) on Wound Healing Processes in Mice (Mus Musculus) In Vivo, *ODONTO Dent. J.*, 9(1): 137-146.
- Prayogo, R.D., Sandy, B.N., Sujarwo, H., Fitri, K., Brahmanta, A., Rahardjo, P., dkk., 2020, The changes of fibroblas and periodontal ligament characteristics in orthodontic tooth movement with adjuvant HBOT and propolis: A study in Guinea pigs, *Padjadjaran Dent. J.*, 32(1): 48.
- Qi, J., Kitaura, H., Shen, W.R., Kishikawa, A., Ogawa, S., Otori, F., dkk., 2019, Establishment of an orthodontic retention mouse model and the effect of anti-c-Fms antibody on orthodontic relapse, *PLoS ONE*, 14(6): 1-14.
- Ratya Utari, T., Kurnia Putri, M., 2019, Orthodontic Treatment Needs in Adolescents Aged 13-15 Years Using Orthodontic Treatment Needs Indicators, *JIDA*, 2(2): 49.

- Rosyida, N.F., Ana, I.D., Alhasyimi, A.A., 2023, The Use of Polymers to Enhance Post-Orthodontic Tooth Stability, *Polymers*, 15(1).
- Rosyidah, D.N., Harmono, H., Herniyati, H., 2023, Efek Ekstrak Buah Delima Merah terhadap Jumlah Fibroblas di Ligamen Periodontal Daerah Tarikan Gigi Tikus Wistar Selama Pergerakan Gigi Ortodonti, *STOMATOGNATIC - Jurnal Ked. Gigi*, 20(2): 160.
- Safarzadeh, M., Chee, C.F., Ramesh, S., 2022, Effect of carbonate content on the in vitro bioactivity of carbonated hydroxyapatite, *Ceram. Int.*, 48(13): 18174–18179.
- Safarzadeh, M., Ramesh, S., Tan, C.Y., Chandran, H., Ching, Y.C., Noor, A.F.M., dkk., 2020, Sintering behaviour of carbonated hydroxyapatite prepared at different carbonate and phosphate ratios, *Bol. Soc. Esp. Ceram. Vidr.*, 59(2): 73–80.
- Sandana, I.K.I., Velisia, J., Yuniar, A., Brahmanta, A., Prameswari, N., 2017, Potensi gel Stichopus hermanii dan Hyperbaric Oxygen Therapy untuk mempercepat perawatan ortodonti Potential of Stichopus hermanii gel and Hyperbaric Oxygen Therapy in accelerating orthodontic treatment, *Jurnal Ked. Gigi Universitas Padjadjaran*, 29(3).
- Setyoko, B., Verisandri, A., Damayanti, A.T., Fitriana, F.A., Julieta, B.S., Noviasari, P., dkk., 2023, Effect of carbonated hydroxyapatite synthesis from cuttlefish shells on orthodontic relapse prevention: in silico study, *Odonto : Dent.J.*, 10(1): 19.
- Surbakti, A., Oley, M., Prasetyo, E., 2017, Perbandingan antara penggunaan karbonat apatit dan hidroksi apatit pada proses penutupan defek kalvaria dengan menggunakan plasma kaya trombosit, *JBM*, 9(2): 107-114.
- Talbott, H., Mascharak, S., Griffin, M., Wan, D., Longaker, M., 2022, Wound healing, fibroblas heterogeneity, and fibrosis, *Cell Stem Cell*, 29(4): 1161-1180.
- Tyszka-Czochara, M., Suder, M., Dołhańczuk-śródką, A., Rajfur, M., Grata, K., Starosta, M., dkk., 2022, Nature-Inspired Effects of Naturally Occurring Trace Element-Doped Hydroxyapatite Combined with Surface Interactions of Mineral-Apatite Single Crystals on Human Fibroblas Behavior, *Int. J. Mol. Sci.*, 23(2).
- Utari, Rahmawati, H., 2023, Pergerakan Relaps Pasca Perawatan Ortodonti, *E-Prodenta Journal of Dentistry*, 7(1): 816–828.
- Vaida, L.L., Bud, E.S., Halitchi, L.G., Cavalu, S., Todor, B.I., Negrutiu, B.M., dkk., 2020, The behavior of two types of upper removable retainers—our clinical experience, *Children*, 7(12): 1–16.
- Wadu, I., Soetjipto, H., Cahyanti, M., 2018, Sintesa Dan Penentuan Kadar Kalsium-Fosfat Hidroksiapatit (HAp) dari Kerabang Telur Ayam, *JKPK*, 3(1): 1-5.
- Weider, M., Schröder, A., Docheva, D., Rodrian, G., Enderle, I., Seidel, C.L., dkk., 2020, A human periodontal ligament fibroblas cell line as a new model to study periodontal stress, *Int. J. Mol. Sci.*, 21(21): 1–10.

- Wijayanti, P., Lastianny, S.P., Suryono, S., 2020, Growth of NIH 3T3 Fibroblas Cells Exposed to Carbonated Hydroxyapatite with Incorporated Propolis, *IJCC*, 11(2): 54.
- Windarti, Setiadi, Fibriani, Azis, Arofah, P., 2023, Sintesis dan Karakterisasi Hidroksiapatit dengan Metode Sol-Gel Sebagai Bahan Dasar Adsorben, *Greensphere*, 3(2): 14–17.
- Yang, C. N., Kok, S. H., Wang, H. W., Chang, J. Z. C., Lai, E. H. H., Shun, C. T., Yang, H., Chen, M. H., Hong, C. Y., dan Lin, S. K., (2019) Simvastatin alleviates bone resorption in apical periodontitis possibly by inhibition of mitophagy-related osteoblas apoptosis. *Int. Endod. J.*, 52(5): 676–688.