

DAFTAR PUSTAKA

- Akbar, M. N., Faizal, A., Nafie, Y. A. La, Werorilangi, S., & Mashoreng, S. (2021). Seagrass carbon stock estimation in Panrangluhu coastal waters using remote sensing technology. *IOP Conference Series: Earth and Environmental Science*, 860(1). <https://doi.org/10.1088/1755-1315/860/1/012085>
- Ambo-Rappe, R., La Nafie, Y. A., Marimba, A. A., Cullen-Unsworth, L. C., & Unsworth, R. K. (2019). Perspectives on seagrass ecosystem services from a coastal community. *IOP Conference Series: Earth and Environmental Science*, 370(1), 012022. <https://doi.org/10.1088/1755-1315/370/1/012022>
- Ariasari, A., Hartono, ., & Wicaksono, P. (2019). Random forest classification and regression for seagrass mapping using PlanetScope image in Labuan Bajo, East Nusa Tenggara. *Proc. SPIE*, 77. <https://doi.org/10.1117/12.2541718>
- Bertels, L., Vanderstraete, T., Van Coillie, S., Knaeps, E., Sterckx, S., Goossens, R., & Deronde, B. (2008). Mapping of coral reefs using hyperspectral CASI data; a case study: Fordata, Tanimbar, Indonesia. *International Journal of Remote Sensing*, 29(8), 2359–2391. <https://doi.org/10.1080/01431160701408469>
- Breiman, L. (2001). Random Forests. *Machine Learning*, 45(1), 5–32. <https://doi.org/10.1023/A:1010933404324>
- Citra, F. A., Suryanti, S., & Muskananfolo, M. R. (2020). The potential stocks and carbon uptake by seagrass meadows at Pari Island, Kepulauan Seribu, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 530(1), 012022. <https://doi.org/10.1088/1755-1315/530/1/012022>
- Congalton, R. G., & Green, K. (2019). *Assessing the Accuracy of Remotely Sensed Data Principles and Practices, Third Edition*. CRC Press.
- Duarte, C. M., Kennedy, H., Marbà, N., & Hendriks, I. (2013). Assessing the capacity of seagrass meadows for carbon burial: Current limitations and future strategies. *Ocean and Coastal Management*, 83, 32–38. <https://doi.org/10.1016/j.ocecoaman.2011.09.001>
- Fachrul, M. F. (2007). *Metode Sampling Bioekologi*. Bumi Aksara.
- Fauzan, M. A., Kumara, I. S. W., Yogyantoro, R., Suwardana, S., Fadhilah, N., Nurmalasari, I., Apriyani, S., & Wicaksono, P. (2017). Assessing the capability of sentinel-2A data for mapping seagrass percent cover in Jerowaru, East Lombok. *Indonesian Journal of Geography*, 49(2), 195–203. <https://doi.org/10.22146/ijg.28407>

- Fauzan, M. A., Wicaksono, P., & Hartono. (2021). Characterizing Derawan seagrass cover change with time-series Sentinel-2 images. *Regional Studies in Marine Science*, 48(102048), 1–8. <https://doi.org/10.1016/J.RSMA.2021.102048>
- Fourqurean, J., Johnson, B., Kauffman, J. B., Kennedy, H., Lovelock, C., Magonigal, J. P., Rahman, A. (Faiz), Saintilan, Neil, & Simard., arc. (2014). *Coastal Blue Carbon: methods for assessing carbon stocks and emissions factors in mangroves, tidal salt marshes, and seagrass meadows* (J. Howard, S. Hoyt, K. Isensee, E. Pidgeon, & M. Telszewsk, Ed.).
- Goodman, J. A., Purkis, S. J., & Phinn, S. R. (2013). *Coral Reef Remote Sensing*. Springer Netherlands. <https://doi.org/10.1007/978-90-481-9292-2>
- Green, E. P., Mumby, P. J., Edwards, A. J., & Clark, C. D. (2000). *Remote Sensing Handbook for Tropical Coastal Management*.
- Hafizt, M. (2013). *Kajian Estimasi Standing Carbon stock Padang Lamun Menggunakan Citra QuickBird di Pulau Kemujan, Kepulauan Karimunjawa*. Universitas Gadjah Mada.
- Harahap, Z. A., Khairunnisa, Susetya, I. E., & Rahayu, Y. P. (2021). Estimation of carbon stock in seagrass communities in Central Tapanuli. *IOP Conference Series: Earth and Environmental Science*, 944(1). <https://doi.org/10.1088/1755-1315/944/1/012064>
- Hedley, J. D., Harborne, A. R., & Mumby, P. J. (2005). Simple and robust removal of sun glint for mapping shallow-water benthos. *International Journal of Remote Sensing*, 26(10), 2107–2112. <https://doi.org/10.1080/01431160500034086>
- Hernawan, U. E., Sjafrie, N. D. M., Supriyadi, I. H., Suyarso, S., Iswari, M. Y., Anggraini, K., & Rahmat, R. (2017). *Status Padang Lamun di Indonesia 2017*.
- Hossain, M. S., Bujang, J. S., Zakaria, M. H., & Hashim, M. (2015). The application of remote sensing to seagrass ecosystems: an overview and future research prospects. *International Journal of Remote Sensing*, 36(1), 61–114. <https://doi.org/10.1080/01431161.2014.990649>
- Ilyas, T. P., Bisman Nababan, Hawis Madduppa, & Dony Kushardono. (2020). Pemetaan Ekosistem Lamun Dengan dan Tanpa Koreksi Kolom Air di Perairan Pulau Pajenekeang, Sulawesi Selatan. *Jurnal Ilmu dan Teknologi Kelautan Tropis*, 12(1), 9–23. <https://doi.org/10.29244/jitkt.v12i1.26598>
- Isnaen, Z., Pratama, A. P., Utami, A. A., Prananda, A. R. A., Purnama, A. D., Zhafarina, Z., & Wicaksono, P. (2019). Carbon stock estimation of

- seagrass species *thalassia hempricii* using planet imagery with band ratio transformation in nirwana beach, padang city. *IOP Conference Series: Earth and Environmental Science*, 280(1), 012039. <https://doi.org/10.1088/1755-1315/280/1/012039>
- Januardi, R., Hartoko, A., & Purnomo, P. W. (2016). Analisis Habitat dan Perubahan Luasan Terumbu Karang di Pulau Menjangan Besar, Kepulauan Karimunjawa Menggunakan Citra Satelit. *Diponegoro Journal of Maquares*, 5(4), 302–310.
- Kay, S., Hedley, J., & Lavender, S. (2009). Sun Glint Correction of High and Low Spatial Resolution Images of Aquatic Scenes: a Review of Methods for Visible and Near-Infrared Wavelengths. *Remote Sensing*, 1(4), 697–730. <https://doi.org/10.3390/rs1040697>
- Khairunnisa, ., Setyobudiandi, I., & Boer, M. (2018). Estimasi Cadangan Karbon Pada Lamun di Pesisir Timur Kabupaten Bintan. *Jurnal Ilmu dan Teknologi Kelautan Tropis*, 10(3), 639–650. <https://doi.org/10.29244/jitkt.v10i3.21397>
- Kohler, K. E., & Gill, S. M. (2006). Coral Point Count with Excel extensions (CPCe): A Visual Basic program for the determination of coral and substrate coverage using random point count methodology. *Computers & Geosciences*, 32(9), 1259–1269. <https://doi.org/10.1016/j.cageo.2005.11.009>
- Larkum, A. W. D. (2006). *Seagrasses: biology, ecology and conservation* (R. J. Orth & C. M. Duarte, Ed.). Springer.
- Lillesand, T. M., Kiefer, R. W., & Chipman, J. (2015). *Remote Sensing And Image Interpretation 7th Edition*.
- Lyons, M., Roelfsema, C., Kovacs, E., Samper-Villarreal, J., Saunders, M., Maxwell, P., & Phinn, S. (2015). Rapid monitoring of seagrass biomass using a simple linear modelling approach, in the field and from space. *Marine Ecology Progress Series*, 530, 1–14. <https://doi.org/10.3354/meps11321>
- Lyzenga, D. R. (1978). Passive remote sensing techniques for mapping water depth and bottom features. *Applied Optics*, 17(3), 379. <https://doi.org/10.1364/AO.17.000379>
- Mahakar, A. L., Hartati, R., & Suryono, S. (2019). Ekologi Lamun di Pulau Sintok, Pulau Kemujan dan Pulau Menjangan Besar Kepulauan Karimunjawa, Jawa Tengah. *Journal of Marine Research*, 8(3), 277–284. <https://doi.org/10.14710/jmr.v8i3.25270>
- McKenzie, L. J., Nordlund, L. M., Jones, B. L., Cullen-Unsworth, L. C., Roelfsema, C., & Unsworth, R. K. F. (2020). The global distribution of

- seagrass meadows. *Environmental Research Letters*, 15(7).
<https://doi.org/10.1088/1748-9326/ab7d06>
- Mugo, G., Tiller, L., & King, L. (2022). Mapping Floristic Composition Using Sentinel-2A and a Case Study Evaluation of Its Application in Elephant Movement Ecology in Sagalla, Kenya. *Remote Sensing*, 14(21), 5386.
<https://doi.org/10.3390/rs14215386>
- Mumby, P. J., Skirving, W., Strong, A. E., Hardy, J. T., LeDrew, E. F., Hochberg, E. J., Stumpf, R. P., & David, L. T. (2004). Remote sensing of coral reefs and their physical environment. *Marine Pollution Bulletin*, 48(3–4), 219–228. <https://doi.org/10.1016/j.marpolbul.2003.10.031>
- Munawaroh, M., Wicaksono, P., & Rudiastuti, A. W. (2023). Pemetaan Cepat Batimetri Perairan Dangkal menggunakan Citra Sentinel-2A dan Google Earth Engine di Perairan Tanjung Kelayang - Pulau Belitung. *Majalah Geografi Indonesia*, 37(2), 168–185. <https://doi.org/10.22146/mgi.70636>
- Murdiyarso, D., Sukara, E., Supriatna, J., Koropitan, A., Juliandi, B., & Jompa, J. (2018). *Creating blue carbon opportunities in the maritime archipelago Indonesia*. Center for International Forestry Research (CIFOR). <https://doi.org/10.17528/cifor/007058>
- Nadya, O., & Kusuma, H. A. (2017). Pengenalan Citra Satelit Sentinel-2 Untuk Pemetaan Kelautan. *OSEANA*, 42(3), 40–55.
<https://doi.org/10.14203/oseana.2017.Vol.42No.3.84>
- Nellemann, C., Corcoran, E., Duarte, C. M., Valdés, L., De Young, C., Fonseca, L., & Grimsditch, G. (2009). *Blue carbon : the role of healthy oceans in binding carbon : a rapid response assessment*. Birkeland Trykkeri AS.
- Nurlidiasari, M., & Budhiman, S. (2005). Mapping Coral Reef Habitat With and Without Water Column Correction Using QuickBird Image. *International journal of Remote Sensing and Earth Sciences*, 2, 45–56.
- Oshiro, T. M., Perez, P. S., & Baranauskas, J. A. (2012). *How Many Trees in a Random Forest?* (Vol. 7376, hlm. 154–168). Springer.
https://doi.org/10.1007/978-3-642-31537-4_13
- Phan, T. N., Kuch, V., & Lehnert, L. W. (2020). Land Cover Classification using Google Earth Engine and Random Forest Classifier—The Role of Image Composition. *Remote Sensing*, 12(15), 2411.
<https://doi.org/10.3390/rs12152411>
- Prawoto, C. D., & Hartono, H. (2018). Pemetaan Habitat Bentik dengan Citra Multispektral Sentinel-2A Di Perairan Pulau Menjangan Kecil Dan Menjangan Besar, Kepulauan Karimunjawa. *Jurnal Bumi Indonesia*, 7(3).

- Riadi, S., Arkham, M. N., Haris, R. B. K., & Tiku, M. (2022). Nilai Ekonomi Ekosistem Lamun di Perairan Barat Kabupaten Rote Ndao, Provinsi Nusa Tenggara Timur, Indonesia: Sebagai Penyedia Sumberdaya Ikan. *Jurnal Ilmu-ilmu Perikanan dan Budidaya Perairan*, 17(1), 58–67. <https://doi.org/10.31851/jipbp.v17i1.8341>
- Riniatsih, I., Hartati, R., Widianingsih, W., & Mahendrajaya, R. T. (2023). Seagrass Ecological Quality Index of Seagrass Meadows in Jepara Waters, Central Java, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 1224(1), 012027. <https://doi.org/10.1088/1755-1315/1224/1/012027>
- Roelfsema, C. M., Kovacs, E. M., & Phinn, S. R. (2015). Field data sets for seagrass biophysical properties for the Eastern Banks, Moreton Bay, Australia, 2004–2014. *Scientific Data*, 2(1), 150040. <https://doi.org/10.1038/sdata.2015.40>
- Roelfsema, C. M., Lyons, M., Kovacs, E. M., Maxwell, P., Saunders, M. I., Samper-Villarreal, J., & Phinn, S. R. (2014). Multi-temporal mapping of seagrass cover, species and biomass: A semi-automated object based image analysis approach. *Remote Sensing of Environment*, 150, 172–187. <https://doi.org/10.1016/j.rse.2014.05.001>
- Rustam, A. (2019). Dinamika Struktur Komunitas Lamun Kepulauan Karimunjawa, Kabupaten Jepara. *Jurnal Kelautan Nasional*, 14(3). <https://doi.org/10.15578/jkn.v14i3.7761>
- Rustam, A., Suryono, D. D., Daulat, A., & Sudirman, N. (2021). The role of seagrass ecosystem in small islands as a blue carbon in climate change mitigation in Indonesia (case study: Lembeh Island, Bitung Regency). *IOP Conference Series: Earth and Environmental Science*, 777(1). <https://doi.org/10.1088/1755-1315/777/1/012029>
- Saengar, P., Gartside, D., & Funge-Smith, S. (2013). *A review of mangrove and seagrass ecosystems and their linkage to fisheries and fisheries management*. www.fao.org/
- Sagawa, T., & Komatsu, T. (2015). Simulation of seagrass bed mapping by satellite images based on the radiative transfer model. *Ocean Science Journal*, 50(2), 335–342. <https://doi.org/10.1007/s12601-015-0031-3>
- Sari, C. A., Syah, A. F., Prayudha, B., & Salatalohi, A. (2020). Pemetaan Habitat Bentik di Pulau Liki, Papua Menggunakan Citra Satelit Sentinel-2A. *Jurnal Penginderaan Jauh dan Pengolahan Data Citra Digital*, 17(1), 33–42. <https://doi.org/10.30536/j.pjpdcd.2020.v17.a3322>
- Setiawan, K. T., Winarso, Gathot, Nuha, M. U., Hartuti, M., Ginting, D. N. B., Yati, E., Aziz, K., Kusuma, F. B., & Asriningrum, W. (2021). Analysis of The Penetration Capability of Visible Spectrum With an Attenuation

Coefficient Apparent Optical Approach in The Determination of a Bathymetry Analytical Model. *International Journal of Remote Sensing and Earth Sciences*, 18(2), 125–138.

Simamora, A. P. (2010). *Look to sea as potensial carbon sink*.

Simpson, J., Bruce, E., Davies, K. P., & Barber, P. (2022). A Blueprint for the Estimation of Seagrass Carbon Stock Using Remote Sensing-Enabled Proxies. *Remote Sensing*, 14(15), 3572. <https://doi.org/10.3390/rs14153572>

Traganos, D., Aggarwal, B., Poursanidis, D., Topouzelis, K., Chrysoulakis, N., & Reinartz, P. (2018). Towards Global-Scale Seagrass Mapping and Monitoring Using Sentinel-2 on Google Earth Engine: The Case Study of the Aegean and Ionian Seas. *Remote Sensing*, 10(8), 1227. <https://doi.org/10.3390/rs10081227>

Traganos, D., & Reinartz, P. (2018). Mapping Mediterranean seagrasses with Sentinel-2 imagery. *Marine Pollution Bulletin*, 134, 197–209. <https://doi.org/10.1016/j.marpolbul.2017.06.075>

Wardono, S., Sobhytta, E. Y., Dhananjaya, I. G. N. A., Lasniroha, R., Pumpun, Y. K., Mashuda, M. M., Saputra, D. G. T. B., & Yudianto, P. (2022). Association Analysis of Seagrass Coverage and Human Activities in Nusa Lembongan. *Jurnal Biodjati*, 7(2), 247–258. <https://doi.org/10.15575/biodjati.v7i2.20307>

Wawo, M., Wardiatno, Y., Adrianto, L., & Bengen, D. G. (2014). Carbon Stored on Seagrass Community in Marine Nature Tourism Park of Kotania Bay, Western Seram, Indonesia. *Jurnal Manajemen Hutan Tropika (Journal of Tropical Forest Management)*, 20(1), 51–57. <https://doi.org/10.7226/jtfm.20.1.51>

Wicaksono, P. (2021). *Pengembangan Toolbox Image Processing Untuk Pemetaan Otomatis Cadangan Karbon dan Serapan Karbon Padang Lamun Dalam Mendukung Blue Economy*.

Wicaksono, P., Aryaguna, P. A., & Lazuardi, W. (2019). Benthic Habitat Mapping Model and Cross Validation Using Machine-Learning Classification Algorithms. *Remote Sensing*, 11(11), 1279. <https://doi.org/10.3390/rs11111279>

Wicaksono, P., Danoedoro, P., Nehren, U., Maishella, A., Hafizt, M., Arjasakusuma, S., & Harahap, S. D. (2021). Analysis of Field Seagrass Percent Cover and Aboveground Carbon Stock Data For Non-Destructive Aboveground Seagrass Carbon Stock Mapping Using WorldView-2 Image. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XLVI-4/W6-2021, 321–327. <https://doi.org/10.5194/isprs-archives-XLVI-4-W6-2021-321-2021>

- Wicaksono, P., Fauzan, M. A., & Asta, S. G. W. (2020). Assessment of Sentinel-2A multispectral image for benthic habitat composition mapping. *IET Image Processing*, 14(2), 279–288. <https://doi.org/10.1049/iet-ipr.2018.6044>
- Wicaksono, P., & Harahap, S. D. (2023). Mapping Seagrass Biodiversity Indicators of Pari Island using Multiple WorldView-2 Bands Derivatives. *Geosfera Indonesia*, 8(2), 189. <https://doi.org/10.19184/geosi.v8i2.41214>
- Wicaksono, P., Harahap, S. D., Hafizt, M., Maishella, A., & Yuwono, D. M. (2023). Seagrass ecosystem biodiversity mapping in part of Rote Island using multi-generation PlanetScope imagery. *Carbon Footprints*, 2(4). <https://doi.org/10.20517/cf.2023.9>
- Wicaksono, P., & Lazuardi, W. (2018). Assessment of PlanetScope images for benthic habitat and seagrass species mapping in a complex optically shallow water environment. *International Journal of Remote Sensing*, 39(17), 5739–5765. <https://doi.org/10.1080/01431161.2018.1506951>
- Wicaksono, P., & Lazuardi, W. (2019). Random Forest Classification Scenarios For Benthic Habitat Using PlanetScope Image. *International Geoscience & Remote Sensing Symposium*, 8245–8248.
- Wicaksono, P., Maishella, A., Arjasakusuma, S., Lazuardi, W., & Harahap, S. D. (2022). Assessment of WorldView-2 images for aboveground seagrass carbon stock mapping in patchy and continuous seagrass meadows. *International Journal of Remote Sensing*, 43(8), 2915–2941. <https://doi.org/10.1080/01431161.2022.2074809>
- Willmott, C. J., & Matsuura, K. (2006). On the use of dimensioned measures of error to evaluate the performance of spatial interpolators. *International Journal of Geographical Information Science*, 20(1), 89–102. <https://doi.org/10.1080/13658810500286976>
- Zoffoli, M., Frouin, R., & Kampel, M. (2014). Water Column Correction for Coral Reef Studies by Remote Sensing. *Sensors*, 14(9), 16881–16931. <https://doi.org/10.3390/s140916881>