

BIBLIOGRAPHY

- Almerud-Österberg, S., Hörberg, U., Ozolins, L., Harstäde, C. W., & Elmqvist, C. (2023). Exposed – a semantic concept analysis of its origin, meaning change over time and its relevance for caring science. *International Journal of Qualitative Studies on Health and Well-Being*, 18(1). <https://doi.org/10.1080/17482631.2022.216370> 1
- Buluç, A., Fineman, J. T., Frigo, M., Gilbert, J. R., & Leiserson, C. E. (2009). Parallel sparse matrix-vector and matrix-transpose-vector multiplication using compressed sparse blocks. *Proceedings of the Twenty-First Annual Symposium on Parallelism in Algorithms and Architectures*. <https://doi.org/10.1145/1583991.1584053>
- Chen, Z., Qian, T. (2019). Transfer capsule network for aspect level sentiment classification. *Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics*, pp. 547–556.
- Chen, J., Fan, H., Wang, W. (2024). Syntactic and Semantic Aware Graph Convolutional Network for Aspect-Based Sentiment Analysis. *IEEE Access*, Vol. 12, pp. 22500-22509
- Chavan, P. and Bohra, S. (2022). Aspect based sentiment analysis. *International Journal of Scientific Research in Science and Technology*, 580-585. <https://doi.org/10.32628/ijrst2293123>
- Chrupała, G., Gelderloos, L., Kádár, Á., & Alishahi, A. (2018). On the difficulty of a distributional semantics of spoken language. *arXiv preprint arXiv:1803.08869*.
- Cambria, E., Hussain, A., Cambria, E., & Hussain, A. (2015). SenticNet. Sentic computing: a common-sense-based framework for concept-level sentiment analysis, pp. 23-71.
- Cui, L., Bai, L., Bai, X., Wang, Y., & Hancock, E. R. (2024). Learning aligned vertex convolutional networks for graph classification. *IEEE Transactions on Neural Networks and Learning Systems*, 1-15. <https://doi.org/10.1109/tnnls.2021.3129649>
- Dehkharghani, R. (2018). A hybrid approach to generating adjective polarity lexicon and its application to turkish sentiment analysis. *International Journal of Modern Education and Computer Science*, 10(11), 11-18. <https://doi.org/10.5815/ijmecs.2018.11.02>

- Deng, Y. (2023). Research on sentiment analysis methods for text-oriented data. *Frontiers in Computing and Intelligent Systems*, 3(1), 42-47. <https://doi.org/10.54097/fcis.v3i1.6022>
- Devlin, J., Chang, M., Lee, K., & Toutanova, K. (2018). Bert: pre-training of deep bidirectional transformers for language understanding. <https://doi.org/10.48550/arxiv.1810.04805>
- Diallo, R., Edalo, C., & Awe, O. O. (2024). Machine Learning Evaluation of Imbalanced Health Data: A Comparative Analysis of Balanced Accuracy, MCC, and F1 Score. In *Practical Statistical Learning and Data Science Methods: Case Studies from LISA 2020 Global Network, USA* (pp. 283-312). Cham: Springer Nature Switzerland.
- Du, J., Gui, L., He, Y., Xu, R., Wang, X. (2019) Convolution-based neural attention with applications to sentiment classification. *IEEE Access* 7 27983–27992.
- Gui, T., Zou, Y., Zhang, Q., Peng, M., Fu, J., Wei, Z., Huang, X. (2019). A lexicon-based graph neural network for Chinese NER. *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing*
- Hochreiter, S., & Schmidhuber, J. (1997). Long short-term memory. *Neural computation*, 9(8), 1735-1780.
- Heinzerling, B., Strube, M. (2018). Bpemb: Tokenization-free pre-trained subword embeddings in 275 languages. *Proceedings of the Eleventh International Conference on Language Resources and Evaluation*, pp. 2989–2993. <https://arxiv.org/pdf/1710.02187>
- Johnson, R., Zhang, T. (2017). Deep Pyramid Convolutional Neural Networks for Text Categorization. *Proceedings of the 55th Annual Meeting of the Association for Computational Linguistics* (Volume 1: Long Papers), pages 562–570, Vancouver, Canada. Association for Computational Linguistics.
- Kipf, T. N. and Welling, M. (2016). Semi-supervised classification with graph convolutional networks. <https://doi.org/10.48550/arxiv.1609.02907>
- Lee, J., Lee, I., & Kang, J. (2019). Self-attention graph pooling. <https://doi.org/10.48550/arxiv.1904.08082>
- Le, Xuan Hien & Ho, Hung & Lee, Giha & Jung, Sungho. (2019). Application of Long Short-Term Memory (LSTM) Neural Network for Flood Forecasting. *Water*. 11. 1387. 10.3390/w11071387.
- Liu, M., Zhou, F., He, J., Chen, K., Zhao, Y., & Sun, H. (2022). Self-attention networks and adaptive support vector machine for aspect-level sentiment

- classification. *Soft Computing*, 26(18), 9621-9634.
<https://doi.org/10.1007/s00500-022-06793-7>
- Lu, G., Li, J., Wei, J. Aspect sentiment analysis with heterogeneous graph neural networks. *Information Processing & Management*, 59(4), 102953.
- Ma, Y., Peng, H., Cambria, E. Targeted aspect-based sentiment analysis via embedding commonsense knowledge into an attentive LSTM. *Proceedings of the Thirty-Second Conference on Artificial Intelligence, (AAAI-18)*, pp. 5876–5883.
- MacDonald, M. C., Pearlmutter, N. J., & Seidenberg, M. S. (1994). The lexical nature of syntactic ambiguity resolution. *Psychological Review*, 101(4), 676-703. <https://doi.org/10.1037/0033-295x.101.4.676>
- Phan, M.H., Ogunbona, P.O. (2020). Modeling context and syntactical features for aspect-based sentiment analysis. *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, pp. 3211–3220.
- Pontiki, M., Galanis, D., Pavlopoulos, J., Papageorgiou, H., Androutsopoulos, I., & Manandhar, S. (2014). Semeval-2014 task 4: aspect based sentiment analysis. *Proceedings of the 8th International Workshop on Semantic Evaluation (SemEval 2014)*. <https://doi.org/10.3115/v1/s14-2004>
- Pontiki, M., Galanis, D., Papageorgiou, H., Manandhar, S., & Androutsopoulos, I. (2015). Semeval-2015 task 12: aspect based sentiment analysis. *Proceedings of the 9th International Workshop on Semantic Evaluation (SemEval 2015)*. <https://doi.org/10.18653/v1/s15-2082>
- Qin, J., Zeng, X., Wu, S., & Tang, E. (2021). E-gen: graph convolution with estimated labels. *Applied Intelligence*, 51(7), 5007-5015.
<https://doi.org/10.1007/s10489-020-02093-5>
- Singh, V, K., Piryani, R., Uddin, A., Waila, P., (2013). Sentiment analysis of movie reviews: A new feature-based heuristic for aspect-level sentiment classification. *2013 International Mutli-Conference on Automation, Computing, Communication, Control and Compressed Sensing (iMac4s), Kottayam, India, 2013*, pp. 712-717. <https://doi.org/10.1109/iMac4s.2013.6526500>
- Shinde, G. K. (2021). Sentiment analysis using hybrid approach. *International Journal for Research in Applied Science and Engineering Technology*, 9(12), 282-285. <https://doi.org/10.22214/ijraset.2021.39202>
- Sun, J., & Chen, G. (2023, October). Text sentiment analysis model based on RoBERTa-BiLSTM-Attention. *Third International Conference on Advanced Algorithms and Neural Networks (AANN 2023)*, Vol. 12791, pp. 343-348. SPIE.

- Sun, K., Zhang, R., Mensah, S., Mao, Y., Liu, X. (2019). Aspect-level sentiment analysis via convolution over dependency tree. *Proceedings of the 2019 Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing (EMNLP-IJCNLP)*, 2019, pp. 5679–5688.
- Taboada, M., Brooke, J., Tofiloski, M., Voll, K., & Stede, M. (2011). Lexicon-based methods for sentiment analysis. *Computational Linguistics*, 37(2), 267–307. https://doi.org/10.1162/coli_a_00049
- Tang, D., Qin, B., Feng, X., Liu, T. (2016). Effective LSTMs for target-dependent sentiment classification, in: *Proceedings of COLING 2016. The 26th International Conference on Computational Linguistics: Technical Papers*, 2016, pp. 3298–3307.
- Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., ... & Polosukhin, I. (2017). Attention is all you need. *Advances in neural information processing systems*, 30.
- Wang, K., Shen, W., Yang, Y., Quan, X., Wang, R. (2020). Relational graph attention network for aspect-based sentiment analysis. *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, 2020, pp. 3229–3238.
- Weichselbraun, A., Gindl, S., & Scharl, A. (2014). Enriching semantic knowledge bases for opinion mining in big data applications. *Knowledge-Based Systems*, 69, 78–85. <https://doi.org/10.1016/j.knosys.2014.04.039>
- Wong, T. G., Tarrataca, L., & Nahimov, N. (2016). Laplacian versus adjacency matrix in quantum walk search. *Quantum Information Processing*, 15(10), 4029–4048. <https://doi.org/10.1007/s11128-016-1373-1>
- Wu, J., He, J., & Xu, J. (2019). Demo-net: degree-specific graph neural networks for node and graph classification. *Proceedings of the 25th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining*. <https://doi.org/10.1145/3292500.3330950>
- Xing, F.Z., Palluchini, F., Cambria, E. (2019). Cognitive-inspired domain adaptation of sentiment lexicons, *Inf. Process. Manage.* 55 (3) (2019) 554–564.
- Yatao, W., Zhao, Y., Liu, J., & Jing, Y. (2023). A method of fault location based on graph convolution neural network in optical transport. *Conference on Infrared, Millimeter, Terahertz Waves and Applications (IMT2022)*. <https://doi.org/10.1117/12.2663107>

Ye, F., Lai, P., Zhang, L., Chen, Z., Fu, Y., Wu, Y., & Wang, Y. (2022, October). Pcbert: parent and child bert for Chinese few-shot ner. *In Proceedings of the 29th international conference on computational linguistics* (pp. 2199-2209).