

## DAFTAR PUSTAKA

- Agung Riswandi, and Uun Febriyani. 2022. Pola Penyebaran Kepiting Biola (*Uca* Sp.) di Kawasan Mangrove Curahsawo Probolinggo, Jawa Timur. *Clarias : Jurnal Perikanan Air Tawar*. 3(1). Available at: <https://doi.org/10.56869/clarias.v3i1.345>.
- Andriyono, S., Pramono, H. and Kim, H.W., 2019, February. Molecular identification and phylogenetic reconstruction of two fiddler crabs (*Uca forcipata* and *Uca triangularis*). In *IOP Conference Series: Earth and Environmental Science* (Vol. 236, No. 1, p. 012036). IOP Publishing.
- Aprilyanto, D., Fahri, F., & Annawaty, A. 2019. Identifikasi Spesies Kepiting Bakau Famili Ocypodidae di Kabonga Kecil, Donggala, Sulawesi Tengah. *Zoo Indonesia*, 26(2), 91-106.
- Attiqoh, A. A., Salsabila, B. F., Retnawidyaningrum, D. A., Griapon, E., Sholihah, F. N., Indriani, H., Safitri, M. D., Dafa, M. H., Puspitasari, P. A., Wijayanti, R., Handziko, R. C. 2018. Keanekaragaman dan Persebaran Mangrove Sejati Pada Area Pemukiman Padukuhan Pasir Mendit, Kabupaten Kulom Progo, DIY. *Prosiding. Seminar Nasional Jurusan Pendidikan Biologi Universitas Negeri Yogyakarta*.
- Alaniz Rodrigues M. *et al.* 2017. Two distinct mtDNA lineages of the blue crab reveal large-scale population structure in its native Atlantic distribution. *Estuarine, Coastal and Shelf Science*. 197. Available at: <https://doi.org/10.1016/j.ecss.2017.08.004>.
- Baksir, A., Akbar, N. and Ismail, F., 2022. Keragaman genetik dan filogenetik fiddler crab (*Uca* spp.) di pesisir Pantai Jailolo, Kabupaten Halmahera Barat. *Jurnal Kelautan Tropis*, 25(1), pp.57-69.
- Barnes R.S.K. 2010. A remarkable case of fiddler crab, *Uca* spp., alpha diversity in Wallacea. *Hydrobiologia*. 637. Available at: <https://doi.org/10.1007/s10750-009-0007-3>.

- Buranelli, R.C., Felder, D.L. and Mantelatto, F.L., 2019. Genetic diversity among populations of the Western Atlantic mangrove crab *Ucides cordatus* (Linnaeus, 1763)(Decapoda: Brachyura: Ocypodidae): evidence for panmixia and useful data for future management and conservation. *Journal of Crustacean Biology*, 39(4), pp.386-395.
- Barua A. *et al.* 2021. Molecular characterization and phylogenetic analysis of crabs (Crustacea: Decapoda: Brachyura) based on mitochondrial COI and 16S rRNA genes. *Conservation Genetics Resources*. 13(3). Available at: <https://doi.org/10.1007/s12686-021-01212-9>.
- Bezerra L.E.A. *et al.* 2006. Spatial distribution of fiddler crabs (genus *Uca*) in a tropical mangrove of northeast Brazil. *Scientia Marina*. 70(4). Available at: <https://doi.org/10.3989/scimar.2006.70n4759>.
- Bilton D.T.; J Paula; J.D.D Bishop. (2002). *Dispersal, Genetic Differentiation and Speciation in Estuarine Organisms*. 55(6), 937–952. doi:10.1006/ecss.2002.1037
- Booksmythe I., Jennions M.D., and Backwell P.R.Y. 2010. Investigating the ‘dear enemy’ phenomenon in the territory defence of the fiddler crab, *Uca mjoebergi*. *Animal Behaviour*. 79(2). Available at: <https://doi.org/10.1016/j.anbehav.2009.11.020>.
- Brown F.A., dan Webb H.M. 1948. Temperature relations of an endogenous daily rhythmicity in the fiddler crab, *Uca*. *Physiological zoology*. 21(4). Available at: <https://doi.org/10.1086/physzool.21.4.30152016>.
- Cahyani, S. D., Suprayogi, A., & Awaluddin, M. 2012. Deteksi Perubahan Garis Pantai dengan Metode BILKO dan AGSO (Studi Kasus Kawasan Pantai Selatan Provinsi Daerah Istimewa Yogyakarta Tahun 1997 Sampai Tahun 2012). *Jurnal Geodesi UNDIP*, 1(1). 1-7.
- Carugati L. *et al.* 2018. Impact of mangrove forests degradation on biodiversity and ecosystem functioning. *Scientific Reports*. 8(1). Available at: <https://doi.org/10.1038/s41598-018-31683-0>.
- Checon H.H., and Costa T.M. 2017. Fiddler crab (Crustacea: Ocypodidae) distribution and the relationship between habitat occupancy and mouth appendages. *Marine Biology Research*. 13(6). Available at: <https://doi.org/10.1080/17451000.2016.1273530>.

- Chen H. *et al.* 2014. Mutation and selection cause codon usage and bias in mitochondrial genomes of ribbon worms (Nemertea). *PLoS ONE*. 9(1). Available at: <https://doi.org/10.1371/journal.pone.0085631>.
- Christopher C.E., Salmon M., and Forward R.B. 2008. Is the hatching clock of fiddler crab larvae (*Uca thayeri*) phenotypically plastic?. *Journal of Crustacean Biology*. 28(2). Available at: [https://doi.org/10.1651/0278-0372\(2008\)028\[0328:ITHCOF\]2.0.CO;2](https://doi.org/10.1651/0278-0372(2008)028[0328:ITHCOF]2.0.CO;2).
- Clare E.L. *et al.* 2008. Diagnosing mitochondrial DNA diversity: Applications of a sentinel gene approach. *Journal of Molecular Evolution*. 66(4). Available at: <https://doi.org/10.1007/s00239-008-9088-2>.
- Conrad I. *et al.* 2021. The complete mitochondrial genome of the red-jointed brackish-water fiddler crab *Minuca minax* (LeConte 1855) (Brachyura: Ocypodidae): New family gene order, and purifying selection and phylogenetic informativeness of protein coding genes. *Genomics*. 113(1). Available at: <https://doi.org/10.1016/j.ygeno.2020.09.050>.
- Crane, J. 1975. *Fiddler crab of the World: Ocypodidae: Genus Uca*. Princeton, New Jersey: Princeton University Press.
- Dahrudin H., Kurnia Hadiaty R., and Hubert N. 2016. *DNA BARCODING: FOUNDATIONS AND APPLICATIONS FOR SOUTHEAST ASIAN FRESHWATER FISHES*. Treubia.
- Darnell M.Z. 2012. Ecological physiology of the circadian pigmentation rhythm in the fiddler crab *Uca panacea*. *Journal of Experimental Marine Biology and Ecology*. 426–427. Available at: <https://doi.org/10.1016/j.jembe.2012.05.014>.
- Detto T., Hemmi J.M., and Backwell P.R.Y. 2008. Colouration and colour changes of the fiddler crab, *Uca capricornis*: A descriptive study. *PLoS ONE*. 3(2). Available at: <https://doi.org/10.1371/journal.pone.0001629>.
- Djuwanto, S., & Sudarsono, R. (2015). Karakteristik Vegetasi Di Kawasan Pantai Samas Bantul Daerah Istimewa Yogyakarta. In *Seminar Nasional MIPA 2006. Presented at the Penelitian, Pendidikan, dan Penerapan MIPA serta Peranannya dalam Peningkatan Keprofesionalan Pendidik dan Tenaga Kependidikan, Universitas Negeri Yogyakarta*. 1-10.

- Do V.T., Shih H. Te, and Huang C. 2016. A new species of freshwater crab of the genus *tiwaripotamon* bott, 1970 (Crustacea, Brachyura, Potamidae) from northern Vietnam and southern China. *Raffles Bulletin of Zoology*. 64.
- Duke N.C. *et al.* 2007. A World Without Mangroves?. *Science*. 317(5834). Available at: <https://doi.org/10.1126/science.317.5834.41b>.
- Duya N. *et al.* 2021. The Type and Distribution of Violin Crab ( *Uca* ) at Mangrove Forest of Kahyapu, Enggano Island and The Gulf of Muaro, Labu Nawi, Bengkulu City . in *Proceedings of the 3rd KOBICONG, International and National Conferences (KOBICINC 2020)*. Available at: <https://doi.org/10.2991/absr.k.210621.028>.
- Ellegren H., and Galtier N. 2016. Determinants of genetic diversity. *Nature Reviews Genetics*. Available at: <https://doi.org/10.1038/nrg.2016.58>.
- Felsenstein, J., 1973. Maximum likelihood and minimum-steps methods for estimating evolutionary trees from data on discrete characters. *Systematic Biology*, 22(3), pp.240-249.
- Ginanjjar, S., Syach, M.F. and Wulandari, S., 2020. Kajian pengaruh siklon tropis mangga terhadap curah hujan, transpor Ekman, viskositas Eddy dan tinggi gelombang di perairan selatan Jawa pada 20-25 Mei 2020. *Jurnal Meteorologi Klimatologi dan Geofisika*, 7(2), pp.15-23.
- Hajibabaei M. *et al.* 2006. DNA barcodes distinguish species of tropical Lepidoptera. *Proceedings of the National Academy of Sciences of the United States of America*. 103(4). Available at: <https://doi.org/10.1073/pnas.0510466103>.
- Hajibabaei M. *et al.* 2007. Design and applicability of DNA arrays and DNA barcodes in biodiversity monitoring. *BMC Biology*. 5. Available at: <https://doi.org/10.1186/1741-7007-5-24>.
- Hanafi H., Anwari M.S., and Yani A. 2020. Keanekaragaman Kepiting Biola pada Kawasan Hutan Mangrove Desa Karimunting Kecamatan Sungai Raya Kepulauan Kabupaten Bengkayang. *Jurnal Hutan Lestari*. 8(2). Available at: <https://doi.org/10.26418/jhl.v8i2.40332>.
- Hardianto E. *et al.* 2021. Molecular ecology of the fiddler crab *Austruca perplexa* (H. Milne Edwards, 1852): genetic divergence along a major biogeographical barrier,

- Wallace's Line. *Biological Journal of the Linnean Society*. 135(2). Available at: <https://doi.org/10.1093/biolinnean/blas142>.
- Hebert P.D.N. *et al.* 2003. Biological identifications through DNA barcodes. *Proceedings of the Royal Society B: Biological Sciences*. 270(1512). Available at: <https://doi.org/10.1098/rspb.2002.2218>.
- Hebert P.D.N., Ratnasingham S., and DeWaard J.R. 2003. Barcoding animal life: Cytochrome c oxidase subunit 1 divergences among closely related species. *Proceedings of the Royal Society B: Biological Sciences*. 270(SUPPL. 1). Available at: <https://doi.org/10.1098/rsbl.2003.0025>.
- Hemmi J.M. *et al.* 2006. The variable colours of the fiddler crab *Uca vomeris* and their relation to background and predation. *Journal of Experimental Biology*. 209(20). Available at: <https://doi.org/10.1242/jeb.02483>.
- Huang C., Wang J., and Shih H. Te. 2020. A new genus and two new species of freshwater crab (Crustacea: Brachyura: Potamidae) with unusual coiled tip of male second gonopods from Yunnan, Southwestern China. *Zoological Studies*. 59. Available at: <https://doi.org/10.6620/ZS.2020.59-24>.
- Hughes A.R. *et al.* 2008. Ecological consequences of genetic diversity. *Ecology Letters*. Available at: <https://doi.org/10.1111/j.1461-0248.2008.01179.x>.
- Hung K.C. *et al.* 2023. Genetic Structure of the Endemic Fiddler Crab *Uca (Xeruca) formosensis* on the West Coast of Taiwan. *Zoological Studies*. 62. Available at: <https://doi.org/10.6620/ZS.2023.62-24>.
- Janczewski D.N. *et al.* 1995. Molecular evolution of mitochondrial 12S RNA and cytochrome b sequences in the pantherine lineage of felidae. *Molecular Biology and Evolution*. 12(4). Available at: <https://doi.org/10.1093/oxfordjournals.molbev.a040232>.
- Kawaida S. *et al.* 2021. Crabs assimilating cellulose materials drive the detritus food chain in a mangrove estuary. *Food Webs*. 26. Available at: <https://doi.org/10.1016/j.fooweb.2020.e00180>.
- Kumar A.A.J., and Al-Aidaros A.M. 2022. Larval Development of the Mangrove Fiddler Crab *Austruca albimana* (Kossmann, 1877) (Crustacea: Brachyura:

- Ocypodidae) Under Laboratory Conditions. *Zoological Studies*. 61. Available at: <https://doi.org/10.6620/ZS.2022.61-70>.
- Kurniawan E., Anwari M.S., and Dirhamsyah M. 2020. Identifikasi Jenis Kepiting Biola di Hutan Mangrove Dusun Setingga Asindesa Sebuubus Kecamatan Paloh Kabupaten Sambas. *JURNAL HUTAN LESTARI*. 8(1). Available at: <https://doi.org/10.26418/jhl.v8i1.39385>.
- Liao S.W., Chang W.L., and Lin S.W. 2008. Status and habitat preferences for endemic inhabitants of fiddler crab *Uca formosensis* in Hsiang-Shan wetland, Taiwan. *Environmental Monitoring and Assessment*. 143(1–3). Available at: <https://doi.org/10.1007/s10661-007-9969-7>.
- López-Duarte, P.C., Christy, J.H. and Tankersley, R.A., 2011. A behavioral mechanism for dispersal in fiddler crab larvae (genus *Uca*) varies with adult habitat, not phylogeny. *Limnology and Oceanography*, 56(5), pp.1879-1892.
- Lino A. *et al.* 2019. A meta-analysis of the effects of habitat loss and fragmentation on genetic diversity in mammals. *Mammalian Biology*. Available at: <https://doi.org/10.1016/j.mambio.2018.09.006>.
- Liu M.Y., and Shih H. Te. 2022. The Complete Mitogenome of *Xeruca formosensis* (Rathbun, 1921) (Crustacea: Brachyura: Ocypodidae), a Fiddler Crab Endemic to Taiwan, with its Phylogenetic Position in the Family. *Zoological Studies*. 61. Available at: <https://doi.org/10.6620/ZS.2022.61-69>.
- Luo A. *et al.* 2011. Potential efficacy of mitochondrial genes for animal DNA barcoding: A case study using eutherian mammals. *BMC Genomics*. 12. Available at: <https://doi.org/10.1186/1471-2164-12-84>.
- Maddison, W. P. and D.R. Maddison. 2023. Mesquite: a modular system for evolutionary analysis. Version 3.81 <http://www.mesquiteproject.org>
- Martins S.B. *et al.* 2024. Comparing the effect of larval dispersal strategies on morphological versus genetic differentiation in two neotropical fiddler crabs. *Marine Ecology*. 45(1). Available at: <https://doi.org/10.1111/maec.12783>.
- Matsumasa M., Murai M., and Christy J.H. 2013. A low-cost sexual ornament reliably signals male condition in the fiddler crab *Uca beebei*. *Animal Behaviour*. 85(6). Available at: <https://doi.org/10.1016/j.anbehav.2013.03.024>.



- Matzen da Silva, J., Creer, S., Dos Santos, A., Costa, A.C., Cunha, M.R., Costa, F.O. and Carvalho, G.R., 2011. Systematic and evolutionary insights derived from mtDNA COI Barcode diversity in the Decapoda (crustacea: Malacostraca). *PLoS ONE*. 6(5). Available at: <https://doi.org/10.1371/journal.pone.0019449>.
- Meyer C.P., and Paulay G. 2005. DNA barcoding: Error rates based on comprehensive sampling. *PLoS Biology*. 3(12). Available at: <https://doi.org/10.1371/journal.pbio.0030422>.
- Michie L.A. *et al.* 2021. Distinguishing ten sympatric species of fiddler crab (Decapoda: Ocypodidae) using a suite of phenotypic characteristics. *Zootaxa*. 5026(4). Available at: <https://doi.org/10.11646/zootaxa.5026.4.2>.
- Minter M. *et al.* 2021. What Is Genetic Diversity and Why Does it Matter?. *Frontiers for Young Minds*. 9. Available at: <https://doi.org/10.3389/frym.2021.656168>.
- Moravčíková N., and Kasarda R. 2020. Use of high-density SNP analyses to develop a long-term strategy for conventional populations to prevent loss of diversity – Review. *Acta Fytotechnica et Zootechnica*. 23(4). Available at: <https://doi.org/10.15414/afz.2020.23.04.236-240>.
- Morgan S.G., and Anastasia J.R. 2008. Behavioral tradeoff in estuarine larvae favors seaward migration over minimizing visibility to predators. *Proceedings of the National Academy of Sciences of the United States of America*. 105(1). Available at: <https://doi.org/10.1073/pnas.0704725105>.
- Murniati D.C., and Pratiwi R. 2015. Kepiting Uca di Hutan Mangrove Indonesia. Tinjauan Aspek Biologi dan Ekologi untuk Eksplorasi. in *LIPi PRESS*.
- Naderloo R., Türkay M., and Chen H.L. 2010. Taxonomic revision of the wide-front fiddler crabs of the uca lactea group (Crustacea: Decapoda: Brachyura: Ocypodidae) in the indo-west Pacific. *Zootaxa* [Preprint]. (2500). Available at: <https://doi.org/10.11646/zootaxa.2500.1.1>.
- Nagelkerken I. *et al.* 2008. The habitat function of mangroves for terrestrial and marine fauna: A review. *Aquatic Botany*. Available at: <https://doi.org/10.1016/j.aquabot.2007.12.007>.
- Neely S.H. 2023. Effects of bioturbation by the fiddler crab *Leptuca speciosa* (Ives, 1891) (Decapoda: Brachyura: Ocypodidae) on mangrove peat in Barnes Sound,

- Florida, USA. *Journal of Crustacean Biology*. 43(1). Available at: <https://doi.org/10.1093/jcbiol/ruad006>.
- Nehemia A., and Kochzius M. 2017. Reduced genetic diversity and alteration of gene flow in a fiddler crab due to mangrove degradation. *PLoS ONE*. 12(8). Available at: <https://doi.org/10.1371/journal.pone.0182987>.
- Newell P.D. *et al.* 2013. A Small-Group Activity Introducing the Use and Interpretation of BLAST. *Journal of Microbiology & Biology Education*. 14(2). Available at: <https://doi.org/10.1128/jmbe.v14i2.637>.
- Ng P.K.L., Li J.J., and Shih H. Te. 2020. What is sesarmops impressus (H. milne edwards, 1837) (crustacea: Brachyura: Sesarmidae)?. *Zoological Studies*. 59. Available at: <https://doi.org/10.6620/ZS.2020.59-27>.
- Ngo-Massou V.M. *et al.* 2018. Brachyuran crab diversity and abundance patterns in the mangroves of Cameroon. *Regional Studies in Marine Science*. 24. Available at: <https://doi.org/10.1016/j.rsma.2018.09.010>.
- Nobbs M. 2003. Effects of vegetation differ among three species of fiddler crabs (*Uca* spp.). *Journal of Experimental Marine Biology and Ecology*. 284(1–2). Available at: [https://doi.org/10.1016/S0022-0981\(02\)00488-4](https://doi.org/10.1016/S0022-0981(02)00488-4).
- Nordhaus I., Toben M., and Fauziyah A. 2019. Impact of deforestation on mangrove tree diversity, biomass and community dynamics in the Segara Anakan lagoon, Java, Indonesia: A ten-year perspective. *Estuarine, Coastal and Shelf Science*. 227. Available at: <https://doi.org/10.1016/j.ecss.2019.106300>.
- Odah M.A.A. 2023. Unlocking the genetic code: Exploring the potential of DNA barcoding for biodiversity assessment. *AIMS Molecular Science*. 10(4). Available at: <https://doi.org/10.3934/molsci.2023016>.
- Odhan S. 2023. Comparative Biochemical and Genetic Analysis of Two Species of Ghost Crabs, *Ocypode rotundata* and *Ocypode ceratophthalmus* from the Coast of Pakistan. *Pakistan Journal of Zoology* [Preprint]. Available at: <https://doi.org/10.17582/journal.pjz/20220721190738>.
- Pavlova A. *et al.* 2017. Severe consequences of habitat fragmentation on genetic diversity of an endangered Australian freshwater fish: A call for assisted gene



- flow. *Evolutionary Applications*. 10(6). Available at: <https://doi.org/10.1111/eva.12484>.
- Peakall R., and Smouse P.E. 2012. GenALEx 6.5: Genetic analysis in Excel. Population genetic software for teaching and research-an update. *Bioinformatics*. 28(19), pp. 2537–2539. Available at: <https://doi.org/10.1093/bioinformatics/bts460>.
- Perez D.M., Rosenberg M.S., and Pie M.R. 2012. The evolution of waving displays in fiddler crabs (*Uca* spp., Crustacea: Ocypodidae). *Biological Journal of the Linnean Society*. 106(2). Available at: <https://doi.org/10.1111/j.1095-8312.2012.01860.x>.
- Pope D.S. 2000. Testing function of fiddler crab claw waving by manipulating social context. *Behavioral Ecology and Sociobiology*. 47(6). Available at: <https://doi.org/10.1007/s002650050687>.
- Pralon B.G.N., and Negreiros-Fransozo M.L. 2008. Relative growth and morphological sexual maturity of *Uca cumulanta* (Crustacea: Decapoda: Ocypodidae) from a tropical Brazilian mangrove population. *Journal of the Marine Biological Association of the United Kingdom*. 88(3). Available at: <https://doi.org/10.1017/S0025315408000453>.
- Pratiwi A.N.W. *et al.* 2018. Studi pola arus perairan selatan daerah istimewa yogyakarta dengan menggunakan metode penginderaan jauh 1). *Journal Ilmiah Rinjani*. 6(1).
- Purwantara, S., & Sugiharyanto, N. K. 2015. Karakteristik Spasial Pengembangan Wilayah Pesisir Daerah Istimewa Yogyakarta Dalam Konteks UUK DIY. *Artikel Hibah Bersaing*. 1-19.
- Putri H., Mahatma R., and Muhammad A. 2022. Inventarisasi dan karakterisasi Kepiting Biola (Ocypodidae) di lingkungan intertidal Kabupaten Bengkalis Riau. *Sriwijaya Bioscientia*. 3(3). Available at: <https://doi.org/10.24233/sribios.3.3.2022.333>.
- Reaney L.T., and Backwell P.R.Y. 2007. Temporal constraints and female preference for burrow width in the fiddler crab, *Uca mjoebergi*. *Behavioral Ecology and Sociobiology*. 61(10). Available at: <https://doi.org/10.1007/s00265-007-0383-5>.

- Rianta P. *et al.* 2018. Diversity and abundance of mangrove fiddle crabs, genus *Uca* (Decapoda, Ocypodidae) at a mangrove in Kema, North Sulawesi, Indonesia. *Acta Oceanologica Sinica*. 37(12). Available at: <https://doi.org/10.1007/s13131-018-1336-8>.
- Rizal M. *et al.* 2017. Struktur Komunitas *Uca* Spp. Di Kawasan Hutan Mangrove, Bedul Utara, Taman Nasional Alas Purwo, Jawa Timur. *PARAMETER: Jurnal Pendidikan Universitas Negeri Jakarta*. 29(1). Available at: <https://doi.org/10.21009/parameter.291.04>.
- Rosenberg M.S. 2002. Fiddler crab claw shape variation: A geometric morphometric analysis across the genus *Uca* (Crustacea: Brachyura: Ocypodidae). *Biological Journal of the Linnean Society*. 75(2). Available at: <https://doi.org/10.1046/j.1095-8312.2002.00012.x>.
- Rosenberg M.S. 2014. Contextual cross-referencing of species names for fiddler crabs (genus *Uca*): An experiment in cyber-taxonomy. *PLoS ONE*. 9(7). Available at: <https://doi.org/10.1371/journal.pone.0101704>.
- Rozas J. *et al.* 2017. DnaSP 6: DNA sequence polymorphism analysis of large data sets. *Molecular Biology and Evolution*. 34(12), pp. 3299–3302. Available at: <https://doi.org/10.1093/molbev/msx248>.
- Rudianto R., Bengen D.G., and Kurniawan F. 2020. Causes and effects of mangrove ecosystem damage on carbon stocks and absorption in East Java, Indonesia. *Sustainability (Switzerland)*. 12(24). Available at: <https://doi.org/10.3390/su122410319>.
- Saeedi H. *et al.* 2018. Sediment Temperature Impact on Population Structure and Dynamics of the Crab *Austruca iranica* Pretzmann, 1971 (Crustacea: Ocypodidae) in Subtropical Mangroves of the Persian Gulf. *Wetlands*. 38(3). Available at: <https://doi.org/10.1007/s13157-018-0998-5>.
- Samal K.C. *et al.* 2021. Understanding the BLAST (Basic Local Alignment Search Tool) Program and a Step-by-step Guide for its use in Life Science Research. *Bhartiya Krishi Anusandhan Patrika* [Preprint]. (Of). Available at: <https://doi.org/10.18805/bkap283>.

- Sanford E. *et al.* 2006. Larval tolerance, gene flow, and the northern geographic range limit of fiddler crabs. *Ecology*. 87(11). Available at: [https://doi.org/10.1890/0012-9658\(2006\)87\[2882:LTGFAT\]2.0.CO;2](https://doi.org/10.1890/0012-9658(2006)87[2882:LTGFAT]2.0.CO;2).
- Sasaki T. *et al.* 2007. Genetic divergence and phylogenetic independence of Far Eastern species in subfamily Leuciscinae (Pisces: Cyprinidae) inferred from mitochondrial DNA analyses. *Genes and Genetic Systems*. 82(4). Available at: <https://doi.org/10.1266/ggs.82.329>.
- Sharifian S. *et al.* 2017. Population structure and morphometric variation in the sand-bubbler crab *Scopimera crabricauda* (Brachyura: Dotillidae). *Animal Biology*. 67(3–4). Available at: <https://doi.org/10.1163/15707563-00002539>.
- Sharifian S. *et al.* 2021. Growth and population biology of the sand-bubbler crab *Scopimera crabricauda* Alcock 1900 (Brachyura: Dotillidae) from the Persian Gulf, Iran. *The Journal of Basic and Applied Zoology*. 82(1). Available at: <https://doi.org/10.1186/s41936-021-00218-x>.
- Shih H. Te. 2015. *Uca* (Xeruca), a new subgenus for the Taiwanese fiddler crab *Uca formosensis* Rathbun, 1921 (Crustacea: Decapoda: Ocypodidae), based on morphological and molecular evidence. *Zootaxa*. 3974(2). Available at: <https://doi.org/10.11646/zootaxa.3974.2.1>.
- Shih H. Te *et al.* 2019. Resurrection of *Gelasimus variegatus* heller, 1862, a fiddler crab closely related to *Austruca bengali* (Crane, 1975) and *A. triangularis* (a. milne-edwards, 1873) (decapoda, brachyura, ocypodidae), from the bay of Bengal, Indian ocean. *Zoological Studies*. 58. Available at: <https://doi.org/10.6620/ZS.2019.58-12>.
- Shih H. Te, and Chan B.K.K. 2022. Systematics and Biogeography of Fiddler Crabs – A Special Issue in Zoological Studies. *Zoological Studies*. 61. Available at: <https://doi.org/10.6620/ZS.2022.61-64>.
- Shih H. Te, Chan B.K.K., and Ng P.K.L. 2018. *Tubuca alcocki*, a new pseudocryptic species of fiddler crab from the Indian ocean, sister to the southeastern African *T. Urvillei* (H. Milne Edwards, 1852) (Crustacea, Decapoda, Brachyura, Ocypodidae). *ZooKeys*. 2018(747). Available at: <https://doi.org/10.3897/zookeys.747.23468>.

- Shih H. Te, Komai T., and Liu M.Y. 2013. A new species of fiddler crab from the Ogasawara (Bonin) Islands, Japan, separated from the widely-distributed sister species *Uca* (Paraleptuca) crassipes (White, 1847) (Crustacea: Decapoda: Brachyura: Ocypodidae). *Zootaxa*. 3746(1). Available at: <https://doi.org/10.11646/zootaxa.3746.1.8>.
- Shih H. Te, Naruse T., and Ng P.K.L. 2010. *Uca Jocelynae* sp. nov., a new species of fiddler crab (Crustacea: Brachyura: Ocypodidae) from the Western Pacific. *Zootaxa* [Preprint]. (2337). Available at: <https://doi.org/10.11646/zootaxa.2337.1.4>.
- Shih H. Te, and Poupin J. 2020. A new fiddler crab of *austruca* bott, 1973, closely related to *A. Perplexa* (H. Milne Edwards, 1852) (Crustacea: Brachyura: Ocypodidae), from the South Pacific Islands. *Zoological Studies*. 59. Available at: <https://doi.org/10.6620/ZS.2020.59-26>.
- Shih H.T. *et al.* 2016. Systematics of the family Ocypodidae Rafinesque, 1815 (Crustacea: Brachyura), based on phylogenetic relationships, with a reorganization of subfamily .... *Raffles Bulletin of* .... 7600(July).
- Silbiger N., and Munguia P. 2008. Carapace color change in *Uca pugilator* as a response to temperature. *Journal of Experimental Marine Biology and Ecology*. 355(1). Available at: <https://doi.org/10.1016/j.jembe.2007.11.014>.
- Silva I.C., Mesquita N., and Paula J. 2010. Lack of population structure in the fiddler crab *Uca annulipes* along an East African latitudinal gradient: Genetic and morphometric evidence. *Marine Biology*. 157(5). Available at: <https://doi.org/10.1007/s00227-010-1393-9>.
- Soundarapandian, P., Samuel, N.J., Ravichandran, S. and Kannupandi, T.. 2008. Biodiversity of crabs in Pichavaram mangrove environment, South East Coast of India. *International Journal of Zoological Research*. 4(2). Available at: <https://doi.org/10.3923/ijzr.2008.113.118>.
- Suchard M.A. *et al.* 2018. Bayesian phylogenetic and phylodynamic data integration using BEAST 1.10. *Virus Evolution*. 4(1), pp. 1–5. Available at: <https://doi.org/10.1093/ve/vey016>.
- Takeshita F. 2019. Color changes of fiddler crab between seasons and under stressful conditions: Patterns of changes in lightness differ between carapace and claw.

*Journal of Experimental Marine Biology and Ecology*. 511. Available at: <https://doi.org/10.1016/j.jembe.2018.12.001>.

Tamura K., Stecher G., and Kumar S. 2021. MEGA11: Molecular Evolutionary Genetics Analysis Version 11. *Molecular Biology and Evolution*. 38(7), pp. 3022–3027. Available at: <https://doi.org/10.1093/molbev/msab120>.

Tanjung R., Khakhim N., and Rustadi R. 2017. Kajian Fisik Pesisir Kulon Progo untuk Penentuan Zona Kawasan Mangrove dan Tambak Udang. *Majalah Geografi Indonesia*. 31(2). Available at: <https://doi.org/10.22146/mgi.26320>.

Thomson A.I. *et al.* 2021. Charting a course for genetic diversity in the UN Decade of Ocean Science. *Evolutionary Applications*. 14(6). Available at: <https://doi.org/10.1111/eva.13224>.

Thurman C.L. *et al.* 2018. The unusual case of the widely distributed fiddler crab *Minuca rapax* (Smith, 1870) from the western Atlantic: An exemplary polytypic species. *Invertebrate Systematics*. 32(6). Available at: <https://doi.org/10.1071/IS18029>.

Thurman C.L., Shih H. Te, and McNamara J.C. 2023. *Minuca panema* (Coelho, 1972): Resurrection of a Fiddler Crab Species from Brazil Closely Related to *Minuca burgersi* (Holthuis, 1967) (Crustacea, Decapoda, Brachyura, Ocypodidae). *Zoological Studies*. 62. Available at: <https://doi.org/10.6620/ZS.2023.62-45>.

Tokuyama T. *et al.* 2020. Genetic population structure of the fiddler crab *Austruca lactea* (De Haan, 1835) based on mitochondrial DNA control region sequences. *Crustacean Research*. 49(0). Available at: [https://doi.org/10.18353/crustacea.49.0\\_141](https://doi.org/10.18353/crustacea.49.0_141).

Trisyani, N., 2017. KEANEKARAGAMAN HAYATI DAN KONSERVASI (Study pada spesies Lorjuk, *Solen* sp.). *Seminar Nasional Kelautan XII*.

Uddin A., Mazumder T.H., and Chakraborty S. 2019. Understanding molecular biology of codon usage in mitochondrial complex IV genes of electron transport system: Relevance to mitochondrial diseases. *Journal of Cellular Physiology*. 234(5). Available at: <https://doi.org/10.1002/jcp.27375>.

- Wang S.H. *et al.* 2019. Genetic diversity and population structure of native mitten crab (*Eriocheir sensu stricto*) by microsatellite markers and mitochondrial COI gene sequence. *Gene*. 693. Available at: <https://doi.org/10.1016/j.gene.2018.12.083>.
- Ward R.D. *et al.* 2005a. DNA barcoding Australia's fish species. *Philosophical Transactions of the Royal Society B: Biological Sciences*. 360(1462). Available at: <https://doi.org/10.1098/rstb.2005.1716>.
- Ward R.D. *et al.* 2005b. DNA barcoding Australia's fish species. *Philosophical Transactions of the Royal Society B: Biological Sciences*. 360(1462), pp. 1847–1857. Available at: <https://doi.org/10.1098/rstb.2005.1716>.
- Waugh J. 2007. DNA barcoding in animal species: Progress, potential and pitfalls. *BioEssays*. Available at: <https://doi.org/10.1002/bies.20529>.
- Weis J.S., and Weis P. 2004. Behavior of four species of fiddler crabs, genus *Uca*, in southeast Sulawesi, Indonesia. *Hydrobiologia*. 523(1–3). Available at: <https://doi.org/10.1023/B:HYDR.0000033093.84155.1d>.
- Wieman A.C. *et al.* 2014. A panmictic fiddler crab from the coast of Brazil? Impact of divergent ocean currents and larval dispersal potential on genetic and morphological variation in *Uca maracoani*. *Marine Biology*. 161(1). Available at: <https://doi.org/10.1007/s00227-013-2327-0>.
- Williams T.L., and Moret B.M.E. 2003. An investigation of phylogenetic likelihood methods. in *Proceedings - 3rd IEEE Symposium on BioInformatics and BioEngineering, BIBE 2003*. Available at: <https://doi.org/10.1109/BIBE.2003.1188932>.
- Wiyono, D. D. D. 2018. Pengelolaan Hutan Mangrove di Dusun Baros Desa Tirtohargo Kecamatan Kretek Kabupaten Bantul. *Tugas Akhir D3*. Universitas Gadjah Mada.
- Woolliams, J. A., & Toro, M. 2007. What is genetic diversity. *Utilisation and conservation of farm animal genetic resources*, 55-74
- Xu J. 2005. The inheritance of organelle genes and genomes: Patterns and mechanisms. in *Genome*. Available at: <https://doi.org/10.1139/g05-082>.



- Yamaguchi T. 2002. Survival rate and age estimation of the fiddler crab, *Uca lactea* (De Haan, 1835) (Decapoda, Brachyura, Ocypodidae). *Crustaceana*. 75(8). Available at: <https://doi.org/10.1163/15685400260569634>.
- Yoo H.S. *et al.* 2006. DNA barcoding Korean birds. *Molecules and Cells*. 22(3). Available at: [https://doi.org/10.1016/s1016-8478\(23\)17427-9](https://doi.org/10.1016/s1016-8478(23)17427-9).
- Zhang C. *et al.* 2018. Genetic diversity and genetic structure of farmed and wild Chinese mitten crab (*Eriocheir sinensis*) populations from three major basins by mitochondrial DNA COI and Cyt b gene sequences. *Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis*. 29(7). Available at: <https://doi.org/10.1080/24701394.2017.1404048>.
- Zhang Y.C., and Shih H. Te. 2022. First Zoeal Stage of 15 Species of Fiddler Crabs (Crustacea: Brachyura: Ocypodidae) from Taiwan. *Zoological Studies*. 61. Available at: <https://doi.org/10.6620/ZS.2022.61-71>.