

DAFTAR PUSTAKA

- Abbott, I. A., dan J.H., George. 1992. *Phaeophyta & Sargassum, Marine Algae of California*. Stanford University Press, Stanford.
- Ale, M.T., D.M. Jorn, dan S.M. Anne. 2011. Important determinants for fucoidan bioactivity: a critical review of structure-function relations and extraction methods for fucose-containing sulfated polysaccharides from brown seaweeds. *Marine Drugs*, 9: 2106-2130
- Atmadja, W.S. dan van W.F.P. van Reine. 2014. Checklist of the seaweed species biodiversity of Indonesia with their distribution and classification: green algae (Chlorophyta) and brown algae (Phaeophyceae, Ochrophyta). Leiden & Indonesia: Naturalis Biodiversity Centre, Indonesian Institute of Sciences (LIPI).
- Bjork, I. dan J.E. Olson. 1997. Antithrombin, a Bloody Important Serpin, dalam *Chemistry and Biology of Serpins*. Plenum Press, New York
- Chandia, N.P. dan B. Matsuhira. 2008. Characterization of a fucoidan from *Lessonia vadosa* (Phaeophyta) and its anticoagulant and elicitor properties. *International Journal of Biological Macromolecules*, 42: 235-240
- Chen, C.Y., et al. 2021. Effect of molecular mass and sulfat content of fucoidan from *Sargassum siliculosum* on antioxidant, anti-lipogenesis, and anti-inflammatory activity. *Journal of Bioscience and Bioengineering*, 132(4): 359-364
- Chevolot, L., et al.. 1999. Further data on the structure of brown seaweed fucans: relationship with anticoagulant activity. *Carbohydrate Research*, 319: 154-165
- Chuang, Y.J., R. Swanson, S.M. Raja dan S.T. Olson. 2001. Heparin enhances the specificity of antithrombin for thrombin and factor Xa independent of the reactive center loop sequence: evidence for an exosite determinant of factor Xa specificity in heparin-activated antithrombin. *Journal of Biological Chemistry*, 276 (18): 14961–14971
- Colliec, S., et al. 1991. Anticoagulant properties of a fucoidan fraction. *Thrombosis Research*, 64 (2): 143–154.
- Cribb, A. B. 1953. *Macrocystis pyrifera* (L.) Ag. in Tasmanian waters. *Australian Journal of Marine and Freshwater Research*, 5 (1): 1–34.
- Dore, C.M.P.G., et al. 2013. A sulfated polysaccharide, fucans, isolated from brown algae *Sargassum vulgare* with anticoagulant, antithrombotic, antioxidant and anti-inflammatory effects. *Carbohydrate Polymers*, 91: 467-475
- Fitton, J.H. 2011. Therapies from fucoidan: multifunctional marine polymers. *Marine Drugs*, 9 (10): 1731–1760

- Franchini, M., M.L. Giancarlo, B. Carlo dan L. Giuseppe. 2016. The evolution of anticoagulant therapy. *Blood Transfusion*, 14(2): 175-184
- FTIR Functional Group Database Table with Search – InstaNANO. <https://instanano.com/all/characterization/ftir/ftir-functional-group-search/>, diakses pada 12 Januari 2024
- Gotama, T.L., H. Amir dan Ustadi. 2018. Antidiabetic activity of *Sargassum hystrix* extracts in streptozotocin-induced diabetic rats. *Preventive Nutrition and Food Science*, 23(3): 189-195
- Guiry, M.D. dan G.M. Guiry. 2021. AlgaeBase. World-wide electronic publication, National University of Ireland, Galway. <https://www.algaebase.org>, diakses pada 18 Juni 2023
- Husni, A., P.A. Fajar, I. Alim dan E.N. Agung. 2016. Blood glucose level and lipid profile of streptozotocin-induced diabetic rats treated with *Sargassum polystum* extract. *International Journal of Pharmaceutical and Clinical Research*, 8(5): 445- 450.
- Idrus, S., S. Hadinoto, H. Smith, dan V.D. Loupatty. 2019. Kandungan mineral fukoidan rumput laut *Sargassum crassifolium* dari perairan pantai Desa Hutumuri Ambon. *Prosiding Seminar Nasional Lingkungan Lahan Basah*, 4(1), 163-167
- Irhimeh, M.R., F.J. Helen dan M.L. Ray. 2009. Pilot clinical study to evaluate the anticoagulant activity of fukoidan. *Blood Coagulation & Fibrinolysis*, 20(7): 607- 610
- Jordan, R.E., G.M. Oosta, W.T. Gardner dan R.D. Rosenberg. 1980. The kinetics of hemostatic enzyme-antithrombin interactions in the presence of low molecular weight heparin. *Journal of Biological Chemistry*. 255 (21): 10081–10090
- Jung, K.W., K.S. Min, K.H. Guell dan O.H. Rim. 2007. Purification and anticoagulant activity of fucoidan from Korean *Undaria pinnatifida* sporophyll. *Journal Alga*, 22(3): 247-252
- Kasanah, N., Setyadi, Triyanto dan T. Ismi. 2018. Rumput Laut Indonesia: Keanekaragaman Rumput Laut di Gunung Kidul Yogyakarta. Gadjah Mada University Press, Yogyakarta
- Kee, J.L. dan R.H. Evelyn. 1996. Farmakologi. Penerbit Buku Kedokteran EGC, Jakarta.
- Kurnialahi, I.D., H. Amir, S. Ellya dan I. Alim. 2020. Antioxidant activity of tropical seaweed *Sargassum muticum* fukoidan. *AACL Bioflux*, 13(1): 230-240
- Lailatussifa, R., H. Amir dan I. Alim. 2017. Aktivitas antioksidan dan analisis proksimat bubuk kering alga cokelat *Sargassum hystrix*. *Jurnal Perikanan Universitas Gadjah Mada*, 19(1): 29-37

- Li, B., L. Fei, W. Xinjun dan Z. Ruixiang. 2008. Fucoidan: structure and bioactivity. *Molecules*, 13: 1671-1695.
- Novian, A.A. dan H. Amir. 2020. The impact of temperature on the antioxidant activity of fucoidan obtained from brown seaweed *Sargassum hystrix* extracted using EDTA. *AACL Bioflux*, 13(6): 3743-3753
- Oduah, E.I., J.L. Robert dan T.S. Susan 2016. Heparin: past, present, and future. *Pharmaceuticals*, 9: 38
- Olson, S.T., dan I. Björk. 1994. Mechanism of action of heparin and heparin-like antithrombotics. *Perspective in Drug Discovery and Design*, 1(3): 479-501
- Piran S. dan S. Sam. 2019. Treatment of bleeding complication in patients on anticoagulant therapy. *Blood*, 133(5): 425-435
- Raven, P. H., R.F. Evert dan S.E. Eichhorn 2005. Biology of Plants. W. H. Freeman and Company, New York
- Samudra, A.G., S.K. Fathnur dan H. Amir. 2017. In vitro α -glucosidase and in vivo anti-hyperglycemia activity extract of alginate from the brown Marine algae *Sargassum hystrix*. *Journal of Pharmacy Research*, 11(8): 927-931
- Sinurat E., dan R. Kusumawati. 2017. Optimasi metode ekstraksi fukoidan kasar dari rumput laut cokelat *Sargassum binderi* sonder. *JPB Kelautan dan Perikanan*, 12(2): 125-134
- Sinurat, E., R. Peranginangin dan E. Saepudin. 2011. Ekstraksi dan uji aktivitas fukoidan dari rumput laut coklat (*Sargassum crassifolium*) sebagai antikoagulan. *Jurnal Pascapanen dan Bioteknologi Kelautan dan Perikanan*, 6(2): 131-138
- Sinurat, E., P. Rosmawaty dan S. Endang. 2015. Purification and characterization of fucoidan from the brown seaweed *Sargassum binderi* sonder. *Squalen Bulletin of Marine & Fisheries Postharvest & Biotechnology*, 10(2): 79-87
- Yoon, S.J., Y.R. Pyun, J.K. Hwang dan P.A.S. Mourao. 2007. A sulfated fucan from the brown alga *Laminaria cichorioides* has mainly heparin cofactor II-dependent anticoagulant activity. *Carbohydrate Research*, 342: 2326-2330
- You-jin, J., W.A.J.P. Wijengsihe, dan K. Se-Kwon. 2011. Functional properties of brown alga sulfated polisaccharides, fucoidans. *Advances in Food and Nutrition Research*, Vol.64
- Zhao, D., J. Xu, dan X. Xu. 2017. Bioactivity of fucoidan extracted from *Laminaria japonica* using a novel procedure with high yield. *Food Chemistry*, 245:911-918.
- Zhu, Z., et al. 2010. Higher specificity of the activity of low molecular weight fucoidan for thrombin-induced platelet aggregation. *Thrombosis Research*, 125(5): 419-426