

## DAFTAR PUSTAKA

- Abdipour, H., & Asgari, G. (2024). Enhanced methylene blue degradation and mineralization through activated persulfate coupled with magnetic field. *Cleaner Engineering and Technology*, 23 (October), 100822. <https://doi.org/10.1016/j.clet.2024.100822>
- Aisida, S. O., Ugwu, K., Akpa, P. A., Nwanya, A. C., Nwankwo, U., Bashir, A. K. H., Madiba, I. G., Ahmed, I., & Ezema, F. I. (2019). Synthesis and characterization of iron oxide nanoparticles capped with Moringa Oleifera: The mechanisms of formation effects on the optical, structural, magnetic and morphological properties. *Materials Today: Proceedings*, 36, 214–218. <https://doi.org/10.1016/j.matpr.2020.03.167>
- Antarnusa, G., Jayanti, P. D., Denny, Y. R., & Suherman, A. (2022). Utilization of co-precipitation method on synthesis of Fe<sub>3</sub>O<sub>4</sub>/PEG with different concentrations of PEG for biosensor applications. *Materialia*, 25(July), 101525. <https://doi.org/10.1016/j.mtla.2022.101525>
- Balakrishna, A. R., & James, R. D. (2020). A Tool to Predict Coercivity in Magnetic Materials. *SSRN Electronic Journal*, 1–25. <https://doi.org/10.2139/ssrn.3692993>
- Boruah, P. K., & Das, M. R. (2020). Dual responsive magnetic Fe<sub>3</sub>O<sub>4</sub>-TiO<sub>2</sub>/graphene nanocomposite as an artificial nanozyme for the colorimetric detection and photodegradation of pesticide in an aqueous medium. *Journal of Hazardous Materials*, 385(October 2019), 121516. <https://doi.org/10.1016/j.jhazmat.2019.121516>
- Dhillon, G. S., Brar, S. K., Kaur, S., & Verma, M. (2012). Green approach for nanoparticle biosynthesis by fungi: Current trends and applications. *Critical Reviews in Biotechnology*, 32(1), 49–73. <https://doi.org/10.3109/07388551.2010.550568>
- Ghosh, R., Pradhan, L., Devi, Y. P., Meena, S. S., Tewari, R., Kumar, A., Sharma, S., Gajbhiye, N. S., Vatsa, R. K., Pandey, B. N., & Ningthoujam, R. S. (2011). Induction heating studies of Fe<sub>3</sub>O<sub>4</sub> magnetic nanoparticles capped with oleic acid and polyethylene glycol for hyperthermia. *Journal of Materials Chemistry*, 21(35), 13388–13398. <https://doi.org/10.1039/c1jm10092k>
- Hankare, P. P., Jadhav, S. D., Sankpal, U. B., Chavan, S. S., Waghmare, K. J., & Chougule, B. K. (2009). Synthesis, characterization and effect of sintering temperature on magnetic properties of MgNi ferrite prepared by co-precipitation method. *Journal of Alloys and Compounds*, 475(1–2), 926–929. <https://doi.org/10.1016/j.jallcom.2008.08.082>

- Kalubowilage, M., Janik, K., & Bossmann, S. H. (2019). Magnetic nanomaterials for magnetically-aided drug delivery and hyperthermia. *Applied Sciences (Switzerland)*, 9(14). <https://doi.org/10.3390/app9142927>
- Khattab, T. A., Abdelrahman, M. S., & Rehan, M. (2020). Textile dyeing industry: environmental impacts and remediation. *Environmental Science and Pollution Research*, 27(4), 3803–3818. <https://doi.org/10.1007/s11356-019-07137-z>
- Khodiri, A. A., Al-Ashry, M. Y., & El-Shamy, A. G. (2020). Novel hybrid nanocomposites based on polyvinyl alcohol/graphene/magnetite nanoparticles for high electromagnetic shielding performance. *Journal of Alloys and Compounds*, 847. <https://doi.org/10.1016/j.jallcom.2020.156430>
- Kishor, R., Purchase, D., Saratale, G. D., Saratale, R. G., Ferreira, L. F. R., Bilal, M., Chandra, R., & Bharagava, R. N. (2021). Ecotoxicological and health concerns of persistent coloring pollutants of textile industry wastewater and treatment approaches for environmental safety. *Journal of Environmental Chemical Engineering*, 9(2), 105012. <https://doi.org/10.1016/j.jece.2020.105012>
- Liu, S., Yu, B., Wang, S., Shen, Y., & Cong, H. (2020). Preparation, surface functionalization and application of Fe<sub>3</sub>O<sub>4</sub> magnetic nanoparticles. *Advances in Colloid and Interface Science*, 281, 102165. <https://doi.org/10.1016/j.cis.2020.102165>
- Mabarroh, N., Alfansuri, T., Aji Wibowo, N., Imani Istiqomah, N., Marsel Tumbelaka, R., & Suharyadi, E. (2022). Detection of green-synthesized magnetite nanoparticles using spin-valve GMR-based sensor and their potential as magnetic labels. *Journal of Magnetism and Magnetic Materials*, 560(July), 169645. <https://doi.org/10.1016/j.jmmm.2022.169645>
- Mahardhika, L. J., Zurnansyah, Kusumah, H. P., Jayanti, P. D., Tumbelaka, R. M., Ardiyanti, H., Istiqomah, N. I., Sari, E. K., Asri, N. S., Angel, J., Aliah, H., & Suharyadi, E. (2024). Photodegradation enhancement of organic dyes using magnetically separable and reusable Fe<sub>3</sub>O<sub>4</sub>/rGO nanocomposites green-synthesized utilizing plant leaves extract. *Case Studies in Chemical and Environmental Engineering*, 10(June), 100915. <https://doi.org/10.1016/j.cscee.2024.100915>
- Mariotti, S. (2020). Hybrid and inorganic plumbo- halide perovskites for solar cells by Silvia Mariotti. *April*. <https://doi.org/10.17638/03031053>
- Natarajan, S., Anitha, V., Gajula, G. P., & Thiagarajan, V. (2020). Synthesis and Characterization of Magnetic Superadsorbent Fe<sub>3</sub>O<sub>4</sub>-PEG-Mg-Al-LDH Nanocomposites for Ultrahigh Removal of Organic Dyes. *ACS Omega*, 5(7), 3181–3193. <https://doi.org/10.1021/acsomega.9b03153>

- Noh, J., Osman, O. I., Aziz, S. G., Winget, P., & Brédas, J. L. (2014). A density functional theory investigation of the electronic structure and spin moments of magnetite. *Science and Technology of Advanced Materials*, 15(4). <https://doi.org/10.1088/1468-6996/15/4/044202>
- Oladoye, P. O., Ajiboye, T. O., Omotola, E. O., & Oyewola, O. J. (2022). Methylene blue dye: Toxicity and potential elimination technology from wastewater. *Results in Engineering*, 16(September), 100678. <https://doi.org/10.1016/j.rineng.2022.100678>
- Pandey, G., Singh, S., & Hitkari, G. (2018). Synthesis and characterization of polyvinyl pyrrolidone (PVP)-coated Fe<sub>3</sub>O<sub>4</sub> nanoparticles by chemical co-precipitation method and removal of Congo red dye by adsorption process. *International Nano Letters*, 8(2), 111–121. <https://doi.org/10.1007/s40089-018-0234-6>
- Piaskowski, K., Świdarska-Dąbrowska, R., & Zarzycki, P. K. (2018). Dye removal from water and wastewater using various physical, chemical, and biological processes. *Journal of AOAC International*, 101(5), 1371–1384. <https://doi.org/10.5740/jaoacint.18-0051>
- Polte, J. (2015). Fundamental growth principles of colloidal metal nanoparticles - a new perspective. *CrystEngComm*, 17(36), 6809–6830. <https://doi.org/10.1039/c5ce01014d>
- Prabha, G., & Raj, V. (2016). Formation and characterization of β-cyclodextrin (β-CD) - polyethyleneglycol (PEG) - polyethyleneimine (PEI) coated Fe<sub>3</sub>O<sub>4</sub> nanoparticles for loading and releasing 5-Fluorouracil drug. *Biomedicine and Pharmacotherapy*, 80, 173–182. <https://doi.org/10.1016/j.biopha.2016.03.015>
- Prakruthi, K., Ujwal, M. P., Yashas, S. R., Mahesh, B., Kumara Swamy, N., & Shivaraju, H. P. (2022). Recent advances in photocatalytic remediation of emerging organic pollutants using semiconducting metal oxides: an overview. *Environmental Science and Pollution Research*, 29(4), 4930–4957. <https://doi.org/10.1007/s11356-021-17361-1>
- Radoń, A., Drygała, A., Hawełek, Ł., & Łukowiec, D. (2017). Structure and optical properties of Fe<sub>3</sub>O<sub>4</sub> nanoparticles synthesized by co-precipitation method with different organic modifiers. *Materials Characterization*, 131(April), 148–156. <https://doi.org/10.1016/j.matchar.2017.06.034>
- Rajabathar, J. R., Thankappan, R., Sutha, A., Al-Lohedan, H., Mahmoud Karami, A., Ashok Kumar, S., Devendrapandi, G., Roji Marjorie, S., & Balu, R. (2024). Enhanced photocatalytic activity of magnetite/titanate (Fe<sub>3</sub>O<sub>4</sub>/TiO<sub>2</sub>) nanocomposite for methylene blue dye degradation under direct sunlight. *Optical Materials*, 148(October 2023), 114820. <https://doi.org/10.1016/j.optmat.2023.114820>

- Rani, N. Z. A., Husain, K., & Kumolosasi, E. (2018). Moringa genus: A review of phytochemistry and pharmacology. *Frontiers in Pharmacology*, 9(FEB), 1–26. <https://doi.org/10.3389/fphar.2018.00108>
- Rybalova, O., Artemiev, S., Sarapina, M., Tsymbal, B., Bakhareva, A., Shestopalov, O., & Filenko, O. (2018). Development of methods for estimating the environmental risk of degradation of the surface water state. *Eastern-European Journal of Enterprise Technologies*, 2(10–92), 4–17. <https://doi.org/10.15587/1729-4061.2018.127829>
- Sahu, S., Pahi, S., Sahu, J. K., Sahu, U. K., & Patel, R. K. (2020). Kendu (*Diospyros melanoxylon* Roxb) fruit peel activated carbon—an efficient bioadsorbent for methylene blue dye: equilibrium, kinetic, and thermodynamic study. *Environmental Science and Pollution Research*, 27(18), 22579–22592. <https://doi.org/10.1007/s11356-020-08561-2>
- Sari, E. K., Tumbelaka, R. M., Ardiyanti, H., Istiqomah, N. I., Chotimah, & Suharyadi, E. (2023). Green synthesis of magnetically separable and reusable Fe<sub>3</sub>O<sub>4</sub>/Cdots nanocomposites photocatalyst utilizing Moringa oleifera extract and watermelon peel for rapid dye degradation. *Carbon Resources Conversion*, 6(4), 274–286. <https://doi.org/10.1016/j.crcon.2023.04.003>
- Senbeta, T. (2023). Enhanced magneto-optical properties of Fe<sub>3</sub>O<sub>4</sub>@Au nanoparticles and its reverse core-shell nanostructure embedded in host matrix SiO<sub>2</sub>. *Photonics and Nanostructures - Fundamentals and Applications*, 57(August), 101182. <https://doi.org/10.1016/j.photonics.2023.101182>
- Sun, A. C. (2018). Synthesis of magnetic carbon nanodots for recyclable photocatalytic degradation of organic compounds in visible light. *Advanced Powder Technology*, 29(3), 719–725. <https://doi.org/10.1016/j.appt.2017.12.013>
- Suttirak, W., & Manurakchinakorn, S. (2014). In vitro antioxidant properties of mangosteen peel extract. *Journal of Food Science and Technology*, 51(12), 3546–3558. <https://doi.org/10.1007/s13197-012-0887-5>
- Taimoory, S. M., Trant, J. F., Rahdar, A., Aliahmad, M., Sadeghfar, F., & Hashemzaei, M. (2017). Importance of the inter-electrode distance for the electrochemical synthesis of magnetite nanoparticles: Synthesis, characterization, computational modelling, and cytotoxicity. *E-Journal of Surface Science and Nanotechnology*, 15(April), 31–39. <https://doi.org/10.1380/ejsnt.2017.31>
- Teja, A. S., & Koh, P. Y. (2009). Synthesis, properties, and applications of magnetic iron oxide nanoparticles. *Progress in Crystal Growth and Characterization of Materials*, 55(1–2), 22–45. <https://doi.org/10.1016/j.pcrysgrow.2008.08.003>

- Utsev, J. T., Iwar, R. T., & Ifyalem, K. J. (1058). Adsorption of Methylene Blue from Aqueous Solution onto Delonix regia Pod Activated Carbon: Batch Equilibrium Isotherm, Kinetic and Thermodynamic Studies. *J. Mater. Environ. Sci*, 2020(7), 1058–1078. <http://www.jmaterenvironsci.com>
- Wang, J., Yang, X., Li, A., & Cai, X. (2018). Preparation and characterization of multifunctional Fe<sub>3</sub>O<sub>4</sub>-coated Ag nanocomposites for catalytic reduction of 4-nitrophenol. *Materials Letters*, 220, 24–27. <https://doi.org/10.1016/j.matlet.2018.02.100>
- Wang, X., Zhao, Y., Jiang, X., Liu, L., Li, X., Li, H., & Liang, W. (2018). In-situ self-assembly of plant polyphenol-coated Fe<sub>3</sub>O<sub>4</sub> particles for oleaginous microalgae harvesting. *Journal of Environmental Management*, 214, 335–345. <https://doi.org/10.1016/j.jenvman.2018.03.019>
- Xu, C., Anusuyadevi, P. R., Aymonier, C., Luque, R., Xu, C., Anusuyadevi, P. R., Aymonier, C., Luque, R., & Marre, S. (2019). Nanostructured materials for photocatalysis To cite this version : HAL Id : hal-02185643 Nanostructured materials for photocatalysis. *Chemical Society Reviews*, 48(14), 3868–3902.
- Zhang, Y., Duan, J., Liu, R., Petropoulos, E., Feng, Y., Xue, L., Yang, L., & He, S. (2024). Efficient magnetic capture of PE microplastic from water by PEG modified Fe<sub>3</sub>O<sub>4</sub> nanoparticles: Performance, kinetics, isotherms and influence factors. *Journal of Environmental Sciences (China)*, 147, 677–687. <https://doi.org/10.1016/j.jes.2023.07.025>