

DAFTAR PUSTAKA

- [1] E. Szumska, M. Pawełczyk, and V. Pistek, "Evaluation of the Life Cycle Costs for urban buses equipped with conventional and hybrid drive trains," *Arch. Motoryz.*, vol. 83, no. 1, pp. 73–86, 2019.
- [2] M. Rasul *et al.*, "Train motive power technologies: a review on existing and emerging (hybrid) technologies," presented at the 10th World Congress on Railway Research (WCRR2013), 2013, pp. 25–28. [Online]. Available: https://www.researchgate.net/profile/Maksym-Spiryagin/publication/308719679_Train_Motive_Power_Technologies_A_Review_on_Existing_and_Emerging_Hybrid_Technologies/links/57ecb3a208ae93b7fa959c13/Train-Motive-Power-Technologies-A-Review-on-Existing-and-Emerging-Hybrid-Technologies.pdf
- [3] J. Xu, X. Cao, and Z. Hao, "A droop control strategy based on synchronous rectifier to modulate the frequency and voltage in AC microgrid," presented at the 2019 22nd International Conference on Electrical Machines and Systems (ICEMS), IEEE, 2019, pp. 1–5. doi: 10.1109/ICEMS.2019.8921702.
- [4] F. D. Wijaya, Y. F. Sidik, R. Irnawan, A. I. Cahyadi, and M. B. Frasetyo, "Droop control Strategy of Controlled Three-Phase PWM Rectifier for Hybrid Train Propulsion," presented at the 2023 15th International Conference on Information Technology and Electrical Engineering (ICITEE), IEEE, 2023, pp. 75–80. doi: 10.1109/ICITEE59582.2023.10317653.
- [5] K. Rouzbehi, A. Miranian, J. I. Candela, A. Luna, and P. Rodriguez, "A generalized voltage droop strategy for control of multiterminal DC grids," *IEEE Trans. Ind. Appl.*, vol. 51, no. 1, pp. 607–618, 2014, doi: 10.1109/TIA.2014.2332814.
- [6] Q.-C. Zhong and Z. Lyu, "Droop-controlled rectifiers that continuously take part in grid regulation," *IEEE Trans. Ind. Electron.*, vol. 66, no. 8, pp. 6516–6526, 2018, doi: 10.1109/TIE.2018.2863193.
- [7] L. Zhao, Z. Luo, Z. Fan, and Y. Shi, "A dual half-bridge converter with hybrid rectifier for DC power supply in railway systems," *IEEE Trans. Power Electron.*, vol. 35, no. 5, pp. 4579–4587, 2019, doi: 10.1109/TPEL.2019.2946046.
- [8] A. Y. M. Wang *et al.*, "2017 Kidney Disease: Improving Global Outcomes (KDIGO) Chronic Kidney Disease–Mineral and Bone Disorder (CKD-MBD) Guideline Update Implementation: Asia Summit Conference Report," *Kidney Int. Rep.*, vol. 4, no. 11, pp. 1523–1537, 2019, doi: 10.1016/j.ekir.2019.09.007.
- [9] H. Li, C. Liu, G. Li, and R. Iravani, "An Enhanced DC Voltage Droop-Kontrol for the VSC--HVDC Grid," *IEEE Trans. Power Syst.*, vol. 32, no. 2, pp. 1520–1527, 2016, doi: 10.1109/TPWRS.2016.2576901.
- [10] R. A. Ferreira, H. A. Braga, A. A. Ferreira, and P. G. Barbosa, "Analysis of voltage droop control method for dc microgrids with Simulink: Modelling and simulation," presented at the 2012 10th IEEE/IAS International Conference on Industry Applications, IEEE, 2012, pp. 1–6. doi: 10.1109/INDUSCON.2012.6452563.
- [11] N. Shiraki, H. Satou, and S. Arai, "A hybrid system for diesel railcar series Ki-Ha E200," presented at the The 2010 International Power Electronics Conference-ECCE ASIA-, IEEE, 2010, pp. 2853–2858. doi: 10.1109/IPEC.2010.5542319.
- [12] Y. Kono, N. Shiraki, H. Yokoyama, and R. Furuta, "Catenary and storage battery hybrid system for electric railcar series EV-E301," presented at the 2014 International Power Electronics Conference (IPEC-Hiroshima 2014-ECCE ASIA), IEEE, 2014, pp. 2120–2125. doi: 10.1109/IPEC.2014.6869881.

- [13] K. Fahem, D. Chariag, and L. Sbita, "Kontrol of three-phase voltage source pwm rectifier," presented at the Proceedings of the 3rd International Conference on Automation, Kontrol, Engineering and Computer Science (ACECS'16), Hammamet, Tunisia, 2016, pp. 20–22. [Online]. Available: https://www.researchgate.net/profile/Kawther-Fahem/publication/357690019_Kontrol_of_Three-Phase_Voltage_Source_PWM_Rectifier/links/61db58e2b6b5667157db4efa/Kontrol-of-Three-Phase-Voltage-Source-PWM-Rectifier.pdf
- [14] F. Fang, Y. Li, and Y. Li, "A new modular SPWM strategy for parallel isolated matrix rectifiers to improve current quality," presented at the 2020 IEEE Energy Conversion Congress and Exposition (ECCE), IEEE, 2020, pp. 1577–1582. doi: 10.1109/ECCE44975.2020.9236070.
- [15] R. R. Boros and I. Bodnár, "Effect of spwm inverter in combination with solar uninterruptible induction motor drive," *Energies*, vol. 16, no. 13, p. 5061, 2023, doi: 10.3390/en16135061.
- [16] E.-C. Chang, R.-C. Wu, H. H. Chang, and C.-A. Cheng, "Robust Intelligent Tracking Kontrol Technique for Single-Phase SPWM Inverters," *Processes*, vol. 11, no. 1, p. 13, 2022, doi: <https://doi.org/10.3390/pr11010013>.
- [17] L. Xu, Z. Zhu, and L. Yan, "Low switching frequency SPWM strategies for open-winding machine with low current harmonics," *IEEE Trans. Ind. Appl.*, vol. 58, no. 2, pp. 2042–2054, 2022, doi: <https://doi.org/10.3390/pr11010013>.
- [18] Y. Yuan, "Design and Research of Three-Phase Passive Inverter Based on SPWM Modulation," presented at the Proceedings of the 6th International Conference on Information Technologies and Electrical Engineering, ICITEE, 2023, pp. 35–41. doi: <https://doi.org/10.1145/3640115.3640121>.
- [19] M. Ahsan, S. T. Hon, C. Batunlu, and A. Albarbar, "Reliability assessment of IGBT through modelling and experimental testing," *IEEE Access*, vol. 8, pp. 39561–39573, 2020, doi: 10.1109/ACCESS.2020.2973578.
- [20] L. Han, L. Liang, Y. Kang, and Y. Qiu, "A review of SiC IGBT: models, fabrications, characteristics, and applications," *IEEE Trans. Power Electron.*, vol. 36, no. 2, pp. 2080–2093, 2020, doi: 10.1109/TPEL.2020.3005940.
- [21] L. Wei, T. A. Lipo, and R. A. Lukaszewski, "Comparison of IGBT cycling capabilities for different AC/AC topologies," *IEEE Trans. Ind. Appl.*, vol. 46, no. 6, pp. 2475–2483, 2010, doi: 10.1109/TIA.2010.2070478.
- [22] X. Huang, D. Chang, and T. Q. Zheng, "Research on control characteristics of PWM rectifier with RC-IGBT," presented at the 2017 12th IEEE Conference on Industrial Electronics and Applications (ICIEA), IEEE, 2017, pp. 1570–1575. doi: 10.1109/ICIEA.2017.8283088.
- [23] M. Pan, "Study of the performance of an integrated liquid cooling heat sink for high-power IGBTs," *Appl. Therm. Eng.*, vol. 190, p. 116827, 2021, doi: <https://doi.org/10.1016/j.applthermaleng.2021.116827>.
- [24] D. Xiang *et al.*, "Noncontact monitoring of IGBT turn-off time using PWM switching ringing for inverter-fed machine systems," *IEEE Trans. Power Electron.*, vol. 36, no. 10, pp. 11055–11067, 2021, doi: 10.1109/TPEL.2021.3070354.
- [25] A. Kouchaki and M. Nymand, "Analytical design of passive LCL filter for three-phase two-level power factor correction rectifiers," *IEEE Trans. Power Electron.*, vol. 33, no. 4, pp. 3012–3022, 2017, doi: 10.1109/TPEL.2017.2705288.
- [26] M. Najjar, A. Kouchaki, and M. Nymand, "Inductor size evaluation of an electromagnetic interference filter for a two-level power factor correction rectifier using different modulation techniques," presented at the 2020 22nd European Conference on Power

- Electronics and Applications (EPE'20 ECCE Europe), IEEE, 2020, pp. 1–9. doi: 10.23919/EPE20ECCEEurope43536.2020.9215713.
- [27] Electronic Base, “Smoothing and Filter Capacitor Calculator,” Electronic Component Calculation. Accessed: Sep. 01, 2024. [Online]. Available: <https://electronicbase.net/smoothing-capacitor-calculator/>
- [28] P. Batarius and I. P. A. Samane, “Analisis Metode Gauss-Jordan Dalam Penentuan Arus Pada Rangkaian Listrik,” *J. Ilm. Matrik*, vol. 23, no. 3, pp. 279–290, 2021.
- [29] J. Beerten and R. Belmans, “Analysis of power sharing and voltage deviations in droop-controlled DC grids,” *IEEE Trans. Power Syst.*, vol. 28, no. 4, pp. 4588–4597, 2013, doi: 10.1109/TPWRS.2013.2272494.
- [30] M. A. Abdelwahed and E. F. El-Saadany, “Power sharing control strategy of multiterminal VSC-HVDC transmission systems utilizing adaptive voltage droop,” *IEEE Trans. Sustain. Energy*, vol. 8, no. 2, pp. 605–615, 2016, doi: 10.1109/TSTE.2016.2614223.
- [31] M. Davari and Y. A.-R. I. Mohamed, “Robust droop and DC-bus voltage control for effective stabilization and power sharing in VSC multiterminal DC grids,” *IEEE Trans. Power Electron.*, vol. 33, no. 5, pp. 4373–4395, 2017, doi: 10.1109/TSTE.2016.2614223.
- [32] B. A. Taye and N. B. D. Choudhury, “A dynamic droop control for a DC microgrid to enhance voltage profile and proportional current sharing,” *Electr. Power Syst. Res.*, vol. 221, p. 109438, 2023, doi: <https://doi.org/10.1016/j.epsr.2023.109438>.
- [33] N. Sridhar and R. Kanagaraj, “Modeling and Simulation of Kontroller for Single Phase and Three Phase PWM Rectifiers,” *Indian J. Sci. Technol.*, vol. 8, no. 32, pp. 1–8, 2015.
- [34] H. Bai and C. Mi, *Transients of modern power electronics*. John Wiley & Sons, 2011.
- [35] R. Z. Makki, S.-T. Su, and T. Nagle, “Transient power supply current testing of digital CMOS circuits,” presented at the Proceedings of 1995 IEEE International Test Conference (ITC), IEEE, 1995, pp. 892–901. doi: 10.1109/TEST.1995.529922.
- [36] A. Vidal *et al.*, “Assessment and optimization of the transient response of proportional-resonant current controllers for distributed power generation systems,” *IEEE Trans. Ind. Electron.*, vol. 60, no. 4, pp. 1367–1383, 2012, doi: 10.1109/TIE.2012.2188257.
- [37] K. Gupta, N. Gupta, K. Gupta, and N. Gupta, “Different Types of Diodes, Ideal and Real Diodes, Switching Diodes, Abrupt and Graded Junctions,” *Adv. Semicond. Mater. Devices*, pp. 235–259, 2016, doi: https://doi.org/10.1007/978-3-319-19758-6_6.
- [38] S. P. Biswas, M. S. Anower, M. R. I. Sheikh, M. R. Islam, and K. M. Muttaqi, “Investigation of the impact of different PWM techniques on rectifier-inverter fed induction motor drive,” presented at the 2020 Australasian Universities Power Engineering Conference (AUPEC), IEEE, 2020, pp. 1–6. [Online]. Available: <https://ieeexplore.ieee.org/abstract/document/9344483>
- [39] A. Bohra, D. Sajeesh, C. Patel, and M. Saldanha, “Modulation techniques in single phase PWM rectifier,” *Int. J. Comput. Appl.*, vol. 975, p. 8887, 2016.
- [40] Y. Zhou, B. Froppier, and T. Razban, “Schottky diode rectifier for power harvesting application,” presented at the 2012 IEEE International Conference on RFID-Technologies and Applications (RFID-TA), IEEE, 2012, pp. 429–432. doi: 10.1109/RFID-TA.2012.6404561.
- [41] M. Yilmaz *et al.*, “High-efficiency passive full wave rectification for electromagnetic harvesters,” *J. Appl. Phys.*, vol. 116, no. 13, 2014, doi: <https://doi.org/10.1063/1.4896668>.
- [42] B.-H. Lee, M.-Y. Kim, C.-E. Kim, K.-B. Park, and G.-W. Moon, “Analysis of LLC resonant converter considering effects of parasitic components,” presented at the INTELEC 2009-31st International Telecommunications Energy Conference, IEEE, 2009, pp. 1–6. doi: 10.1109/INTLEC.2009.5351740.
- [43] Y. Liu *et al.*, “Thermal Design and Evaluation of a Rectifier for Electric Vehicle Wireless

- Charging Using Hybrid PCBs and Planar Magnetics,” *IEEE Trans. Compon. Packag. Manuf. Technol.*, 2024, doi: 10.1109/TCPMT.2024.3383346.
- [44] P. Pejovic and Z. Janda, “An analysis of three-phase low-harmonic rectifiers applying the third-harmonic current injection,” *IEEE Trans. Power Electron.*, vol. 14, no. 3, pp. 397–407, 1999, doi: 10.1109/63.761682.
- [45] R. C. M. Gomes, M. A. Vitorino, D. A. Acevedo-Bueno, and M. B. de Rossiter Corrêa, “Three-phase AC–AC converter with diode rectifier for induction heating application with improved input current quality and coil modeling,” *IEEE Trans. Ind. Appl.*, vol. 57, no. 3, pp. 2673–2681, 2021, doi: 10.1109/TIA.2021.3065629.
- [46] F. Zare, H. Soltani, D. Kumar, P. Davari, H. A. M. Delpino, and F. Blaabjerg, “Harmonic emissions of three-phase diode rectifiers in distribution networks,” *Ieee Access*, vol. 5, pp. 2819–2833, 2017, doi: 10.1109/ACCESS.2017.2669578.
- [47] J. Lundquist, “On harmonic distortion in power systems,” 2001, [Online]. Available: <https://webfiles.portal.chalmers.se/et/Lic/LundquistJohanLic.pdf>
- [48] A. Baggini and Z. Hanzelka, “Voltage and current harmonics,” *Handb. Power Qual.*, pp. 228–229, 2008.
- [49] J. Pfeiffer, P. Küster, I. E. Schulz, J. Friebe, and P. Zacharias, “Review of flux interaction of differently aligned magnetic fields in inductors and transformers,” *IEEE Access*, vol. 9, pp. 2357–2381, 2020, doi: 10.1109/ACCESS.2020.3047156.
- [50] S. Karekar, “Analysis Comparison and Study on Mitigation of Harmonics by using Active and Passive Harmonics Filters by using MATLAB Simulation,” *JOJ Mater Sci*, vol. 4, no. 1, pp. 1–9, 2018, doi: 10.19080/JOJMS.2018.04.555628.
- [51] L. Gidwani and H. Tiwari, “A comparative study on the grid integrated wind energy conversion systems (WECS) using different generator models,” *Int. J. Power Energy Convers.*, vol. 3, no. 1–2, pp. 94–110, 2012, doi: <https://doi.org/10.1504/IJPEC.2012.044285>.
- [52] J. Venkat, A. Shukla, and S. Kulkarni, “A novel dq-vector based kontrol for the three phase active rectifier in a power electronic transformer,” presented at the 2013 Annual IEEE India Conference (INDICON), IEEE, 2013, pp. 1–6. doi: 10.1109/INDCON.2013.6725915.
- [53] J. Benzaquen, M. B. Shadmand, and B. Mirafzal, “Ultrafast rectifier for variable-frequency applications,” *IEEE Access*, vol. 7, pp. 9903–9911, 2019, doi: 10.1109/ACCESS.2019.2891351.
- [54] Y.-S. Hwang, B.-H. Hwang, H.-C. Lin, and J.-J. Chen, “PLL-based contactless energy transfer analog FSK demodulator using high-efficiency rectifier,” *IEEE Trans. Ind. Electron.*, vol. 60, no. 1, pp. 280–290, 2011, doi: 10.1109/TIE.2011.2181135.
- [55] S. Jeong and G. Jang, “Stability analysis of a weak-grid-connected voltage-sourced rectifier considering the phase-locked loop dynamics,” *IEEE Trans. Power Syst.*, vol. 38, no. 1, pp. 436–446, 2022, doi: 10.1109/TPWRS.2022.3169176.
- [56] X. Zhu, Z. Fu, and X. Su, “A Novel Unit Power Factor Rectifier Based on Three-phase Digital PLL,” *TELKOMNIKA Indones. J. Electr. Eng.*, vol. 11, no. 7, pp. 3925–3934, 2013, doi: <http://dx.doi.org/10.11591/telkomnika.v11i7.2850>.
- [57] C. Bing, M. Hui, X. Yunxiang, and W. Yingpin, “Sliding mode and predictive current kontrol for vienna-type rectifiers,” presented at the 2015 18th International Conference on Electrical Machines and Systems (ICEMS), IEEE, 2015, pp. 340–344. doi: 10.1109/ICEMS.2015.7385055.
- [58] P. Antoniewicz and M. Kazmierkowski, “Predictive direct power kontrol of three-phase boost rectifier,” *Bull. Pol. Acad. Sci. Tech. Sci.*, vol. 54, no. 3, 2006, [Online]. Available: <https://citeseerx.ist.psu.edu/document?repid=rep1&type=pdf&doi=aa6f2fc39e74ce3009bbde9285ce1787989021c7>



- [59] V.-T. Le and H.-H. Lee, “Grid-voltage sensorless model-free predictive current control for PWM rectifiers with measurement noise suppression,” *IEEE Trans. Power Electron.*, vol. 37, no. 9, pp. 10681–10697, 2022, doi: 10.1109/TPEL.2022.3164404.
- [60] X. Yang, H. Hu, H. Hu, Y. Liu, and Z. He, “A quasi-resonant extended state observer-based predictive current control strategy for three-phase PWM rectifier,” *IEEE Trans. Ind. Electron.*, vol. 69, no. 12, pp. 13910–13917, 2021, doi: 10.1109/TIE.2021.3137441.
- [61] “Three Phase Sinosoidal PWM based Rectifier,” Math Works. Accessed: Aug. 05, 2024. [Online]. Available: <https://www.mathworks.com/matlabcentral/fileexchange/28536-three-phase-sinosoidal-pwm-based-rectifier>
- [62] K. Nagar, A. K. Sharma, D. Palwalia, and A. Sharma, “Harmonic Analysis of Three Phase SPWM and SVPWM Converters,” *Int J. Adv. Res. Electr. Electr. Instrum. Eng.*, vol. 3, pp. 12977–12985, 2014.
- [63] K. Ahmed, I. Hussain, M. Seyedmahmoudian, A. Stojcevski, and S. Mekhilef, “Voltage stability and power sharing control of distributed generation units in DC microgrids,” *Energies*, vol. 16, no. 20, p. 7038, 2023.