

DAFTAR PUSTAKA

- Akzad, M. B. 2021. Keragaman genetik berbasis issr dan informasi kandungan nutrisi murbei (*morus spp.*) Pada beberapa provenansi di sulawesi selatan genetic diversity based on issr and nutritional content information of murbei (*morus spp.*) In some provenances of south sulawesi (Doctoral dissertation, Universitas Hasanuddin).
- Amin, A. R. 2015. Mengenal budidaya timun melalui pemanfaatan media informasi. *J. Jupiter*. 14 (1): 66 - 71.
- Amiryousefi, A., Hyvönen, J., and Poczai, P. 2018. iMEC: Online marker efficiency calculator. *Applications in plant sciences*. 6(6): e01159.
- Aneja, B., Yadav, N. R., Chawla, V., and Yadav, R. C. 2012. Sequence-related amplified polymorphism (SRAP) molecular marker system and its applications in crop improvement. *Molecular breeding*. 30: 1635-1648.
- Anggereini, E. 2008. Random Amplified Polymorphic DNA (RAPD), suatu metode analisis DNA dalam menjelaskan berbagai fenomena biologi. *Biospecies*. 1(2).
- Arif, I. A. and Khan, H. A. 2009. Molecular markers for biodiversity analysis of wildlife animals: a brief review. *Animal Biodiversity and Conservation*. 32.1: 9– 17.
- Azzam, C. R., Sultan, F. M., Rizk, M. S., Ahmed, M. Z., Ibrahim, S. D., Noureldeen, A., and Khaled, K. A. M. 2023. SRAP and IRAP revealed molecular characterization and genetic relationships among cowpea (*Vigna unguiculata* L.) irradiated by gamma-ray. *Beni-Suef University Journal of Basic and Applied Sciences*. 12(1): 109.
- BCA. <https://benihcitraasia.co.id/product-details/semi-fl.html>. <diakses 6 November 2024>
- Bento, M., Tomas, D., Viegas, W., and Silva, M. 2013. Retrotransposons represent the most labile fraction for genomic rearrangements in polyploid plant species. *Cytogenetic and Genome Research*. 140(2-4): 286-294.
- Bernardo, R. (2002). *Breeding for Quantitative Traits in Plants*. Stemma Press.
- Bommesh, J. C., M. Pitchaimuthu., K. V. Ravishankar, and B. Varalakshmi. 2020. Development and maintenance of tropical gynoeccious inbred lines in cucumber (*Cucumis sativus* L.) and validation by dna markers. *Agric Res*. 9(2): 161-168.
- Boopalakrishnan, G., Jayavel, S., Behera, T. K., Munshi, A. D., Kumari, S., and Kumar, S. 2021. Deriving tropical gynoeccious inbred backcross lines from exotic pickling cucumber using marker assisted backcross breeding. *Scientia Horticulturae*. 288: 110320.

- Buchori, A., Firmansah, H., Anika, M., Ratnawati, S., Ulfa, U. T., dan Zendrato, Y. 2023. Komparasi metode ekstraksi DNA menggunakan daun padi. *Agriculture and Biological Technology*. 1(1): 40-50.
- Chemicals, H. 2014. Nutritional recommendations for CUCUMBER in open field's tunnels and greenhouses. Haifa Chemicals ltd. https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=22364#null. <diakses 6 November 2024>
- Chinnappareddy, L. R. D., Khandagale, K., Chennareddy, A., and Ramappa, V. G. 2013. Molecular markers in the improvement of Allium crops. *Czech Journal of Genetics and Plant Breeding*. 49(4): 131-139.
- Datta, D., Gupta, Sanjeev, Chaturvedi, S.K. and Nadarajan, N. 2011. Molecular Markers in Crop Improvement. Indian Institute of Pulses Research, Kanpur - 208 024
- Etcgroup. <https://www.etcgroup.org/issues/seeds-genetic-diversity>. <diakses 20 November 2024>
- Fahlevi, M. R., Bakti, D., Sitepu, S. F., dan Prasetyo, A. E. 2018. Karakterisasi Molekuler *Elaeidobius kamerunicus* Faust.(Coleoptera: Curculionidae) Asal Sumatera Utara Menggunakan Metode Amplified Fragment Length Polymorphism (AFLP): Insect Molecular characterization of *Elaeidobius kamerunicus* Faust.(Coleoptera; Curculionidae) From North Sumatra Using Amplified Fragment Length Polymorphism (AFLP). *Jurnal Online Agroekoteknologi*. 6(2): 259-270.
- Fatmawati, Y. 2022. Validasi genetik berdasarkan penanda retrotransposon dan evaluasi komponen hasil pada populasi f2 dan f3 hasil persilangan intergenerik [kacang hijau (*vigna radiata*) x buncis (*phaseolus vulgaris*)] (doctoral dissertation, universitas gadjah mada).
- Fatmawati, Y., Setiawan, A. B., Purwantoro, A., Respatie, D. W., and Teo, C. H. 2021. Analysis of genetic variability in F2 interspecific hybrids of mung bean (*Vigna radiata*) using inter-retrotransposon amplified polymorphism marker system. *Biodiversitas Journal of Biological Diversity*. 22(11).
- Guan, B., Liu, Q., Liu, X., and Gong, X. 2024. Environment influences the genetic structure and genetic differentiation of *Sassafras tzumu* (Lauraceae). *BMC Ecology and Evolution*. 24(1): 80.
- Hariri, M.R., T. Chikmawati, A. Hartana. 2017. Genetic diversity of *Indigofera tinctoria* L. in Java and Madura islands as natural batik dye based on ISSR. *J. Math. Fund. Sci*. 49(2): 105-115.
- <https://www.thermofisher.com/id/en/home/life-science/cloning/cloning-learning-center/invitrogen-school-of-molecular-biology/pcr-education/pcr-reagents-enzymes/pcr-basics.html#pcr>
- ITIS (Interagency Taxonomic Information System). 2011. *Cucumis sativus* L. Taxonomic Serial No.: 22364.

- Kalendar, R., Grob, T., Regina, M., Suoniemi, A., and Schulman, A. 1999. IRAP and REMAP: two new retrotransposon-based DNA fingerprinting techniques. *Theoretical and Applied Genetics*. 98: 704-711.
- Kanaka, K. K., Sukhija, N., Goli, R. C., Singh, S., Ganguly, I., Dixit, S. P., and Malik, A. A. 2023. On the concepts and measures of diversity in the genomics era. *Current Plant Biology*. 33: 100278.
- Karakurt, Y., Güvercin, D., Önder, S., and İşler, Ö. 2020. Assessment of genetic diversity in cucumber (*Cucumis sativus* L.) genotypes using morphological characters and AFLP analysis. *Kahramanmaraş Sütçü İmam Üniversitesi Tarım ve Doğa Dergisi*. 23(3): 577-585.
- Kumar, A., and Jeffrey, L.B. 1999. Plant Retrotransposon. *Annual Review of Genetics*.
- Lancíková, V., and Žiarovská, J. 2020. Inter-retrotransposon amplified polymorphism markers revealed long terminal repeat retrotransposon insertion polymorphism in flax cultivated on the experimental fields around Chernobyl. *Journal of Environmental Science and Health, Part A*. 55(8): 957-963.
- Lestari, P., Putri, R. E., Rineksane, I. A., Handayani, E., Nugroho, K., dan Terryana, R. T. 2021. Keragaman genetik 27 aksesori Kedelai (*Glycine max* l. Merr.) introduksi subtropis berdasarkan marka SSR. *Vegetalika*. 10(1): 1-17.
- Li, G., and Quiros, C. F. 2001. Sequence-related amplified polymorphism (SRAP), a new marker system based on a simple PCR reaction: its application to mapping and gene tagging in Brassica. *Theoretical and applied genetics*. 103: 455-461.
- Li, S. F., She, H. B., Yang, L. L., Lan, L. N., Zhang, X. Y., Wang, L. Y., and Gao, W. J. 2022. Impact of LTR-retrotransposons on genome structure, evolution, and function in Cucurbitaceae species. *International Journal of Molecular Sciences*. 23(17): 10158.
- Lynch, M., and Walsh, B. 1998. *Genetics and Analysis of Quantitative Traits*. Sinauer Associates.
- Marakli, S. 2019. Retrotransposon analyses in Cucurbitaceae family. *International Journal of Science Letters*. 1(1): 68-76.
- Mu'arif, M. I. 2018. Pengaruh Pemberian Biourine Kambing Dan Pupuk NPK Terhadap Pertumbuhan Dan Produksi Tanaman Timun Jepang (*Cucumissativus* var japonese.). Fakultas Pertanian Universitas Muhammadiyah Sumatera Utara Medan 2018.
- Nei, M. 1973. Analysis of Gene Diversity in Subdivided Populations. *Proceedings of the National Academy of Sciences*, 70(12): 3321-3323.
- Ningrum, a. W. 2021. Analisis keragaman genetik 10 populasi tanaman mentimun (*cucumis sativus* l.) Berdasarkan marka molekuler sequence-related amplified polymorphism (srp).

- Nurmayanti, K. 2023. Hubungan Kekerabatan Beberapa Varietas Unggul Padi (*Oryza sativa* L) Terpilih Berdasarkan Karakterisasi Kualitas Biji. *KLOROFIL: Jurnal Ilmu Biologi dan Terapan*. 7(1): 41-47.
- Orozco-Arias, S., Isaza, G., and Guyot, R. 2019. Retrotransposons in plant genomes: structure, identification, and classification through bioinformatics and machine learning. *International journal of molecular sciences*. 20(15): 3837.
- Panah merah. <https://beta.panahmerah.id/id/home>. <diakses 6 November 2024>
- Pertiwi. <https://benihpertiwi.co.id/timun-monroe/>. <diakses 6 November 2024>
- Pratiwi, E., dan Lovendo, I.W. 2020. Kuantifikasi hasil ekstraksi gen sebagai faktor kristis untuk keberhasilan pemeriksaan RT-PCR. *Indonesian Journal for Health Sciences*. 4(1): 1-9
- Rahul, R. 2020. Respon tanaman timun (*cucumis sativus* l.) Terhadap poc kotoran ayam dengan konsentrasi yang berbeda. Fakultas Pertanian Universitas Cokroaminoto Palopo.
- Restu, M., dan Pongtuluran, I. 2012. Seleksi primer untuk analisis keragaman genetik jenis bitti (*Vitex coffassus*). *Perennial*, 8(1): 25-29.
- Ringné, M. 2008. What is principal component analysis?. *Nature biotechnology*. 26(3): 303-304.
- Saiallagan, C. S., Syafi'i, M., Samaullah, M. Y., Susanto, U., Pramudyawardani, E. F., and Prastika, D. 2022. Visualisasi gel akrilamida sidik jari dna 49 genotipe padi (*Oryza sativa* L) menggunakan marka SSR (Simple Sequence Repeat). *Jurnal Ilmiah Wahana Pendidikan*. 8(8): 32-37.
- Serrote, C. M. L., Reiniger, L. R. S., Silva, K. B., dos Santos Rabaiolli, S. M., & Stefanel, C. M. 2020. Determining the polymorphism information content of a molecular marker. *Gene*. 726: 144175.
- Sharma, S. K., and Agrawal, P. K. 2011. Seed purity and its effect on crop productivity in hybrids. *Indian Journal of Agricultural Sciences*. 81(4): 301-308.
- Smith, J. S., and Smith, O. S. 1997. *Molecular Marker Analysis in Plant Breeding: Current Status and Future Perspectives*. Crop Science.
- Sulistyawati, P., dan Widyatmoko, A. Y. P. B. C. 2017. Keragaman Genetik Populasi Kayu Merah (*Pterocarpus Indicus* Willd) Menggunakan Penanda Random Amplified Polymorphism Dna. *Jurnal Pemuliaan Tanaman Hutan*. 11(1): 67-76.
- Swarup, S., Cargill, E. J., Crosby, K., Flagel, L., Kniskern, J., and Glenn, K. C. 2021. Genetic diversity is indispensable for plant breeding to improve crops. *Crop Science*. 61(2): 839-852.
- Syah, T. H., dan Arbain, A. 2020. Pengembangan Metode Penanda Isozyme Pada Trembesi. *Jurnal Pemuliaan Tanaman Hutan*. 14(2): 137-145.

- Tahir, N., Husain, I., dan Purnomo, S. H. 2021. Uji pendahuluan daya hasil satu genotipe lokal (landrace) dengan tiga varietas pembanding kacang hijau (*Vigna radiata* L) di Gorontalo. *Jurnal Agroteknotropika*. 10(2).
- Taliercio, E., D. Eickholt, F. Rouf, F., and Charter, T. 2017. Changes in gene expression between a soybean F1 hybrid and its parents are associated with agronomically valuable traits. *PLoS ONE*, 12(5):e0177225.
- Terryana, R. T., Nugroho, K., Reflinur, R., Mulya, K., Dewi, N., dan Lestari, P. 2017. Keragaman genotipik dan fenotipik 48 aksesori kedelai introduksi asal Cina. *Jurnal AgroBiogen*. 13(1): 1-16.
- Terryana, R.T., K. Nugroho, H. Rijzaani, dan P. Lestari. 2018. Karakterisasi keragaman genetik 27 genotipe cabai berdasarkan marka SSR (Simple Sequence Repeat). *Jurnal Ilmu-Ilmu Hayati*. 17(2): 183-194.
- Uthpala, T. G., Marapana, R. A. U., Lakmini, K. P., and Wettimuny, D. C. 2020. Nutritional bioactive compounds and health benefits of fresh and processed cucumber (*Cucumis sativus* L.).
- Vignal, A., Milan, D., SanCristobal, M., and Eggen, A. 2002. A review on SNP and other types of molecular markers and their use in animal genetics. *Genetics Selection Evolution*. 34(3): 275–305.
- Weng, Y. 2021. *Cucumis sativus* chromosome evolution, domestication, and genetic diversity: Implications for cucumber breeding. *Plant Breeding Reviews*, 44, 79-111.
- Woelan, S., Nissa, C., Chaidamsari, T., and Irwansyah, E. 2015. Analisis genetik populasi hasil persilangan klon rrim 600 dengan genotipe plasma nutfah 1981. *Jurnal Penelitian Karet*: 101-120.
- Yustiati, A., Hutagalung, R. M., Andriani, Y., Lili, W., and Bangkit, I. 2020. Genetic analysis of tilapia (*Oreochromis niloticus*) nirwana strain cultured in aceh besar and wanayasa by using random amplified polymorphic dna method. *Asian Journal of Biochemistry, Genetics and Molecular Biology*. 4(4): 1-9.
- Zahidah, Q. A. 2022. Analisis segregasi dan keragaman genetik generasi f2 mentimun (*cucumis sativus* l.)'Metavy'x'shiroibo fushinari'berdasarkan penanda retrotransposon.