

DAFTAR PUSTAKA

- [1] N. M. H. Robbi, I. W. Mustika, and W. Widyawan, "A modified genetic algorithm for resource allocation in cognitive radio networks in the presence of primary users," pp. 19–23, Aug. 2019.
- [2] W. N. Singh and N. Marchang, "Spectrum allocation in cognitive radio networks using gene therapy-based evolutionary algorithms," *Arabian Journal for Science and Engineering*, vol. 47, no. 8, pp. 10 277–10 293, 2022.
- [3] G. D. Perkasa, N. M. H. Robbi, I. W. Mustika, and Widyawan, "Interference mitigation in cognitive radio network based on grey wolf optimizer algorithm," in *2020 3rd International Seminar on Research of Information Technology and Intelligent Systems (ISRITI)*, 2020, pp. 135–139.
- [4] S. Mirjalili, "Moth-flame optimization algorithm: A novel nature-inspired heuristic paradigm," *Knowledge-Based Systems*, vol. 89, pp. 228–249, 2015.
- [5] —, "Handbook of moth-flame optimization algorithm: Variants, hybrids, improvements, and applications," 2022.
- [6] M. Xu, J. Zhou, and R. Yang, "A biologically inspired channel allocation method for image acquisition in cognitive radio sensor networks," in *2020 IEEE 5th International Conference on Image, Vision and Computing (ICIVC)*, Jul. 2020, pp. 267–271.
- [7] A. Bilal, S. Latif, S. A. Ghauri, O.-Y. Song, A. A. Abbasi, and T. Karamat, "Modified heuristic computational techniques for the resource optimization in cognitive radio networks (crns)," *Electronics*, vol. 12, no. 4, p. 973, 2023.
- [8] P. F. Marshall, "Closed-form analysis of spectrum characteristics for cognitive radio performance analysis," in *2008 3rd IEEE Symposium on New Frontiers in Dynamic Spectrum Access Networks*, 2008, pp. 1–12.
- [9] P. S. M. Tripathi, A. Chandra, and R. Prasad, "Deployment of cognitive radio in india," *Wireless Personal Communications*, vol. 76, no. 2, pp. 523–533, 2014.
- [10] S. Latif, S. Akraam, A. J. Malik, A. A. Abbasi, M. Habib, and S. Lim, "Improved channel allocation scheme for cognitive radio networks," *Intelligent Automation & Soft Computing*, vol. 27, no. 1, pp. 103–114, 2021.
- [11] S. E. Rajavel, T. Sivaprakasam, P. Sasikala, J. D. D. D. J., E. J. Priyadharsini, and S. S. L., "Spectrum sensing channel allocation based on flower pollination algorithm in cognitive radio - vanet," in *2023 International Conference on Emerging Research in Computing, Information, Communication and Applications (ERCICA)*, 2023.



- [12] U. U. Khan, N. Dilshad, M. H. Rehmani, and T. Umer, “Fairness in cognitive radio networks: Models, measurement methods, applications, and future research directions,” *Journal of Network and Computer Applications*, vol. 73, pp. 12–26, Sep. 2016.
- [13] C. Srikamu, S. Sahithi, M. S. S. Gayathri, K. K. Spruha, S. Karthikeyan, and R. Jayabharathy, “Fairness index analysis of noma over oma system for b5g applications,” in *2022 International Conference on Wireless Communications Signal Processing and Networking (WiSPNET)*, 2022, pp. 341–344.
- [14] R. Zheng, X. Li, and Y. Chen, “An overview of cognitive radio technology and its applications in civil aviation,” *Sensors*, vol. 23, no. 6125, 2023.
- [15] J. Mitola III, *Cognitive Radio: An Integrated Agent Architecture*. Stockholm, Sweden: Royal Institute of Technology (KTH), 1999.
- [16] K. Sridhara and P. S. M. Tripathi, “Spectrum challenges and solutions by cognitive radio: An overview,” *Wireless Personal Communications*, vol. 45, no. 3, pp. 281–291, 2008. [Online]. Available: <http://www.itu.int/>
- [17] J. M. III and G. Q. Maguire, “Cognitive radio: Making software radios more personal,” *IEEE Personal Communications*, vol. 6, no. 4, pp. 13–18, 1999. [Online]. Available: <https://ieeexplore.ieee.org/document/788210>
- [18] G. I. Tsiropoulos, O. A. Dobre, M. H. Ahmed, and K. E. Baddour, “Radio resource allocation techniques for efficient spectrum access in cognitive radio networks,” *IEEE Communications Surveys & Tutorials*, vol. 18, no. 1, pp. 824–847, 2016.
- [19] F. Hu, B. Chen, and K. Zhu, “Full spectrum sharing in cognitive radio networks toward 5g: A survey,” *IEEE Access*, vol. 6, pp. 15 754–15 776, 2018.
- [20] GSMA, “Introducing radio spectrum,” <https://www.gsma.com/connectivity-for-good/spectrum/wp-content/uploads/2017/04/Introducing-Radio-Spectrum.pdf>, 2017, [Accessed: July 2, 2024].
- [21] K. Youssef, N. Messiha, and M. Abd-Elnaby, “Throughput and fairness enhancement based resource allocation scheme for underlay cognitive radio networks,” in *2017 Japan-Africa Conference on Electronics, Communications and Computers (JAC-ECC)*, Dec 2017, pp. 86–90.
- [22] S. H. Gopalan, M. M. Parvez, A. Manikandan, and S. Ramalingam, “Cognitive radio spectrum allocation using nash equilibrium with multiple scheduling resource selection algorithm,” *Ain Shams Engineering Journal*, vol. 15, no. 5, p. 102688, May 2024.



- [23] S. M and M. G. Sumithra, "Overview of spectrum sharing and dynamic spectrum allocation schemes in cognitive radio networks," in *2022 8th International Conference on Advanced Computing and Communication Systems (ICA-CCS)*, Mar. 2022, pp. 934–937.
- [24] H. T. Friis, "A note on a simple transmission formula," *Proceedings of the IRE*, vol. 34, no. 5, pp. 254–256, 1946.
- [25] R. K. Jain, D.-M. Chiu, and W. R. Hawe, "A quantitative measure of fairness and discrimination for resource allocation in shared systems," Digit. Equipment Corp., Tech. Rep., 1984.
- [26] Z.-H. Wei and B.-J. Hu, "A fair multi-channel assignment algorithm with practical implementation in distributed cognitive radio networks," *IEEE Access*, vol. 6, pp. 14 255–14 267, 2018.
- [27] M. Koppen, K. Yoshida, and M. Tsuru, "Multi-jain fairness index of per-entity allocation," *2013 5th International Conference on Intelligent Networking and Collaborative Systems*, pp. 841–846, 2013.
- [28] S. Mirjalili and A. H. Gandomi, "Comprehensive metaheuristics algorithms and applications," *Academic Press is an imprint of Elsevier*, 2023.
- [29] V. Sharma, V. K. Jain, and A. Kumar, *An Introduction to Optimization Techniques*. Boca Raton: CRC Press, Taylor & Francis Group, 2021.
- [30] V. Sharma and A. K. Tripathi, "A systematic review of meta-heuristic algorithms in iot based application," *Array*, vol. 14, p. 100164, Jul. 2022.
- [31] W. Bamogo, K. Some, and J. Poda, "Grey wolves attack process for the pareto optimal front construction in the multiobjective optimization," *Eur. J. Pure Appl. Math*, vol. 16, no. 1, p. 595–608, 2023.
- [32] I. Boussaïd, J. Lepagnot, and P. Siarry, "A survey on optimization metaheuristics," *Information Sciences*, vol. 237, pp. 82–117, Jul 2013.
- [33] S. Mirjalili and A. Lewis, "Grey wolf optimizer," *Advances in Engineering Software*, vol. 69, pp. 46–61, Mar. 2014.
- [34] M. Shehab, L. Abualigah, H. A. Hamad, H. Alabool, M. Alshinwan, and A. M. Khasawneh, "Moth–flame optimization algorithm: variants and applications," *Neural Comput & Applic*, vol. 32, no. 14, pp. 9859–9884, July 2020.
- [35] A. Rahmanti, F. B. Setiawan, I. W. Mustika, and Selo, "Case study of moth flame optimization implementation for network challenges," pp. 363–367, January 2022.



- [36] I. W. Mustika, F. B. Setiawan, and K. Xaphakdy, “Performance enhancement in macro-femto network using a modified discrete moth-flame optimization algorithm,” in *2020 3rd International Seminar on Research of Information Technology and Intelligent Systems (ISRITI)*, 2020, pp. 215–220.
- [37] S. Aras, H. T. Kahraman, and E. Gedikli, “Determination of the effects of penalty coefficient on the meta-heuristic optimization process,” in *2018 International Conference on Artificial Intelligence and Data Processing (IDAP)*, 2018, pp. 1–6.