

- Abidin, Z. (2006). Penentuan posisi dengan GPS dan aplikasinya. Pradya Paramitha.
- Abidin, Z. (2024). Penentuan Posisi dengan GPS dan Aplikasinya. ITB Press. ISBN 978-623-297-456-2
- Amiranti, A. Y. (2016). Pembuatan model tiga dimensi menggunakan foto jarak dekat dengan kombinasi metode interaktif dan otomatis (Skripsi, Universitas Gadjah Mada). Program Studi Teknik Geodesi, Fakultas Teknik, Universitas Gadjah Mada.
- Baiocchi, V., Piccaro, C., Allegra, M., Giammarresi, V., & Vatore, F. (2018). Imaging rover technology: Characteristics, possibilities and possible improvements. *Journal of Physics: Conference Series*, 12008. <https://doi.org/10.1088/1742-6596/1110/1/012008>
- Cera, V., & Campi, M. (2017). Evaluating the potential of imaging rover for automatic point cloud generation. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, XLII-2-W3, 147–154. <https://doi.org/10.5194/isprs-archives-XLII-2-W3-147-2017>
- El-Rabbany, A. (2002). Introduction to GPS: The global positioning system. Artech House.
- Furukawa, Y., & Hernández, C. (2013). Multi-view stereo: A tutorial. *Foundations and Trends in Computer Graphics and Vision*, 9(1–2), 1–148. <https://doi.org/10.1561/06000000052>
- Harintaka, Subaryono, & Tanjung, A. M. (2008). Evaluasi penerapan mini bundle block adjustment pada foto udara format kecil. *Media Teknik*, 30(3), August 2008.
- Harahap, S. J., & Handayani, H. H. (2016). Visualisasi 3D objek menggunakan teknik fotogrametri jarak dekat. *Jurnal Teknik ITS*, 5(1).
- He, F., Zhou, T., Xiong, W., Hasheminnasab, S. M., & Habib, A. (2018). Automated aerial triangulation for UAV-based mapping. *Remote Sensing*, 10(12), 1952. <https://doi.org/10.3390/rs10121952>
- Hofmann-Wellenhof, B., Lichtenegger, H., & Wasle, E. (2007). GNSS—global navigation satellite systems: GPS, GLONASS, Galileo, and more. Springer Science & Business Media.

- Jain, K. (2021). How photogrammetric software works: A perspective based on UAV's exterior orientation parameters. *Journal of the Indian Society of Remote Sensing*, 49, 641–649. <https://doi.org/10.1007/s12524-020-01256-8>
- Jaud, M., Bertin, S., Beauverger, M., Augereau, E., & Delacourt, C. (2020). RTK GNSS assisted terrestrial SfM photogrammetry without GCP: Application to coastal morphodynamics monitoring. *Remote Sensing*, 12(11), 1889. <https://doi.org/10.3390/rs12111889>
- James, M. R., & Robson, S. (2012). Straightforward reconstruction of 3D surfaces and topography with a camera: Accuracy and geoscience application. *Journal of Geophysical Research: Earth Surface*.
- Kalyubi, I. (2018). Analisis potensi kamera smartphone untuk pemodelan 3 dimensi dengan fotogrametri jarak dekat (Bachelor thesis, Institut Teknologi Sepuluh Nopember).
- Kusumadarma, A. (2008). Aplikasi close range photogrammetry dalam pemetaan bangun rekayasa dengan kamera digital non metrik terkalibrasi (Tugas Akhir, Institut Teknologi Bandung).
- Luhmann, T., Robson, S., Kyle, S., & Boehm, J. (2014). *Close-range photogrammetry and 3D imaging* (2nd ed.). Walter de Gruyter GmbH.
- Micheletti, N., Chandler, J. H., & Lane, S. N. (2015). Structure from motion (SfM) photogrammetry. In *Geomorphological techniques* (Chapter 2, Section 2.2). British Society for Geomorphology.
- Martínez-Carricondo, P., Agüera-Vega, F., & Carvajal-Ramírez, F. (2020). Use of UAV-photogrammetry for quasi-vertical wall surveying. *Remote Sensing*, 12(14), 2221. <https://doi.org/10.3390/rs12142221>
- Nugraha, A. P. (2022). Uji akurasi penambahan modul real time kinematic pada smartphone untuk pemodelan 3D menggunakan metode fotogrametri jarak dekat (Skripsi, Universitas Gadjah Mada).



- dan modul global navigation satellite system (GNSS) multi frequency (Tesis, Universitas Gadjah Mada).
- Peraturan BIG Nomor 15 Tahun 2014.
- Ratnawati, E., & Sunarko. (2008). Evaluasi kinerja fasilitas iradiasi sistem rabbit menggunakan bahan acuan standar dengan metode AAN. *Buletin Pengelolaan Reaktor Nuklir*, 5, 49–55.
- Remondino, F., & El-Hakim, S. (2006). Image-based 3D modeling: A review. *The Photogrammetric Record*, 21(115), 269–291.
- Róg, M., & Rzonca, A. (2021). The impact of photo overlap, the number of control points, and the method of camera calibration on the accuracy of 3D model reconstruction. *Geomatics and Environmental Engineering*, 15(2), 67–81. <https://doi.org/10.7494/geom.2021.15.2.67>
- Shashi, M., & Jain, K. (2007). Use of photogrammetry in 3D modeling and visualization of buildings. Department of Civil Engineering, Indian Institute of Technology Roorkee.
- Sujadi, D., Thajadi, M. E., & Sai, S. S. (2018). 3D modeling obyek kerapatan tinggi menggunakan metode fotogrametri jarak dekat (Studi kasus: Patung Pandawa, Perumahan Pandawa, Kota Malang). Jurusan Teknik Geodesi, Fakultas Teknik Sipil dan Perencanaan, Institut Teknologi Nasional Malang.
- Tomasi, C. (2007). Camera calibration. In *Computer Vision CPS 296.1 supplementary lecture notes*. Duke University.
- Villanueva, J. K. S., & Blanco, A. C. (2019). Optimization of ground control point (GCP) configuration for unmanned aerial vehicle (UAV) survey using structure from motion (SFM). *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 42, 167–174.
- Westoby, M. J., Brasington, J., Glasser, N. F., Hambrey, M. J., & Reynolds, J. M. (2012). Structure-from-motion photogrammetry: A low-cost, effective tool for geoscience applications. *Geomorphology*, 179, 300–314. <https://doi.org/10.1016/j.geomorph.2012.08.021>
- Wolf, P. R., Ph, D., Dewitt, B. A., & Ph, D. (2014). *Elements of Photogrammetry with Applications in GIS*. McGraw-Hill Education.