

DAFTAR PUSTAKA

- Agati G, Azzarello E, Pollastri S, Tattini, M. 2012. Flavonoids as antioxidants in plants: location and functional significance. *Plant Science* Vol. **196**: 67-76.
- Alén R. 2000. Structure and chemical composition of wood. In: Stenius P. (Ed.) *Papermaking Science and Technology* Page 11–57. Forest Products Chemistry Department. Helsinki.
- Altaner CM, Caron A, Gardiner B, Jarvis MC. 2013. Distribution of extractives in Sitka Spruce (*Picea sitchensis*) grown in the northern UK. *Eur J. Wood Prod.* **71**: 697-704.
- Anouhe JS, Niamké FB, Faustin M, *et al.* 2018. The role of extractives in the natural durability of the heartwood of *Dicorynia guianensis* Amsh: New insights in antioxidant and antifungal properties. *Annals of Forest Science* Vol. **75**: 15-25.
- Aregay N, Belew D, Zenebe A, Haile M, Gebresamuel G, Girma A. 2021. Tree age and harvesting season affected physicochemical and bioactive compounds of elite type of gunda gundo orange (*Citrus* Spp) in the Northern Ethiopia. *Fruit Science* Vol. **20**: 1-14.
- Ashwell G. 1957. Colorimetric analysis of sugars. *Methods in Enzymology* Vol. **3**: 73–105.
- Atiwannapat P. 2009. Study on chemical constituents of *Acacia aulacocarpa*. Thai National AGRIS Centre Kasetrat University, Thailand.
- Barbaroux C, Bréda N, Dufrêne E. 2003. Distribution of above-ground and below-ground carbohydrate reserves in adult trees of two contrasting broad-leaved species (*Quercus petraea*) and (*Fagus sylvatica*). *New Phytologist* Vol. **157**: 605–615.
- Basri E, Yuniarti K, Wahyudi I, Damayanti R. 2015. Effects of girdling on wood properties and drying characteristics of *Acacia mangium*. *Tropical Forest Science* **27**: 498-505.
- Bertaud F, Holmbom B. 2004. Chemical composition of earlywood and latewood in Norway spruce heartwood, sapwood and transition zone wood. *Wood Science Technology* Vol. **38**: 245–256.
- Blainski A, Lopes GC, Mello JCP. 2013. Application and Analysis of the Folin Ciocalteu Method for the Determination of the Total Phenolic Content from *Limonium Brasiliense* L. *Molecules* Vol. **18**: 6852-6865.



- Bowyer JL, Shmulsky R, Haygreen JG. 2007. Forest product and woodscience an introduction fifth edition. Blackwell Publishing Professional.Iowa.
- Chapin FS, Schulze E, Mooney HA. 1990. The ecology and economics of storage in plants. Annual Review of Ecology and Systematics Vol. **21**: 423–447.
- Chen CM. 1970. Effect of extractive removal on adhesion and wettabilityof some tropical woods. Forest Product Vol. **20**: 36–41.
- Choi HR, Choi JS, Han YN, Bae SJ, Chung HY. 2002. Peroxynitrite scavenging activity of herb extracts. Phytother Res Vol. **16**: 364-367.
- Chow PS, Landhausser SM. 2004. A method for routine measurements of total sugar and starch content in woody plant tissues. Tree Physiology Vol. **24**: 1129 –1136.
- Chikezie PC, Ibegbulem CO, Mbagwu FN. 2015. Bioactive principles from medicinal plants. Phytochemistry Vol. **9**: 88–115.
- Chun OK, Kim DO, Moon H, Kang HG, Lee CY. 2003. Contribution of individual polyphenolics to totalantioxidant capacity of plums. J. Agric. Food Chem. **51**:7240–7245.
- Cock IE. 2012. Research Letter Antimicrobial Activity of *Acacia aulacocarpa* and *Acacia complanta* Methanolic Extracts. Pharmacognosy Communications **2(1)**:66-71.
- Connor AM, Chad EF, Peter AA. 2005. Genotypic and enviromental variation in antioxidant activity and total phenolic content among blackbeery and hybridberry cultivars. American Society of Horticultural Science. Vol. **130**: 527–533.
- Croft KD. 1998. The chemistry and biological effects of flavonoids and phenolic acids. Annals of The New York Academic of Science Vol. **854**: 435-442.
- De la Rosa LA, Moreno-Escamilla JO, Rodrigo-García J, Alvarez-Parrilla E. 2019. Phenolic compounds. Postharvest Physiology and Biochemistry of Fruits and Vegetables Vol. **2**: 253–271.
- Del Rio D, Rodriguez-Mateos A, Spencer JPE, Tognolini M, Borges GA. 2013. Dietary (Poly) phenolics in human health: structures, bioavailability, and evidence of protective effects against chronic diseases. Antioxidants and Redox Signaling Vol. **18**: 1818–1892.
- Doran JC, Turnbull JW, Martensz PN, Thomson LAJ, Hall N. 1997. Introduction to the Species Digests. Hlm. 110-111 dalam John C Doran, JW Turnbull, editor.Australian Tress and Shrubs: Species for Land Rehabilitation and Farm



Planting in The Tropics. Australian Centre for International Agricultural Research.

Dubois M, Gilles KA, Hamilton JK, Rebers PA, Smith F. 1956. Colorimetric method for determination of sugars and related substances. *Anal Chem* **28**:350–356.

Dunisch O, Richter HG, Koch G. 2010. Wood properties of juvenile and mature heartwood in *Robinia pseudoacacia* L. *Wood Science and Technology* Vol. **44**: 301-313.

Elizabeth, V. 2021. Variasi Sifat Anatomi Pada Arah Aksial Dan Radial Kayu Akasia (*Acacia Aulacocarpa*) yang ditanam di KHDTK Wanagama. Skripsi Fakultas Kehutanan UGM. Yogyakarta.

Fengel D dan Wegener D. 1989. *Wood Chemistry, Ultrastructure, Reactions*. New York.

Gao H, Shupe TF, Eberhardt T, Hse CY. 2006. Antioxidant activity of extracts from the wood and bark of Port-Orford cedar. *Wood Science* Vol. **53**: 147-152.

Gan RY, Chan CL, Yang QQ, *et al.* 2019. Bioactive compounds and beneficial functions of sprouted grains. *Sprouted Grains* Vol. **1**:191–246.

GBIF Secretariat: GBIF Backbone Taxonomy. 2021. *Acacia aulacocarpa* A.Cunn. ex Benth. <https://www.gbif.org/species/2979454> diakses pada 29 April 2021 pukul 23.00 WIB.

Gominho J, Rodrigues J, Pereira H. 2001. Within-tree Variation of Heartwood, Extractives and Wood Density In The Eucalyptus Hybrid *Urograndis* (*Eucalyptus grandis* x *E. urophylla*). *Wood and fiber science: journal of the Society of Wood Science and Technology* **33 (1)**: 3-8.

Gominho J, Lourenco A, Miranda I, Pereira G. 2015. Radial and Axial Variation of Heartwood Properties and Extractives in Mature Trees of *Eucalyptus globulus*. *BioResources* **10 (1)** 721-731.

Hall M, Hansen NW, Rudra AB. 1973. The effect of species, age and wood characteristics on eucalypt kraft pulp quality. *Appita* Vol. **26**: 348 – 354.

Harborne JB. 1980. Secondary plant products: encyclopedia of plant physiology. New Series Volume 8. *Phytochemistry* Vol. **19**: 2803–2804.

Hart JH. 1989. The Role of wood Exudate and extractives in protecting wood from decay. In: Rowe J.W. (eds) *Natural products of woody plants*. Springer Series in Wood Science. Berlin.



- Hata K, Sogo M. 1952. The difficulty of sulfite digestion of pine heartwood. *Japan Forest Society* Vol. **35**: 74-77.
- Heim KE, Tagliaferro AR, Bobilya DJ. 2002. Flavonoid antioxidants: chemistry, metabolism and structure-activity relationships. *Nutrition Biochemistry* Vol. **13**:572-584.
- Higgins HG. 1984. Pulp and paper. In: Hillis W E, Brown A G (eds) *Eucalypts for wood production*. CSIRO Academic Press. New York.
- Hillis WE. 1987. *Heartwood and tree exudates*. Springer. New York.
- Hillis WE, Sumimoto M. 1989. Effect of extractives on pulp. In: Rowe J W (eds) *Natural products of woody plants*. Springer Series in Wood Science. Berlin.
- Hillis WE, Hasegawa M. 1963. The formation of polyphenols in trees I. Administration of ¹⁴C glucose and subsequent distribution of radioactivity. *Phytochemistry* Vol. **2**: 195–199.
- Hoch G, Richter A, Korner C. 2003. Non-structural carbon compounds in temperate forest trees. *Plant, Cell and Environment* Vol. **26**: 1067–1081.
- Hse C, Kuo M. 1988. Influence of extractives on wood gluing and finishing. *Forest Products Journal* Vol. **38**: 52-56.
- Kampe A, Magel E. 2013. *New insights into heartwood and heartwood formation: Cellular aspects of wood formation*. Springer. Berlin.
- Klein T, Hoch G, Yakir D, Korner C. 2014. Drought stress, growth and nonstructural carbohydrate dynamics of pine trees in a semi-arid forest. *Tree Physiology* Vol. **34**: 981–992.
- Korner C. 2003. Carbon limitation in trees. *Journal of Ecology* Vol. **91**: 4–17.
- Lange W dan Hashim R. 2001. The composition of the extractives from unaffected and heartrot affected heartwood of *Acacia mangium* Willd. *Holz als Roh- Und Werkstoff*. **59**:61-66.
- Lattanzio V, Kroon PA, Quidheau S, Treutter D. 2008. *Recent advances in polyphenol research plant phenolics secondary metabolites with diverse functions*. Blackwell Publishing. Foggia.
- Lelis R. 1992. *Zum verhalten von splint-und kernholz der kiefer bei der verleimung mit harnstoffformaldehydharzen (UF-harzen) und diisocyanatklebstoffen (PMDI)*. Magisterarbeit an der Forstlichen Fakultät der Georg-August-Universität Göttingen. Göttingen.



- Le Normand M, Ulrica E, Holmbom B, Monica EK. 2012. Hot-water extraction and characterization of spruce bark non-cellulosic polysaccharides. *Nordic Pulp and Paper Research Journal* Vol. **27**: 18–023.
- Li-Paul H. 1989. *Low temperature stress physiology in crops*. CRC Press Inc. Florida.
- Lukmandaru G. 2011. Variability in the natural termite resistance of plantation teak wood and its relations with wood extractive content and color properties. *Indonesian Journal of Forestry Research* Vol. **8**:17–31.
- Lukmandaru G. 2012. Komposisi ekstraktif pada kayu mangium (*Acacia mangium*). *Jurnal Ilmu dan Teknologi Kayu Tropis* **10 (2)**: 150-158.
- Magel E, Einig W, Hampp, R. 2000. *Carbohydrates in trees in carbohydrate reserves in plants - Synthesis and regulation*. Elsevier Science. Ludhiana.
- Mat S, Shukor NAA, Hamzah MZ, *et al.* 2009. Aboveground Biomass of Selected Provenances of *Acacia Mangium* and *Acacia Aulacocarpa* Multiple-leadered Trees. *Journal of Agricultural Science* **1(2)**:72-73.
- Migita NY, Yonezawa, Kondo T. 1968. *Wood chemistry (in Japanese)*. Kyoritsu Shupan. Tokyo.
- Moya R, Fallas RS, Bonilla PJ, dan Tenorio C. 2012. Relationship Between Wood Color Parameters Measured by the CIELab System and Extractive and Phenol Content in *Acacia mangium* and *Vochysia guatemalensis* from Fast-Growth Plantations. *Molecules*.**17**: 3639-3652.
- Negi A, Nimisha S, Reetika P, Singh MF. 2012. Determination of total phenolic content of stem the stem bark of *Bauhinia variegata* Linn; an Approach to Standardization. *Pharma Research* Vol. **7**: 16 – 22.
- Niamké BF, Amusant N, Kokutse AD, *et al.* 2010. Radial distribution of non-structuralcarbohydrates in Malaysian teak. *Biological and Chemical Science* Vol. **4**: 710-720.
- Niamké BF, Amusant N, Charpentier J-P, *et al.* 2011. Relationships between biochemical attributes (non-structural carbohydrates and phenolics) and naturaldurability against fungi in dry teak wood (*Tectona grandis* L.). *Annals Forest Science* Vol. **68**: 201-211.
- Niamke BF, Adima AA, Seraphin K, Amusant N, Jay-Allemand C. 2018. Heartwood formation process in teak (*Tectona grandis* L): fate of non-structural carbohydrates and characterization of forsythoside B. *International Journal of Biological and Chemical Sciences* Vol. **12**: 1102-1112.



- Nisula L. 2018. Wood extractives in conifer : A study of stemwood and knots of industrially important species. Abo Academy University Press. Tavastgatan.
- Noreen H, Semmar N, Farman M, McCullagh JSO. 2017. Measurement of total phenolic content and antioxidant activity of aerial parts of medicinal plant *Coronopus didymus*. Asian Pacific Journal of Tropical Medicine Vol. **10**: 792-801.
- Noel JP, Austin MB, Bomati EK. 2005. Structure–function relationships in plant phenylpropanoid biosynthesis. Plant Biology Vol. **8**: 249–253.
- Oberhuber W, Swidrak I, Pirkebner D, Gruber A. 2011. Temporal dynamics of nonstructural carbohydrates and xylem growth in (*Pinus sylvestris*) exposed to drought. Canadian Journal of Forest Research Vol. **41**: 1590–1597.
- Ozcan, T., A. Akpınar-Bayızit, L. Yılmaz-Ersan, dan B. Delikanlı. 2014. Phenolics in Human Health. International Journal of Chemical Engineering and Applications. **5(5)**: 393-396. doi: 10.7763/IJCEA.2014.V5.416.
- Payá M, Halliwell B, Hoult JRS. 1992. Interactions of a series of coumarins with reactive oxygen species. Scavenging of superoxide, hypochlorous acid and hydroxyl radicals. Biochemistry and Pharmacology Vol. **44**:205-214.
- Pedley HM. 1978. A New Lithostratigraphical And Palaeoenvironmental Interpretation For The Coralline Limestone Formations (Miocene) Of The Maltese Islands. Overseas, Geology and Mineral Resources **54**: 273-291.
- Pereira DM, Patricia V, Jose AP, Paula BA. 2009. Fenolics : From chemistry to biology. Molecules Vol. **14**: 2202-2211.
- Pereira H. 1986. Variability in the chemical composition of plantation eucalypts (*Eucalyptus globulus*). Wood and Fiber Science Vol. **20**: 82 – 90.
- Pinyopusarerk K. 1997. *Acacia aulacocarpa* A. Cunn. ex Benth dalam IF Hanum, LJG van der Maesen, editors. Plant Resources of South-East Asia 11: Auxiliary plants. PROSEA Foundation, Bogor, Indonesia. Database record: prota4u.org/prosea.
- Pratiwi DD. 2018. Komposisi kimia ekstraktif kulit luar dan dalam kayu *Araucaria cunninghamii*, *Araucaria papuana*, *Agathis loranthifolia* dan *Podocarpus imbricartus*. Skripsi Fakultas Kehutanan UGM. Yogyakarta.
- Purba BAV. 2019. Kandungan dan aktivitas antioksidan ekstraktif kayu tiga klon hibrid akasia (*Acacia mangium* x *Acacia auriculiformis*). Skripsi Fakultas Kehutanan UGM. Yogyakarta.



- Rahman F. 2021. Kadar Ekstraktif Kulit dan Kayu Jati Unggul Nusantara (JUN) Umur 6 dan 8 Tahun dari BKPH Yogyakarta. Skripsi Fakultas Kehutanan UGM. Yogyakarta.
- Rahman F, Lukmandaru G. 2022. Extractive Contents Of The Juvenile Stemwood And Bark Of Teak. *Wood Research* **67(1)**:96-108.
- Reddy CVK, Sreeramulu D, Raghunath M. 2010. Antioxidant activity of fresh and dry fruits commonly consumed in India. *Food Research International* Vol. **43**:285–288.
- Roffael E. 2016. Significance of wood extractives for wood bonding. *Applied Microbiol Biotechnology* Vol. **100**: 1589–1596.
- Rowell RM. 2005. *Handbook of Wood Chemistry and Wood Composites*. CRC Press. New York Washington, D. C.
- Rosales-Castro M, Honorato-Salazar JA, Reyes-Navarrete MG, González-Laredo RF. 2015. Antioxidant phenolic compounds of ethanolic and aqueous extracts from pink cedar (*Acrocarpus fraxinifolius*) whight & arn bark at two tree ages. *Wood Chemistry and Technology* Vol. **35**: 270–279.
- Rosell JA, Piper FI, Jiménez-Vera C, *et al.* 2020. Inner bark as a crucial tissue for non-structural carbohydrate storage across three tropical woody plant communities. *Plant, Cell & Environment* Vol. **44**: 156-170.
- Sakai K. 2001. *Chemistry of bark in wood and cellulosic chemistry: Second edition, revised and expanded*. Marcel Decker Inc. New York.
- Sala A, Hoch G. 2009. Height-related growth declines in ponderosa pine are not due to carbon limitation. *Plant, Cell and Environment* Vol. **32**: 22–30.
- Sandermann W, Dehn UV. 1951. Einfluß chemischer Faktoren auf die Festigkeitseigenschaften zementgebundener Holzwolleplatten. *Holz Roh Werkst* Vol. **9**: 97–101.
- Santana WMS, Natalino C, Arantes M D C, Trugilho P F. 2012. Effect of age and diameter class on the properties of wood from clonal eucalyptus. *Cerne, Lavras*. Vol. **18**: 1-8.
- Sarawong C, Schoenlechner R, Sekiguchi K, Berghofer E, Nguyen PKW. 2014. Effect of extrusion cooking on the physicochemical properties, resistant starch, phenolic content and antioxidant capacities of green banana flour. *Food Chemistry* Vol. **143**: 33–39.
- Savage JA, Clearwater MJ, Haines DF, *et al.* 2016. Allocation, stress tolerance and carbon transport in plants: how does phloem physiology affect plant ecology? *Plant, Cell & Environment* Vol. **39**: 709–725.



- Scheffer TC, Cowling EB. 1966. Natural resistance of wood to microbial deterioration. *Annal Review Phytopathology* Vol. **4**: 147-170.
- Schofield P, Mbugua DM, Pell AN. 2001. Analysis of condensed tannins: A review. *Anim. Feed ScienceTechnology* Vol. **91**: 21–40.
- Sjostrom E. 1995. Kimia kayu, dasar-dasar dan penggunaan edisi kedua. Diterjemahkan oleh Sastrohamidjojo, H. Terjemahan dari: *Woodchemistry, fundamentals and application second edition*. Gadjah Mada University Press. Yogyakarta.
- Simard S, Giovannelli A, Treydte K, *et al.* 2013. Intra-annual dynamics of non-structural carbohydrates in the cambium of mature conifer trees reflects radial growth demands. *Tree Physiology* Vol. **33**: 913-923.
- Singh R, Singh S, Kumar S, Arora S. 2007. Studies on antioxidant potential of methanol extract/fractions of *Acacia auriculiformis* A. Cunn. *Food Chemistry* Vol. **103**: 505–511.
- Singleton VL, Orthofer R, Lamuela-Raventós RM. 1999. Analysis of total phenols and other oxidation substrates and antioxidants by means of folin-ciocalteu reagent. *Methods in Enzymology* Vol. **299**: 152-178.
- Sturgeon RJ. 1990. Monosaccharides. In *methods in plant biochemistry. Carbohydrates*. Ed. P.M. Dey. Academic Press. London.
- Metsamuuronen S, Siren H. 2019. Bioactive phenolic compounds, metabolism and properties: a review on valuable chemical compounds in Scots pine and Norway spruce. *Phytochem Review* Vol. **18**: 623-664.
- Saputra, D. 2020. Kadar Fenolat, Polisakarida Terlarut Dan Ketahanan Terhadap Jamur Pada Kayu Jati Plus Perhutani Dengan Perlakuan Peneresan Dari KPH Pemalang, Skripsi Fakultas Kehutanan UGM. Yogyakarta.
- Soeprijanto B, Dirdjosoemarto S, Na'iem M. 1994. Evaluasi Pertumbuhan Tanaman Uji Provenans *Acacia Aulacocarpa* A. Cunn. ex Benth. Pada Umur 6 dan 12 Bulan. Studi Kasus Di Proyek Ata-267 Riam Kiwa, Kalimantan Selatan. UGM. Yogyakarta.
- Someya S, Yoshiki Y, Okubo K. 2002. Antioxidant compounds from bananas (*Musa Cavendish*). *Food Chemistry* Vol. **79**: 351–354.
- Soto-Vaca, A., A. Gutierrez, J. N. Lasso, Z. Xu, dan J. W. Finley. 2012. Evolution of Phenolic Compounds from Color and Flavor Problems to Health Benefits. *Journal of Agricultural and Food Chemistry*. 60(27): 6658–6677. doi:10.1021/jf300861c



- Sumengkar T, Soesono, Oemi H. 1995. Pembangunan Pertanaman Uji Keturunan Half-Sib *Acacia Aulacocarpa* A. Cunn ex Benth. Dan Evaluasi Pertumbuhannya Sampai Umur 6 Bulan Di Wanagama. UGM. Yogyakarta.
- Swason JW, Cordingly. 1959. Surface chemical studies on pitch. The mechanism of the loss of absorbancy and development of self-sizing in paper made from wood pulp. TAPPI Vol. **42**: 812-819.
- Taylor A, Cooper P. 2002. The effect of stem girdling on wood quality. Wood and Fiber Science Vol. **34**: 212-220.
- Tham, MW, dan Liew KC. 2014. Influence of different extraction temperatures and methanol solvent percentages on the total phenols and total flavanoids from the heartwood and bark of *Acacia auriculiformis*. Eur J. Wood Prod. **72**:67-72.
- Thomson, Lex AJ. 1994. *Acacia aulacocarpa*, *A. cincinnata*, *A. crassicarpa* and *A. Wetarensis*. An Annotated Bibliography. CSIRO Australia.
- Umezawa T. 2001. Chemistry of Extractives dalam Wood and Cellulosic Chemistry. Terbitan Kedua. Hon, D.N.S dan N. Shiraishi. Clemson. South Carolina. Clemson Univeristy, Japan. Kyoto. Kyoto University.
- Van-Sumere CF. 1989. Phenols and phenolic acids. In: Methods in Plant Biochemistry, Vol. 1. Plant Phenolics (eds P.M. Dey & J.B. Harborne). Academic Press. London.
- Vermerris W, Nicholson R. 2006. Chemical Properties of Phenolic Compounds. Phenolic Compound Biochemistry. Springer. Florida.
- Villagomez HZ, Peterson DM, Herrin L, Young RA. 2005. Antioxidant activity of different component of pine species. Holzforschung, Vol. **59**: 156–162.
- Vora DJD. 2017. Insight into the biochemical link between biodiversity and nutraceuticals. IOSR Journal of Environmental Science, Toxicology and Food Technology Vol. **11**: 22–25.
- Valentão P, Fernandes E, Carvalho F, Andrade PB, Seabra RM, Bastos ML. 2002. Antioxidative properties of cardoon (*Cynara cardunculus* L.) infusion against superoxide radical, hydroxyl radical and hypochlorous acid. Agriculture Food Chemistry Vol. **50**: 4989-4993.
- Valentão P, Fernandes E, Carvalho F, Andrade PB, Seabra RM, Bastos ML. 2003. Hydroxyl radical and hypochlorous acid scavenging activity of small centaury (*Centaureum erythraea*) infusion. A comparative study with green tea (*Camellia sinensis*). Phytomedicine Vol. **10**: 517- 522.



- Vuolo MM, Lima V. S, Maróstica Junior M. R. 2019. Phenolic compounds: structure, classification, and antioxidant power. *bioactive compounds Vol. 1*: 33–50.
- Widodo, ATF. 2021. Variasi Kadar Ekstraktif, Kadar Fenolat dan Keasaman Kayu Mangium (*Acacia mangium* Willd). Skripsi Fakultas Kehutanan UGM. Yogyakarta.
- Würth MKR, Peláez-Riedl S, Wright SJ, Körner C. 2004. Non-structural carbohydrate pools in a tropical forest. *Oecologia Vol. 143*: 11–24.
- Yang CS, Landau JM, Huang MT, Newmark HL. 2001. Inhibition of carcinogenesis by dietary polyphenolic compounds. *Annual Review Nutrition Vol. 21*: 381-406.
- Yunanta K, Lukmandaru G, Fernandes A. 2014. Sifat Kimia dari Kayu *Shorea retusa*, *Shoreamacroptera* dan *Shoreamacrophylla*. *Jurnal Penelitian dipterokarpa 8*: 15-24.
- Zhang H, Wang C, Wang X. 2014. Spatial variations in non-structural carbohydrates in stems of twelve temperate tree species. *Trees Vol. 28*: 77–89.
- Zobel B J, Buijtenen J P. 1989. Wood variation – Its causes and control. *International Association of Wood Anatomists Journal Vol. 10*: 1-363.
- Zule J, Cufar Ca, Tisler V. 2015. Lipophilic extractives in heartwood of european larch (*Larix decidua* Mill). *Drvna Industrija Vol. 66*: 305 – 313.