

DAFTAR PUSTAKA

- [1] V. L. Feigin et al., “Global, regional, and national burden of stroke and its risk factors, 1990–2019: a systematic analysis for the global burden of disease study 2019,” *The Lancet Neurology*, vol. 20, no. 10, p. 795–820, Oct. 2021. [Online]. Available: [http://dx.doi.org/10.1016/S1474-4422\(21\)00252-0](http://dx.doi.org/10.1016/S1474-4422(21)00252-0)
- [2] Y. Kusuima, N. Venketasubramanian, L. S. Kiemas, and J. Misbach, “Burden of stroke in indonesia,” *International Journal of Stroke*, vol. 4, no. 5, pp. 379–380, 2009, PMID: 19765126. [Online]. Available: <https://doi.org/10.1111/j.1747-4949.2009.00326.x>
- [3] I. Jakob, A. Kollreider, M. Germanotta, F. Benetti, A. Cruciani, L. Padua, and I. Aprile, “Robotic and sensor technology for upper limb rehabilitation,” *PM&R*, vol. 10, no. 9S2, Sep. 2018. [Online]. Available: <http://dx.doi.org/10.1016/j.pmrj.2018.07.011>
- [4] G. A. Wicaksono, M. R. Rosa, and M. H. Barri, “Implementation of exoskeleton robots for upper limb rehabilitation based on indonesian anthropometry,” in *2022 2nd International Conference on Intelligent Cybernetics Technology & Applications (ICICyTA)*. IEEE, Dec. 2022. [Online]. Available: <http://dx.doi.org/10.1109/ICICyTA57421.2022.10037898>
- [5] D. Esposito, J. Centracchio, E. Andreozzi, G. D. Gargiulo, G. R. Naik, and P. Bifulco, “Biosignal-based human–machine interfaces for assistance and rehabilitation: A survey,” *Sensors*, vol. 21, no. 20, p. 6863, Oct. 2021. [Online]. Available: <http://dx.doi.org/10.3390/s21206863>
- [6] P. Tran, S. Jeong, S. L. Wolf, and J. P. Desai, “Patient-specific, voice-controlled, robotic flexotendon glove-ii system for spinal cord injury,” *IEEE Robotics and Automation Letters*, vol. 5, no. 2, p. 898–905, Apr. 2020. [Online]. Available: <http://dx.doi.org/10.1109/LRA.2020.2965900>
- [7] Y.-J. Wang, B. Zhang, J. Chen, and K. Sreenath, “Prompt a robot to walk with large language models,” 2023. [Online]. Available: <https://arxiv.org/abs/2309.09969>
- [8] M. Sivan, J. Gallagher, S. Makower, D. Keeling, B. Bhakta, R. J. O’Connor, and M. Levesley, “Home-based computer assisted arm rehabilitation (hcaar) robotic device for upper limb exercise after stroke: results of a feasibility study in home setting,” *Journal of NeuroEngineering and Rehabilitation*, vol. 11, no. 1, Dec. 2014. [Online]. Available: <http://dx.doi.org/10.1186/1743-0003-11-163>
- [9] L. Liu, X. Chen, Z. Lu, S. Cao, D. Wu, and X. Zhang, “Development of an emg-acc-based upper limb rehabilitation training system,” *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 25, no. 3, p. 244–253, Mar. 2017. [Online]. Available: <http://dx.doi.org/10.1109/TNSRE.2016.2560906>
- [10] A. Mohebbi, “Human-robot interaction in rehabilitation and assistance: a review,” *Current Robotics Reports*, vol. 1, no. 3, p. 131–144, Aug. 2020. [Online]. Available: <http://dx.doi.org/10.1007/s43154-020-00015-4>

- [11] A. Sarasola-Sanz, N. Irastorza-Landa, E. Lopez-Larraz, C. Bibian, F. Helmhold, D. Broetz, N. Birbaumer, and A. Ramos-Murguialday, "A hybrid brain-machine interface based on eeg and emg activity for the motor rehabilitation of stroke patients," in *2017 International Conference on Rehabilitation Robotics (ICORR)*. IEEE, Jul. 2017. [Online]. Available: <http://dx.doi.org/10.1109/ICORR.2017.8009362>
- [12] S. Vemprala, R. Bonatti, A. Bucker, and A. Kapoor, "Chatgpt for robotics: Design principles and model abilities," 2023. [Online]. Available: <https://arxiv.org/abs/2306.17582>
- [13] W. Chen, G. Li, M. Li, W. Wang, P. Li, X. Xue, X. Zhao, and L. Liu, "Llm-enabled incremental learning framework for hand exoskeleton control," *IEEE Transactions on Automation Science and Engineering*, p. 1–10, 2024. [Online]. Available: <http://dx.doi.org/10.1109/TASE.2024.3382679>
- [14] S. J. Ali, A. N. Ansari, A. Rahman, S. Imtiyaz, and B. Rashid, "Post-stroke hemiplegic gait: A review," *The Pharma Innovation*, vol. 3, no. 8, Part A, p. 36, 2014.
- [15] K. M. Lynch and F. C. Park, *Modern Robotics: Mechanics, Planning, and Control*. Cambridge University Press, May 2017. [Online]. Available: <http://dx.doi.org/10.1017/9781316661239>
- [16] M. R. Islam, M. Assad-Uz-Zaman, A. Al Zubayer Swapnil, T. Ahmed, and M. H. Rahman, "An ergonomic shoulder for robot-aided rehabilitation with hybrid control," *Microsystem Technologies*, vol. 27, no. 1, p. 159–172, Jun. 2020. [Online]. Available: <http://dx.doi.org/10.1007/s00542-020-04934-2>
- [17] D. A. Neumann, *Kinesiology of the musculoskeletal system*, 3rd ed. London, England: Mosby, Nov. 2016.
- [18] G. A. Malanga and S. M. Aydin, *Functional Therapeutic and Core Strengthening*. Springer New York, 2010, p. 207–232. [Online]. Available: http://dx.doi.org/10.1007/978-1-4419-5788-7_10
- [19] A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. N. Gomez, L. Kaiser, and I. Polosukhin, "Attention is all you need," 2017. [Online]. Available: <https://arxiv.org/abs/1706.03762>
- [20] L. Dong, S. Xu, and B. Xu, "Speech-transformer: A no-recurrence sequence-to-sequence model for speech recognition," in *2018 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*. IEEE, Apr. 2018. [Online]. Available: <http://dx.doi.org/10.1109/ICASSP.2018.8462506>
- [21] J. Wei, X. Wang, D. Schuurmans, M. Bosma, B. Ichter, F. Xia, E. Chi, Q. Le, and D. Zhou, "Chain-of-thought prompting elicits reasoning in large language models," 2022. [Online]. Available: <https://arxiv.org/abs/2201.11903>
- [22] T. Khot, H. Trivedi, M. Finlayson, Y. Fu, K. Richardson, P. Clark, and A. Sabharwal, "Decomposed prompting: A modular approach for solving complex tasks," 2022. [Online]. Available: <https://arxiv.org/abs/2210.02406>



- [23] B. Laugwitz, T. Held, and M. Schrepp, "Construction and evaluation of a user experience questionnaire," in *Lecture Notes in Computer Science*, ser. Lecture notes in computer science. Berlin, Heidelberg: Springer Berlin Heidelberg, 2008, pp. 63–76.
- [24] M. Schrepp, A. Hinderks, and J. Thomaschewski, "Construction of a benchmark for the user experience questionnaire (UEQ)," *Int. J. Interact. Multimed. Artif. Intell.*, vol. 4, no. 4, p. 40, 2017.