



DAFTAR PUSTAKA

- [1] Centers for Disease Control and Prevention. (2022) Managing blood sugar: Blood glucose monitoring. [Online]. Available: <https://www.cdc.gov/diabetes/managing/managing-blood-sugar/bloodglucosemonitoring.html>
- [2] Diabetes Self-Management. (2021) Cgm for diabetes management. [Online]. Available: <https://www.diabetesselfmanagement.com/managing-diabetes/blood-glucose-management/cgm-diabetes-management/>
- [3] S. Varsamopoulos, K. Bertels, and C. Almudever, “Designing neural network based decoders for surface codes,” *Journal Name (Jurnal atau Konferensi tempat artikel ini dipublikasikan)*, 2018.
- [4] C. Olah. (2015) Understanding lstm networks. [Diakses 18 Agustus 2023]. [Online]. Available: <http://colah.github.io/posts/2015-08-Understanding-LSTMs/>
- [5] S. Abdulwahab, M. Jabreel, and D. Moreno, “Deep learning models for paraphrases identification,” 2017.
- [6] J. Han, M. Kamber, and J. Pei, *Data Mining Concepts and Techniques*, 3rd ed. Boston: Elsevier, 2012.
- [7] A. Hariri and L. Wang, “Observer-based state feedback for enhanced insulin control of type ‘i’ diabetic patients,” *The open biomedical engineering journal*, vol. 5, pp. 98–109, 12 2011.
- [8] I. D. Federation. (2021) Idf diabetes atlas 10th edition. [Online]. Available: https://diabetesatlas.org/idfawp/resource-files/2021/07/IDF_Atlas_10th_Edition_2021.pdf
- [9] A. Association, “Introduction: Standards of medical care in diabetes 2018,” *Diabetes Care*, vol. 41, p. S1–2, 2018.
- [10] J. Silverstein, G. Klingensmith, K. Copeland, L. Plotnick, F. Kaufman, and L. Laffel, “Care of children and adolescents with type 1 diabetes: a statement of the american diabetes association,” *Diabetes Care*, vol. 28, p. 186–212, 2005.
- [11] N. N. Tun, G. Arunagirinathan, S. K. Munshi, and J. M. Pappachan, “Diabetes mellitus and stroke: a clinical update,” *World Journal of Diabetes*, vol. 8, p. 235, 2017.
- [12] D. E. Goldstein, R. R. Little, R. A. Lorenz, J. I. Malone, D. Nathan, and C. M. Peterson, “Tests of glycemia in diabetes,” *Diabetes Care*, vol. 27, p. 1761–73, 2004.



- [13] S. Mohamed, J. C. Murray, J. M. Dagle, and T. Colaizy, “Hyperglycemia as a risk factor for the development of retinopathy of prematurity,” *BMC Pediatrics*, vol. 13, p. 78, 2013.
- [14] R. Z. Alicic, M. T. Rooney, and K. R. Tuttle, “Diabetic kidney disease: challenges, progress, and possibilities,” *Clinical Journal of the American Society of Nephrology*, vol. 12, p. 2032–45, 2017.
- [15] V. Ormazabal, S. Nair, O. Elfeky, C. Aguayo, C. Salomon, and F. A. Zuñiga, “Association between insulin resistance and the development of cardiovascular disease,” *Cardiovascular Diabetology*, vol. 17, p. 122, 2018.
- [16] A. Akirov, A. Grossman, T. Shochat, and I. Shimon, “Mortality among hospitalized patients with hypoglycemia: insulin related and noninsulin related,” *The Journal of Clinical Endocrinology & Metabolism*, vol. 102, p. 416–24, 2017.
- [17] E. M. Benjamin, “Self-monitoring of blood glucose: the basics,” *Clinical Diabetes*, vol. 20, p. 45–7, 2002.
- [18] S. R. Patton and M. A. Clements, “Continuous glucose monitoring versus self-monitoring of blood glucose in children with type 1 diabetes- are there pros and cons for both?” *US Endocrinology*, vol. 8, p. 27–9, 2012.
- [19] G. Cappon, G. Acciaroli, M. Vettoretti, A. Facchinetti, and G. Sparacino, “Wearable continuous glucose monitoring sensors: a revolution in diabetes treatment,” *Electronics*, vol. 6, p. 65, 2017.
- [20] D. Marvicsin, P. Jennings, and D. Ziegler-Bezaire, “What is new in diabetes technology?” *The Journal for Nurse Practitioners*, vol. 13, p. 205–9, 2017.
- [21] O. Faust, Y. Hagiwara, T. J. Hong, O. S. Lih, and U. R. Acharya, “Deep learning for healthcare applications based on physiological signals: A review,” *Computer Methods and Programs in Biomedicine*, vol. 161, pp. 1–13, April 2018.
- [22] S. Hochreiter and J. Schmidhuber, “Long short-term memory,” *Neural Computation*, vol. 9, no. 8, p. 1735–1780, 1997.
- [23] J. Chung, Gülc̄ehre, K. Cho, and Y. Bengio, “Empirical evaluation of gated recurrent neural networks on sequence modeling,” *CoRR*, 2014, arXiv preprint arXiv:1412.3555.
- [24] T. Bremer and D. A. Gough, “Is blood glucose predictable from previous values? a solicitation for data,” *Diabetes*, vol. 48, no. 3, p. 445–451, 1999.
- [25] G. Sparacino, F. Zanderigo, S. Corazza, A. Maran, A. Facchinetti, and C. Cobelli, “Glucose concentration can be predicted ahead in time from continuous glucose monitoring sensor time-series,” *IEEE Transactions on Biomedical Engineering*, vol. 54, no. 5, p. 931–937, 2007.



- [26] M. T. Wiley, "Machine learning for diabetes decision support," in *Proceedings of the AAAI Workshop on Artificial Intelligence in Diabetes*, 2011, p. 55–72.
- [27] R. Bunescu, N. Struble, C. Marling, J. Shubrook, and F. Schwartz, "Blood glucose level prediction using physiological models and support vector regression," in *2013 12th International Conference on Machine Learning and Applications (ICMLA)*, 2013, p. 135–140.
- [28] C. Pérez-Gandía, A. Facchinetti, G. Sparacino, C. Cobelli, E. Gómez, M. Riglia, A. de Leiva, and M. Hernando, "Artificial neural network algorithm for online glucose prediction from continuous glucose monitoring," *Diabetes Technology & Therapeutics*, vol. 12, no. 1, p. 81–88, 2010.
- [29] S. G. Mougiakakou, A. Prountzou, D. Iliopoulou, K. S. Nikita, A. Vazeou, and C. S. Bartoscas, "Neural network based glucose-insulin metabolism models for children with type 1 diabetes," in *Engineering in Medicine and Biology Society, 2006. EMBS'06. 28th Annual International Conference of the IEEE*, 2006, p. 3545–3548.
- [30] S. M. Pappada, B. D. Cameron, P. M. Rosman, R. E. Bourey, T. J. Papadimos, W. Olorunto, and M. J. Borst, "Neural network-based real-time prediction of glucose in patients with insulin-dependent diabetes," *Diabetes Technology & Therapeutics*, vol. 13, no. 2, p. 135–141, 2011.
- [31] C. Zecchin, A. Facchinetti, G. Sparacino, G. De Nicolao, and C. Cobelli, "Neural network incorporating meal information improves accuracy of short-time prediction of glucose concentration," *Diabetes Care*, no. 6, p. 1550–1560, 2012.
- [32] C. M. Bishop, "Mixture density networks," Tech. rep., Citeseer, Tech. Rep., 1994.
- [33] J. Xie and Q. Wang, "Benchmark machine learning approaches with classical time series approaches on the blood glucose level prediction challenge," in *Proceedings of the 3rd International Workshop on Knowledge Discovery in Healthcare Data*, 2018, pp. 97–102, [Accessed 2020-03-09]. [Online]. Available: <http://ceur-ws.org/Vol-2148/paper16.pdf>
- [34] J. Chen, K. Li, P. Herrero, T. Zhu, and P. Georgiou, "Dilated recurrent neural network for short-time prediction of glucose concentration," in *3rd International Workshop on Knowledge Discovery in Healthcare Data*, 2018, p. 69–73.
- [35] J. Martinsson, A. Schliep, and B. Eliasson, "Blood glucose prediction with variance estimation using recurrent neural networks," *Journal of Healthcare Informatics Research*, pp. 1–18, 2019.
- [36] T. Zhu, K. Li, P. Herrero, J. Chen, and P. Georgiou, "A deep learning algorithm for personalized blood glucose prediction," in *3rd International Workshop on Knowledge Discovery in Healthcare Data*, 2018, p. 64–78.



- [37] A. Bertachi, L. Biagi, and I. e. a. Contreras, “Prediction of blood glucose levels and nocturnal hypoglycemia using physiological models and artificial neural networks,” in *Proc 3rd Int Workshop on Knowl Discov in Healthcare Data 2018*, 2018, pp. 85–90. [Online]. Available: <http://ceur-ws.org/Vol-2148/paper14.pdf>
- [38] J. Martinsson, A. Schliep, B. Eliasson, C. Meijner, S. Persson, and O. Morgen, “Automatic blood glucose prediction with confidence using recurrent neural networks,” in *3rd International Workshop on Knowledge Discovery in Healthcare Data, KDH@ ICML/IJCAI 2018*, 2018, p. 64–68.
- [39] J. Freiburghaus, A. Rizzotti, and F. Albertetti, “A deep learning approach for blood glucose prediction of type 1 diabetes,” in *Proceedings of the 5th International Workshop on Knowledge Discovery in Healthcare Data co-located with 24th European Conference on Artificial Intelligence (ECAI 2020)*, Santiago de Compostela, Spain, August 2020.
- [40] S. Arora, S. Kumar, and P. Kumar, “Implementation of lstm for prediction of diabetes using cgm,” in *2021 10th International Conference on System Modeling & Advancement in Research Trends (SMART)*, MORADABAD, India, 2021, pp. 718–722.
- [41] M. Hitti. (2008) Types of diabetes mellitus. [online] WebMD. [Online]. Available: <https://www.webmd.com/diabetes/guide/types-of-diabetes-mellitus>
- [42] M. Atkinson, G. Eisenbarth, and A. Michels, “Type 1 diabetes,” *Lancet*, vol. 383, no. 9911, pp. 69–82, January 4 2014.
- [43] M. Craig, C. Jefferies, D. Dabelea, N. Balde, A. Seth, and K. Donaghue, “Definition, epidemiology, and classification of diabetes in children and adolescents,” *Pediatr Diabetes*, vol. 19, no. Suppl 27, pp. 7–19, 2014.
- [44] A. D. Association, “Classification and diagnosis of diabetes: Standards of medical care in diabetes-2018,” *Diabetes Care*, vol. 41, no. Suppl 1, pp. S13–27, 2018.
- [45] E. Gregg, Y. Li, J. Wang, N. Burrows, M. Ali, D. Rolka, and et al., “Changes in diabetes-related complications in the united states, 1990–2010,” *N Engl J Med*, vol. 370, no. 16, pp. 1514–1523, April 17 2014.
- [46] P. King, I. Peacock, and R. Donnelly, “The uk prospective diabetes study (ukpds): Clinical and therapeutic implications for type 2 diabetes,” *Br J Clin Pharmacol*, vol. 48, no. 5, pp. 643–648, November 1999.
- [47] A. D. Association, “Standards of medical care in diabetes—2018,” *Diabetes Care*, vol. 41, no. suppl 1, pp. s1–s156, 2018, crossref. PubMed.



- [48] G. Freckmann, S. Pleus, M. Grady, S. Setford, and B. Levy, “Measures of accuracy for continuous glucose monitoring and blood glucose monitoring devices,” *Journal of Diabetes Science and Technology*, vol. 13, no. 3, pp. 575–583, 2019.
- [49] V. Funtanilla, P. Candidate, T. Caliendo, and O. Hilas, “Continuous glucose monitoring: A review of available systems,” *P T*, vol. 44, no. 9, pp. 550–553, 2019.
- [50] J. Petrie, A. Peters, R. Bergenstal *et al.*, “Improving the clinical value and utility of cgm systems: issues and recommendations: a joint statement of the european association for the study of diabetes and the american diabetes association diabetes technology working group,” *Diabetologia*, vol. 60, no. 12, pp. 2319–2328, 2017, [published online October 25, 2017].
- [51] D. Klonoff, D. Ahn, and A. Drincic, “Continuous glucose monitoring: a review of the technology and clinical use,” *Diabetes Res Clin Pract*, vol. 133, pp. 178–192, 2017, [published online September 1, 2017].
- [52] W. Wei, *Time Series Analysis: Univariate and Multivariate Methods*, 2nd edition, 2006, 01 2006.
- [53] J. E. Hanke and D. W. Wichern, *Business Forecasting*, 8th ed. New Jersey: Prentice Hall, 2005.
- [54] I. Kononenko, “Machine learning for medical diagnosis: history, state of the art and perspective,” *Artificial Intelligence in Medicine*, vol. 23, no. 1, p. 89–109, 2001.
- [55] M. Gharaibeh, D. Alzu’bi, M. Abdullah, I. Hmeidi, M. R. Al Nasar, L. Abu-aligah, and A. H. Gandomi, “Radiology imaging scans for early diagnosis of kidney tumors: a review of data analytics-based machine learning and deep learning approaches,” *Big Data and Cognitive Computing*, vol. 6, no. 1, p. 29, 2022.
- [56] K. Y. Bilimoria, A. K. Stewart, D. P. Winchester, and C. Y. Ko, “The national cancer data base: a powerful initiative to improve cancer care in the united states,” *Annals of Surgical Oncology*, vol. 15, no. 3, p. 683–690, 2008.
- [57] R. S. Sutton and A. G. Barto, *Reinforcement Learning: An Introduction*, 2nd ed. The MIT Press, 2018.
- [58] J. W. G. Putra. (2020) Pengenalan konsep pembelajaran mesin dan deep learning. [Online]. Available: <https://wiragotama.github.io/resources/ebook/intro-to-ml-secured.pdf>
- [59] D. E. Rumelhart, G. E. Hinton, and R. J. Williams, “Learning representations by back-propagating errors,” *Nature*, vol. 323, no. 6088, pp. 533–536, 1986.



- [60] F. A. Gers and E. Schmidhuber, “Lstm recurrent networks learn simple context-free and context-sensitive languages,” *IEEE Transactions on Neural Networks*, vol. 12, no. 6, pp. 1333–1340, 2001.
- [61] M. Saad, “Deep learning based approaches for imputation of time series models,” Ph.D. dissertation, University of Waterloo, 2020.
- [62] S. Biswas, E. Chadda, and F. Ahmad, “Sentiment analysis with gated recurrent units,” *Advances in Computer Science and Information Technology (ACSIT)*, vol. 2, no. 11, pp. 59–63, 2015.
- [63] C. J. Willmott, S. M. Robeson, and K. Matsuura, “A refined index of model performance,” *International Journal of Climatology*, vol. 32, no. 13, p. 2088–2094, 2012.
- [64] W. L. Clarke and B. Kovatchev, “Statistical tools to analyze continuous glucose monitor data,” *Diabetes Technology & Therapeutics*, vol. 11, no. S1, pp. S45–S54, 2009.
- [65] G. Aleppo, K. J. Ruedy, T. D. Riddleworth, D. F. Kruger, A. L. Peters, I. B. Hirsch, R. M. Bergenstal, E. Toschi, A. J. Ahmann, V. N. Shah, M. R. Rickeles, B. W. Bode, A. Philis-Tsimikas, R. Pop-Busui, H. Rodriguez, E. Eyth, A. Bhargava, C. Kollman, and R. W. Beck, “REPLACE-BG: A Randomized Trial Comparing Continuous Glucose Monitoring With and Without Routine Blood Glucose Monitoring in Adults With Well-Controlled Type 1 Diabetes,” *Diabetes Care*, vol. 40, no. 4, pp. 538–545, 2017.
- [66] K. Li, J. Daniels, C. Liu, P. Herrero, and P. Georgiou, “Convolutional recurrent neural networks for glucose prediction,” *IEEE journal of biomedical and health informatics*, vol. 24, no. 2, pp. 603–613, 2019.