

DAFTAR PUSTAKA

- Abdulal, G., Osman, A., & Abyad, A. (2022). Evaluation of facial soft-tissue morphology among different vertical skeletal profiles. *Eur. Sci. J.*, 18(11), 117.
- Ahmad, I. (2020). Standardization for dental photography. *J. Cosmet. Dent.*, 36(3), 45–63.
- ALBarakati, S. F., & Bindayel, N. A. (2012). Holdaway soft tissue cephalometric standards for Saudi adults. *King Saud Univ. J. Dent. Sci.*, 3(1), 27–32.
- Al Taki, A., & Guidoum, A. (2014). Facial profile preferences, self-awareness, and perception among groups of people in the United Arab Emirates. *J. Orthod. Sci.*, 3(2), 55–61.
- Al-Momani, A., & Qaqish, O. (2021). Evaluation of gender differences of Holdaway soft tissue profile parameters of Jordanian adults; experience at Princess Haya Bint Al-Hussein Military Hospital in Ajloun, Jordan. *Int. J. Sci. Res.*, 10(3), 1423–1425.
- Al-Zubaidi, S. (2009). The skeletal and soft tissue facial profile in adolescents and adults. *Al-Rafidain Dent. J.*, 9(1), 149–155.
- Albert, A. M., Payne, A. L., Brady, S. M., & Wright, C. (2019). Craniofacial changes in children: Birth to late adolescence. *ARC J. Forensic Sci.*, 4(1), 1–19.
- Basciftci, F. A., Uysal, T., & Buyukerkmen, A. (2003). Determination of Holdaway soft tissue norms. *Angle Orthod.*, 73(4), 395–400.
- Batubara, J. R. (2016). Adolescent development (Perkembangan Remaja). *Sari Pediatri*, 12(1), 21.
- Bishara, S. E. (2000). Facial and dental changes in adolescents and their clinical implications. *Angle Orthod.*, 70(6), 471–483.
- Blum, R. W., Mmari, K., & Moreau, C. (2017). It begins at 10: How gender expectations shape early adolescence around the world. *J. Adolesc. Health*, 61(4), S3–S4.
- Chopra, S., Bansal, P., & Bansal, P. (2020). Evaluation of dental photography standards. *J. Adv. Med. Dent. Sci. Res.*, 8(1), 184–186.
- Fernández-Riveiro, P., Suárez-Quintanilla, D., Smyth-Chamosa, E., & Suárez-Cunqueiro, M. (2002). Linear photogrammetric analysis of the soft tissue facial profile. *Am. J. Orthod. Dentofac. Orthop.*, 122(1), 59–66.
- Fortes, H. N. R., Guimarães, T. C., Belo, I. M. L., & Matta, E. N. R. (2014). Photometric analysis of esthetically pleasant and unpleasant facial profile. *Dent. Press J. Orthod.*, 19(2), 66–75.

- Ghorbanyjavadpour, F., & Rakhshan, V. (2019). Factors associated with the beauty of soft-tissue profile. *Am. J. Orthod. Dentofac. Orthop.*, 155(6), 832–843.
- Gu, Y., McNamara, J. A., Sigler, L. M., & Baccetti, T. (2011). Comparison of craniofacial characteristics of typical Chinese and Caucasian young adults. *Eur. J. Orthod.*, 33(2), 205–211.
- Guedes, P. E. (2009). Profile in orthodontic diagnosis and treatment planning. *Eur. J. Orthod.*, 31(12), 1–15.
- Gurkeerat, S. (2015). *Textbook of Orthodontics* (3rd ed.). New Delhi: Jaypee Brothers Medical Publishers.
- Heryumani, J. C. (2007). Proporsi sagital wajah laki-laki dan perempuan dewasa etnik Jawa. *Maj. Ilm. Kedokt. Gigi*, 22(1), 22–27.
- Holdaway, R. A. (1983). A soft-tissue cephalometric analysis and its use in orthodontic treatment planning: Part I. *Am. J. Orthod.*, 84(1), 1–28.
- Hussein, E., Al Khateeb, S., Watted, N., Aksoy, A., Acar, A., & Abu Mowais, M. (2011). Evaluation of facial soft tissue parameters for Palestinians using Holdaway analysis. *Saudi Dent. J.*
- Ioi, H., Nakata, S., Nakasima, A., & Counts, A. L. (2005). Anteroposterior lip positions of the most-favored Japanese facial profiles. *Am. J. Orthod. Dentofacial Orthop.*, 128(2), 206–211.
- Katib, H. S., Aljashash, A. A., Albishri, A. F., & Alfaifi, A. H. (2024). Influence of oral habits on pediatric malocclusion: etiology and preventive approaches. *Cureus*, 16(11), 1–10.
- Katsaros, C. (2001). Masticatory muscle function and transverse dentofacial growth. *Swed. Dent. J. Suppl.*, (151), 1–47.
- Kaya, K. S., Türk, B., Cankaya, M., Seyhun, N., & Coşkun, B. U. (2019). Assessment of facial analysis measurements by golden proportion. *Braz. J. Otorhinolaryngol.*, 85(4), 494–501.
- Kesehatan, K. (2016). *Pedoman pelaksanaan stimulasi, deteksi, dan intervensi dini tumbuh kembang anak*. Direktorat Kesehatan Departemen Kesehatan Keluarga.
- Kesterke, M. J., Raffensperger, Z. D., Heike, C. L., Cunningham, M. L., Hecht, J. T., Kau, C. H., Nidey, N. L., Moreno, L. M., Wehby, G. L., Marazita, M. L., & Weinberg, S. M. (2016). Using the 3D Facial Norms Database to investigate craniofacial sexual dimorphism in healthy children, adolescents, and adults. *Biol. Sex Differ.*, 7(1), Article 23.

- Koesoemahardja, H. D. (1991). Pola pertumbuhan jaringan lunak kraniofasial serta kaitannya dengan pola pertumbuhan jaringan keras kraniofasial dan pertumbuhan umum. FKG - Usakti.
- Kostić, M., Nedeljković, A., Igić, M., Gligorijević, N., & Kocić, K. (2020). Facial symmetry in subjects with full dental arches. *Gastroenterol. Hepatol.*, 38(2), 171–176.
- Kumanov, P., & Agarwal, A. (2016). Puberty: Physiology and abnormalities. *Puberty Physiol. Abnorm.*, October, 1–294.
- Liu, Y. P., Behrents, R. G., & Buschang, P. H. (2010). Mandibular growth, remodeling, and maturation during infancy and early childhood. *Angle Orthod.*, 80(1), 97–105.
- Lombardo, L., Coppola, P., & Siciliani, G. (2015). Comparison of dental and alveolar arch forms between different ethnic groups. *Int. Orthod.*, 13(4), 462–488.
- Lubis, H. F., Lubis, M. M., & Bahirrah, S. (2018). The facial profile analysis of adolescents in Medan. *J. Int. Dent. Med. Res.*, 11(3), 967–970.
- MacEachern, S. (2012). The concept of race in anthropology. *Race Ethn.*, 21(3), 34–57.
- Macha, M., Lamba, B., Avula, J. S. S., Muthineni, S., Margana, P. G. J. S., & Chitoori, P. (2017). Estimation of correlation between chronological age, skeletal age, and dental age in children: A cross-sectional study. *J. Clin. Diagn. Res.*, 11(9), ZC01–ZC04.
- Manlove, A. E., Romeo, G., & Venugopalan, S. R. (2020). Craniofacial growth: Current theories and influence on management. *Oral Maxillofac. Surg. Clin. North Am.*, 32(2), 167–175.
- Matthews, H. S., Penington, A. J., Hardiman, R., Fan, Y., Clement, J. G., Kilpatrick, N. M., & Claes, P. D. (2018). Modelling 3D craniofacial growth trajectories for population comparison and classification illustrated using sex-differences. *Sci. Rep.*, 8(1), 1–11.
- Militi, A., Sicari, F., Portelli, M., Merlo, E. M., Terranova, A., Frisone, F., Nucera, R., Alibrandi, A., & Settineri, S. (2021). Psychological and social effects of oral health and dental aesthetics in adolescence and early adulthood: An observational study. *Int. J. Environ. Res. Public Health*, 18(17), 2–9.
- Moore, K. L., Agur, A. M. R., & Dalley, A. F. (2015). *Essential Clinical Anatomy* (5th ed.). Philadelphia: Wolters Kluwer Health.
- Moshkelgosha, V., Fathinejad, S., Pakizeh, Z., Shamsa, M., & Golkari, A. (2015). Photographic facial soft tissue analysis by means of linear and angular measurements in an adolescent Persian population. *Open Dent. J.*, 9(1), 346–356.

- Nanda, R., Snodell, S. F., & Bollu, P. (2012). Transverse growth of maxilla and mandible. *Semin. Orthod.*, 18(2), 100–117.
- Nazir, S. Z., & Mushtaq, M. (2020). Nasal soft tissue parameters, mentolabial angle, and Holdaway's ratio as deciding factors in extraction vs non-extraction camouflage therapy in class II and class III subjects. *IOSR J. Dent. Med. Sci.*, 19(12), 45–51.
- Parthasarathy, A. (2013). *Partha's fundamentals of pediatrics* (2nd ed.). New Delhi: Jaypee Brothers Medical Publishers.
- Parveen, M., Muralidhar, N. V., Kiran, J., & N, R. (2022). Photogrammetry versus cephalometric analysis in orthodontic diagnosis and treatment planning. *Res. Square*, 12(3), 1–16.
- Payne, M. G. (2013). The reliability of facial soft tissue landmarks with photogrammetry. *Photogramm. Sci. J.*, 4(1), 12–15.
- Pecora, N. G., Baccetti, T., & McNamara, J. A. (2008). The aging craniofacial complex: A longitudinal cephalometric study from late adolescence to late adulthood. *Am. J. Orthod. Dentofac. Orthop.*, 134(4), 496–505.
- Perillo, L., Esposito, M., Caprioglio, A., Attanasio, S., Santini, A. C., & Carotenuto, M. (2014). Orthodontic treatment need for adolescents in the Campania region: The malocclusion impact on self-concept. *Patient Prefer. Adherence*, 8, 353–359.
- Premkumar, S. (2011). *Textbook of Craniofacial Growth*. New Delhi: Jaypee Brothers Medical Publishers.
- Priya Tiwari, R. M. (2014). Evaluation of soft tissue landmarks using Holdaway analysis among Southern Rajasthan population in various skeletal malocclusions. *J. Forensic Res.*, 6(1), 1–4.
- Ricketts, R. M. (1957). Planning treatment on the basis of the facial pattern and an estimate of its growth. *Angle Orthod.*, 27(1), 14–37.
- Ross, A. H., & Williams, S. E. (2010). Craniofacial growth, maturation, and change: Teens to mid-adulthood. *J. Craniofac. Surg.*, 21(2), 458–461.
- Sarver, D. M. (2015). Interactions of hard tissues, soft tissues, and growth over time, and their impact on orthodontic diagnosis and treatment planning. *Am. J. Orthod. Dentofac. Orthop.*, 148(3), 380–386.
- Seminara, S. B., Messenger, S., Chatzidaki, E. E., Thresher, R. R., Acierno, J. S., Shagoury, J. K., et al. (2003). The GPR54 gene as a regulator of puberty. *N. Engl. J. Med.*, 349(17), 1614–1627.

- Sforza, C., Grandi, G., De Menezes, M., Tartaglia, G. M., & Ferrario, V. F. (2010). Age- and sex-related changes in the normal human external nose. *Forensic Sci. Int.*, 204(1–3)
- Sharma, P., Arora, A., & Valiathan, A. (2014). Age changes of jaws and soft tissue profile. *Sci. World J.*, 2014, 1–8.
- Singh, G. (2015). *Textbook of Orthodontics*. India: Jaypee Brothers Medical Publishers Pvt. Limited.
- Siqueira, D., Sousa, M., Carvalho, P., & Valle-Corotti, K. (2009). The importance of the facial profile in orthodontic diagnosis and treatment planning: A patient report. *World J. Orthod.*, 10, 361–370.
- Slade, D. M. (2020). *The logic of intersubjectivity: Brian McLaren's philosophy of Christian religion*. Eugene, OR: Wipf & Stock.
- Sperber, G. H. (2001). *Craniofacial development*. Hamilton, ON, Canada: B.C. Decker.
- Steiner, C. C. (1960). The use of cephalometrics as an aid to planning and assessing orthodontic treatment. *Am. J. Orthod.*, 46, 72–743.
- Sykes, J. M., & Moore, E. J. (2002). Esthetic contouring of the forehead and supraorbital rims. *Facial Plast. Surg. Clin.*, 10(3), 303–310.
- van der Heijden, P., Korsten-Meijer, A. G., van der Laan, B. F., Wit, H. P., & Goorhuis-Brouwer, S. M. (2008). Nasal growth and maturation age in adolescents. *Arch. Otolaryngol. Head Neck Surg.*, 134(12), 1288.
- Varghese, A. A., & Akshaya, I. (2024). The perceptions of beauty among teenagers. *Int. J. Multidiscip. Res. (IJFMR)*, 6(2), 1–12.
- Zaidi, A. A., Mattern, B. C., Claes, P., McEcoy, B., Hughes, C., & Shriver, M. D. (2017). Investigating the case of human nose shape and climate adaptation. *PLoS Genet.*, 13(3).
- Zheng, X., Ding, S., Mei, Q., Wu, C., Zhang, Q., Fu, C., Han, Q., Jin, S., & Wu, T. (2024). Correlation of forehead morphology and dentoskeletal malocclusion in Chinese people. *BMC Oral Health*, 24(1), 1–15.