

REFERENCES

- Ahmed, A.T., Farah, A.E., Ali, H.N. and Ibrahim, M.O. (2023). Determinants of early neonatal mortality (hospital based retrospective cohort study in Somali region of Ethiopia). *Scientific Reports*, [online] 13(1). doi:<https://doi.org/10.1038/s41598-023-28357-x>.
- Al Nemri, A.M.H. (2014). Patent ductus arteriosus in preterm infant: Basic pathology and when to treat. *Sudanese Journal of Paediatrics*, 14(1), pp.25–30.
- Anderson, R., Rothwell, E. and Botkin, J.R. (2011). Newborn Screening. *Annual Review of Nursing Research*, [online] 29, pp.113–132. doi:<https://doi.org/10.1891/0739-6686.29.113>.
- Ballabh, P. (2010). Intraventricular Hemorrhage in Premature Infants: Mechanism of Disease. *Pediatric Research*, [online] 67(1), pp.1–8. doi:<https://doi.org/10.1203/pdr.0b013e3181c1b176>.
- Boerma, T., Campbell, R., Amouzou, A., Blumenberg, C., Blencowe, H., Moran, A.C., Lawn, J.E. and Ikilezi, G. (2023). Maternal mortality, stillbirths, and neonatal mortality: a transition model based on analyses of 151 countries. *The Lancet Global Health*, 11(7), pp.e1024–e1031. doi:[https://doi.org/10.1016/s2214-109x\(23\)00195-x](https://doi.org/10.1016/s2214-109x(23)00195-x).
- Chen, X., He, H., Hong, W., Chen, F. and Ya Hui Hu (2023). Risk factors for death caused by early onset sepsis in neonates: a retrospective cohort study. *BMC Infectious Diseases*, [online] 23(1). doi:<https://doi.org/10.1186/s12879-023-08851-3>.
- Child Mortality. (n.d.). *Child Mortality, Stillbirth, and Causes of Death Estimates*. [online] Available at: <https://childmortality.org>.
- Cnattingius, S., Johansson, S. and Razaz, N. (2020). Apgar Score and Risk of Neonatal Death among Preterm Infants. *New England Journal of Medicine*, 383(1), pp.49–57. doi:<https://doi.org/10.1056/nejmoa1915075>.
- Davidz, I.K.L.A., Kuntoro, Joewono, H.T. and Irwanto (2022). Risk factors of early neonatal death in East Nusa Tenggara, Indonesia: a case-control study. *Paediatrica Indonesiana*, 62(4), pp.282–90. doi:<https://doi.org/10.14238/pi62.4.2022.282-90>.
- de Souza, B.F.N., de Sousa, N.F.C., Sette, G.C.S., Lima, A.P.E., Leal, L.P. and de Holanda, E.R. (2021). Determinants of neonatal mortality in a municipality of the Zona da Mata in Pernambuco. *Revista da Escola de Enfermagem da USP*, 55. doi:<https://doi.org/10.1590/s1980-220x2020015003726>.

- Desai, N.M. and Tsukerman, A. (2023). *Vaginal Delivery*. [online] National Center for Biotechnology Information. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK559197/>.
- Deviany, P.E., Setel, P.W., Kalter, H.D., Anggondowati, T., Martini, M., Nandiaty, F., Latief, K., Weaver, E.H., Rianty, T., Achadi, A., Wahyuni, S., Setyaningtyas, S.W., Haryana, N.R., Mehra, L.M. and Achadi, E.L. (2022). Neonatal mortality in two districts in Indonesia: Findings from Neonatal Verbal and Social Autopsy (VASA). *PLOS ONE*, 17(3). doi:<https://doi.org/10.1371/journal.pone.0265032>.
- Fraser, J., Walls, M. and McGuire, W. (2004). Respiratory complications of preterm birth. *BMJ*, 329(7472), pp.962–965. doi:<https://doi.org/10.1136/bmj.329.7472.962>.
- Fuchs, F., Monet, B., Ducruet, T., Chaillet, N. and Audibert, F. (2018). Effect of maternal age on the risk of preterm birth: A large cohort study. *PLOS ONE*, 13(1), p.e0191002. doi:<https://doi.org/10.1371/journal.pone.0191002>.
- Gaiva, M.A.M., Fujimori, E. and Sato, A.P.S. (2016). Maternal and Child Risk Factors Associated with Neonatal Mortality. *Texto & Contexto - Enfermagem*, [online] 25(4). doi:<https://doi.org/10.1590/0104-07072016002290015>.
- Getachew, B., Etefa, T., Asefa, A., Terefe, B. and Dereje, D. (2020). Determinants of Low Fifth Minute Apgar Score among Newborn Delivered in Jimma University Medical Center, Southwest Ethiopia. *International Journal of Pediatrics*, 2020, pp.1–7. doi:<https://doi.org/10.1155/2020/9896127>.
- Gillette, E., Boardman, J.P., Calvert, C., John, J. and Stock, S.J. (2022). Associations between low Apgar scores and mortality by race in the United States: A cohort study of 6,809,653 infants. *PLOS Medicine*, 19(7), p.e1004040. doi:<https://doi.org/10.1371/journal.pmed.1004040>.
- Hadgu, F.B., Gebretsadik, L.G., Mihretu, H.G. and Berhe, A.H. (2020). Prevalence and Factors Associated with Neonatal Mortality at Ayder Comprehensive Specialized Hospital, Northern Ethiopia. A Cross-Sectional Study. *Pediatric Health, Medicine and Therapeutics*, Volume 11, pp.29–37. doi:<https://doi.org/10.2147/phmt.s235591>.
- Hay, W.W. (2018). Nutritional Support Strategies for the Preterm Infant in the Neonatal Intensive Care Unit. *Pediatric Gastroenterology, Hepatology & Nutrition*, 21(4), p.234. doi:<https://doi.org/10.5223/pghn.2018.21.4.234>.
- Healthy Newborn Network. (2019). *Leading Causes of Neonatal Deaths in Indonesia*. [online] Available at: <https://healthynewbornnetwork.org/country/indonesia/>.

- Hutchison, J., Mahdy, H. and Hutchison, J. (2023). *Stages of Labor*. [online] National Center for Biotechnology Information. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK544290/>.
- Ikran Abdulkadir Ali, Pamornsri Inchon, Sirinan Suwannaporn and Jullapong Achalapong (2024). Neonatal mortality and associated factors among newborns in Mogadishu, Somalia: a multicenter hospital-based cross-sectional study. *BMC public health*, 24(1). doi:<https://doi.org/10.1186/s12889-024-19149-7>.
- Iliodromiti, S., Mackay, D.F., Smith, G.C.S., Pell, J.P. and Nelson, S.M. (2014). Apgar score and the risk of cause-specific infant mortality: a population-based cohort study. *The Lancet*, 384(9956), pp.1749–1755. doi:[https://doi.org/10.1016/s0140-6736\(14\)61135-1](https://doi.org/10.1016/s0140-6736(14)61135-1).
- Kang, G., Lim, J., Kale, A. and Lee, L. (2015). Adverse effects of young maternal age on neonatal outcomes. *Singapore Medical Journal*, 56(03), pp.157–163. doi:<https://doi.org/10.11622/smedj.2014194>.
- Kannaujiya, A.K., Kumar, K., Upadhyay, A.K., McDougal, L., Raj, A., James, K.S. and Singh, A. (2022). Effect of preterm birth on early neonatal, late neonatal, and postneonatal mortality in India. *PLOS Global Public Health*, 2(6). doi:<https://doi.org/10.1371/journal.pgph.0000205>.
- Kattwinkel, J., Perlman, J.M., Aziz, K., Colby, C., Fairchild, K., Gallagher, J., Hazinski, M.F., Halamek, L.P., Kumar, P., Little, G., McGowan, J.E., Nightengale, B., Ramirez, M.M., Ringer, S., Simon, W.M., Weiner, G.M., Wyckoff, M. and Zaichkin, J. (2010). Part 15: Neonatal Resuscitation. *Circulation*, 122, pp.S909–S919. doi:<https://doi.org/10.1161/circulationaha.110.971119>.
- Kementerian Komunikasi dan Informatika. (2015). *Jadikan Indonesia Mandiri, Berkepribadian, dan Berdaulat*. [online] Available at: <https://www.kominfo.go.id/index.php/content/detail/5629/NAWACITA%3A+9+Program+Perubahan+Untuk+Indonesia/0/infografis>.
- Khansa Salsabila, Ali, M., Rundjan, L., Porjai Pattanittum, Prapassara Sirikarn, Rinawati Rohsiswatmo, Setya Wandita, Hakimi, M., Pagakrong Lumbiganon, Green, S. and Turner, T. (2022). Early-onset neonatal sepsis and antibiotic use in Indonesia: a descriptive, cross-sectional study. *BMC Public Health*, [online] 22(1). doi:<https://doi.org/10.1186/s12889-022-13343-1>.
- Khasawneh, W. and Khriesat, W. (2020). Assessment and comparison of mortality and short-term outcomes among premature infants before and after 32-week gestation: A cross-sectional analysis. *Annals of Medicine and Surgery*, 60, pp.44–49. doi:<https://doi.org/10.1016/j.amsu.2020.10.017>.

- Kim, Y.-N., Choi, D.-W., Kim, D.S., Park, E.-C. and Kwon, J.-Y. (2021). Maternal age and risk of early neonatal mortality: a national cohort study. *Scientific Reports*, [online] 11(1), p.814. doi:<https://doi.org/10.1038/s41598-021-80968-4>.
- Kozuki, N., Lee, A.C., Silveira, M.F., Sania, A., Vogel, J.P., Adair, L., Barros, F., Caulfield, L.E., Christian, P., Fawzi, W., Humphrey, J., Huybregts, L., Mongkolchat, A., Ntozini, R., Osrin, D., Roberfroid, D., Tielsch, J., Vaidya, A., Black, R.E. and Katz, J. (2013). The associations of parity and maternal age with small-for-gestational-age, preterm, and neonatal and infant mortality: a meta-analysis. *BMC Public Health*, [online] 13. doi:<https://doi.org/10.1186/1471-2458-13-s3-s2>.
- Kumar, N., Akangire, G., Sullivan, B., Fairchild, K. and Sampath, V. (2019). Continuous vital sign analysis for predicting and preventing neonatal diseases in the twenty-first century: big data to the forefront. *Pediatric Research*, [online] 87(2), pp.210–220. doi:<https://doi.org/10.1038/s41390-019-0527-0>.
- Lampi, K.M., Lehtonen, L., Tran, P.L., Suominen, A., Lehti, V., Banerjee, P.N., Gissler, M., Brown, A.S. and Sourander, A. (2012). Risk of Autism Spectrum Disorders in Low Birth Weight and Small for Gestational Age Infants. *The Journal of Pediatrics*, 161(5), pp.830–836. doi:<https://doi.org/10.1016/j.jpeds.2012.04.058>.
- Leak, P., Yamamoto, E., Noy, P., Keo, D., Krang, S., Kariya, T., Saw, Y.M., Siek, M. and Hamajima, N. (2021). Factors associated with neonatal mortality in a tertiary hospital in Phnom Penh, Cambodia. *Nagoya Journal of Medical Science*, [online] 83(1), pp.113–124. doi:<https://doi.org/10.18999/nagjms.83.1.113>.
- Lee, A.C., Katz, J., Blencowe, H., Cousens, S., Kozuki, N., Vogel, J.P., Adair, L., Baqui, A.H., Bhutta, Z.A., Caulfield, L.E., Christian, P., Clarke, S.E., Ezzati, M., Fawzi, W., Gonzalez, R., Huybregts, L., Kariuki, S., Kolsteren, P., Lusingu, J. and Marchant, T. (2013). National and regional estimates of term and preterm babies born small for gestational age in 138 low-income and middle-income countries in 2010. *The Lancet Global Health*, 1(1). doi:[https://doi.org/10.1016/s2214-109x\(13\)70006-8](https://doi.org/10.1016/s2214-109x(13)70006-8).
- Maternal and Newborn Health Disparities Indonesia. (2017). UNICEF.
- Melville, J.M. and Moss, T.J.M. (2013). The Immune Consequences of Preterm Birth. *Frontiers in Neuroscience*, 7(79). doi:<https://doi.org/10.3389/fnins.2013.00079>.

- Migoto, M.T., Oliveira, R.P. de, Silva, A.M.R. and Freire, M.H. de S. (2018). Early neonatal mortality and risk factors: a case-control study in Paraná State. *Revista Brasileira de Enfermagem*, [online] 71(5), pp.2527–2534. doi:<https://doi.org/10.1590/0034-7167-2016-0586>.
- Milton, R., Gillespie, D., Dyer, C., Taiyari, K., Carvalho, M.J., Thomson, K., Sands, K., Portal, E.A.R., Hood, K., Ferreira, A., Hender, T., Kirby, N., Mathias, J., Nieto, M., Watkins, W.J., Bekele, D., Abayneh, M., Solomon, S., Basu, S. and Nandy, R.K. (2022). Neonatal sepsis and mortality in low-income and middle-income countries from a facility-based birth cohort: an international multisite prospective observational study. *The Lancet Global Health*, 10(5), pp.e661–e672. doi:[https://doi.org/10.1016/s2214-109x\(22\)00043-2](https://doi.org/10.1016/s2214-109x(22)00043-2).
- Morgan, A.S., Mendonça, M., Thiele, N. and David, A.L. (2022). Management and outcomes of extreme preterm birth. *BMJ*, (376). doi:<https://doi.org/10.1136/bmj-2021-055924>.
- Naidu, K. and Fredlund, K.L. (2020). *Gestational Age Assessment*. [online] National Center for Biotechnology Information. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK526000/>.
- Ndombo, P.K., Ekei, Q.M., Tochie, J.N., Temgoua, M.N., Angong, F.T.E., Ntock, F.N. and Mbuagbaw, L. (2017). A cohort analysis of neonatal hospital mortality rate and predictors of neonatal mortality in a sub-urban hospital of Cameroon. *Italian Journal of Pediatrics*, 43(1). doi:<https://doi.org/10.1186/s13052-017-0369-5>.
- Olusanya, B.O. (2013). Full-term newborns with normal birth weight requiring special care in a resource-constrained setting. *The Pan African Medical Journal*, [online] 15. doi:<https://doi.org/10.11604/pamj.2013.15.36.576>.
- Osilla, E.V. and Sharma, S. (2022). *Physiology, Temperature Regulation*. [online] National Center for Biotechnology Information. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK507838/>.
- Owuor, H.O., Akelo, V., Murila, F., Onyango, D., Kuria, M., Rogena, E., Gunturu Revathi, Mitei, P., Sava, S., Were, J., Aggrey Igunda, Khagayi, S., Zielinski-Gutierrez, E., Hawi, S., Dickson Gethi, Verani, J.R., Onyango, C., Blau, D.M. and Tippet, B.A. (2023). Prevalence and Missed Cases of Respiratory Distress Syndrome Disease Amongst Neonatal Deaths Enrolled in the Kenya Child Health and Mortality Prevention Surveillance Network (CHAMPS) Program Between 2017 and 2021. *Global pediatric health*, 10. doi:<https://doi.org/10.1177/2333794x231212819>.

- Özdemir, Ö.Ç., Bakar, Y., Özengin, N. and Duran, B. (2015). The effect of parity on pelvic floor muscle strength and quality of life in women with urinary incontinence: a cross sectional study. *Journal of Physical Therapy Science*, [online] 27(7), pp.2133–2137. doi:<https://doi.org/10.1589/jpts.27.2133>.
- Pierrat, V., Marchand-Martin, L., Arnaud, C., Kaminski, M., Resche-Rigon, M., Lebeaux, C., Bodeau-Livinec, F., Morgan, A.S., Goffinet, F., Marret, S., Ancel, P.-Y. and EPIPAGE-2 writing group (2017). Neurodevelopmental outcome at 2 years for preterm children born at 22 to 34 weeks' gestation in France in 2011: EPIPAGE-2 cohort study. *BMJ*, [online] 358. doi:<https://doi.org/10.1136/bmj.j3448>.
- Pierrat, V., Marchand-Martin, L., Marret, S., Arnaud, C., Benhammou, V., Cambonie, G., Debillon, T., Dufourg, M.-N., Gire, C., Goffinet, F., Kaminski, M., Lapillonne, A., Morgan, A.S., Rozé, J.-C., Twilhaar, S., Charles, M.-A. and Ancel, P.-Y. (2021). Neurodevelopmental outcomes at age 5 among children born preterm: EPIPAGE-2 cohort study. *BMJ*, [online] 373. doi:<https://doi.org/10.1136/bmj.n741>.
- Pooley, J. (2014). *Gestation-specific Infant Mortality: 2012*. [online] Office for National Statistics. Available at: <https://www.ons.gov.uk/peoplepopulationandcommunity/healthandsocialcare/causesofdeath/bulletins/pregnancyandethnicfactorsinfluencingbirthsandinfantmortality/2014-10-15>.
- Primaya Hospital. (n.d.). *Childhood Immunization*. [online] Available at: <https://primayahospital.com/en/layanan/child-immunization/>.
- Purwaningsih, Y., Dewi, Y.L.R., Indarto, D. and Murti, B. (2018). Low Birthweight, Preterm Birth, and Their Associations with the Risk of Asphyxia. *Reaching the Unreached: Improving Population Health in the Rural and Remote Areas*. doi:<https://doi.org/10.26911/theicph.2018.03.48>.
- Putri, A.W.S., Harahap, H., Harnani, Y., Rany, N. and Syafrani, S. (2022). The Risk Factors of Neonatal Mortality in Pekanbaru City, Indonesia. *Open Access Macedonian Journal of Medical Sciences*, 10(E), pp.1040–1044. doi:<https://doi.org/10.3889/oamjms.2022.7997>.
- Queiroz, M.R., Junqueira, M.E.R., Lay, A.A.R., Bonilha, E. de A., Borba, M.F., Aly, C.M.C., Moreira, R.A. and Diniz, C.S.G. (2022). Neonatal mortality by gestational age in days in infants born at term: A cohort study in Sao Paulo city, Brazil. *PLoS ONE*, 17(11). doi:<https://doi.org/10.1371/journal.pone.0277833>.

- Ravelli, A.C.J., Eskes, M., van der Post, J.A.M., Abu-Hanna, A. and de Groot, C.J.M. (2020). Decreasing trend in preterm birth and perinatal mortality, do disparities also decline? *BMC Public Health*, [online] 20, p.783. doi:<https://doi.org/10.1186/s12889-020-08925-w>.
- Rumiati, F. and Adisasmita, A.C. (2021). Determinants of Neonatal Mortality Based on the 2017 Indonesian Demographic and Health Survey (IDHS). *The Indonesian Journal of Public Health*, 16(3), p.363. doi:<https://doi.org/10.20473/ijph.v16i3.2021.363-374>.
- Serenius, F., Källén, K., Blennow, M., Ewald, U., Fellman, V., Holmström, G., Lindberg, E., Lundqvist, P., Maršál, K., Norman, M., Olhager, E., Stigson, L., Stjernqvist, K., Vollmer, B., Strömberg, B. and EXPRESS Group, for the (2013). Neurodevelopmental Outcome in Extremely Preterm Infants at 2.5 Years After Active Perinatal Care in Sweden. *JAMA*, 309(17), p.1810. doi:<https://doi.org/10.1001/jama.2013.3786>.
- Siahaan, A. and Ariawan, I. (2021). Effect of Parity on Neonatal Mortality in Indonesia. *Jurnal Ilmu Kesehatan Masyarakat*, [online] 12(3), pp.250–262. doi:<https://doi.org/10.26553/jikm.2021.12.3.250-262>.
- Sikias, P., Biran, V., Foix-L'Hélias, L., Plainvert, C., Boileau, P. and Bonacorsi, S. (2022). Early-onset neonatal sepsis in the Paris area: a population-based surveillance study from 2019 to 2021. *Arch Dis Child Fetal Neonatal Ed.*, 108(2), pp.114–120. doi:<https://doi.org/10.1136/archdischild-2022-324080>.
- Signore, C. and Klebanoff, M. (2008). Neonatal Morbidity and Mortality After Elective Cesarean Delivery. *Clinics in Perinatology*, [online] 35(2), pp.361–371. doi:<https://doi.org/10.1016/j.clp.2008.03.009>.
- Simon, L.V., Hashmi, M.F. and Bragg, B.N. (2024). *APGAR score*. [online] National Center for Biotechnology Information. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK470569/>.
- Simonsen, K.A., Anderson-Berry, A.L., Delair, S.F. and Davies, H.D. (2014). Early-Onset Neonatal Sepsis. *Clinical Microbiology Reviews*, [online] 27(1), pp.21–47. doi:<https://doi.org/10.1128/cmr.00031-13>.
- Singh, S., Agrawal, R., Agarwal, G., Das, A. and Sahu, R. (2023). Predictors of Neonatal Mortality: A Retrospective Cross-Sectional Study From the Special Newborn Care Unit of a Tertiary Care Hospital. *Cureus*. doi:<https://doi.org/10.7759/cureus.37143>.
- Sobhy, S., Arroyo-Manzano, D., Murugesu, N., Karthikeyan, G., Kumar, V., Kaur, I., Fernandez, E., Gundabattula, S.R., Betran, A.P., Khan, K., Zamora, J. and Thangaratinam, S. (2019). Maternal and perinatal mortality and

complications associated with caesarean section in low-income and middle-income countries: a systematic review and meta-analysis. *The Lancet*, [online] 393(10184), pp.1973–1982. doi:[https://doi.org/10.1016/s0140-6736\(18\)32386-9](https://doi.org/10.1016/s0140-6736(18)32386-9).

Springer, S., Karner, E., Worda, C., Grabner, M.M., Seidl-Mlczech, E., Laccone, F., Neesen, J., Scharrer, A. and Ulm, B. (2022). Outcome after Prenatal Diagnosis of Trisomy 13, 18, and 21 in Fetuses with Congenital Heart Disease. *Life*, 12(8), p.1223. doi:<https://doi.org/10.3390/life12081223>.

Suman, V. and Luther, E.E. (2019). *Preterm Labor*. [online] National Center for Biotechnology Information. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK536939/>.

Tamir, T.T., Asmamaw, D.B., Negash, W.D., Belachew, T.B., Fentie, E.A., Kidie, A.A., Amare, T., Fetene, S.M., Addis, B., Wubante, S.M., Endawkie, A. and Zegeye, A.F. (2023). Prevalence and determinants of early neonatal mortality in Ethiopia: findings from the Ethiopian Demographic and Health Survey 2016. *BMJ Paediatrics Open*, [online] 7(1). doi:<https://doi.org/10.1136/bmjpo-2023-001897>.

Taye, K., Kebede, Y., Desalegn Tsegaw and Ketema, W. (2024). Predictors of neonatal mortality among neonates admitted to the neonatal intensive care unit at Hawassa University Comprehensive Specialized Hospital, Sidama regional state, Ethiopia. *BMC pediatrics*, 24(1). doi:<https://doi.org/10.1186/s12887-024-04689-z>.

The American College of Obstetricians and Gynecologists. (2013). *Definition of Term Pregnancy*. [online] Available at: <https://www.acog.org/clinical/clinical-guidance/committee-opinion/articles/2013/11/definition-of-term-pregnancy>.

Titaley, C.R., Mu'asyaroh, A., Que, B.J., Tjandrarini, D.H. and Ariawan, I. (2024). Determinants of early neonatal mortality: secondary analysis of the 2012 and 2017 Indonesia Demographic and Health Survey. *Frontiers in pediatrics*, 12. doi:<https://doi.org/10.3389/fped.2024.1288260>.

United Nations. (2024). *The 17 Sustainable Development Goals*. [online] Available at: <https://sdgs.un.org/goals>.

Visscher, M.O., Carr, A.N. and Narendran, V. (2022). Epidermal Immunity and Function: Origin in Neonatal Skin. *Frontiers in Molecular Biosciences*, [online] 9, p.894496. doi:<https://doi.org/10.3389/fmolb.2022.894496>.

- Woday Tadesse, A., Mekuria Negussie, Y. and Aychiluhm, S.B. (2021). Neonatal mortality and its associated factors among neonates admitted at public hospitals, pastoral region, Ethiopia: A health facility based study. *PLOS ONE*, 16(3). doi:<https://doi.org/10.1371/journal.pone.0242481>.
- Woodgate, P. and Jardine, L.A. (2015). Neonatal jaundice: phototherapy. *BMJ Clinical Evidence*, [online] 2015(0319). Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4440981/>.
- World Health Organization. (2012). *Guidelines on basic newborn resuscitation*. [online] Available at: <https://www.who.int/publications/i/item/9789241503693>.
- World Health Organization. (2020). *Newborns: improving survival and well-being*. [online] Available at: <https://www.who.int/westernpacific/news-room/fact-sheets/detail/newborns-reducing-mortality>.
- World Health Organization. (n.d.). *Perinatal asphyxia*. [online] Available at: <https://www.who.int/teams/maternal-newborn-child-adolescent-health-and-ageing/newborn-health/perinatal-asphyxia#:~:text=Birth%20asphyxia%2C%20defined%20as%20the>.
- World Health Organization. (2022). *Targets of Sustainable Development Goal 3*. [online] Available at: <https://www.who.int/europe/about-us/our-work/sustainable-development-goals/targets-of-sustainable-development-goal-3>.
- World Health Organization. (2023a). *152 million babies born preterm in the last decade*. [online] Available at: <https://www.who.int/news/item/09-05-2023-152-million-babies-born-preterm-in-the-last-decade#:~:text=An%20estimated%2013.4%20million%20babies>.
- World Health Organization. (2023b). *Preterm birth*. [online] Available at: <https://www.who.int/news-room/fact-sheets/detail/preterm-birth#:~:text=There%20are%20sub%2Dcategories%20of>.
- World Health Organization. (2024). *Newborn mortality*. [online] Available at: <https://www.who.int/news-room/fact-sheets/detail/newborn-mortality>.
- Wulandari, F., Mahmudiono, T., Rifqi, M.A., Helmyati, S., Dewi, M. and Yuniar, C. (2022). Maternal Characteristics and Socio-Economic Factors as Determinants of Low Birth Weight in Indonesia: Analysis of 2017 Indonesian Demographic and Health Survey (IDHS). *International Journal of Environmental Research and Public Health*, [online] 19(21), pp.13892–13892. doi:<https://doi.org/10.3390/ijerph192113892>.

Yadav, S., Lee, B. and Kamity, R. 2023). *Neonatal Respiratory Distress Syndrome*.
[online] National Center for Biotechnology Information. Available at:
https://www.ncbi.nlm.nih.gov/books/NBK560779/#__NBK560779_ai__.