

## BAB VI

### DAFTAR PUSTAKA

- A. D. Meinhart, C.S. Bizzotto, C.A. Ballus, M.A. Prado, R.E. Bruns, J.T. Filho, & H.t. Godoy,. (2010). Optimisation of a CE method for caffeine analysis in decaffeinated coffee. *Food Chemistry*, 120, 1155–1161.  
<https://doi.org/10.1016/j.foodchem.2009.11.048>
- A. S. Franca. (2016). Coffee: Decaffeination. In *Encyclopedia of Food and Health* (pp. 232–236). <https://doi.org/10.1016/B978-0-12-384947-2.00183-5>
- Aak. (2002). Budidaya Tanaman Kopi. Yogyakarta: Penerbit Kanisisus.
- Ajandouz, E. H., & Puigserver, A. (1999). "Nonenzymatic browning reaction of essential amino acids: effect of pH and temperature on caramelization and Maillard reaction kinetics." *Journal of Agricultural and Food Chemistry*, 47(8), 2800-2802.
- Akiyama, M., Murakami, K., Ikeda, M., & Koizumi, Y. (2003). "Analysis of volatile compounds released during the grinding of roasted coffee beans using solid-phase microextraction." *Journal of Agricultural and Food Chemistry*, 51(7), 1961-1969.
- Albouchi, J., Russ, J., Murkovic, M., Martin, M. J., Pablos, F., & Gonzales, A. G. (1999). Parameters Affecting Arabica and Robusta Roasted Coffee Characterization.

Ames, Jennifer M. (1990). Control of the Maillard reaction in food systems. Trends in

Food Science & Technology, 1(), 150–154. doi:10.1016/0924-2244(90)90113-

D

Andueza, S., Vila, M. A., Pena, M. P., Cid, C., & Fernández, C. (2003). Influence of coffee/water ratio on the final quality of espresso coffee. Journal of the Science of Food and Agriculture, 83(3), 240-246.

Arthur Merigueti de Souza Costa, Karla Lirio Soares, Lian de Souza Silveira, Abraão

Carlos Verdin Filho, Lucas Louzada Pereira, Vanessa Moreira Osório, Márcio

Fronza, & Rodrigo Scherer. (2024). Influence of maturation and roasting on

the quality and chemical composition of new conilon coffee cultivar by chemometrics. Food Research International, 176, 113791.

<https://doi.org/10.1016/j.foodres.2023.113791>

Associação Brasileira da Indústria de Café Solúvel (ABICS). (2021). Relatório de

café solúvel. <https://agenciap1.files.wordpress.com/2022/01/relatorio-cafe-soluvel-brasil-janeiro-2022.pdf>

solúvel-brasil-janeiro-2022.pdf

Badan Standarisasi Nasional. (2008). SNI 01-2907-2008: Tentang mutu Biji Kopi.

Jakarta: Badan Standarisasi Nasional.

Baggenstoss, J., Poisson, L., Kaegi, R., Perren, R., & Escher, F. (2008). Coffee

Roasting and Aroma Formation: Application of Different Time-Temperature

Conditions. Journal of Agricultural and Food Chemistry, 56, 5836-5846.

Baggenstoss, J., Poisson, L., Luethi, R., Perren, R., & Escher, F. (2007). Influence of

water quench cooling on degassing and aroma stability of roasted coffee.

Journal of Agricultural and Food Chemistry, 55(16), 6685–6691.

Bahtiar, et al. (2023). Bean quality and taste of robusta coffee (*Coffea canephora*

Pierre ex A. Froehner) from Bale village on Halmahera Island, Indonesia.

GSC Advanced Research and Review, pp. 287-297.

Belitz, H.-D., Grosch, W., & Schieberle, P. (2009). Food Chemistry. Springer.

Clifford, M. N., & Willson, K. C. (1985). Chemical and Physical Aspects of Green

Coffee and Coffee Products.

Cyril Moccand, Aditya Daniel Manchala, Jean-Luc Sauvageat, Anthony Lima, &

Yvette Fleury-Rey. (2023). Improvement of Robusta coffee aroma by

modulating flavor precursors in the green coffee bean with enzymatically

treated spent coffee grounds: A circular approach. Food Research

International, 170, 112987. <https://doi.org/10.1016/j.foodres.2023.112987>

Daglia, M., Papetti, A., Gregotti, C., Bertè, F., & Gazzani, G. (2000). In vitro

antioxidant and ex vivo protective activities of green and roasted coffee.

Journal of Agricultural and Food Chemistry, 48, 1449–1454.

De Bruijin, J. M., & Jansen, E. F. (1974). "The Caramelization of Sugars." Food

Chemistry, 2(3), 197-209.

De Maria, C. A. B., Trugo, L. C., Moreira, R. F. A., & Petracco, M. (1995).

Simultaneous determination of total chlorogenic acid, trigonelline and

caffeine in green coffee samples by high performance gel filtration chromatography. Food Chemistry.

Ewa Nebesny, & Grażyna Budrym. (2006). Evaluation of sensory attributes of coffee brews from robusta coffee roasted under different conditions.  
doi:10.1007/s00217-006-0308-y

Fajar Khoirul Anam, Fasisal Samsuri, & Joni Welman Simatupang. (2023). Prototipe Chromameter untuk Deteksi Bumper Berbasis Raspberry Pi-4 dan Sensor AS7341. Jurnal Teknik Energi Elektrik, Telekomunikasi, & Teknik Elektronika, 11(3), 677-690.

Farah, A. (2012). Coffee constituents. In Coffee: Emerging health effects and disease prevention (pp. 22-58).

Farah, A., de Paulis, T., Trugo, L. C., & Martin, P. R. (2005). Effect of Roasting on the Formation of Chlorogenic Acid Lactones in Coffee. Journal of Agricultural and Food Chemistry, 53(5), 1505-1513.

Farah, A., & Donangelo, C. M. (2006). Phenolic compounds in coffee. Brazilian Journal of Plant Physiology, 18(1), 23-36. doi:10.1590/S1677-04202006000100003

Farah, A., & Dos Santos, T. F. (2015). The Coffee Plant and Beans: An Introduction. In Coffee in Health and Disease Prevention (pp. 5-10).

- Farah, A., Monteiro, M., Calado, V., Franca, A. S., & Trugo, L. C. (2006). Correlation between cup quality and chemical attributes of Brazilian coffee. *Food Chemistry*, 98(2), 373-380. doi:10.1016/j.foodchem.2005.07.032
- Franca, A. S., & Oliveira, L. S. (2019). Coffee. In *Integrated Processing Technology for Food and Agricultural By-Product* (pp. 413-438).
- Ginz, M., & Engelhardt, U. H. (2000). Analysis of bitter fractions of roasted coffee by LC-ESI-MS—a contribution to the understanding of coffee bitterness. *Food Chemistry*, 70(1), 39-46. doi:10.1016/S0308-8146(00)00064-7
- Gonthier, M.-P., Verny, M.-A., Besson, C., Rémésy, C., & Scalbert, A. (2003). Chlorogenic acid bioavailability largely depends on its metabolism by the gut microflora in rats. *The Journal of Nutrition*, 133, 1853–1859.
- Haile, M., & Kang, W. H. (2019). Isolation, Identification, and Characterization of Pectinolytic Yeasts for Starter Culture in Coffee Fermentation. *Microorganisms*, 7, 401. <https://doi.org/10.3390/microorganisms710040>
- Hall, S., Desbrow, B., Anoopkumar-Dukie, S., Davey, A. K., Arora, D., McDermott, C., Schubert, M. M., Perkins, A. V., Kiefel, M. J., & Grant, G. D. (2015). A review of the bioactivity of coffee, caffeine and key coffee constituents on inflammatory responses linked to depression. *Food Research International*, 76, 626–636. <https://doi.org/10.1016/j.foodres.2015.07.027>
- Hodge, J. E. (1953). "Chemistry of browning reactions in model systems." *Journal of Agricultural and Food Chemistry*, 1(15), 928-943.

International Coffee Organization. (2021). [icocoffee.org](http://icocoffee.org).

Ivana Hećimović, Ana Belščak-Cvitanović, Dunja Horžić, Draženka Komes. (2011).

Comparative study of polyphenols and caffeine in different coffee varieties affected by the degree of roasting. *Food Chemistry*, 129(3), 991-1000.

<https://doi.org/10.1016/j.foodchem.2011.05.059>

Illy, A., & Viani, R. (1995). *Espresso Coffee: The Chemistry of Quality*.

Illy, A., & Viani, R. (2005). *Espresso Coffee: The Science of Quality*. Academic Press.

J.A. Vignoli, D.G. Bassoli, & M.T. Benassi. (2011). Antioxidant activity, polyphenols, caffeine and melanoidins in soluble coffee: The influence of processing conditions and raw material. *Food Chemistry*, 124(3), 863-868.

<https://doi.org/10.1016/j.foodchem.2010.07.008>

J-B. Kang, H-K. Son, D-J. Park, Y-B. Jin, F-A. shah, & P-O. Koh. (2024). Modulation of thioredoxin by chlorogenic acid in an ischemic stroke model and glutamate-exposed neurons. *Neuroscience Letters*.

<https://doi.org/10.1016/j.neulet.2024.137701>

J.G. de Souza et al. (2022). Risk or benefit? Side effects of caffeine supplementation in sport: a systematic review. *European Journal of Nutrition*, 61, 3823–3834.

<https://doi.org/10.1007/s00394-022-02874-3>

Jeszka-Skowron, M., Sentkowska, A., Pyrzyńska, K., & De Peña, M. P. (2016). Chlorogenic acids, caffeine content and antioxidant properties of green coffee

extracts: Influence of green coffee bean preparation. European Food Research and Technology, 242, 1403–1409. <https://doi.org/10.1007/s00217-016-2643-y>

João Rodrigo Santos, Miguel Lopo, António O.S.S. Rangel, João Almeida Lopes. (2016). Exploiting near infrared spectroscopy as an analytical tool for on-line monitoring of acidity during coffee roasting. Food Control, 60, 408-415. <https://doi.org/10.1016/j.foodcont.2015.08.007>

Juanda, Muzaifa M, Martunis, & Wahyuningsih T. (2022). Analysis of Gayo wine-coffee processing facility development. IOP Conf. Ser. Earth Environ. Sci. 951.

Kenanao Otsogile, Eyassu Seifu, & Geremew Bultosa. (2022). Physicochemical properties and sensory quality of Motlopi (*Boscia albitrunca*) coffee prepared using different temperature-time combinations. Heliyon, 8(10), e10829. <https://doi.org/10.1016/j.heliyon.2022.e10829>

Koshiro, Y., Zheng, X. Q., Wang, M. L., Nagai, C., & Ashihara, H. (2006). Changes in content and biosynthetic activity of caffeine and trigonelline during fruit development of *Coffea arabica*. Plant Science, 171(2), 242-250.

Kroh, L. W. (1994). "Caramelisation in food and beverages." Food Chemistry, 51(4), 373-379.

L.C. Trugo, R. Macrae. (1984). A study of the effect of roasting on the chlorogenic acid composition of coffee using HPLC. Food Chemistry, 15(3), 219-227. [https://doi.org/10.1016/0308-8146\(84\)90006-2](https://doi.org/10.1016/0308-8146(84)90006-2)

Lachman, J., Hosnedl, V., Pivec, V., & Orsak, M. (1998). Polyphenols in cereals and their positive and negative role in human and animal nutrition. In Proceedings of conference cereals for human health and preventive nutrition (pp. 118–125). Brno.

Lee, L.W., Cheong, M.W., Curran, P., Yu, B., & Liu, S.Q. (2015). Coffee fermentation and flavor – An intricate and delicate relationship. *Food Chemistry*, 185, 182–191. <https://doi.org/10.1016/j.foodchem.2015.03.124>

Ludwig, I. A., Clifford, M. N., Lean, M. E., Ashihara, H., & Crozier, A. (2014). Coffee: biochemistry and potential impact on health. *Food Funct.*, 5, 1695–1717.

Martins, S. I., Jongen, W. M., & Van Boekel, M. A. (2000). "A review of Maillard reaction in food and implications to kinetic modelling." *Trends in Food Science & Technology*, 11(9-10), 364-373.

Mega Nur Sasongko, Nurkholis Hamidi, Widya Wijayanti, Khairul Anam. (2016). Pengeringan Biji Kopi Berbasis Mikrohidro Di Desa Andungbiru, Kecamatan Tiris, Kabupaten Probolinggo. *JIAT-Journal of Innovation and Applied Technology*, 2(2), 273-280.

Moon, J. K., Yoo, H. S., & Shibamoto, T. (2009). "Role of roasting conditions in the profile of volatile flavor chemicals formed from coffee beans." *Journal of Agricultural and Food Chemistry*, 57(13), 5823-5831.

Moreira, R. F. A., Trugo, L. C., De Maria, C. A. B., Matos, A. G. B., Santos, S. M., &

Leite, J. M. C. (2001). Discrimination of Brazilian arabica green coffee samples by chlorogenic acid composition. *Archivos. Latinoamericanos de Nutrición*, 51, 95–99

Nancy Córdoba et al. (2021). Chemical and sensory evaluation of cold brew coffees using different roasting profiles and brewing methods. *Food Research International*, 141, 110141. <https://doi.org/10.1016/j.foodres.2021.110141>.

Nursten, H. (2005). "The Maillard Reaction: Chemistry, Biochemistry, and Implications." Royal Society of Chemistry.

Olthof, M. R., Hollman, P. C. H., & Katan, M. B. (2001). Chlorogenic acid and caffeic acid are absorbed in humans. *Journal of Nutrition*, 131, 66–71

Petisca, C., Pérez-Palacios, T., Farah, A., Pinho, O., & Ferreira, I. M. P. L. V. O. (2013). Furans and other volatile compounds in ground roasted and espresso coffee using headspace solid-phase microextraction: Effect of roasting speed. *Food and Bioproducts Processing*, 91(3), 233-241. <https://doi.org/10.1016/j.fbp.2012.10.003>.

Pittia, P., & Dalla Rosa, M. (2006). Study on coffee roasting process by thermogravimetry. *Journal of Food Engineering*, 75(1), 74-82.

Qin, X., Xiong, T., Kang, X., Liu, Z., Xie, M., & Guan, Q. (2024). Comparison of the quality of suansun product between starter inoculation and natural

fermentation. Food Bioscience, 58, 103782.

<https://doi.org/10.1016/j.fbio.2024.103782>.

Raemy, A., & Lambelet, P. (1982). A calorimetric study of self-heating in coffee and chicory. *Journal of Food Technology*, 17, 451e460.

Rendon, M. Y., Dos Santos Scholz, M. B., & Bragagnolo, N. (2017). Is cafestol retained on the paper filter in the preparation of filter coffee? *Food Research International*, 100, 798–803.

Rice-Evans, C. A., Miller, N. J., & Paganga, G. (1996). Structure-antioxidant activity relationships of flavonoids and phenolic acids. *Free radical biology & medicine*, 20, 933–956.

Sacchetti, G., Di Mattia, C., Pittia, P., & Mastrocola, D. (2009). Effect of roasting degree, equivalent thermal effect and coffee type on the radical scavenging activity of coffee brews and their phenolic fraction. *Journal of Food Engineering*, 90, 74–80.

Santos, João Rodrigo et al. (2016). In-line monitoring of the coffee roasting process with near infrared spectroscopy: Measurement of sucrose and colour. *Food Chemistry*, 208, 103–110. <https://doi.org/10.1016/j.foodchem.2016.03.114>

Saud, S., & Salamatullah, A.M. (2021). Relationship between the Chemical Composition and the Biological Functions of Coffee. *Molecules*, 26(24), 7634. <https://doi.org/10.3390/molecules26247634>

Schenker, S., Handschin, S., Frey, B., Perren, R., & Escher, F. (1999). Structural properties of coffee beans as influenced by roasting conditions. In Proceedings of the 18th ASIC Colloquium (Helsinki) (pp. 127e135).

Schenker, S., Heinemann, C., Huber, M., Pompizzi, R., Perren, R., & Escher, F. (2002). Impact of roasting conditions on the formation of aroma compounds in coffee beans. *Journal of Food Science*, 67(1).

Stefan Schenker, Trish Rothgeb. (2017). The Roast—Creating the Beans' Signature. In The Craft and Science of Coffee (pp. 245-271). Academic Press.  
<https://doi.org/10.1016/B978-0-12-803520-7.00011-6>

T.W.M. Crozier, A. Stalmach, M.E.J. Lean, A. Crozier. (2012). Espresso coffees, caffeine and chlorogenic acid intake: potential health implications. *Food Funct.*, 3, 30–33. <https://doi.org/10.1039/C1FO10240K>.

Tawali, A.B., Abdullah, N., & Wiranata, B.S. (2018). Pengaruh fermentasi menggunakan bakteri asam laktat yoghurt terhadap citarasa kopi robusta (*Coffea robusta*) [The influence of fermentation using bacteria lactic acid yoghurt to the flavor of coffee robusta (*Coffea robusta*)]. Makassar, Indonesia: Program Studi Ilmu dan Teknologi Pangan, Departemen Teknologi Pertanian, Universitas Hasanuddin.

Thayna Viencz et al. (2023). Caffeine, trigonelline, chlorogenic acids, melanoidins, and diterpenes contents of *Coffea canephora* coffees produced in the Amazon.

Journal of Food Composition and Analysis, 117, 105140.

<https://doi.org/10.1016/j.jfca.2023.105140>.

Valdeir Viana Freitas et al. (2024). Influence of roasting levels on chemical composition and sensory quality of Arabica and Robusta coffee: a comparative study. Food Bioscience, 104171.

<https://doi.org/10.1016/j.fbio.2024.104171>.

Valdeir Viana Freitas et al. (2023). Impact of different roasting conditions on the chemical composition, antioxidant activities, and color of *Coffea canephora* and *Coffea arabica* L. samples. Heliyon, 9(9), e19580.

<https://doi.org/10.1016/j.heliyon.2023.e19580>.

Wang, X. (2015). Physicochemical characteristics of roasted coffee. In **Coffee in health and disease prevention** (pp. 247–254). Elsevier.

<https://doi.org/10.1016/B978-0-12-409517-5.00027-9>

Waskale, H. S., & Bhong., M. G. (2017). Experimental RGB and CIE L\*a\*b\* colour space analysis and comparison for fruits and vegetables. Journal of Emerging Technology and Innovative Research (JETIR), 4(4), 1–4. ISSN: 2349-5162.

Wei, F., Furihata, K., Koda, M., Hu, F., Miyakawa, T., & Tanokura, M. (2012). Roasting process of coffee beans as studied by nuclear magnetic resonance: time course of changes in composition. Journal of Agricultural and Food Chemistry, 60(4), 1005-1012. doi:10.1021/jf204196j

Wenny B. Sunarharum, David J. Williams, Heather E. Smyth. (2014). Complexity of coffee flavor: A compositional and sensory perspective. *Food Research International*, 62, 315-325. <https://doi.org/10.1016/j.foodres.2014.02.030>.

Williamson, K., & Hatzakis, E. (2019). Evaluating the effect of roasting on coffee lipids using a hybrid targeted-untargeted NMR approach in combination with MRI. *Food Chem.*, 299, 125039.

X. Wang. (2015). IPv6-Based Vehicular Cloud Networking. *IEEE Communications Letters*, 19(6), 933-936. <https://doi.org/10.1109/LCOMM.2015.2422703>

Zhao, Y., Zhao, Z., Gao, Y., Yang, G., Liu, X., Huang, R., Liang, W., & Li, S. (2023). Assessment of autochthonous lactic acid bacteria as starter culture for improving traditional Chinese Dongbei Suancai fermentation. *LWT*, 178, 114615. <https://doi.org/10.1016/j.lwt.2023.114615>.